

PERENNIAL VARIETIES FOR 2007

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
ACHILLEA (Milfoil, Yarrow)						
<i>The Greek hero Achilles is said to have used Achillea for its wound-healing properties. Prune foliage back to promote new growth and repeat blooms.</i>						
<i>Hybrid</i>						
'Moonshine'	☉ ☞	18-24"	30-36"	clusters are sulphur-yellow	fragrant, silver-green	early summer to early fall (Jun-Sep)
<i>millefolium</i>						
'Paprika'	☉ ☞	18-24"	30-36"	clusters are dusty red then fade to pink	fragrant, gray-green	early to late summer (Jun-Aug)
'Summer Pastels'	☉ ☞	18-24"	30-36"	flower heads are mixed (one color per plant) pink, rose, salmon, white, or yellow	fragrant, gray-green	early to late summer (Jun-Aug)
ACONITUM (Helmet Flower, Monkshood, Turk's Cap)						
<i>Aconitum is toxic, but easily grown. Just be sure to keep the sap from your mouth.</i>						
<i>cammarum</i>						
'Bicolor'	☞ ☞	30-36"	18-24"	spikes are blue and white	deep green, glossy	mid summer to early fall (Jul-Sep)
<i>napellus</i>						
napellus	☞ ☞	30-36"	18-24"	spikes are deep blue	deep green, glossy	late summer to early fall (Aug-Sep)
'Newry Blue'	☞ ☞	36-42"	24-30"	spikes are deep violet-blue	deep green, glossy	mid to late summer (Jul-Aug)
ADENOPHORA (Ladybells)						
<i>liliifolia</i>						
liliifolia	☉ ☞	18-24"	18-24"	spiked clusters are pale-blue to violet-blue, fragrant	medium green	mid to late summer (Jul-Aug)
AEGOPODIUM (Bishop's Weed, Ground Elder, Goutweed, Snow-on-the-Mountain)						
<i>Spreads quickly, so allow plenty of room for growth. Once thought to cure gout.</i>						
<i>podagraria</i>						
'Variegatum'	☉ ☞ ☞	6-12"	60" or more	clusters are white	light green edged in white, spreading	late spring to early summer (May-Jun)
<i>allow plenty of room to grow as it will spread</i>						
AGAPANTHUS (African Lily, Hardy Agapanthus)						
<i>Hybrid</i>						
New! 'Hardy Blue'	☉ ☞ ☞	12-18"	24-30"	heads are deep blue	deep green	mid to late summer (Jul-Aug)
<i>attracts hummingbirds</i>						
AGASTACHE (Anise Hyssop)						
<i>Butterflies and hummingbirds love the late summer blooms on Agastache.</i>						
<i>foeniculum</i>						
New! foeniculum	☉ ☞	36-42"	36-42"	spikes are cornflower-blue to violet	grayish-green, spicy fragrance	mid summer to early fall (Jul-Sep)
New! 'Golden Jubilee'	☉ ☞	18-24"	24-30"	spikes are lavender-blue	golden-chartreuse, spicy fragrance	mid summer to early fall (Jul-Sep)
<i>Hybrid</i>						
'Blue Fortune'	☉ ☞	42-48"	42-48"	spikes are cornflower-blue to violet	grayish-green, spicy fragrance	mid summer to early fall (Jul-Sep)
AJUGA (Bugleweed)						
<i>An easy-to-grow and adaptable groundcover or container plant. Try to plant Ajuga in moist but very well-drained soil to prevent crown rot and wilt.</i>						
<i>Hybrid</i>						
'Chocolate Chip'	☉ ☞ ☞	6" or less	12-18"	spikes are lavender to sky-blue	small leaves, chocolate-bronze, compact	early spring to early summer (Apr-Jun)
<i>more compact than most Ajuga varieties</i>						
<i>reptans</i>						
'Bronze Beauty'	☉ ☞ ☞	6" or less	24-30"	spikes are violet-blue	bronze-green, spreading, mat-like	late spring to early summer (May-Jun)
'Burgundy Glow'	☉ ☞ ☞	6" or less	24-30"	spikes are violet-blue	spreading, crinkled, variegated cream, gray-green, and shades of burgundy-purple	late spring to early summer (May-Jun)
'Mahogany'	☉ ☞ ☞	6" or less	24-30"	spikes are bright blue	purple, spreading, mat-like	late spring to early summer (May-Jun)
<i>one of the deepest colored Ajuga varieties</i>						
AKEBIA (Chocolate Vine, Fiveleaf)						
<i>quinata</i>						
'Fruitful Combo'	☉ ☞	60" or more	60" or more	burgundy-purple and white	medium green, climbing	early to late spring (Apr-May)
<i>A. quinata and A. quinata 'Alba' combined in a single pot to allow pollination for fruit</i>						
ALCEA (Hollyhock)						
<i>Alcea is from the word altheo, which means to cure, due to many species' medicinal properties. Taller varieties benefit from staking. Rust often appears on leaves during/after blooming, foliage may be pruned if appearance becomes undesirable.</i>						
<i>rosea</i>						
'Nigra'	☉ ☞	54-60"	42-48"	single, chocolate-maroon	medium to deep green	mid to late summer (Jul-Aug)
'Peaches n' Dreams'	☉ ☞	54-60"	42-48"	peach-pink to salmon, double	medium green	mid to late summer (Jul-Aug)
'Powderpuffs Mix'	☉ ☞	48-54"	42-48"	spikes are mixed (one color per plant) pink, red, white, or yellow, double flowers	medium green	mid to late summer (Jul-Aug)
'Queeny Purple'	☉ ☞	30-36"	24-30"	spike clusters are burgundy-purple, semi-double	medium to deep green, compact	mid to late summer (Jul-Aug)
<i>a great performer and more compact than other Hollyhocks</i>						
'Salmon'	☉ ☞	54-60"	42-48"	salmon-pink, double	medium green	mid to late summer (Jul-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Scarlet'	○ ☞	54-60"	42-48"	bright red, double	medium green	mid to late summer (Jul-Aug)
'Single Mix'	○ ☞	48-54"	42-48"	spikes are mixed (one color per plant) pink, red, white, or yellow, single flowers	medium green	mid to late summer (Jul-Aug)
'Yellow'	○ ☞	54-60"	42-48"	bright yellow, double	medium green	mid to late summer (Jul-Aug)

ALCHEMILLA (Lady's Mantle)

Keep moist if planted in sunny areas, otherwise foliage has a tendency to scorch.

<i>mollis</i>						
<i>mollis</i>	○ ☞ ☀	6-12"	12-18"	clusters are yellow	light gray-green	late spring to early summer (May-Jun)

ALLIUM (Ornamental Chives/Onion)

<i>Hybrid</i>						
New! 'Gladiator'	○ ☞	36-42"	18-24"	large, purple, globular	deep green, glossy	late spring to early summer (May-Jun)
'Globemaster'	○ ☞	24-30"	18-24"	large, lilac-pink, globular	deep green, glossy	late spring to early summer (May-Jun)
<i>maximowiczii</i>						
'Alba'	○ ☞	6-12"	12-18"	white, globular	grass-like, mounding, medium to light green	late spring to mid summer (May-Jul)
<i>schoenoprasum</i>						
'Forescate'	○ ☞	12-18"	12-18"	rose-pink, globular	grass-like, mounding, medium to light green	late spring to early summer (May-Jun)
<i>senescens (Mountain Garlic)</i>						
<i>montanum</i>	○ ☞	6-12"	12-18"	pink-purple, globular	leathery, narrow leaves, mounding, medium to light green	mid to late summer (Jul-Aug)
<i>tanguticum</i>						
New! 'Summer Beauty'	○ ☞	18-24"	18-24"	pink, globular	grass-like, mounding, medium to light green	mid to late summer (Jul-Aug)

ALSTROEMERIA (Inca Lily, Peruvian Lily)

<i>Hybrid</i>						
'Sweet Laura' PP10030	○ ☞	24-30"	24-30"	yellow with burgundy-red spots and markings	medium to light green	early to mid summer (Jun-Jul)

AMPELOPSIS (Monk's Hood Vine, Porcelain Vine)

<i>brevipedunculata</i>						
'Elegans'	○ ☞	60" or more	48-54"	insignificant white flowers, colorful berries	silver and white mottled leaves, climbing	early to mid summer (Jun-Jul)
<i>more sun will produce more berries</i>						

AMSONIA (Bluestar, Blue Dogbane)

<i>hubrechtii (Arkansas Amsonia)</i>						
<i>hubrechtii</i>	○ ☞	30-36"	30-36"	bright sky-blue	airy, willow-like, medium green, turning gold in fall	late spring to early summer (May-Jun)
<i>Hybrid</i>						
'Blue Ice'	○ ☞	12-18"	12-18"	deep blue	deep green	early to mid summer (Jun-Jul)

ANACYCLUS (Mt. Atlas Daisy)

An alpine plant that is resistant to drought. However, it does benefit from moisture in full sun.

<i>depressus</i>						
<i>depressus</i>	○ ☞	6" or less	6-12"	daisy-like shape, white petals with rose-red-striped undersides	crinkly steel-green	early to mid summer (Jun-Jul)

ANCHUSA (Bugloss, Forget-Me-Not)

Keep moist but well-drained to prevent crown rot.

<i>capensis</i>						
'Blue Angel'	○ ☞	12-18"	12-18"	electric blue	medium green	mid to late summer (Jul-Aug)
<i>benefits from winter mulching/protection</i>						

ANEMONE (Windflower)

Anemone is often overlooked, but is an excellent choice for late summer and fall color. Keep moist.

<i>hupehensis (Japanese Anemone)</i>						
<i>hupehensis</i>	○ ☞ ☀	30-36"	30-36"	pale pink	deep green	mid to late summer (Jul-Aug)
<i>Hybrid</i>						
'Honorine Jobert'	○ ☞ ☀	24-30"	24-30"	white with yellow center	medium to deep green	early to late fall (Sep-Oct)
'Party Dress' PP13844	○ ☞ ☀	24-30"	30-36"	semi-double, soft pink	medium to deep green	mid summer to early fall (Jul-Sep)
'Prince Henry'	○ ☞ ☀	30-36"	30-36"	rich rose-pink	medium to deep green	late summer to late fall (Aug-Oct)
'Whirlwind'	○ ☞ ☀	30-36"	36-42"	semi-double, white	medium to deep green	late summer to late fall (Aug-Oct)
<i>sylvestris (Snow Drop Anemone)</i>						
<i>sylvestris</i>	○ ☞ ☀	6-12"	18-24"	cup-shaped, pure white	deep green	late spring to early summer (May-Jun)
<i>can spread if allowed, repeats bloom in fall, makes a nice groundcover as well</i>						

ANTHEMIS (Golden Chamomile, Golden Marguerite)

Keep moist if planted in sunny areas, and trim back often to force repeat blooming.

<i>tinctoria</i>						
'Kelwayi'	○ ☞	24-30"	30-36"	daisy-like, sunny-yellow	fragrant, medium green	early to mid summer (Jun-Jul)
<i>prune foliage back after blooming to promote new growth and repeat blooms</i>						

AQUILEGIA (Columbine)

Aquilegia is derived from aquila, like an eagle, which may refer to the beak-like spurs on the flowers.

Hybrid

	'McKana Hybrids'	○ ☞ ☀	24-30"	24-30"	mixed (one color per plant) lilac, pink, red, white, or yellow	light green to gray-green	early to mid summer (Jun-Jul)
New!	'Origami Pink & White'	○ ☞ ☀	12-18"	12-18"	light pink with white center	gray-green	late spring to early summer (May-Jun)
New!	'Origami Red & White'	○ ☞ ☀	12-18"	12-18"	dusty rose-red with white center	gray-green	late spring to early summer (May-Jun)

Hybrid (Music Series)

	'Red & Gold'	○ ☞ ☀	18-24"	18-24"	bright red with golden-yellow center	light green to gray-green	early to mid summer (Jun-Jul)
--	-------------------------	-------	--------	--------	--------------------------------------	---------------------------	-------------------------------

Hybrid (Songbird Series)

	'Cardinal'	○ ☞ ☀	18-24"	18-24"	bright red with white center	gray-green	late spring to mid summer (May-Jul)
	'Mix'	○ ☞ ☀	18-24"	18-24"	mixed (one color per plant) blue, pink, red, or white	gray-green	late spring to mid summer (May-Jul)
	'Robin'	○ ☞ ☀	18-24"	18-24"	soft pink with white center	gray-green	late spring to mid summer (May-Jul)

vulgaris

	'Clementine Dark Purple'	○ ☞ ☀	18-24"	18-24"	double, dark purple	gray-green	late spring to early summer (May-Jun)
	'Clementine Red'	○ ☞ ☀	18-24"	18-24"	double, fuchsia-red	gray-green	late spring to early summer (May-Jun)

ARABIS (Rock Cress)

The caucasica species is one of the earliest plants to bloom in the spring.

caucasica

New!	'Snowfix'	○ ☞	6" or less	12-18"	bright white	gray-green, carpet-like, attractive even when not in bloom	early to late spring (Apr-May)
-------------	------------------	-----	------------	--------	--------------	--	--------------------------------

slightly larger and longer-blooming than 'Snow Cap', award-winning

ARENARIA (Sandwort)

montana

New!	'Avalanche'	○ ☞	6" or less	12-18"	bright white	dense, deep green	late spring to early summer (May-Jun)
-------------	--------------------	-----	------------	--------	--------------	-------------------	---------------------------------------

ARISAEMA (Indian Turnip, Jack-in-the-Pulpit)

Goes dormant after blooming. Prefers consistently moist soil conditions.

triphillum

	triphillum	☞ ☀	12-18"	12-18"	green, purple, and brown blend, unique	medium green	early to late spring (Apr-May)
--	-------------------	-----	--------	--------	--	--------------	--------------------------------

ARMERIA (Sea Pink, Sea Thrift)

Divide every few years to keep the clump centers from dying out.

maritima

	'Bloodstone'	○ ☞	6-12"	6-12"	rose-red to pink, globular	grass-like, mounding, medium to light green	late spring to mid summer (May-Jul)
	'Cotton Tail'	○ ☞	6-12"	6-12"	white, globular	grass-like, mounding, medium to light green	late spring to mid summer (May-Jul)
	'Splendens'	○ ☞	6-12"	6-12"	hot pink, globular shape	grass-like, light green	late spring to early summer (May-Jun)

repeats bloom again in fall

ARTEMISIA (Mugwort, Wormwood)

Good as a filler for cut bouquets, or as an accent plant in the garden.

schmidtiana

	'Silver Mound'	○ ☞	6-12"	6-12"	clusters are yellow, insignificant	soft silvery leaves, mounding	mid to late summer (Jul-Aug)
--	-----------------------	-----	-------	-------	------------------------------------	-------------------------------	------------------------------

makes a perfect accent to other surrounding plants

ARUNCUS (Goat's Beard)

Similar to Astilbe, Aruncus needs a good amount of moisture if planted in sunny areas.

dioicus

	dioicus	☞ ☀	42-48"	42-48"	feathery, spikes are creamy white	medium green	early to mid summer (Jun-Jul)
--	----------------	-----	--------	--------	-----------------------------------	--------------	-------------------------------

ASARUM (Wild Ginger)

Relatively slow-growing, but if you are patient and keep it moist, few groundcovers are as attractive.

canadense (Canadian Wild Ginger)

	canadense	☞ ☀	6-12"	36-42"	maroon, insignificant	medium green, semi-glossy, spreading	late spring to early summer (May-Jun)
--	------------------	-----	-------	--------	-----------------------	--------------------------------------	---------------------------------------

europaeum (European Wild Ginger)

	europaeum	☞ ☀	6-12"	30-36"	burgundy-purple, insignificant	deep green, glossy, spreading	late spring to early summer (May-Jun)
--	------------------	-----	-------	--------	--------------------------------	-------------------------------	---------------------------------------

slow to spread

ASCLEPIAS (Butterfly Weed, Milkweed)

Slow to break dormancy in the spring, so be patient. Butterflies love them! (Monarch butterflies need the incarnata species.)

tuberosa

	tuberosa	○ ☞	18-24"	18-24"	heads are copper-orange	medium to light green	mid to late summer (Jul-Aug)
--	-----------------	-----	--------	--------	-------------------------	-----------------------	------------------------------

tolerates dryer soils

ASTER (Hardy Aster, Michaelmas Daisy)

A blackened appearance on most Asters after blooming or planting is normal. Just trim back the undesirable foliage.

alpinus

	'Trimix'	○ ☞	6-12"	6-12"	mixed (one color per plant) blue, pink, or white	medium to light green, compact	early to mid summer (Jun-Jul)
--	-----------------	-----	-------	-------	--	--------------------------------	-------------------------------

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
dumosus (Bushy Aster)						
'Professor Kippenberg'	○ ☞	12-18"	18-24"	lavender-blue, semi-double	deep green	late summer to late fall (Aug-Oct)
'Wood's Light Blue'	○ ☞	12-18"	24-30"	daisy-like, light lavender-blue with yellow centers	deep green, mildew resistant	early to late fall (Sep-Oct)
'Wood's Pink'	○ ☞	12-18"	24-30"	daisy-like, pink with yellow centers	deep green, mildew resistant	early to late fall (Sep-Oct)
novae-angliae (New England Aster)						
'Alma Potschke'	○ ☞	42-48"	42-48"	starburst-shaped and hot pink	upright, woody, and medium green	late summer to early fall (Aug-Sep)
'Purple Dome'	○ ☞	18-24"	24-30"	royal purple	deep green, mildew resistant	late summer to late fall (Aug-Oct)
novi-belgi (New York Aster)						
'Alert'	○ ☞	12-18"	12-18"	deep purplish-red, yellow centers	deep green, compact	late summer to late fall (Aug-Oct)
tongolensis (East Indies Aster)						
'Wartberg Star'	○ ☞	12-18"	12-18"	deep violet-blue with yellow centers, daisy-like	deep green, mounding	late spring to early summer (May-Jun)
<i>prune foliage back after blooming to promote new growth and repeat blooms</i>						
x frikartii						
'Monch'	○ ☞	24-30"	30-36"	daisy-like, lavender-blue with yellow centers	upright, woody, and medium green	late summer to early fall (Aug-Sep)

ASTILBE (False Spirea, Feather Flower)

Keep moist. If Astilbe is forced to withstand a stressful dry period, it will go dormant. (It isn't dead so don't worry. It will grow back.)

arendsii						
'August Light'	○ ☞ ☀	24-30"	24-30"	spikes are scarlet-red	medium green with red highlights	mid to late summer (Jul-Aug)
'Bressingham Beauty'	○ ☞ ☀	30-36"	24-30"	spikes are dusty salmon-rose, drooping tips	medium green	mid to late summer (Jul-Aug)
'Bridal Veil'	○ ☞ ☀	24-30"	24-30"	spikes are white, drooping tips	glossy, deep green	early to mid summer (Jun-Jul)
'Erica'	○ ☞ ☀	24-30"	24-30"	spikes are coral-pink, airy	deep green	mid to late summer (Jul-Aug)
'Fanal'	○ ☞ ☀	18-24"	18-24"	spikes are blood-red	deep green with deep red highlights	early to mid summer (Jun-Jul)
'Sister Theresa'	○ ☞ ☀	18-24"	18-24"	spikes are light salmon-pink, fluffy	medium to deep green	mid to late summer (Jul-Aug)
chinensis						
'Veronica Klose'	○ ☞ ☀	12-18"	12-18"	spikes are purplish-rose	deep green	mid to late summer (Jul-Aug)
'Vision in Pink' PP11860	○ ☞ ☀	18-24"	18-24"	spikes are pale pink, fluffy	deep green to blue-green	mid to late summer (Jul-Aug)
'Visions'	○ ☞ ☀	18-24"	18-24"	spikes are raspberry-red to pink, fluffy	deep green to blue-green	mid to late summer (Jul-Aug)
japonica						
'Montgomery'	○ ☞ ☀	18-24"	18-24"	spikes are dark red	deep green with bronze highlights	mid to late summer (Jul-Aug)
'Peach Blossom'	○ ☞ ☀	18-24"	18-24"	spikes are light peach-pink	glossy, deep green	early to mid summer (Jun-Jul)
'Red Sentinel'	○ ☞ ☀	18-24"	18-24"	spikes are scarlet-red	deep green with dark red highlights	early to mid summer (Jun-Jul)
'Rheinland'	○ ☞ ☀	18-24"	18-24"	spikes are rose-pink maturing to light pink	medium green	early to mid summer (Jun-Jul)
simplicifolia						
'Hennie Graafland'	○ ☞ ☀	6-12"	6-12"	spikes are light pink	deep green, compact	mid to late summer (Jul-Aug)
'Sprite'	○ ☞ ☀	6-12"	6-12"	spikes are light pink	deep green with bronze highlights, compact	mid to late summer (Jul-Aug)
<i>1994 PPA Perennial of the Year</i>						
thunbergii						
'Ostrich Plume'	○ ☞ ☀	30-36"	24-30"	airy, flamingo-pink, drooping tips	deep green	mid to late summer (Jul-Aug)

ASTRANTIA (Masterwort)

Hybrid						
'Moulin Rouge' PPAF	○ ☞ ☀	12-18"	12-18"	deep ruby-red with purple-red tips	medium green	early to late summer (Jun-Aug)
New! 'Tickled Pink'	○ ☞ ☀	12-18"	12-18"	pale pink with darker pink centers	medium green	early to late summer (Jun-Aug)

AUBRIETA (Purple Rock Cress)

Some pruning is beneficial, which prevents straggly stems and the centers from dying out.

deltoidea						
'Whitewell Gem'	○ ☞	6" or less	12-18"	royal to deep purple	mat-like, deep green	early to late spring (Apr-May)

AURINIA (Allysum, Basket of Gold, Madwort)

The common name Madwort comes from the ancient belief that it has powers to calm the troubled mind.

saxatilis						
'Compacta'	○ ☞	6-12"	18-24"	clusters are sulphur-yellow	gray-green, attractive even when not in bloom	early to late spring (Apr-May)

BAPTISIA (Blue Indigo, False Indigo)

Baptisia does become large after a few years, so allow enough room. Prune spent blooms and stems to promote continued flowering.

australis						
australis	○ ☞	42-48"	42-48"	blue to violet-blue	gray-green	late spring to early summer (May-Jun)
Hybrid						
New! 'Purple Smoke'	○ ☞	42-48"	42-48"	lavender-purple with deeper purple eye	gray-green	late spring to early summer (May-Jun)

BELLIS (English Daisy)

Bellis is from the Latin word bellus which means pretty. Most times Bellis will repeat its bloom again in fall with cooler temps.

perennis

'Bright Carpet Mix'	○ ☞ ☀	6-12"	6-12"	mixed (one color per plant) pink, red, or white, globe-shaped	medium green, glossy	late spring to early summer (May-Jun)
'Habanera White & Red'	○ ☞ ☀	6-12"	6-12"	white with red-tinged petals, globe-shaped	medium green, glossy	late spring to early summer (May-Jun)
'Robella'	○ ☞ ☀	6-12"	6-12"	salmon-pink, globe-shaped	medium green, glossy	late spring to early summer (May-Jun)
'Strawberries & Cream'	○ ☞ ☀	6-12"	6-12"	creamy-rose and white, globe-shaped	medium green, glossy	late spring to early summer (May-Jun)

BERGENIA (Pigsqueak, Saxifraga)

The common name Pigsqueak comes from the sound made by the leaves when quickly rubbed.

cordifolia

cordifolia	○ ☞ ☀	12-18"	12-18"	clusters are rose-pink	shiny rounded leaves, attractive even when not in bloom	early to late spring (Apr-May)
------------	-------	--------	--------	------------------------	---	--------------------------------

BOLTONIA (Boltonia)

asteroides

'Pink Beauty'	○ ☞ ☀	42-48"	36-42"	daisy-like, pale pink to white, yellow center	gray-green	early to late fall (Sep-Oct)
'Snowbank'	○ ☞ ☀	42-48"	36-42"	daisy-like, white with yellow center	gray-green	early to late fall (Sep-Oct)

BRUNNERA (Alkanet, Siberian Bugloss)

Prefers moist soil. Expect some burnt leaf edges during the latter part of the season if planted in sun.

macrophylla

'Jack Frost' PP13859	☞ ☀	12-18"	18-24"	clusters are baby-blue	bright silver with green veining	late spring to early summer (May-Jun)
<i>excellent contrast plant, great for brightening up shady areas</i>						
macrophylla	○ ☞ ☀	12-18"	24-30"	clusters are baby-blue	deep green, somewhat spreading	late spring to early summer (May-Jun)
'Variegata'	☞ ☀	12-18"	18-24"	clusters are baby-blue	deep green with irregular creamy-white margins	late spring to early summer (May-Jun)

BUDDLEIA (Butterfly Bush)

Hard to beat for their butterfly and hummingbird attraction. A slight pruning in early summer will usually keep plants shorter and more compact. In the fall, try to prune no more than 2/3 of the foliage back otherwise overwintering may be a problem.

dauidii

'Attraction'	○ ☞ ☀	60" or more	60" or more	spikes are purplish-red, close to true red	woody, bush-like, medium green	mid summer to early fall (Jul-Sep)
'Black Knight'	○ ☞ ☀	60" or more	60" or more	spikes are deep purple-violet	woody, bush-like, medium green	mid summer to early fall (Jul-Sep)
'Butterfly Hybrids'	○ ☞ ☀	54-60"	54-60"	spikes are mixed (one color per plant) blue, pink, violet, or white	woody, bush-like, medium green	mid summer to early fall (Jul-Sep)

New!

'Ellen's Blue'	○ ☞ ☀	48-54"	48-54"	spikes are blue-violet	woody, bush-like, medium green to gray-green	mid summer to early fall (Jul-Sep)
'Pink Delight'	○ ☞ ☀	60" or more	60" or more	spikes are light pink to rose-pink	woody, bush-like, medium green	mid summer to early fall (Jul-Sep)
'Royal Red'	○ ☞ ☀	60" or more	60" or more	spikes are bright purple-red	woody, bush-like, medium green	mid summer to early fall (Jul-Sep)

Hybrid

'Bicolor'	○ ☞ ☀	60" or more	54-60"	spikes are lavender and tangerine, unique	woody, bush-like, medium green, slightly more compact than most	mid summer to early fall (Jul-Sep)
-----------	-------	-------------	--------	---	---	------------------------------------

nanhoensis

'Nanho Blue'	○ ☞ ☀	48-54"	48-54"	spikes are soft lavender-blue	woody, bush-like, medium green to gray-green	mid summer to early fall (Jul-Sep)
'Nanho Purple'	○ ☞ ☀	48-54"	48-54"	spikes are soft lavender-purple	woody, bush-like, medium green to gray-green	mid summer to early fall (Jul-Sep)
'Nanho White'	○ ☞ ☀	48-54"	48-54"	spikes are white	woody, bush-like, medium green to gray-green	mid summer to early fall (Jul-Sep)

x weyeriana

'Honeycomb'	○ ☞ ☀	60" or more	60" or more	clusters are creamy yellow	woody, bush-like, medium green	mid summer to early fall (Jul-Sep)
-------------	-------	-------------	-------------	----------------------------	--------------------------------	------------------------------------

CALTHA (Marsh Marigold)

Prefers moist soil conditions.

palustris

palustris	○ ☞ ☀	12-18"	18-24"	sunny yellow	deep green, glossy	early to late spring (Apr-May)
-----------	-------	--------	--------	--------------	--------------------	--------------------------------

CAMPANULA (Bellflower, Harebell)

Most varieties can be repeatedly trimmed back to force continued growth and new blooms.

carpatica (Carpathian Bellflower)

'Pearl Deep Blue'	○ ☞ ☀	6-12"	6-12"	star-shaped, deep violet-blue	medium green, crinkled leaves	early summer to early fall (Jun-Sep)
New! 'Pearl Mix'	○ ☞ ☀	6-12"	6-12"	star-shaped, deep violet-blue and pure white flowers in same pot	medium green, crinkled leaves	early summer to early fall (Jun-Sep)
'Pearl White'	○ ☞ ☀	6-12"	6-12"	star-shaped, pure white	medium green, crinkled leaves	early summer to early fall (Jun-Sep)

garganica

New! 'Dickson's Gold'	○ ☞ ☀	6" or less	6-12"	lavender-blue, star-shaped	crisp, chartreuse-green	early to mid summer (Jun-Jul)
------------------------------	-------	------------	-------	----------------------------	-------------------------	-------------------------------

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
glomerata (Clustered Bellflower)						
'Joan Elliott' <i>makes a nice cut flower</i>	○ ☞	12-18"	18-24"	clusters are deep violet-blue	slightly hairy, medium green	late spring to early summer (May-Jun)
'Superba'	○ ☞	12-18"	24-30"	clusters are violet to purple	slightly hairy, medium green	late spring to early summer (May-Jun)
Hybrid						
'Samantha'	○ ☞	6-12"	6-12"	violet-blue with light blue to white centers	medium green	early to late summer (Jun-Aug)
'Sarasro'	○ ☞	12-18"	12-18"	deep violet-blue, drooping	medium green	early to late summer (Jun-Aug)
medium (Canterbury Bells, Cup and Saucers)						
medium <i>biennial</i>	○ ☞	18-24"	12-18"	bell-shaped, mixed (one color per plant) blue, pink, or white	medium to light green	early to mid summer (Jun-Jul)
poscharskyana (Serbian Bellflower)						
poscharskyana <i>a nice alternative groundcover</i>	○ ☞	6-12"	24-30"	light blue	medium green, spreading	late spring to early summer (May-Jun)
CAMPSIS (Trumpet Creeper)						
<i>Campsis will need 3-5 years before it will begin to flower. It is worth the wait, but patience is essential. Butterflies and hummingbirds love them too!</i>						
radicans						
'Flava'	○ ☞	60" or more	60" or more	trumpet-shaped, bright yellow	woody, climbing, deep green	mid summer to early fall (Jul-Sep)
'Minnesota Red'	○ ☞	60" or more	60" or more	trumpet-shaped, velvety red	woody, climbing, deep green	mid summer to early fall (Jul-Sep)
radicans	○ ☞	60" or more	60" or more	trumpet-shaped, orange	woody, climbing, deep green	mid summer to early fall (Jul-Sep)
CARYOPTERIS (Bluebeard, Blue Spirea)						
Hybrid						
'First Choice' PP11958 <i>earlier to bloom and more compact than other Caryopteris</i>	○ ☞	24-30"	30-36"	clusters are purplish-blue	woody, compact, gray-green	early to late summer (Jun-Aug)
incana						
'Jason' PPAF ('Sunshine Blue')	○ ☞	24-30"	30-36"	clusters are amethyst-blue to purple	woody, sunny yellow	mid summer to early fall (Jul-Sep)
CATANANCHE (Cupid's Dart)						
<i>The common name and the Greek katanangke, a strong incentive, suggest it was once used in love potions.</i>						
caerulea						
caerulea	○ ☞	12-18"	12-18"	starburst-like, cornflower-blue	grass-like, clump-forming	mid summer to early fall (Jul-Sep)
CELASTRUS (Bittersweet)						
<i>EXCEPT for C. rosethormianus, male and female plants are needed for fruit production. Ask your neighbor to plant one, and you can plant the other.</i>						
rosethormianus (Loesener Bittersweet)						
rosethormianus <i>bisexual variety, no need for separate male and female plants</i>	○ ☞	60" or more	54-60"	insignificant flowers, bright orange berries	glossy, deep green, climbing	late spring to early summer (May-Jun)
CENTAUREA (Cornflower, Knapweed, Bachelor Button)						
<i>Any undesirable foliage that may follow blooming can be pruned back for new growth and repeat blooms.</i>						
macrocephala (Giant Knapweed)						
macrocephala <i>great for cutting or drying</i>	○ ☞	30-36"	36-42"	heads are bright yellow, pincushion-like	vigorous, medium green	mid to late summer (Jul-Aug)
montana						
New! 'Amethyst in Snow' PPAF	○ ☞	18-24"	18-24"	starburst-shaped, white with purple center cone	gray-green	early to mid summer (Jun-Jul)
'Blue'	○ ☞	18-24"	18-24"	starburst-shaped, cornflower-blue	gray-green	early to mid summer (Jun-Jul)
New! 'Gold Bullion' PP10865 <i>shadier conditions will cause lime-green foliage color</i>	○ ☞	18-24"	18-24"	starburst-shaped, cornflower-blue	bright golden-yellow	early to mid summer (Jun-Jul)
CENTRANTHUS (Jupiter's Beard, Valerian)						
<i>Prune back after blooming to promote new growth and repeat flowers.</i>						
ruber						
'Coccineus'	○ ☞	18-24"	24-30"	clusters are crimson-red	glossy, light green	early to late summer (Jun-Aug)
CERASTIUM (Snow in Summer)						
<i>Cerastium will spread rapidly, but is controlled easily by simply ripping back unwanted growth.</i>						
tomentosum						
'Yo-Yo'	○ ☞	6" or less	36-42"	pure bright white	silver-gray, spreading, attractive even when not in bloom	late spring to mid summer (May-Jul)
CERATOSTIGMA (Leadwort)						
plumbaginoides						
plumbaginoides	○ ☞ ☂	6-12"	24-30"	deep lavender-blue	medium green, turns bronze-red in fall, spreading	mid summer to early fall (Jul-Sep)
CHEIRANTHUS (Wallflower)						
allionii						
'Orange' <i>benefits from winter protection/mulching</i>	○ ☞	12-18"	18-24"	clusters are orange-gold	light green	late spring to early summer (May-Jun)

CHELONE (Turtlehead)

Common name comes from the individual flower's resemblance of a turtle with its mouth open.

lyonii

'Hot Lips'	○ ☞ ☀	30-36"	36-42"	spikes are rose-pink	deep green, glossy	late summer to early fall (Aug-Sep)
------------	-------	--------	--------	----------------------	--------------------	-------------------------------------

CIMICIFUGA (Black Cohosh, Black Snakeroot, Bugbane)

Cimicifuga is reported to repel insects, hence the name Bugbane. It benefits from moist, well-drained soil.

racemosa

'Brunette'	☞ ☀	36-42"	24-30"	spikes are creamy white blushed with pink	deep burgundy-purple	mid to late summer (Jul-Aug)
------------	-----	--------	--------	---	----------------------	------------------------------

simplex

'White Pearl'	☞ ☀	42-48"	24-30"	spikes are creamy white	medium green	late summer to early fall (Aug-Sep)
---------------	-----	--------	--------	-------------------------	--------------	-------------------------------------

CLEMATIS

Pruning: A-Prune back soon after blooming for balanced appearance. B-In early spring prune back 6-12" to just above the next bunch of developing buds. C-In early spring prune back half of the stems to the previous season's wood.

alpina

'Constance' A	○ ☞	60" or more	48-54"	bell-shaped, bright pink	medium green, climbing	early to late spring (Apr-May)
---------------	-----	-------------	--------	--------------------------	------------------------	--------------------------------

early bloom, lots of blooms

Hybrid

New!	'Alabast' ('Poulala') B	○ ☞	60" or more	30-36"	large, cream-white with tinge of green	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in late summer</i>						
New!	'Anna-Louise' ('Evithree') B	○ ☞	60" or more	30-36"	large, violet with reddish-purple bar	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in late summer and early fall</i>						
New!	'Arctic Queen' ('Ewitwo') B	○ ☞	60" or more	30-36"	double white	deep green, climbing	late spring to mid summer (May-Jul)
	<i>one of the strongest-performing double varieties</i>						
New!	'Barbara Harrington' C	○ ☞	60" or more	30-36"	cerise-red petals with yellow anthers	deep green, climbing	early to late summer (Jun-Aug)
	'Blue Angel' C	○ ☞	60" or more	30-36"	ruffled, sky-blue to lavender, yellow-green center	deep green, climbing	early to late summer (Jun-Aug)
New!	'Blue Ravine' C	○ ☞	60" or more	30-36"	lilac-blue with mauve highlights, pointed petals	deep green, climbing	early to late summer (Jun-Aug)
New!	'Carnival' PPAF B	○ ☞	60" or more	30-36"	powdery blue with dark lavender bars, yellow center	deep green, climbing	late spring to early summer (May-Jun)
New!	'Charissima' B	○ ☞	60" or more	30-36"	large, pointed petals, cerise with deeper veins	deep green, climbing	early to mid summer (Jun-Jul)
	'Comtesse de Bouchaud' C	○ ☞	60" or more	30-36"	large, rose-pink	deep green, climbing	early to late summer (Jun-Aug)
New!	'Crystal Fountain' ('Eviso 038') B	○ ☞	54-60"	30-36"	semi-double, lilac-blue with a lavender starburst center	deep green, climbing	late spring to mid summer (May-Jul)
	<i>slightly more compact habit than most varieties</i>						
	'Dr. Ruppel' B	○ ☞	60" or more	30-36"	orchid-purple with carmine-pink bar, gold center	deep green, climbing	late spring to early summer (May-Jun)
	'Ernest Markham' C	○ ☞	60" or more	30-36"	magenta-red with gold anthers	deep green, climbing	mid summer to early fall (Jul-Sep)
	<i>considered one of the best red varieties</i>						
New!	'Fireworks' B	○ ☞	60" or more	30-36"	very large, blue-purple with red bar	deep green, climbing	early to mid summer (Jun-Jul)
	<i>repeats bloom in late summer</i>						
New!	'Florida Sieboldii' B	○ ☞	60" or more	30-36"	semi-double, cream-white with purple anthers	deep green, climbing	early to late summer (Jun-Aug)
	'Guernsey Cream' B	○ ☞	60" or more	30-36"	large, cream-white and very light yellow blend	deep green, climbing	early to late summer (Jun-Aug)
	'Henry' B	○ ☞	60" or more	30-36"	large, white with brown anthers	deep green, climbing	early to mid summer (Jun-Jul)
	<i>repeats bloom in early fall</i>						
New!	'Ice Blue' ('Eviso 003') B	○ ☞	60" or more	30-36"	large, white tinged with blue	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in late summer</i>						
	'Jackmanii' C	○ ☞	60" or more	30-36"	rich purple, creamy-yellow center	deep green, climbing	early summer to early fall (Jun-Sep)
	<i>very likely the most popular Clematis</i>						
New!	'Jackmanii Superba' C	○ ☞	60" or more	30-36"	rich purple, larger and more rounded than 'Jackmanii'	deep green, climbing	early to mid summer (Jun-Jul)
	<i>repeats bloom in early fall</i>						
	'Josephine' ('Evijohil') B	○ ☞	60" or more	30-36"	double, lilac-pink with light pink center petals	deep green, climbing	early to late summer (Jun-Aug)
New!	'Kilian Donahue' A	○ ☞	60" or more	30-36"	fuchsia, then mature to lavender with pink bar	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in late summer and early fall</i>						
	'Liberation' ('Evifive') B	○ ☞	60" or more	30-36"	large, deep pink	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in late summer and early fall</i>						
New!	'Lincoln Star' B	○ ☞	60" or more	30-36"	raspberry-red with light pink to white edges	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in late summer and early fall</i>						
	'Mme. Le Coultre' B	○ ☞	60" or more	30-36"	soft white with pale yellow center	deep green, climbing	early summer to early fall (Jun-Sep)
	'Multi Blue' B	○ ☞	60" or more	30-36"	semi-double, deep purple with silvery bar	deep green, climbing	late spring to early summer (May-Jun)
	'Nelly Moser' B	○ ☞	60" or more	30-36"	pale pink with red center bar	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in early fall</i>						
	'Niobe' C	○ ☞	60" or more	30-36"	wine-red tinged with purple	deep green, climbing	early summer to early fall (Jun-Sep)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
	○ ☞	60" or more	30-36"	lavender-blue	deep green, climbing	mid summer to early fall (Jul-Sep)
	○ ☞	60" or more	30-36"	crimson-red with cream center	deep green, climbing	early summer to early fall (Jun-Sep)
New!	○ ☞	60" or more	30-36"	large, rose-purple	deep green, climbing	late spring to mid summer (May-Jul)
				<i>repeats bloom in late summer and early fall</i>		
New!	○ ☞	60" or more	30-36"	magenta-red with white bars	deep green, climbing	mid summer to early fall (Jul-Sep)
	○ ☞	60" or more	30-36"	purplish-red with magenta-pink bar, creamy-yellow center	deep green, climbing	early summer to early fall (Jun-Sep)
	○ ☞	60" or more	30-36"	large, deep purple with purple anthers	deep green, climbing	early summer to early fall (Jun-Sep)
New!	○ ☞	60" or more	30-36"	large, red and dusty-rose with yellow anthers	deep green, climbing	late spring to early summer (May-Jun)
				<i>repeats bloom in late summer</i>		
	○ ☞	60" or more	30-36"	deep red-violet to wine-red, gold center	deep green, climbing	early to mid summer (Jun-Jul)
	○ ☞	60" or more	30-36"	large petals, true blue	deep green, climbing	early summer to early fall (Jun-Sep)
Kivistik Hybrids (New introduction from breeders Aili and the late Uno Kivistik. Features a more compact habit, flowers on current year's growth, and has long-blooming properties.)						
	○ ☞	60" or more	30-36"	pale pink with deeper pink bar	deep green, climbing	early summer to late fall (Jun-Oct)
macropetala						
	○ ☞	60" or more	48-54"	bell-shaped, bright blue, semi-double	light green, climbing	early to late spring (Apr-May)
	○ ☞	60" or more	48-54"	semi-double, light pink with darker veins, frilly	light green, climbing	early to late spring (Apr-May)
montana						
	○ ☞	60" or more	60" or more	pink	maroon-bronze, climbing	early spring to early summer (Apr-Jun)
				<i>attractive even when not in bloom</i>		
virginiana (Virgin's Bower)						
	○ ☞	60" or more	60" or more	white	medium green, climbing	mid summer to early fall (Jul-Sep)
viticella						
	○ ☞	60" or more	48-54"	bright purple	deep green, climbing	early to late summer (Jun-Aug)
				<i>parent of many Clematis breeding programs</i>		
CONVALLARIA (Lily of the Valley)						
<i>Often goes dormant after flowering. Sometimes orange-red berries will be produced in the fall which can be removed due to their toxicity.</i>						
majalis						
	☞ ☰	6-12"	12-18"	small, nodding, white	light green, spreading	late spring to early summer (May-Jun)
COREOPSIS (Tickseed)						
<i>Keep Coreopsis pruned back after flowering to promote new growth and repeat blooming.</i>						
auriculata (Mouse Ear Coreopsis)						
	○ ☞	12-18"	12-18"	deep golden-orange, unique tubular petals	medium green	early to late summer (Jun-Aug)
grandiflora / lanceolata						
	○ ☞	18-24"	18-24"	double golden-yellow	medium green	early summer to early fall (Jun-Sep)
	○ ☞	18-24"	18-24"	bright golden-yellow with a burgundy eye	medium green	early summer to early fall (Jun-Sep)
Hybrid						
	○ ☞	18-24"	18-24"	peach-yellow with burgundy eye, cooler temps bring out a wine-red blush	medium green, ferny	late spring to late summer (May-Aug)
	○ ☞	12-18"	12-18"	soft yellow	light green, ferny	late spring to late summer (May-Aug)
	○ ☞	12-18"	12-18"	bright golden-yellow with a burgundy eyezone	variegated, medium green with creamy-yellow margins, compact	early summer to early fall (Jun-Sep)
				<i>benefits from some winter protection/mulching</i>		
rosea						
	○ ☞	6-12"	24-30"	daisy-like, pink	deep green, ferny, spreading	early to late summer (Jun-Aug)
	○ ☞	18-24"	24-30"	pink with a rose-red eye	fern, deep green	early to late summer (Jun-Aug)
				<i>a cross between 'Limerock Ruby' and 'Sweet Dreams'</i>		
	○ ☞	18-24"	24-30"	white with a rose-purple eye	fern, deep green	early to late summer (Jun-Aug)
verticillata						
	○ ☞	12-18"	24-30"	light lemon-yellow	fern, medium green	early to late summer (Jun-Aug)
				<i>1992 PPA Perennial of the Year</i>		
New!	○ ☞	12-18"	24-30"	golden-yellow	fern, medium green	early to late summer (Jun-Aug)
				<i>a sport of C. 'Moonbeam' with darker colored flowers</i>		
	○ ☞	12-18"	18-24"	golden-yellow	fern, medium green, compact	early to late summer (Jun-Aug)
CORONILLA (Crown Vetch)						
varia						
	○ ☞ ☰	6-12"	60" or more	mostly light pink with some white	light green, spreading	mid summer to early fall (Jul-Sep)
				<i>a good choice for poor soil, for slopes, or where nothing else will grow</i>		

CORYDALIS

Corydalis requires a well-drained but moist soil, and does best in at least some shade. Avoid heavy or clay-like soil.

<i>lutea</i>							
	lutea	○ ☞ ☀	12-18"	12-18"	clusters are yellow	ferry, medium green to gray-green	late spring to late summer (May-Aug)
<i>quantomeyerana</i>							
New!	'Chocolate Stars'	○ ☞	12-18"	12-18"	clusters are white	chocolate-bronze maturing to medium green	early to mid summer (Jun-Jul)

CROCOSMIA (Crocoshmia, Montbretia)

Crocoshmia makes a great cut flower, and also attracts butterflies and hummingbirds.

<i>Hybrid</i>							
	'Emily McKenzie'	○ ☞	36-42"	42-48"	orange-red	Iris-like, medium to light green, arching stems	mid to late summer (Jul-Aug)
	'Lucifer' <i>perfect for brilliant red summer color</i>	○ ☞	36-42"	42-48"	bright flame red	Iris-like, medium to light green, arching stems	mid to late summer (Jul-Aug)
	'Norwich Canary'	○ ☞	30-36"	36-42"	canary-yellow	Iris-like, medium to light green, arching stems	mid to late summer (Jul-Aug)
	'Walberton Yellow'	○ ☞	24-30"	30-36"	yellow tinged with orange	Iris-like, medium to light green, arching stems	mid to late summer (Jul-Aug)

CYMBALARIA (Kenilworth Ivy, Toadflax Ivy)

<i>aequitriloba</i>							
	aequitriloba	○ ☞ ☀	6" or less	18-24"	purple-pink	light green, spreading	early to late summer (Jun-Aug)
	<i>can tolerate some foot traffic</i>						

DELOSPERMA (Hardy Ice Plant)

Delosperma is a perfect choice for poor or dry soil conditions. Benefits from some winter protection/mulching.

<i>congestum</i>							
New!	congestum	○ ☞	6" or less	30-36"	starburst-shaped, bright yellow	succulent, spreading, medium to light green	late spring to early fall (May-Sep)
	<i>a great choice for rock gardens or in containers</i>						
	'Gold Nugget'	○ ☞	6" or less	30-36"	starburst-shaped, bright yellow	succulent, spreading, medium to light green	late spring to early fall (May-Sep)
	<i>a great choice for rock gardens or in containers</i>						
<i>cooperi</i>							
	cooperi	○ ☞	6" or less	36-42"	starburst-shaped, fuchsia-purple	succulent, spreading, medium to light green	late spring to early fall (May-Sep)
	<i>one of our top performers in our display gardens, does well in poor soil</i>						
<i>Hybrid</i>							
	'John Proffitt' PPAF	○ ☞	6" or less	30-36"	starburst-shaped, fuchsia-purple	succulent, spreading, medium to light green	late spring to early fall (May-Sep)
	<i>slightly more compact habit</i>						
	'Kelaidis' ('Mesa Verde') PP13876	○ ☞	6" or less	24-30"	starburst-shaped, salmon-pink	succulent, spreading, medium to light green	late spring to early fall (May-Sep)
<i>nubigena</i>							
	nubigena	○ ☞	6" or less	36-42"	daisy-like, yellow	succulent, spreading, medium to light green	late spring to early fall (May-Sep)

DELPHINIUM (Larkspur)

Some taller varieties might need staking, but keeping plants trimmed back after blooming will help to keep them sturdy and robust. Most varieties benefit from winter protection/mulching.

<i>grandiflorum</i>							
	'Blue Butterfly'	○ ☞	6-12"	6-12"	spikes are electric blue	lacy, medium green, compact	early to late summer (Jun-Aug)
	'Summer Nights'	○ ☞	12-18"	12-18"	spikes are midnight-blue	lacy, light green	early to late summer (Jun-Aug)
<i>x elatum (New Zealand Hybrids)</i>							
New!	'Double Innocence'	○ ☞	42-48"	30-36"	spikes are pure white, double	medium to light green	early to mid summer (Jun-Jul)
New!	'Misty Mauves'	○ ☞	42-48"	30-36"	spikes are mixed (one color per plant) dark purple or light mauve	medium to light green	early to mid summer (Jun-Jul)
New!	'Morning Lights'	○ ☞	30-36"	24-30"	spikes are lavender-pink with blue highlights, white center/bee	medium to light green	early to mid summer (Jun-Jul)
	'New Millenium Stars'	○ ☞	42-48"	30-36"	spikes are mixed (one color per plant) pink, blue, purple, or white	medium to light green	early to mid summer (Jun-Jul)
	'Pagan Purples'	○ ☞	54-60"	30-36"	spikes are bluish-purple, with white or brown center/bee	medium to light green	early to mid summer (Jun-Jul)
	'Purple Passion'	○ ☞	48-54"	30-36"	spikes are purple, white center/bee	medium to light green	early to mid summer (Jun-Jul)
	'Royal Aspirations'	○ ☞	48-54"	30-36"	spikes are shades of blue, white center/bee	medium to light green	early to mid summer (Jun-Jul)
	'Sunny Skies'	○ ☞	48-54"	30-36"	spikes are sky-blue to light blue, white center/bee	medium to light green	early to mid summer (Jun-Jul)
<i>x elatum (Pacific Hybrids)</i>							
	'Black Knight'	○ ☞	54-60"	30-36"	spikes are purple, black center/bee	medium to light green	early to mid summer (Jun-Jul)
	'Guinevere'	○ ☞	54-60"	30-36"	spikes are pale purple and tinged with pink	medium to light green	early to mid summer (Jun-Jul)
	'King Arthur'	○ ☞	54-60"	30-36"	spikes are plum-purple, white center/bee	medium to light green	early to mid summer (Jun-Jul)
	'Summer Skies'	○ ☞	54-60"	30-36"	spikes are sky-blue	medium to light green	early to mid summer (Jun-Jul)

DENDRANTHEMA (Chrysanthemum, Hardy Mum)

Mums benefit from winter protection and mulching. They can also be pinched during the summer to promote a more bushy habit.

Hybrid

'Bolero'	○ ☞	24-30"	42-48"	daisy-like, deep gold to yellow	hardy, gray-green, mounding	late summer to early fall (Aug-Sep)
'Rhumba'	○ ☞	24-30"	42-48"	daisy-like, coral-red	hardy, gray-green, mounding	late summer to early fall (Aug-Sep)
'Samba'	○ ☞	24-30"	42-48"	daisy-like, peach-pink	hardy, gray-green, mounding	late summer to early fall (Aug-Sep)

DIANTHUS (Pinks)

Like many plants, Dianthus can be cut back after blooming to force new blooms and healthier growth. Many varieties will repeat bloom again in fall.

barbatus (Sweet William)

New! 'Barbarini Purple Picotee' <i>biennial</i>	○ ☞	6-12"	12-18"	purple with a white outer ring	medium green turning to bronze in fall	early to mid summer (Jun-Jul)
'Double Dwarf' <i>biennial</i>	○ ☞	6-12"	12-18"	clusters are mixed (one color per plant) pink, red, and white blends, fragrant	deep green, glossy	early to mid summer (Jun-Jul)
'Heart Attack'	○ ☞	18-24"	18-24"	clusters are bright crimson-red	deep green tinged with burgundy-red	late spring to mid summer (May-Jul)

caryophyllus (Carnations, Clove Pinks)

'Cardinal'	○ ☞	18-24"	12-18"	bright red, fragrant	gray-green	late spring to mid summer (May-Jul)
'Triumph Rose'	○ ☞	18-24"	12-18"	soft rose-pink, fragrant	gray-green	late spring to mid summer (May-Jul)

chinensis (China Pinks, Rainbow Pinks) - Cut back to force repeat blooms. D. chinensis benefit from winter protection.

'Parfait Raspberry'	○ ☞	6-12"	6-12"	pink with deep raspberry-pink center	medium green	late spring to late summer (May-Aug)
'Parfait Strawberry'	○ ☞	6-12"	6-12"	light pink with rose-red center	medium green	late spring to late summer (May-Aug)

gratianopolitanis (Cheddar Pinks)

'Firewitch' <i>2006 PPA Perennial of the Year</i>	○ ☞	6-12"	24-30"	magenta-pink, fragrant	silver-green, mat-like	late spring to mid summer (May-Jul)
'Tiny Rubies'	○ ☞	6" or less	12-18"	pink, fragrant	mat-like, medium to light green	late spring to early summer (May-Jun)

Hybrid

'Devon Siskin' PP14377 <i>also known as 'Raspberry Swirl'</i>	○ ☞	6-12"	6-12"	light pink to white with maroon edges	gray-green	late spring to mid summer (May-Jul)
New! 'First Love'	○ ☞	12-18"	18-24"	flowers open white then turn gradually more pink as they mature, fragrant	gray-green	late spring to late summer (May-Aug)
New! 'Lace Rose Red'	○ ☞	6-12"	24-30"	light crimson with dark crimson center, fragrant	silver-green, spreading	late spring to mid summer (May-Jul)
New! 'Pixie' PP13578 <i>also known as 'Raspberry Swirl'</i>	○ ☞	6-12"	6-12"	pink with deeper rose-pink centers	gray-green	late spring to mid summer (May-Jul)
'Rosish One' PPAF	○ ☞	6-12"	12-18"	velvety rose-red with thin margin of white	medium to deep green	late spring to late summer (May-Aug)
New! 'Strawberry Sorbet' PPAF	○ ☞	12-18"	12-18"	red with rose-pink splotches and edges, fragrant	gray-green	late spring to mid summer (May-Jul)

Hybrid (Star Series)

'Eastern Star' PP14437	○ ☞	6-12"	6-12"	velvety-red with deeper red centers and a narrow edge of pink, fragrant	blue-green, compact	late spring to mid summer (May-Jul)
'Fire Star' PP14895	○ ☞	6-12"	6-12"	fire-red with deep crimson center, fragrant	blue-green, compact	late spring to mid summer (May-Jul)
'Neon Star' PP14549	○ ☞	6-12"	6-12"	bright pink, fragrant	blue-green, compact	late spring to mid summer (May-Jul)
'Spangled Star' PP13029	○ ☞	6-12"	6-12"	scarlet-red with pale pink edges and splotches	blue-green, compact	late spring to mid summer (May-Jul)

x allwoodii (Allwood Pinks, Modern Pinks)

'Frosty Fire'	○ ☞	6-12"	6-12"	red	blue-green, compact	late spring to early summer (May-Jun)
---------------	-----	-------	-------	-----	---------------------	---------------------------------------

DICENTRA (Bleeding Heart)

Needs a well-drained but moist soil. It is normal for the spectabilis species to go dormant after blooming.

cucullaria (Dutchman's Breeches)

cucullaria	☞ ☰	6-12"	6-12"	pink, nodding	gray-green, ferny, compact	early to late spring (Apr-May)
------------	-----	-------	-------	---------------	----------------------------	--------------------------------

Hybrid

'King of Hearts'	○ ☞ ☰	6-12"	12-18"	heart-shaped, cherry-red, nodding	medium green, ferny, compact	early summer to early fall (Jun-Sep)
'Luxuriant'	○ ☞ ☰	12-18"	12-18"	heart-shaped, cherry-red, nodding	medium green, ferny, compact	early summer to early fall (Jun-Sep)

will keep blooming if given enough moisture throughout the summer

spectabilis (Old-fashioned Bleeding Heart)

'Alba'	○ ☞ ☰	30-36"	36-42"	heart-shaped, white, nodding	medium to light green, arching stems	late spring to early summer (May-Jun)
'Gold Heart'	☞ ☰	18-24"	24-30"	heart-shaped, rose-pink with white tips, nodding	golden-yellow, arching peach stems	late spring to early summer (May-Jun)
spectabilis	○ ☞ ☰	30-36"	36-42"	heart-shaped, rose-pink with white tips, nodding	medium to light green, arching stems	late spring to early summer (May-Jun)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
DIGITALIS (Finger Flower, Foxglove)						
<i>Digitalis in Latin means finger of a glove, referring to the shape of the flower.</i>						
<i>grandiflora (ambigua)</i>						
	grandiflora (ambigua)	○ ☞	18-24"	24-30"	spikes are soft yellow spotted with brown	medium to deep green, semi-glossy early to mid summer (Jun-Jul)
<i>purpurea</i>						
	'Camelot Cream' <i>biennial</i>	○ ☞	42-48"	24-30"	spikes are white with splotches of burgundy-purple	large leaves of medium green early to mid summer (Jun-Jul)
New!	'Camelot Lavender' <i>biennial</i>	○ ☞	42-48"	24-30"	pale lavender to white with burgundy splotches	large leaves of medium green early to mid summer (Jun-Jul)
	'Camelot Rose' <i>biennial</i>	○ ☞	42-48"	24-30"	spikes are light lavender to pink with splotches of purple	large leaves of medium green early to mid summer (Jun-Jul)
	'Foxy' <i>biennial</i>	○ ☞	42-48"	24-30"	spikes are mixed (one color per plant) rose-red, white, or light yellow	large leaves of medium green early to mid summer (Jun-Jul)
	'Giant Shirley' <i>biennial</i>	○ ☞	42-48"	24-30"	spikes are mixed (one color per plant) lavender, pink, rose, and white	large leaves of medium green early to mid summer (Jun-Jul)
	'Pam's Choice'	○ ☞	42-48"	24-30"	spikes are white with maroon throats	large leaves of medium green early to mid summer (Jun-Jul)
<i>x mertonensis</i>						
	mertonensis (aka 'Summer King')	○ ☞	24-30"	24-30"	spikes are dusty-rose to pink	deep green early to mid summer (Jun-Jul)
DISPORUM (Fairy Bells)						
<i>sessile (Variegated Fairy Bells)</i>						
	'Variegatum'	☞ ☰	12-18"	24-30"	bell-shaped, cream-white, nodding	deep green with white stripes, arching stems early to late spring (Apr-May)
DORONICUM (Leopard's Bane)						
<i>Common name comes from arrows, once used to hunt leopards, being dipped in its juice.</i>						
<i>caucasicum</i>						
New!	'Finesse'	○ ☞ ☰	12-18"	12-18"	bright yellow with needle-like petals, great for cutting	lush medium green, slightly glossy late spring to early summer (May-Jun)
	'Little Leo'	○ ☞ ☰	6-12"	12-18"	starburst-shaped, bright yellow	lush medium green, slightly glossy late spring to early summer (May-Jun)
ECHINACEA (Coneflower)						
<i>Truly one of the easiest perennials to grow, and worth their space in any garden. Prune foliage back after blooming to promote new growth and repeat blooms.</i>						
<i>Hybrid</i>						
New!	'Emily Saul' PPAF ('After Midnight')	○ ☞	12-18"	12-18"	dark magenta-purple, black-red cone	medium green, compact early to late summer (Jun-Aug)
	'Evan Saul' PPAF ('Sundown') <i>a more consistent and vigorous variety compared to E. 'Sunset'</i>	○ ☞	30-36"	30-36"	orange, brown cone	medium green early to late summer (Jun-Aug)
New!	'Katie Saul' PPAF ('Summer Sky')	○ ☞	30-36"	30-36"	large, tangerine-orange with rose halo, orange cone	medium green early to late summer (Jun-Aug)
	'Sunrise' PP16235	○ ☞	30-36"	30-36"	soft yellow, gold cone	medium green early to late summer (Jun-Aug)
	'Sunset' PPAF	○ ☞	24-30"	30-36"	tangerine orange, brown cone	medium green early to late summer (Jun-Aug)
	'Twilight' PPAF	○ ☞	24-30"	24-30"	rose-red, deep red cone, drooping petals	medium green early to late summer (Jun-Aug)
<i>purpurea</i>						
	'Hope' PPAF <i>a percentage of proceeds to benefit the Susan G. Komen Foundation (breast cancer)</i>	○ ☞	24-30"	24-30"	soft pink, rust-orange cone	medium green mid to late summer (Jul-Aug)
	'Little Giant' PPAF	○ ☞	12-18"	18-24"	semi-double, large, reddish-pink, orange cone	medium green, compact early to late summer (Jun-Aug)
	'Magnus' <i>1998 PPA Perennial of the Year</i>	○ ☞	30-36"	30-36"	rose-pink then fade to light pink	medium green early to late summer (Jun-Aug)
New!	'Prairie Frost'	○ ☞	18-24"	18-24"	rose-pink, copper-red cone	variegated creamy-yellow and green, compact early to late summer (Jun-Aug)
New!	'Primadonna White'	○ ☞	24-30"	30-36"	slightly drooping pure white petals	medium green early to late summer (Jun-Aug)
	'Vintage Wine' PP13893	○ ☞	24-30"	30-36"	purple-red, brown-orange cone	deep green early to late summer (Jun-Aug)
ECHINOPS (Globe Thistle)						
<i>Foliage will disappear or begin to look unattractive later in the season, which is normal. Great for cutting or dried arrangements.</i>						
<i>bannaticus</i>						
	'Blue Glow'	○ ☞	36-42"	30-36"	heads are spiny and deep blue	gray-green mid to late summer (Jul-Aug)
<i>ritro</i>						
	ritro	○ ☞	24-30"	42-48"	heads are spiny and steel-blue	gray-green mid to late summer (Jul-Aug)
EPIMEDIUM (Barrenwort)						
<i>Epimedium is slow to establish itself, but makes a nice clumping or groundcover plant at maturity.</i>						
<i>alpinum (Red Barrenwort)</i>						
	'Rubrum'	☞ ☰	6-12"	12-18"	deep red	medium green tinged with red late spring to early summer (May-Jun)
<i>x versicolor (Bicolor Barrenwort)</i>						
	'Sulphureum'	☞ ☰	6-12"	12-18"	yellow	medium green, turns reddish in fall early to late spring (Apr-May)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
x youngianum (Young's Barrenwort)						
'Roseum'	☞ ☀	6-12"	12-18"	lilac-pink	medium green tinged with red	early to late spring (Apr-May)
ERIGERON (Fleabane)						
<i>Cutting back old flower stems will keep a healthy appearance and allow repeat blooming.</i>						
glaucous						
'Sea Breeze' PP12076	○ ☞	18-24"	18-24"	daisy-like, pink with yellow centers	gray-green	early to late summer (Jun-Aug)
Hybrid						
'Azure Fairy'	○ ☞	24-30"	18-24"	starburst-shaped, lavender-blue to pink with yellow centers	medium green, vigorous	late spring to early summer (May-Jun)
ERYNGIUM (Sea Holly, Snakeroot)						
planum						
New! 'Blue Glitter'	○ ☞	30-36"	24-30"	heads are spiny and steel-blue	metallic blue-gray	mid summer to early fall (Jul-Sep)
<i>great for cutting or dried arrangements</i>						
'Sapphire Blue' PP1088	○ ☞	24-30"	24-30"	heads are spiny and purple-blue maturing to silver	green with silver veins, purple stems	early to mid summer (Jun-Jul)
<i>keep moist for best foliage and flower color</i>						
EUONYMOUS (Wintercreeper)						
<i>An all-purpose semi-evergreen plant that can be trained to climb, be kept in shrub form, or allowed to creep as a groundcover.</i>						
fortunei						
'Coloratus'	○ ☞ ☀	12-18"	42-48"		leathery, deep green, turning reddish-purple in fall, spreading	
New! 'Kewensis'	○ ☞ ☀	6" or less	36-42"		leathery, deep green, compact, spreading	
<i>great choice for pathways or in between pavers and brickwork</i>						
EUPATORIUM (Hardy Ageratum, Joe-Pye Weed, Mist Flower, Boneset)						
<i>Some powdery mildew might appear after flowering, so simply trim undesirable foliage.</i>						
purpureum (Joe-Pye Weed)						
'Little Joe' PPAF	○ ☞	36-42"	30-36"	clusters are lavender-pink	deep green to gray-green	mid summer to early fall (Jul-Sep)
purpureum	○ ☞	54-60"	60" or more	clusters are lavender-purple	deep green to gray-green	mid summer to early fall (Jul-Sep)
rugosum						
'Chocolate'	○ ☞	30-36"	36-42"	clusters are white	chocolate-burgundy	mid to late summer (Jul-Aug)
EUPHORBIA (Spurge)						
<i>The sap from Euphorbia may cause skin irritation when pruning or handling. Gloves might be useful.</i>						
amygdaloides						
'Purpurea'	○ ☞	12-18"	12-18"	clusters are chartreuse-yellow	blue-green tinged with purple, turns purple as season progresses	late spring to early summer (May-Jun)
cyparissias						
'Fens Ruby'	○ ☞	6-12"	6-12"	clusters are chartreuse-yellow	ruby-red maturing to blue-green, fine, compact	late spring to early summer (May-Jun)
myrsinites						
myrsinites	○ ☞	6-12"	30-36"	clusters are sulphur-yellow	blue-gray, spiny leaves, spreading	late spring to early summer (May-Jun)
polychroma (epithymoides)						
New! 'Bonfire' PPAF	○ ☞	18-24"	18-24"	clusters are sulphur-yellow	multicolored purple, red, orange, and light green, mounding	late spring to early summer (May-Jun)
New! 'First Blush' PPAF	○ ☞	6-12"	12-18"	clusters are bright yellow	blue-green with white margins, develops rose-pink highlights	late spring to early summer (May-Jun)
polychroma (epithymoides)	○ ☞	18-24"	18-24"	clusters are sulphur-yellow	gray-green, turns red in fall, mounding	late spring to early summer (May-Jun)
FALLOPIA (Fleece Flower)						
aubertii (Silver Lace Vine)						
aubertii	○ ☞	60" or more	60" or more	sprays are cream-white, fragrant	climbing, medium green, vigorous	mid summer to early fall (Jul-Sep)
<i>puts on a spectacular fall display</i>						
'Lemon Lace'	○ ☞	60" or more	60" or more	sprays are cream-white, fragrant	climbing, bright lemon-yellow, vigorous	mid summer to early fall (Jul-Sep)
japonica/reynoutria						
New! 'Compacta'	○ ☞	24-30"	42-48"	sprays are light pink	medium green tinged with burgundy, turns reddish in fall, vigorous, spreading	mid summer to early fall (Jul-Sep)
<i>extremely durable, allow plenty of room to grow</i>						
FERN ADIANTUM						
pedatum (Maidenhair Fern)						
pedatum	☞ ☀	18-24"	24-30"		soft, medium to light green, turning gold in fall	
FERN ATHYRIUM						
angustum forma rubellum (Lady Fern)						
'Lady in Red'	☞ ☀	24-30"	30-36"		burgundy-red stems, medium green leaves, lacy	
felix-femina (Encourage Lady Fern)						
'Encourage'	☞ ☀	12-18"	12-18"		crested, lacy, apple-green, unique	
felix-femina (Ghost Lady Fern)						
'Ghost'	☞ ☀	18-24"	24-30"		neat, silver-green, upright	

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
felix-femina (Lady Fern)						
felix-femina	☞ ☀	18-24"	24-30"		medium green	
<i>tolerates dryer soils</i>						
felix-femina (Miss Vernon's Crested Lady Fern)						
'Vernoniae Cristatum'	☞ ☀	18-24"	24-30"		burgundy stems, crested medium green leaves	
<i>grown commercially as early as 1870</i>						
felix-femina (Tatting Fern)						
'Frizelliae'	☞ ☀	12-18"	12-18"		frilly round leaflets, unique, light green	
felix-femina (Victorian Lady Fern)						
'Victoriae'	☞ ☀	18-24"	24-30"		unique, forked leaflets, light green	
Hybrid						
'Branford Beauty'	☞ ☀	18-24"	24-30"		silver-green, upright	
nipponicum (Japanese Painted Fern)						
'Pictum'	☞ ☀	12-18"	12-18"		burgundy stems, silver-green fronds with burgundy tints	
<i>2004 PPA Perennial of the Year</i>						
otophorum (English Painted Fern)						
otophorum	☞ ☀	12-18"	18-24"		frosted gray-green	
<i>durable, drought tolerant</i>						
FERN BLECHNUM						
spicant (Deer Fern)						
New! spicant	☞ ☀	12-18"	12-18"		leathery, deep green, narrow fronds	
FERN DRYOPTERIS						
affinis (Golden Scaled Male Fern)						
affinis	☞ ☀	30-36"	30-36"		leathery, deep green	
'The King'	☞ ☀	18-24"	24-30"		deep green fronds, crested frilly leaflets	
affinis (Narrow Crested Fern)						
'Angustata Crispa'	☞ ☀	12-18"	12-18"		medium green fronds, crested frilly leaflets, compact	
atrata (Black Wood Fern)						
atrata	☞ ☀	18-24"	24-30"		medium green with hints of gold, leathery	
<i>stems are covered in coarse black hairs</i>						
crassirhizoma (Thick-stemmed Wood Fern)						
crassirhizoma	☞ ☀	30-36"	36-42"		medium green, upright, sturdy	
dilatata (Crisp Broad Buckler)						
'Crispa Whiteside'	☞ ☀	12-18"	18-24"		chartreuse maturing to medium green, soft, lacy	
erythrosora (Autumn Fern, Japanese Sword Fern)						
New! 'Brilliance'	○ ☞ ☀	18-24"	24-30"		golden-orange fronds mature to medium green, reddish-orange in fall	
<i>excellent fall color</i>						
erythrosora	○ ☞ ☀	18-24"	24-30"		durable, copper fronds mature to medium green, bronze in fall	
<i>excellent fall color</i>						
filix-mas (Lace-leaf Male Fern)						
'Linearis Polydactyla'	☞ ☀	18-24"	24-30"		airy, very narrow leaflets, lacy, medium green	
filix-mas (Male Fern)						
'Parsley'	☞ ☀	12-18"	18-24"		ruffled, deep green	
<i>fluffy and ruffled appearance resembles parsley</i>						
'Undulata-robusta'	☞ ☀	24-30"	30-36"		sturdy, upright, medium green	
filix-mas (Mexican Wood Fern)						
pseudo-filix-mas	○ ☞ ☀	30-36"	36-42"		clumping, medium green	
<i>tolerates sunny conditions</i>						
FERN MATTEUCCIA						
struthiopteris (Ostrich Fern)						
pennsylvanica	☞ ☀	42-48"	42-48"		large, medium green	
<i>fronds resemble ostrich feathers</i>						
FERN ONOCLEA						
sensibilis (Sensitive Fern, Bead Fern)						
sensibilis	○ ☞ ☀	18-24"	36-42"		deeply lobed, light green, spreading	
FERN OSMUNDA						
cinnamomea (Cinnamon Fern)						
cinnamomea	☞ ☀	42-48"	42-48"		stately, medium green and cinnamon-brown fronds	
regalis (Royal Fern)						
regalis	☞ ☀	36-42"	42-48"		light green with hints of red	
<i>prefers a consistently moist area</i>						

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
FERN POLYSTICHUM						
<i>acrostichoides</i> (Christmas Fern)						
acrostichoides	☉ ☀	18-24"	24-30"		medium green with silver highlights, leathery	
<i>polyblepharum</i> (Japanese Tassel Fern)						
polyblepharum	☉ ☀	18-24"	24-30"		tan stems, deep green leaflets	
<i> durable and easy to grow</i>						
FRUIT - Many varieties of potted fruit plants are available, including varieties of blackberry, blueberry, grape, raspberry, strawberry, and more. Please call or email us for availability.						
FUCHSIA (Hardy Fuchsia)						
<i>Yes, you read that correctly, hardy fuchsia! This is a species that could still use some winter protection, but has been reportedly winter hardy in our area.</i>						
<i>magellanica</i>						
magellanica	☉ ☀ ☀	12-18"	12-18"	nodding, brilliant pinkish-red	deep green	early to late summer (Jun-Aug)
<i>grows much larger in southern climates, but stays compact here in Michigan</i>						
GAILLARDIA (Blanket Flower)						
<i>Prune foliage after blooming to promote new growth and repeat blooms. Heat tolerant. Try not to plant in heavy clay soil.</i>						
<i>aristata</i>						
'Arizona Sun'	☉ ☀	6-12"	12-18"	daisy-like with orange-red petals tipped in yellow	medium green	early summer to early fall (Jun-Sep)
'Oranges & Lemons' PPAF	☉ ☀	24-30"	18-24"	peach-orange with petals tipped in yellow	medium to light gray-green	early to late summer (Jun-Aug)
<i>x grandiflora</i>						
'Burgundy'	☉ ☀	24-30"	18-24"	daisy-like, dusty wine-red	medium green	mid to late summer (Jul-Aug)
'Fanfare' PP15892	☉ ☀	18-24"	18-24"	scarlet-orange trumpet-shaped petals tipped in bright yellow	medium green	early summer to early fall (Jun-Sep)
'Goblin'	☉ ☀	6-12"	12-18"	daisy-like, scarlet/rust-red with yellow petal tips	medium green	early summer to early fall (Jun-Sep)
<i>one of the best Gaillardia varieties, popular</i>						
'Summer's Kiss' PP15293	☉ ☀	24-30"	18-24"	daisy-like, soft yellow and peach blend	medium green	early to late summer (Jun-Aug)
'The Sun'	☉ ☀	12-18"	12-18"	daisy-like, golden-yellow	medium green	early to late summer (Jun-Aug)
'Tokajer'	☉ ☀	12-18"	12-18"	daisy-like, copper-orange with light tips	medium green	mid to late summer (Jul-Aug)
GALIUM (Sweet Woodruff)						
<i>Galium does best in some shade with a well-drained soil.</i>						
<i>odoratum</i>						
odoratum	☉ ☀ ☀	6" or less	18-24"	star-shaped, white, fragrant	light green	late spring to mid summer (May-Jul)
GAURA (Wand Flower)						
<i>Gaura is derived from gauros, which means superb. Flowers resemble small butterflies.</i>						
<i>lindheimeri</i>						
'Pink Fountain'	☉ ☀	24-30"	24-30"	light pink	medium green tinged with red	early summer to early fall (Jun-Sep)
'Siskiyou Pink'	☉ ☀	18-24"	24-30"	rose-pink and white	medium green	mid summer to early fall (Jul-Sep)
'White Fountain'	☉ ☀	24-30"	24-30"	white	medium green	early summer to early fall (Jun-Sep)
GAZANIA (Hardy Gazania, Treasure Flower)						
<i>Benefits from some winter protection/mulching.</i>						
<i>linearis</i>						
'Colorado Gold'	☉ ☀	6-12"	6-12"	bright golden-yellow daisies	grass-like, medium green	early to late summer (Jun-Aug)
GENTIANA (Gentian)						
<i>dahurica</i>						
dahurica	☉ ☀ ☀	6-12"	6-12"	deep blue to purple	medium green, mounding	mid to late summer (Jul-Aug)
GERANIUM (Cranesbill)						
<i>Foliage may be cut back any time to promote a more bushy habit. Common name is from the beaked fruits' resemblance to a Crane's bill.</i>						
<i>cinereum</i> (Grayleaf Cranesbill)						
'Ballerina'	☉ ☀ ☀	6" or less	12-18"	lilac-pink with deep pink veins and centers	gray-green, compact, fragrant	early to late summer (Jun-Aug)
'Splendens'	☉ ☀ ☀	6" or less	12-18"	magenta-pink with blackish-red centers	gray-green, compact, fragrant	early to mid summer (Jun-Jul)
<i>Hybrid</i>						
'Dily's'	☉ ☀ ☀	6-12"	24-30"	reddish-magenta	fragrant, medium to deep green, spreading	mid summer to early fall (Jul-Sep)
'Johnson's Blue'	☉ ☀ ☀	12-18"	30-36"	clear sky-blue	fragrant, medium to deep green	early to late summer (Jun-Aug)
Now! 'Orkney Cherry'	☉ ☀ ☀	6-12"	30-36"	bright pink	fragrant, medium green and bronze	early to late summer (Jun-Aug)
'Rozanne' PP12175	☉ ☀ ☀	18-24"	36-42"	violet-blue with a white eye, large	deep green, mounding, fragrant	early summer to early fall (Jun-Sep)
<i>2008 PPA Perennial of the Year</i>						

	<i>LIGHT</i>	<i>HEIGHT</i>	<i>SPREAD</i>	<i>FLOWER</i>	<i>FOLIAGE</i>	<i>BLOOM TIME</i>
New! 'Sweet Heidi' PPAF	○ ☞ ☰	12-18"	30-36"	blue-purple with a pink and white eye	deep green, fragrant	early to late summer (Jun-Aug)
<i>macrorrhizum</i>						
'Ingwersen's Variety'	○ ☞ ☰	12-18"	30-36"	magenta-pink	medium green, fragrant, semi-glossy	late spring to mid summer (May-Jul)
<i>magnificum</i>						
magnificum	○ ☞ ☰	12-18"	24-30"	deep violet-blue	silvery-green, fragrant, hinted with red in fall	early to late summer (Jun-Aug)
<i>sanguineum (Bloody Cranesbill)</i>						
'Vision Violet'	○ ☞ ☰	12-18"	18-24"	carmine-red to violet	dense and compact, fragrant, medium to deep green	late spring to mid summer (May-Jul)
<i>x cantabrigiense</i>						
'Biokovo'	○ ☞ ☰	6-12"	24-30"	light pink to white	dense, deep green, fragrant	early to late summer (Jun-Aug)
'Karmina' ('Biokovo Karmina')	○ ☞ ☰	6-12"	24-30"	carmine-purple	dense, deep green, fragrant	early to late summer (Jun-Aug)
GEUM (Avens)						
<i>Planting in moist but well-drained soil will aid in overwintering.</i>						
<i>chiloense</i>						
'Mrs. Bradshaw'	○ ☞ ☞	12-18"	12-18"	bright orange-red	crinkled, light green	early to mid summer (Jun-Jul)
<i>great for a blast of summer color</i>						
<i>Hybrid</i>						
New! 'Flames of Passion' PP13370	○ ☞ ☞	12-18"	12-18"	bright red	crinkled, light green	late spring to early summer (May-Jun)
GRASS ACORUS (Variegated Sweet Flag)						
<i>Acorus does well in any light, but needs to be kept moist for best results.</i>						
<i>calamus</i>						
'Variegatus'	○ ☞ ☞	18-24"	24-30"	greenish-yellow, insignificant	leathery, iris-like, medium green striped with white	mid to late summer (Jul-Aug)
<i>gramineus</i>						
'Oborozuki'	○ ☞ ☞	6-12"	6-12"	tan, insignificant	fan-shaped, chartreuse-green and yellow	late spring (May)
'Pusillus Minimus Aureus'	○ ☞ ☞	6" or less	6-12"	brown, insignificant	mounding, golden-yellow	late spring (May)
New! 'Variegatus'	○ ☞ ☞	12-18"	18-24"	tan, insignificant	fan-shaped, green and white striped	late spring (May)
GRASS CALAMAGROSTIS (Reed Grass)						
<i>acutiflora</i>						
New! 'Avalanche'	○ ☞ ☞	30-36"	24-30"	plumes are tan, wheat-like	deep green with gold to white center stripes, narrow leaves	mid summer to early fall (Jul-Sep)
'Karl Foerster'	○ ☞ ☞	36-42"	30-36"	plumes are tan, wheat-like	deep green	mid summer to early fall (Jul-Sep)
<i>2001 PPA Perennial of the Year</i>						
'Overdam'	○ ☞ ☞	30-36"	24-30"	plumes are tan, wheat-like	deep green with thin white margins, narrow leaves	mid summer to early fall (Jul-Sep)
<i>arundinacea</i>						
var. brachytricha	○ ☞ ☞	30-36"	30-36"	plumes open pinkish maturing to silvery-tan	medium green, turns yellow in fall, medium wide leaves	late summer to early fall (Aug-Sep)
GRASS CAREX (Sedge Grass)						
<i>Carex is an ideal choice for semi-shade to shady places where a compact and season-long attractive plant is needed.</i>						
<i>buchananii (Leather-leaf Sedge)</i>						
buchananii	☞ ☰	18-24"	18-24"	insignificant	reddish-bronze, narrow leaves	late spring (May)
<i>conica</i>						
'Snowline'	☞ ☰	6-12"	6-12"	insignificant	deep green edged in white, mounding, compact, narrow leaves	late spring (May)
<i>dolichostachya (Gold Fountain Sedge)</i>						
'Kaga-Nishiki'	☞ ☰	6-12"	6-12"	insignificant	deep green edged in gold, mounding, compact, narrow leaves	late spring (May)
<i>elata (Gold Sedge)</i>						
'Bowles Golden'	☞ ☰	24-30"	24-30"	plumes are tan, insignificant	bright gold with green margins, narrow leaves	late spring (May)
<i>taller than many Carex varieties</i>						
<i>hachijoensis (Variegated Japanese Sedge)</i>						
'Evergold'	☞ ☰	6-12"	18-24"	plumes are tan, insignificant	creamy yellow with green margins, mounding, narrow leaves	late spring (May)
<i>morowii (Variegated Sedge)</i>						
'Ice Dance'	○ ☞ ☰	12-18"	24-30"	plumes are tan, insignificant	bright green with white margins, medium wide leaves	late spring (May)
<i>will spread if given room, makes a nice groundcover</i>						
'Silver Scepter'	☞ ☰	6-12"	6-12"	insignificant	silver-green edged in white, mounding, narrow leaves	late spring (May)
<i>muskingumensis (Palm Leaf Sedge)</i>						
'Little Midge'	☞ ☰	6-12"	6-12"	yellow-green, insignificant	bamboo-like, compact, medium green	mid to late summer (Jul-Aug)
'Oehme'	☞ ☰	18-24"	30-36"	plumes are tan, insignificant	green maturing with a yellow margin, medium wide leaves	mid to late summer (Jul-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME	
GRASS CORTADERIA (Pampas Grass)							
<i>Selloana</i> is the true Pampas Grass species, but 'Pumila' is winter hardy for our area (other <i>Cortaderia selloana</i> is not!).							
<i>selloana</i>							
	'Pumila'	○ ☞	48-54"	48-54"	plumes are cream-white	medium green, medium wide leaves	early to late fall (Sep-Oct)
<i>benefits from winter protection/mulching</i>							
GRASS DESCHAMPSIA (Tufted Hair Grass)							
<i>caespitosa</i>							
	'Bronze Veil'	○ ☞	24-30"	18-24"	plumes are bronze-tan, airy	medium green, narrow leaves	early to late summer (Jun-Aug)
GRASS ERAGROSTIS (Love Grass)							
<i>elliottii</i>							
New!	'Wind Dancer'	○ ☞	24-30"	18-24"	plumes are tan, airy	blue-green, arching stems, narrow leaves	mid summer to early fall (Jul-Sep)
GRASS ERIANTHUS (Hardy Pampas Grass, Ravenna Grass)							
<i>Not the true Pampas Grass, but much hardier and similar in appearance.</i>							
<i>ravennae</i>							
	ravennae	○ ☞	8-10'	6-7'	plumes are large, silver turning to tan, wheat-like	medium green to gray, wide leaves	early to late fall (Sep-Oct)
GRASS FARGESIA (Clumping Bamboo)							
<i>Exciting and long-awaited winter-hardy versions of Bamboo.</i>							
<i>Hybrid</i>							
New!	'Asian Wonder'	○ ☞	10-14'	7-8'		medium green with reddish-brown hints, non-running	
<i>robusta</i>							
New!	'Green Screen'	○ ☞	15-18'	8-10'		medium green, glossy	
<i>rufa</i>							
New!	'Green Panda'	○ ☞	6-8'	5-7'		medium green, glossy	
<i>more compact than other varieties</i>							
GRASS FESTUCA (Blue Fescue, Sheeps Fescue)							
<i>On Festuca, plumes are usually produced every other season.</i>							
<i>glauca</i>							
	'Elijah Blue'	○ ☞	6-12"	12-18"	plumes are tan, wheat-like	powdery blue, narrow leaves	early to late summer (Jun-Aug)
	glauca	○ ☞	12-18"	12-18"	plumes are tan, wheat-like	blue-gray, narrow leaves	early to late summer (Jun-Aug)
<i>scoparia</i>							
New!	'Hobbit'	○ ☞	6" or less	6-12"	plumes are greenish maturing to gold-tan	bright green, mounding, compact, narrow leaves	early to mid summer (Jun-Jul)
GRASS HAKONECHLOA (Forest Grass, Hakone Grass)							
<i>Hakone or Forest Grass offers bamboo-like foliage and maintenance-free traits.</i>							
<i>macra</i>							
	'All Gold'	☞ ☀	12-18"	18-24"	plumes are light tan, insignificant	lemon-yellow, arching appearance, medium wide leaves	mid to late summer (Jul-Aug)
	macra	☞ ☀	12-18"	24-30"	plumes are light tan, insignificant	medium green, arching appearance, medium wide leaves	mid to late summer (Jul-Aug)
<i>macra (Golden Variegated Hakone Grass)</i>							
	'Aureola'	☞ ☀	12-18"	18-24"	plumes are light tan, insignificant	yellow with green margins, arching appearance, medium wide leaves	mid to late summer (Jul-Aug)
GRASS HELICTOTRICHON (Blue Oat Grass)							
<i>sempervirens</i>							
	'Sapphire'	○ ☞	18-24"	18-24"	plumes are tan, wheat-like	vase-shaped, blue-gray, narrow leaves	mid to late summer (Jul-Aug)
GRASS IMPERATA (Japanese Blood Grass)							
<i>cylindrica</i>							
	'Red Baron'	○ ☞	12-18"	30-36"		medium green with red tips, turns bronze-burgundy in fall	
GRASS JUNCUS (Rush)							
<i>Most varieties are not invasive, but allow more room if given moist conditions.</i>							
<i>effusus</i>							
	'Curly Wurly'	○ ☞	6-12"	6-12"	brown, insignificant	corkscrew-shaped, medium green, compact	late summer to early fall (Aug-Sep)
New!	'Frenzy'	○ ☞	6-12"	12-18"	brown, insignificant	corkscrew-shaped, variegated green and yellow	late summer to early fall (Aug-Sep)
	'Unicorn'	○ ☞	12-18"	12-18"	brown, insignificant	resembles a unicorn horn, medium green	late summer to early fall (Aug-Sep)
GRASS LEYMUS (Dune Grass, Lyme Grass, Wild Rye)							
<i>arenarius</i>							
	'Blue Dune'	○ ☞	24-30"	42-48"		blue-green tinged with purple, medium wide leaves	
<i>formerly known as Elymus, allow room or keep contained with edging</i>							

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
GRASS LUZULA (Wood Rush)						
<i>Hybrid</i>						
'Ruby Stiletto'	○ ☞ ☛	6-12"	12-18"	plumes are copper-bronze	medium to deep green tipped in red, narrow leaves	late spring to early summer (May-Jun)
GRASS MISCANTHUS (Eulalia Grass, Maiden Grass)						
<i>sinensis</i>						
'Adagio' <i>a dwarf variety, tough and easy to grow</i>	○ ☞	42-48"	36-42"	plumes are pink maturing to white	gray-green, narrow leaves	early to late fall (Sep-Oct)
'Bluetenwunder'	○ ☞	5-6'	5-6'	plumes are silver maturing to tan	blue to gray-green, narrow leaves	early to late fall (Sep-Oct)
'Cabaret' <i>late to plume if at all</i>	○ ☞	5-6'	5-6'	plumes are silver maturing to tan	medium green with wide center white stripe, wide leaves	late fall (Oct)
'Dixieland' <i>dwarf version of M. 'Silver Arrow'</i>	○ ☞	42-48"	42-48"	plumes open burgundy maturing to silver-tan	variegated white and green striped, wide leaves	early to late fall (Sep-Oct)
'Ferner Osten'	○ ☞	4-5'	4-5'	plumes open burgundy maturing to silver-tan, airy	medium to deep green, narrow leaves	late summer to early fall (Aug-Sep)
'Flamingo'	○ ☞	5-6'	4-5'	plumes open pink maturing to silver-tan	medium to deep green, medium wide leaves	late summer to early fall (Aug-Sep)
'Gracillimus' <i>one of the most common ornamental grasses, late to plume if at all</i>	○ ☞	5-6'	4-5'	plumes are silver maturing to tan	deep green, narrow leaves	late fall (Oct)
'Graziella'	○ ☞	5-6'	4-5'	plumes are silver-white	deep green, narrow leaves	late summer to early fall (Aug-Sep)
'Helga Reich'	○ ☞	4-5'	3-4'	plumes are copper-white maturing to tan	deep green, narrow leaves	early to late fall (Sep-Oct)
'Kaskade'	○ ☞	5-6'	5-6'	cascading plumes are pinkish maturing to silver-tan	deep green, narrow leaves	late summer to early fall (Aug-Sep)
'Little Kitten'	○ ☞	30-36"	30-36"	plumes are silver maturing to tan	medium green, compact, narrow leaves	early to late fall (Sep-Oct)
'Little Zebra'	○ ☞	42-48"	42-48"	plumes are pinkish maturing to tan	horizontal markings of yellow against bright green, compact, medium wide leaves	late summer to late fall (Aug-Oct)
'Malepartus'	○ ☞	5-6'	5-6'	plumes are pinkish-purple maturing to silver and tan	medium green, leaves extend perpendicular to stems, medium wide leaves	early to late fall (Sep-Oct)
'Morning Light'	○ ☞	48-54"	42-48"	plumes are silver with purplish tint	slight variegation of cream and medium green, narrow leaves	early to late fall (Sep-Oct)
'Purpurascens' (Flame Grass)	○ ☞	4-5'	4-5'	plumes open magenta then mature to white	medium green turning rust-red in fall, medium wide leaves	late summer to late fall (Aug-Oct)
'Silberfeder' ('Silver Feather')	○ ☞	6-7'	5-6'	plumes are pinkish-silver maturing to tan	deep green, arching, narrow leaves	late summer to late fall (Aug-Oct)
New! 'Silver Shadows'	○ ☞	5-7'	5-6'	plumes are pinkish-silver maturing to tan	mostly white with stripes of bright green, wide leaves	late summer to late fall (Aug-Oct)
'Strictus' <i>a little more upright and compact than M. 'Zebrinus'</i>	○ ☞	5-6'	4-5'	plumes are copper-silver maturing to tan	horizontal markings of yellow against bright green, wide leaves	early to late fall (Sep-Oct)
'Undine' <i>plumes are held higher above foliage than most varieties</i>	○ ☞	6-7'	5-6'	plumes are silver maturing to tan	medium green, narrow leaves	early to late fall (Sep-Oct)
'Variegatus'	○ ☞	6-7'	5-6'	plumes are reddish-silver first, then tan	white and green striped leaves, wide leaves	early to late fall (Sep-Oct)
'Yaku Jima'	○ ☞	42-48"	42-48"	plumes are silver, fade to tan	medium green, compact, narrow leaves	late summer to early fall (Aug-Sep)
'Zebrinus'	○ ☞	6-7'	5-6'	plumes are copper-silver maturing to tan	horizontal markings of yellow against bright green, arching appearance, wide leaves	early to late fall (Sep-Oct)
GRASS MOLINIA (Moor Grass)						
<i>arundinacea</i>						
New! 'Karl Foerster'	○ ☞	6-7'	4-5'	plumes are silver-white, airy, held high above foliage	deep gray-green, medium wide leaves	mid summer to early fall (Jul-Sep)
<i>caerulea</i>						
New! 'Moorflamme'	○ ☞	18-24"	18-24"	plumes are tan	medium green, turns orange-red in fall, narrow leaves	mid summer to early fall (Jul-Sep)
New! 'Moorhexe'	○ ☞	36-42"	30-36"	plumes are black-purple maturing to tan	medium green, narrow leaves	mid summer to early fall (Jul-Sep)
'Skyracer'	○ ☞	54-60"	36-42"	plumes are gray-green, airy	gray-green, turns yellow in fall, narrow leaves	late summer to late fall (Aug-Oct)
New! 'Strahlenquelle'	○ ☞	36-42"	30-36"	plumes are purple maturing to tan	medium green, vase-shaped, narrow leaves	mid summer to early fall (Jul-Sep)
GRASS PANICUM (Switch Grass)						
<i>virgatum</i>						
'Hanse Herms'	○ ☞	36-42"	30-36"	plumes are red maturing to tan, airy	medium green with bright red highlights in summer, narrow leaves	late summer to late fall (Aug-Oct)
'Heavy Metal'	○ ☞	42-48"	30-36"	plumes open reddish maturing to tan	blue-green, turns yellow in fall, medium wide leaves	late summer to late fall (Aug-Oct)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Northwind'	○ ☞	5-6'	4-5'	plumes are tan, airy	blue-green, vase-shaped, medium wide leaves	late summer to late fall (Aug-Oct)
'Rotstrahlbush'	○ ☞	42-48"	36-42"	plumes are tan, airy	gray-green, turns bright red in fall, medium wide leaves	early to late fall (Sep-Oct)
'Shenandoah' <i>a larger substitute for I. Red Baron'</i>	○ ☞	30-36"	30-36"	plumes are pinkish maturing to tan, airy	medium green with red tips, medium wide leaves	late summer to early fall (Aug-Sep)
GRASS PENNISETUM (Fountain Grass)						
<i>Long-favored for its maintenance-free traits and attractive appearance even when not in flower.</i>						
alopecuroides						
alopecuroides	○ ☞	30-36"	30-36"	fuzzy, bottle-brush-shaped, tan	medium green, mounding, narrow leaves	mid summer to early fall (Jul-Sep)
'Cassian'	○ ☞	12-18"	12-18"	fuzzy, bottle-brush-shaped, tan	medium green with hints of gold, vase-shaped, narrow leaves	mid summer to late fall (Jul-Oct)
'Foxtrot' ('Japonicum')	○ ☞	48-54"	48-54"	fuzzy, bottle-brush-shaped, light pink maturing to tan	medium green, upright, narrow leaves	late summer to late fall (Aug-Oct)
'Hameln' <i>a popular choice for a smaller growing grass</i>	○ ☞	24-30"	24-30"	fuzzy, bottle-brush-shaped, tan	medium green, compact and mounding, narrow leaves	mid summer to early fall (Jul-Sep)
'Little Bunny'	○ ☞	6-12"	6-12"	fuzzy, bottle-brush-shaped, tan	medium green, compact, narrow leaves	late summer to late fall (Aug-Oct)
'Little Honey'	○ ☞	6-12"	6-12"	fuzzy, bottle-brush-shaped, tan	medium green with thin silver margins, compact, narrow leaves	late summer to late fall (Aug-Oct)
'Moudry'	○ ☞	30-36"	30-36"	fuzzy, bottle-brush-shaped, black-brown maturing to tan	deep green, glossy, medium wide leaves	early to late fall (Sep-Oct)
New! 'Red Head'	○ ☞	36-42"	36-42"	fuzzy, bottle-brush-shaped, smoky-purple maturing to tan	medium green, compact and mounding, narrow leaves	late summer to late fall (Aug-Oct)
orientale						
'Karley Rose' PPAF	○ ☞	30-36"	30-36"	fuzzy, bottle-brush-shaped, drooping, pink maturing to tan	medium green, compact and mounding, narrow leaves	mid to late summer (Jul-Aug)
GRASS PHALARIS (Ribbon Grass)						
<i>Allow room or keep contained with edging.</i>						
arundinacea						
New! 'Dwarf Garters'	○ ☞	18-24"	42-48"	insignificant	variegated green and white, spreading, medium wide leaves	mid to late summer (Jul-Aug)
'Feesey's Form'	○ ☞	12-18"	42-48"	plumes are pinkish, insignificant	variegated green and white striped with hints of pink, spreading, medium wide leaves	mid to late summer (Jul-Aug)
GRASS PLEIOBLASTUS (Dwarf Bamboo)						
<i>Pleioblastus can be contained with deep edging or by planting in containers.</i>						
auricoma / viridistriata						
auricoma	○ ☞	30-36"	42-48"		medium to light green striped with creamy-yellow, spreading	
fortunei						
'Variegata'	○ ☞	18-24"	42-48"		striped with green and white, spreading	
GRASS SASA (Dwarf Kuma Bamboo)						
veitchii						
New! 'Nana' <i>benefits from winter protection/mulching</i>	○ ☞	18-24"	30-36"	insignificant	deep green with white margins, spreading	mid to late summer (Jul-Aug)
GRASS SCHIZACHYRIUM (Little Bluestem)						
scoparium						
'The Blues'	○ ☞	24-30"	24-30"	plumes are silvery-tan	bright blue-gray, turns yellow and burgundy in fall, narrow leaves	late summer to early fall (Aug-Sep)
GRASS SPOROBOLUS (Prairie Dropseed)						
heterolepis						
heterolepis	○ ☞	30-36"	30-36"	plumes are pinkish maturing to silver-tan, airy	deep green, turns copper-orange in fall, narrow leaves	late summer to late fall (Aug-Oct)
GYPHOPHILA (Baby's Breath)						
<i>An excellent choice for filling in those spaces left by spring blooming plants that have gone dormant or have become unattractive. Always popular for cutting or dried arrangements.</i>						
cerastoides						
cerastoides	○ ☞	6" or less	30-36"	white with lilac veins	gray-green, spreading	late spring to mid summer (May-Jul)
paniculata						
'Bristol Fairy'	○ ☞	30-36"	30-36"	sprays are white, double	gray-green	early to mid summer (Jun-Jul)
'Compacta Plena'	○ ☞	18-24"	18-24"	sprays are white, double	gray-green, compact	early to mid summer (Jun-Jul)
'Pink Fairy'	○ ☞	24-30"	24-30"	sprays are light pink to white, double	gray-green	early to mid summer (Jun-Jul)
repens						
rosea	○ ☞	6-12"	12-18"	dainty, light pink	compact, gray-green	early to late summer (Jun-Aug)

HEDERA (English Ivy)

A popular choice for a maintenance-free groundcover, but also makes a nice accent plant in containers.

helix

	helix	○ ☞	6" or less	42-48"		deep green, glossy	
	<i>will climb if given support</i>						

HELENIUM (Sneezeweed)

Helenium, named for Helen of Troy. Taller stems may need to be staked. Prune foliage back after blooming to promote new growth and repeat blooms. Great for cutting.

amarum

New!	'Dakota Gold'	○ ☞	12-18"	12-18"	golden-yellow	mounding, compact, medium green	early summer to early fall (Jun-Sep)
	<i>benefits from winter protection/mulching</i>						

autumnale

New!	'Sahin's Early Flowerer'	○ ☞	30-36"	30-36"	deep red streaked with orange and yellow	medium to deep green	late summer to early fall (Aug-Sep)
-------------	---------------------------------	-----	--------	--------	--	----------------------	-------------------------------------

HELIANTHUS (Perennial Sunflower)

salicifolius (Willow Leaf Sunflower)

	'Low Down' PP13197	○ ☞	12-18"	18-24"	daisy-like, golden yellow	medium green, vigorous, compact	late summer to early fall (Aug-Sep)
--	---------------------------	-----	--------	--------	---------------------------	---------------------------------	-------------------------------------

HELIOPSIS (False Sunflower)

Powdery mildew can be a problem, but usually only after it has bloomed. Trim back to alleviate any problem.

helianthoides

	'Ballerina'	○ ☞	30-36"	36-42"	semi-double, golden yellow	glossy, deep green	mid summer to early fall (Jul-Sep)
	'Summer Sun'	○ ☞	54-60"	48-54"	golden-yellow, daisy-like	medium green	mid summer to early fall (Jul-Sep)
	<i>prune foliage back after blooming to promote new growth and repeat blooms</i>						

Hybrid

	'Loraine Sunshine' PP10690	○ ☞	12-18"	12-18"	daisy-like, bright yellow	consistent variegation, creamy white with medium green veins	mid summer to early fall (Jul-Sep)
--	-----------------------------------	-----	--------	--------	---------------------------	--	------------------------------------

HELLEBORUS (Christmas Rose, Hellebore, Lenten Rose)

Helleborus is one of the earliest perennials to bloom in our area. May go dormant during summer months. 2005 PPA Plant of the Year.

argutifolius (Corsican Hellebore)

New!	'Pacific Frost'	☞ ☞	18-24"	18-24"	ivory-white	deep green with white speckles	early to late spring (Apr-May)
-------------	------------------------	-----	--------	--------	-------------	--------------------------------	--------------------------------

Hybrid

	'Blackthorn Strain'	☞ ☞	12-18"	12-18"	light lime-green with light mauve reverse	gray-green	early to late spring (Apr-May)
	<i>holds its flowers a little more above foliage for better visibility</i>						
New!	'Grand Burgundy'	☞ ☞	18-24"	12-18"	burgundy-red	gray-green	early to late spring (Apr-May)
	'Ivory Prince' PP16199	☞ ☞	12-18"	12-18"	ivory-white with burgundy, chartreuse, and pink highlights	blue-green	early to late spring (Apr-May)

Hybrid (Lady Series)

	'Blue Lady'	☞ ☞	12-18"	12-18"	nodding, blue-purple blend	deep green	early to late spring (Apr-May)
	'Pink Lady'	☞ ☞	12-18"	12-18"	nodding, light pink and rose blend	deep green	early to late spring (Apr-May)
	'Red Lady'	☞ ☞	12-18"	12-18"	nodding, deep red with darker center	deep green	early to late spring (Apr-May)

orientalis

	'Royal Heritage Hybrids'	☞ ☞	18-24"	12-18"	mixed (one color per plant) purple, white, light green, pink, or light yellow	leathery, deep green	early spring (Apr)
--	---------------------------------	-----	--------	--------	---	----------------------	--------------------

HEMEROCALLIS (Daylily)

Without a doubt the most popular perennial due to its easy maintenance and summertime beauty. Hemerocallis in Greek means beautiful for a day.

Designer Series - These varieties are a cut above the rest, with many superior qualities compared to "normal" daylilies. These qualities include higher bud count, vigorous and healthy performance, richer colors, heavier textures, and highly adaptable.

	'Always Afternoon'	○ ☞	18-24"	18-24"	ruffled, dusty-rose with plum-purple eye, repeat bloomer, tetraploid	medium green	mid to late summer (Jul-Aug)
	'Bela Lugosi'	○ ☞	30-36"	30-36"	true purple, lime-green throat	medium green	mid to late summer (Jul-Aug)
	<i>one of the best purple varieties</i>						
	'Daring Deception'	○ ☞	18-24"	18-24"	creamy pink with purple eye and purple edging, green throat, repeat bloomer, tetraploid	medium green	early to late summer (Jun-Aug)
New!	'Omomuki'	○ ☞	24-30"	24-30"	ruffled, clear yellow, bright green throat, repeat bloomer, tetraploid	medium green	early to late summer (Jun-Aug)
	'Rosy Returns' PP9779	○ ☞	12-18"	12-18"	rose-pink with deep rose eye, yellow throat, repeat bloomer	medium green	late spring to late summer (May-Aug)
	'Siloam Double Classic'	○ ☞	24-30"	24-30"	ruffled, double, peach-pink, repeat bloomer	medium green	early to late summer (Jun-Aug)
	'South Seas'	○ ☞	24-30"	24-30"	coral-tangerine, yellow throat, repeat bloomer, tetraploid	medium green	early to late summer (Jun-Aug)
	'Spanish Glow'	○ ☞	24-30"	24-30"	ruffled, peach, gold throat, repeat bloomer, tetraploid	medium green	early to late summer (Jun-Aug)
	'Strawberry Candy'	○ ☞	24-30"	24-30"	ruffled, pink with raspberry-red eye, green throat, repeat bloomer, tetraploid	medium green	late spring to late summer (May-Aug)
	'Strutter's Ball'	○ ☞	24-30"	24-30"	deep black-purple with silver-white halo, lemon-green throat, tetraploid	medium green	early to mid summer (Jun-Jul)

		LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
<i>Hybrid</i>							
New!	'Bill Norris'	○ ☞	24-30"	24-30"	ruffled, golden-yellow, repeat bloomer	medium green	mid to late summer (Jul-Aug)
	'Black-Eyed Susan'	○ ☞	24-30"	24-30"	yellow with maroon eye, orange throat, repeat bloomer, tetraploid	medium green	mid to late summer (Jul-Aug)
	'Catherine Neal'	○ ☞	24-30"	24-30"	deep purplish-red, green throat	medium green	mid to late summer (Jul-Aug)
New!	'Dragon's Eye'	○ ☞	18-24"	18-24"	pale rose-pink with large rose-red eye, repeat bloomer	medium green	mid to late summer (Jul-Aug)
	'Final Touch'	○ ☞	24-30"	24-30"	cherry-red and pink blend, yellow throat	medium green	mid to late summer (Jul-Aug)
New!	'Forgotten Dreams'	○ ☞	18-24"	18-24"	large, plum-purple with maroon-purple eye, ruffled	medium green	mid to late summer (Jul-Aug)
	'Gentle Shepherd'	○ ☞	24-30"	24-30"	large, near-white, chartreuse throat	medium green	early to mid summer (Jun-Jul)
New!	'Going Bananas' PPAF	○ ☞	18-24"	18-24"	canary-yellow, repeat bloomer	medium green	mid to late summer (Jul-Aug)
	<i>an improved 'Happy Returns' variety with larger flowers and more consistent blooming</i>						
	'Joan Senior'	○ ☞	24-30"	24-30"	creamy white with pale yellow-green throat, repeat bloomer	medium green	early to mid summer (Jun-Jul)
	'Little Business'	○ ☞	12-18"	12-18"	pinkish-red, green throat, repeat bloomer	medium green, compact	early to late summer (Jun-Aug)
	'Little Grapette'	○ ☞	12-18"	12-18"	grape-purple, green throat, repeat bloomer	medium green, compact	early summer (Jun)
	'Mardi Gras Parade'	○ ☞	18-24"	18-24"	ruffled, rose-lavender with wine-purple eye, chartreuse throat, repeat bloomer	medium green	mid to late summer (Jul-Aug)
New!	'Mauna Loa'	○ ☞	18-24"	18-24"	copper-orange to tangerine	deep green	mid to late summer (Jul-Aug)
	'Pardon Me'	○ ☞	12-18"	12-18"	cranberry-red, green throat, repeat bloomer	medium green, compact	mid to late summer (Jul-Aug)
New!	'Pretty in Pink'	○ ☞	24-30"	24-30"	lavender-pink, deep green throat, repeat bloomer, tetraploid	medium green	early to mid summer (Jun-Jul)
New!	'Tusawilla Tigress'	○ ☞	24-30"	30-36"	repeat bloomer, large orange petals, gold midribs, darker gold eye	medium green	early to late summer (Jun-Aug)

HEPATICA (Liverleaf, Mayflower)

<i>nobilis</i>							
	nobilis	☞ ☰	6" or less	6-12"	mixed (one color per plant) blue, pink, or white	deep green	early to late spring (Apr-May)

HERBS - As always, we carry an expansive variety of herbs, too many to list in this space. Please call or email for availability.

HERNIARIA (Rupturewort)

Herniaria can handle foot traffic quite well, and is also a great choice for rockery, brickwork, walls, or in between pavers.

<i>glabra</i>							
New!	'Green Carpet'	○ ☞	6" or less	18-24"	green to yellow, insignificant	mat-like, medium to deep green, spreading	early to mid summer (Jun-Jul)
	'Sea Foam' PP15989	○ ☞	6" or less	18-24"	green to yellow, insignificant	mat-like, green and cream variegation, spreading	early to mid summer (Jun-Jul)

HESPERIS (Dame's Rocket)

<i>matronalis</i>							
	'Sweet Rocket Mix'	○ ☞	18-24"	18-24"	clusters are mixed (one color per plant) lavender, purple, or white	medium green	late spring to early summer (May-Jun)
	<i>prune foliage back after blooming to promote new growth and repeat blooms</i>						

HEUCHERA (Alumroot, Coral Bells)

Few plants offer as much outstanding foliage color and contrast possibilities. Plant in a well-drained area. Height listed includes flower, foliage usually stays about half as tall.

<i>Hybrid</i>							
	'Amber Waves' PP13348	○ ☞ ☰	6-12"	6-12"	sprays are creamy-white	amber-gold, ruffled, peach undersides	late spring to mid summer (May-Jul)
	'Amethyst Myst'	○ ☞ ☰	18-24"	18-24"	sprays are creamy-white	blackish-purple with silver overlay, purple undersides	late spring to mid summer (May-Jul)
	'Black Beauty' PP13288	○ ☞ ☰	18-24"	18-24"	sprays are creamy-white	ruffled, deep burgundy-purple, rose-pink undersides	late spring to mid summer (May-Jul)
	'Chocolate Ruffles' PP8965	○ ☞ ☰	24-30"	24-30"	sprays are purplish-pink	ruffled, burgundy-chocolate, purple undersides	late spring to mid summer (May-Jul)
New!	'Guardian Angel'	○ ☞ ☰	18-24"	18-24"	sprays are white	silver with purple veins, dusty purple margins, purple undersides	late spring to mid summer (May-Jul)
	'Lime Rickey' PP16210	○ ☞ ☰	18-24"	18-24"	sprays are white	lime-green, ruffled, lime-green undersides	late spring to mid summer (May-Jul)
	'Marmalade' PP15945	○ ☞ ☰	12-18"	12-18"	sprays are white	ruffled, honey-gold and peach, purple undersides	late spring to mid summer (May-Jul)
New!	'Midnight Rose' PPAF	○ ☞ ☰	18-24"	18-24"	sprays are creamy-white	deep blackish-purple with pink flecks, flecks mature to white	late spring to mid summer (May-Jul)
	<i>sport of 'Obsidian'</i>						

		LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
New!	'Mystic Angel'	○ ☞ ☛	12-18"	12-18"	sprays are white	smoky purple with deep purple veins, purple undersides	late spring to mid summer (May-Jul)
	'Obsidian' PP14836 <i>one of the deepest purple varieties available</i>	○ ☞ ☛	12-18"	12-18"	sprays are creamy-white	purplish-black, deep purple undersides	late spring to mid summer (May-Jul)
	'Peach Flambe' PP17195	○ ☞ ☛	12-18"	12-18"	sprays are white	ruffled, bright peach with red highlights, pink undersides	late spring to mid summer (May-Jul)
	'Plum Pudding'	○ ☞ ☛	18-24"	18-24"	sprays are creamy-white	plum-purple with deep purple veins, deep purple undersides	late spring to mid summer (May-Jul)
	'Sparkling Burgundy' PPAF	○ ☞ ☛	18-24"	18-24"	sprays are white	ruffled, rose-burgundy	late spring to mid summer (May-Jul)
	'Stormy Seas'	○ ☞ ☛	24-30"	24-30"	sprays are creamy-white	ruffled, deep-purple with pewter marbling	late spring to mid summer (May-Jul)
micrantha							
	'Palace Purple' <i>1991 PPA Perennial of the Year</i>	○ ☞ ☛	12-18"	18-24"	sprays are cream white	leaves range from olive-green, bronze, and burgundy, purple undersides	late spring to mid summer (May-Jul)
sanguinea / x brizoides							
	'Snow Angel'	○ ☞ ☛	6-12"	6-12"	sprays are bright rose-pink	mint-green and white marbled variegation, compact	late spring to mid summer (May-Jul)
villosa							
	'Caramel' PP16560	○ ☞ ☛	6-12"	6-12"	sprays are creamy white	hairy, orange-yellow	late spring to mid summer (May-Jul)
HEUCHERELLA (Foamy Bells)							
<i>Heuchera</i> is a cross between <i>Heuchera</i> and <i>Tiarella</i> . (Flowers like <i>Heuchera</i> , foliage like <i>Tiarella</i> .)							
Hybrid							
	'Stoplight' PPAF <i>an improved variety over H. 'Sunspot'</i>	○ ☞ ☛	6-12"	18-24"	sprays are white	chartreuse to yellow leaves with rust-red center splotch	late spring to early summer (May-Jun)
HIBISCUS (Rose Mallow)							
<i>Very late to break dormancy, so don't worry if you don't see signs of life until June or even July.</i>							
Hybrid							
	'Anne Arundel' PP5209	○ ☞ ☛	54-60"	54-60"	large, hot pink with small red eye	deep green	mid summer to early fall (Jul-Sep)
	'Blue River II'	○ ☞ ☛	54-60"	54-60"	large, pure white	deep green	mid summer to early fall (Jul-Sep)
	'Fireball' PP13631	○ ☞ ☛	54-60"	54-60"	large, fire red	deep green with tinted with purple	mid summer to early fall (Jul-Sep)
	'Kopper King' PP10793	○ ☞ ☛	54-60"	54-60"	large, white with veined red eye	copper-red	mid summer to early fall (Jul-Sep)
	'Plum Crazy' PP11854	○ ☞ ☛	54-60"	54-60"	large, deep rose to plum with darker eye	deep green tinted with purple	mid summer to early fall (Jul-Sep)
moscheutos							
	'Southern Belle' <i>tolerates wet areas and moist soil</i>	○ ☞ ☛	42-48"	42-48"	large flowers, mixed (one color per plant) pink, red, or white, all having a small red center	Hydrangea-like leaves, medium green	mid summer to early fall (Jul-Sep)
HOSTA (Funkia, Plantain Lily)							
<i>Requiring little care, Hosta can make any planting classy and attractive. If flowers are not desired, simply prune out the flower stalks as they appear. Height listed includes flower, foliage usually stays about half or two-thirds as tall.</i>							
fluctuans							
	'Variegated' ('Sage') <i>2000 Hosta of the Year</i>	○ ☞ ☛	36-42"	36-42"	lavender	large leaves, blue-green with yellow to creamy white margins, leathery	mid to late summer (Jul-Aug)
fortunei							
	'Aureo-marginata' <i>a popular yellow and gold variety</i>	○ ☞ ☛	18-24"	18-24"	lavender	medium green with golden-yellow margins	mid to late summer (Jul-Aug)
	'Francee'	○ ☞ ☛	12-18"	18-24"	lavender	semi-glossy, medium to deep green with thin white margin	mid to late summer (Jul-Aug)
	'Gold Standard'	○ ☞ ☛	18-24"	24-30"	pale lavender	light green maturing to gold with deep green irregular margins	mid to late summer (Jul-Aug)
	'Hycinthina'	○ ☞ ☛	24-30"	30-36"	light lavender	chartreuse to green with irregular deep green margins	mid to late summer (Jul-Aug)
	'Paul's Glory' <i>1999 Hosta of the Year</i>	○ ☞ ☛	36-42"	36-42"	pale lavender	large leaves, blue-green with large chartreuse center	mid to late summer (Jul-Aug)
Hybrid							
New!	'American Icon' PPAF <i>sport of 'Choo Choo Train'</i>	○ ☞ ☛	30-36"	42-48"	pale lavender	large leaves, green with wide gold margin	mid to late summer (Jul-Aug)
New!	'Americana' <i>sport of 'Loyalist'</i>	○ ☞ ☛	24-30"	24-30"	pale lavender	narrow white center with wide green margins	mid to late summer (Jul-Aug)
	'August Moon'	○ ☞ ☛	18-24"	24-30"	pale lavender	gold to chartreuse, puckered	mid to late summer (Jul-Aug)
	'Blue Angel'	○ ☞ ☛	36-42"	36-42"	white	large leaves, blue-green, leathery	mid to late summer (Jul-Aug)
	'Blue Mammoth'	○ ☞ ☛	36-42"	36-42"	white	large leaves, powdery gray-green, leathery	mid to late summer (Jul-Aug)
	'Captain Kirk' <i>an improved variety over 'Gold Standard'</i>	○ ☞ ☛	24-30"	24-30"	pale lavender	bright gold with wide deep green irregular margins	mid to late summer (Jul-Aug)
New!	'Daybreak'	○ ☞ ☛	18-24"	30-36"	lavender, fragrant	large leaves, golden-yellow to chartreuse-green	mid to late summer (Jul-Aug)

		LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
	'Diana Remembered'	○ ☞ ☰	18-24"	18-24"	white, fragrant	blue-green with creamy-white margins	mid to late summer (Jul-Aug)
	<i>named after the late Diana, Princess of Wales, sport of 'Seventh Heaven'</i>						
	'Dream Weaver'	○ ☞ ☰	18-24"	36-42"	white	large leaves, blue-green margins and creamy white irregular center, puckered	mid to late summer (Jul-Aug)
	<i>sport of 'Great Expectations'</i>						
	'Earth Angel'	○ ☞ ☰	30-36"	30-36"	pale lavender	large leaves, blue green with wide creamy-yellow margins	mid to late summer (Jul-Aug)
	<i>sport of 'Blue Angel'</i>						
	'Fire and Ice'	○ ☞ ☰	18-24"	24-30"	lavender-pink	large white centers with wide medium to deep green irregular margins	mid to late summer (Jul-Aug)
	<i>sport of 'Patriot'</i>						
New!	'Fire Island'	○ ☞ ☰	18-24"	18-24"	lavender	bright gold to yellow, red-tinted stems	mid to late summer (Jul-Aug)
New!	'First Frost'	○ ☞ ☰	18-24"	18-24"	light lavender	blue-green with gold margins turning white	mid to late summer (Jul-Aug)
	<i>sport of 'Halcyon'</i>						
	'Fragrant Blue'	○ ☞ ☰	18-24"	18-24"	light lavender	wavy, dusted blue-green to gray-green, leathery	early to late summer (Jun-Aug)
	'Fragrant Bouquet'	○ ☞ ☰	18-24"	24-30"	pale lavender, fragrant	bright medium green with thin yellow to white margins	mid to late summer (Jul-Aug)
	<i>1998 Hosta of the Year</i>						
	'Great Expectations'	○ ☞ ☰	24-30"	36-42"	white	large leaves, blue-green margin and creamy yellow to white irregular center, puckered	early to mid summer (Jun-Jul)
	'Guacamole'	○ ☞ ☰	30-36"	36-42"	white, fragrant	large leaves, apple-green with deep green margins, centers mature to gold	mid to late summer (Jul-Aug)
	<i>2002 Hosta of the Year</i>						
New!	'Guardian Angel'	○ ☞ ☰	24-30"	42-48"	white, fragrant	large leaves, blue-green with white and cream streaks	mid to late summer (Jul-Aug)
	<i>sport of 'Blue Angel'</i>						
New!	'High Society' PPAF	○ ☞ ☰	6-12"	6-12"	pale lavender	narrow yellow center and wide blue-green margins	mid to late summer (Jul-Aug)
	<i>sport of 'June'</i>						
	'Honeybells'	○ ☞ ☰	24-30"	30-36"	lilac-lavender, fragrant	wavy, medium to light green	late summer to early fall (Aug-Sep)
	'Krossa Regal'	○ ☞ ☰	30-36"	24-30"	lavender on tall stems	frosted blue-green to gray	late summer to early fall (Aug-Sep)
	'Liberty' PP12531	○ ☞ ☰	24-30"	30-36"	lavender	gray-green with very wide yellow to white margins	mid to late summer (Jul-Aug)
	<i>sport of 'Sagae'</i>						
New!	'Little Sunspot'	○ ☞ ☰	12-18"	12-18"	white with lavender veins	yellow center with green margin	mid to late summer (Jul-Aug)
	<i>sport of 'Little Aurora'</i>						
	'Loyalist'	○ ☞ ☰	18-24"	18-24"	pale lavender	deep green margin and near white center	mid to late summer (Jul-Aug)
	<i>sport of 'Patriot'</i>						
	'Maui Buttercups'	○ ☞ ☰	12-18"	18-24"	violet	cupped, bright gold, puckered	mid to late summer (Jul-Aug)
	'Morning Light'	○ ☞ ☰	18-24"	18-24"	pale lavender	pale yellow center with two-toned green margin	mid to late summer (Jul-Aug)
	'Night Before Christmas'	○ ☞ ☰	24-30"	24-30"	pale lavender	large leaves, deep green with streaking white centers	mid to late summer (Jul-Aug)
	<i>sport of 'White Christmas'</i>						
New!	'Paradigm'	○ ☞ ☰	24-30"	24-30"	light lavender	gold with wide irregular blue-green margins, puckered	mid to late summer (Jul-Aug)
	<i>2007 Hosta of the Year</i>						
New!	'Praying Hands'	○ ☞ ☰	12-18"	12-18"	lavender	medium green with thin white margin, unique upright-rolled leaves	mid to late summer (Jul-Aug)
New!	'Princess Anastasia'	○ ☞ ☰	18-24"	18-24"	white	gold with narrow blue-green margins	mid to late summer (Jul-Aug)
	<i>sport of 'Big One'</i>						
	'Regal Splendor'	○ ☞ ☰	30-36"	24-30"	lavender on tall stems	frosted blue-green to gray with creamy white to yellow margins	late summer to early fall (Aug-Sep)
	<i>2003 Hosta of the Year, sport of 'Krossa Regal'</i>						
	'Remember Me'	○ ☞ ☰	18-24"	18-24"	lavender	yellow centers brightening to white with blue-green margin	mid to late summer (Jul-Aug)
	<i>a percentage of proceeds to benefit the Susan G. Komen Foundation (breast cancer), sport of 'June'</i>						
	'Royal Standard'	○ ☞ ☰	30-36"	30-36"	white, fragrant	wavy, medium to light green	late summer to early fall (Aug-Sep)
New!	'Satisfaction'	○ ☞ ☰	36-42"	36-42"	white	large leaves, deep green with wavy yellow margins	mid to late summer (Jul-Aug)
	<i>sport of 'Piedmont Gold'</i>						
New!	'Silver Bay'	○ ☞ ☰	18-24"	18-24"	pale lavender	silver-blue	mid to late summer (Jul-Aug)
	<i>one of the best new blue introductions</i>						
	'So Sweet'	○ ☞ ☰	18-24"	24-30"	white, fragrant	glossy, green with creamy yellow margins	mid to late summer (Jul-Aug)
	<i>1996 Hosta of the Year</i>						
	'Stained Glass'	○ ☞ ☰	30-36"	36-42"	pale lavender, fragrant	large leaves, brilliant gold with wide deep green margins	mid to late summer (Jul-Aug)
	<i>2006 Hosta of the Year, sport of 'Guacamole'</i>						
	'Sum and Substance'	○ ☞ ☰	36-42"	42-48"	pale lavender	large leaves, leathery, light green in shade, chartreuse to gold in sunny areas	mid to late summer (Jul-Aug)
	<i>2004 Hosta of the Year</i>						
New!	'T. Rex'	○ ☞ ☰	36-42"	42-48"	white	large leaves, medium green	mid to late summer (Jul-Aug)
	<i>huge leaves</i>						
	'Wheaton Blue'	○ ☞ ☰	36-42"	36-42"	lavender	large leaves, blue-gray, leathery	early to mid summer (Jun-Jul)
	<i>sport of 'Paul's Glory'</i>						
New!	'Whirlwind'	○ ☞ ☰	24-30"	30-36"	lavender	deep green with large irregular chartreuse to white center	mid to late summer (Jul-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Wide Brim'	○ ☞ ☰	18-24"	18-24"	pale lavender	deep green with irregular butter-yellow margins	mid to late summer (Jul-Aug)
montana						
'Aureo-marginata'	○ ☞ ☰	36-42"	36-42"	pale lavender	deep green with irregular wide gold to cream margins	mid to late summer (Jul-Aug)
sieboldiana						
'Elegans'	○ ☞ ☰	36-42"	36-42"	white	large leaves, blue-gray to blue-green, puckered	late summer to early fall (Aug-Sep)
undulata						
'Albo-marginata'	○ ☞ ☰	18-24"	24-30"	pale lavender	medium green with white margins	early to mid summer (Jun-Jul)
'Medio-picta'	○ ☞ ☰	18-24"	18-24"	lilac	wavy, streaked medium green and white	early to mid summer (Jun-Jul)
<i>formerly known as undulata 'Variegata'</i>						

HOUTTUYNIA (Chameleon Plant)

Very adaptable to any soil condition. Houttuynia breaks dormancy late in the spring. It will spread, so allow room.

cordata						
'Chameleon'	○ ☞ ☰	6-12"	42-48"	white	variegated green, yellow, pink, and red, spreading	early to mid summer (Jun-Jul)
<i>allow plenty of room as it will spread</i>						

HYDRANGEA (Climbing Hydrangea)

Climbing Hydrangea can tolerate sun, but does better in semi-shady areas. Be patient, it takes times to mature. Always an attractive plant, even when not in bloom.

anomala						
'Mirranda'	○ ☞ ☰	60" or more	42-48"	clusters are white	deep green with yellow margins, climbing	early to mid summer (Jun-Jul)
petiolaris						
	○ ☞ ☰	60" or more	42-48"	clusters are white	deep green, climbing	early to mid summer (Jun-Jul)

HYPERICUM (Aaron's Beard, St. John's Wort)

Common name comes from the fact that it usually flowers by and is harvested on June 24, St. John's Day. Used for many home remedies but also as a nice ornamental.

androsaemum						
'Albury Purple'	○ ☞	18-24"	18-24"	bright yellow	green and burgundy-purple	late spring to mid summer (May-Jul)
patulum						
New! 'Hidcote'	○ ☞	24-30"	36-42"	large, bright sunny yellow	deep green	early to mid summer (Jun-Jul)
perforatum						
New! 'Topas'	○ ☞	24-30"	24-30"	sunny-yellow	medium to light green	early to mid summer (Jun-Jul)

IBERIS (Candytuft)

Some trimming after flowering is beneficial to promote healthy center growth and an attractive appearance for the remainder of the season.

sempervirens						
'Alexander's White'	○ ☞	6-12"	30-36"	pure white	deep green, spreading, drought tolerant	early to late spring (Apr-May)
<i>often repeats bloom in fall</i>						
New! 'Snowflake'	○ ☞	6-12"	30-36"	pure white	deep green, spreading, drought tolerant	early to late spring (Apr-May)
<i>newer variety with a slightly more uniform growth than the species</i>						

INCARVILLEA (Hardy Gloxinia)

Prefers well-drained soil, but keep from extended dry spells. May rebloom later in season.

delavayi						
delavayi	○ ☞	12-18"	12-18"	deep rose-pink, trumpet-shaped	medium green, glossy	early to late spring (Apr-May)
'Snowtop'	○ ☞	12-18"	12-18"	pure white, trumpet-shaped	medium green, glossy	early to late spring (Apr-May)

IRIS

Trim out flower stems when flowering is complete, and divide the root clumps every few years to help maintain healthy growth.

cristata (Dwarf Crested Iris)						
cristata	○ ☞	6-12"	12-18"	soft blue-lilac with yellow or white crests	medium green, compact	early to late spring (Apr-May)
ensata (Japanese Iris)						
'Henry's White'	○ ☞	30-36"	36-42"	bright white	medium to deep green	mid to late summer (Jul-Aug)
New! 'Imperial Magic'	○ ☞	30-36"	24-30"	white with purple veins	medium green	mid to late summer (Jul-Aug)
'Mixed'	○ ☞	30-36"	24-30"	large, mixed (one color per plant) blue, burgundy, or purple	medium green	mid to late summer (Jul-Aug)
New! 'Mount Fujiyama'	○ ☞	30-36"	24-30"	large, white	medium green	mid to late summer (Jul-Aug)
New! 'Picotee Wonder'	○ ☞	30-36"	24-30"	blue-purple petals with white centers	medium green	mid to late summer (Jul-Aug)
New! 'Royal Robes'	○ ☞	30-36"	24-30"	dark purple with reddish tint, large	medium green	mid to late summer (Jul-Aug)
Hybrid Bearded Iris (German Iris) *More varieties will become available later in the season.*						
New! 'City Lights'	○ ☞	30-36"	24-30"	bright violet-blue standards and falls, white centers, fragrant	gray-green	late spring to early summer (May-Jun)
New! 'Gnus Flash'	○ ☞	30-36"	24-30"	silver-tan standards with purple streaks, deep purple falls with white streaks	gray-green	late spring to early summer (May-Jun)
<i>unique color combination</i>						
'Harvest of Memories'	○ ☞	30-36"	24-30"	clear yellow, ruffled, repeat bloomer	gray-green	late spring to early summer (May-Jun)
New! 'Jitterbug'	○ ☞	30-36"	24-30"	gold-yellow standards, gold-yellow falls speckled with burgundy-red to purple	gray-green	late spring to early summer (May-Jun)
New! 'Jurassic Park'	○ ☞	30-36"	24-30"	ruffled creamy-yellow standards, purplish falls	gray-green	late spring to early summer (May-Jun)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
NEW! 'Warrior King'	○ ☞	30-36"	24-30"	deep red standards and falls	gray-green	late spring to early summer (May-Jun)
<i>one of the best red varieties available</i>						
pallida						
'Variegata'	○ ☞	18-24"	18-24"	lavender to violet-blue	gray-green with white edges	late spring to early summer (May-Jun)
pseudacorus (Yellow Flag Iris)						
'Flore Pleno'	○ ☞	30-36"	36-42"	lemon-yellow to gold	medium green	late spring to mid summer (May-Jul)
<i>slightly longer blooming than the species</i>						
'Variegatus'	○ ☞	18-24"	24-30"	lemon-yellow to gold	striped yellow and green	late spring to early summer (May-Jun)
pumila (Dwarf Bearded Iris)						
pumila	○ ☞	6-12"	6-12"	mixed (one color per plant) blue, pink, purple, white, or yellow	gray-green, compact	late spring to early summer (May-Jun)
sibirica (Siberian Iris)						
'Butter and Sugar'	○ ☞	24-30"	24-30"	white standards, butter-yellow falls, greenish-yellow veins	medium green	early to mid summer (Jun-Jul)
'Caesar's Brother'	○ ☞	36-42"	30-36"	deep purple with yellow and white highlights, black veins	medium green	early to mid summer (Jun-Jul)
'Coronation Anthem'	○ ☞	24-30"	24-30"	medium blue to violet-blue with yellow highlights, tetraploid	medium green	early to mid summer (Jun-Jul)
<i>sometimes repeats bloom in fall</i>						
'Dance Ballerina Dance'	○ ☞	18-24"	24-30"	ruffled, lilac-white flushed with lilac-pink	medium green	early to mid summer (Jun-Jul)
'Dreaming Spires'	○ ☞	30-36"	24-30"	lavender standards, royal purple falls, white streaking	medium green	early to mid summer (Jun-Jul)
NEW! 'Harpwell Happiness'	○ ☞	24-30"	24-30"	ruffled, creamy white	medium green	early to mid summer (Jun-Jul)
'Pink Haze'	○ ☞	24-30"	24-30"	lavender-pink with faint white edges	medium green	early to mid summer (Jun-Jul)
'Ruffled Velvet'	○ ☞	24-30"	24-30"	red-purple standards, darker purple falls, black and gold highlights	medium green	early to mid summer (Jun-Jul)
'Silver Edge'	○ ☞	18-24"	24-30"	ruffled, velvet-blue edged in silver	medium green	early to mid summer (Jun-Jul)
NEW! 'Strawberry Fair'	○ ☞	24-30"	24-30"	ruffled, light pink standards, strawberry-pink falls, white highlights, tetraploid	medium green	early to mid summer (Jun-Jul)
'White Swirl'	○ ☞	24-30"	24-30"	ivory-white with gold throat and highlights	medium green	early to mid summer (Jun-Jul)
versicolor						
NEW! 'Gerald Darby'	○ ☞	30-36"	36-42"	purple-blue with white and yellow centers	medium green to gray with purple-tinted bases	early to mid summer (Jun-Jul)
ISOTOMA (Blue-star Creeper)						
<i>Also known as <i>Laurentia fluviatilis</i> or <i>Pratia pedunculata</i>.</i>						
fluviatilis						
fluviatilis	○ ☞	6" or less	6-12"	dainty, lilac with purple veining	mat-like, spreading, medium green	late spring to late summer (May-Aug)
<i>prefers moisture, tolerates foot traffic</i>						
KALIMERIS (Japanese Aster)						
incisa						
'Blue Star'	○ ☞	18-24"	18-24"	daisy-like, pale blue, yellow centers	deep green, neat and tidy	early to late summer (Jun-Aug)
KNAUTIA						
<i>Another must-have for butterfly gardens!</i>						
macedonica						
'Mars Midget'	○ ☞	12-18"	12-18"	ruby-red, globular	medium green	early to late summer (Jun-Aug)
KNIPHOFIA (Poker Plant, Torch Lily, Tritoma)						
<i>Very unique flowers and mature plants in bloom can be an incredible sight. Does best in mostly sunny areas.</i>						
uvaria						
'Pfitzer Hybrids'	○ ☞	30-36"	30-36"	spikes are mostly orange with red tips and yellow bases	Daylily-like, medium green	early to late summer (Jun-Aug)
LAMIASTRUM (Yellow Archangel)						
<i>'Herman's Pride' stays quite contained, but allow plenty of room for the rest of the genus.</i>						
galeobdolan						
'Herman's Pride'	○ ☞ ☂	6" or less	12-18"	yellow, insignificant	variegated and marbled deep green and silver-white, vigorous, compact	early to late spring (Apr-May)
'Variegatum'	○ ☞ ☂	6" or less	36-42"	yellow, insignificant	variegated deep green and silver-white, vigorous, spreading	early to late spring (Apr-May)
LAMIUM (Dead or Spotted Nettle)						
<i>Lamium will tolerate some sun, but all varieties will do best if they get a break from the sun during some part of the day.</i>						
maculatum						
'Beacon Silver'	○ ☞ ☂	6-12"	30-36"	lavender-pink to purple	silver leaves with narrow green margins, spreading	late spring to mid summer (May-Jul)
'Beedham's White'	○ ☞ ☂	6-12"	30-36"	pure white	chartreuse-green to yellow leaves with faint silver center, spreading	late spring to mid summer (May-Jul)
'Orchid Frost' PP11122	○ ☞ ☂	6-12"	30-36"	orchid-pink	silver-white with blue-green margins, spreading	late spring to mid summer (May-Jul)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Purple Dragon' PP15890	☀ ☂	6-12"	30-36"	large, fuchsia-purple	silver with deep green margins, spreading	late spring to mid summer (May-Jul)
'White Nancy'	☉ ☀ ☂	6-12"	30-36"	pure white	silver leaves with narrow green margins, spreading	late spring to mid summer (May-Jul)
LATHYRUS (Sweet Pea)						
<i>An old-fashioned vine, and still worth their space in any garden. Mildew can be a problem, but pruning infected foliage is a quick fix.</i>						
latifolius						
'Mix'	☉ ☀	54-60"	30-36"	mixed (one color per plant) rose, pink, or white	light gray-green, twining and climbing	mid to late summer (Jul-Aug)
<i>makes a nice groundcover if not given support to climbing</i>						
LAVANDULA (Lavender)						
<i>Pruning foliage half-way back every year after blooming will promote more lush growth and a less "woody" appearance.</i>						
augustifolia						
'Dwarf Blue'	☉ ☀	6-12"	6-12"	deep blue	medium-green, fragrant, compact	early summer to early fall (Jun-Sep)
'Hidcote'	☉ ☀	12-18"	12-18"	deep violet-blue	tidy, silver gray-green, fragrant	mid summer to early fall (Jul-Sep)
New! 'Hidcote Pink'	☉ ☀	12-18"	12-18"	light pink	blue-green, fragrant	early summer to early fall (Jun-Sep)
'Hidcote Superior'	☉ ☀	12-18"	12-18"	deep violet-blue	gray-green, fragrant	early summer to early fall (Jun-Sep)
<i>improved variety over L. 'Hidcote' with better consistency and bloom quality</i>						
'Jean Davis'	☉ ☀	12-18"	12-18"	ivory-white to light pink	blue-green, fragrant	mid summer to early fall (Jul-Sep)
'Munstead'	☉ ☀	12-18"	18-24"	lavender to purple	silver gray-green, fragrant	early summer to early fall (Jun-Sep)
<i>the traditional English Lavender</i>						
x intermedia						
'Dutch'	☉ ☀	24-30"	24-30"	light purple	gray-green, fragrant, upright	mid summer to early fall (Jul-Sep)
'Grosso'	☉ ☀	24-30"	24-30"	violet-blue	gray-green, fragrant, upright	mid summer to early fall (Jul-Sep)
LEONTOPODIUM (Edelweiss)						
<i>Leontopodium comes from leon, a lion, and pous, a foot. The flowers supposedly resemble a lion's paw.</i>						
alpinum						
alpinum	☉ ☀	6" or less	12-18"	yellow, insignificant	soft, silver-grey	late spring to early summer (May-Jun)
LEPTINELLA (Brass Buttons)						
<i>Leptinella prefers a well-drained soil. If planting in clay or heavier soil, add some lighter potting soil or peat moss to the area and work it in. Tolerates foot traffic, and also good in rockery, brickwork, or between stepping stones.</i>						
minor						
minor	☉ ☀	6" or less	18-24"	yellow, insignificant	mat-like, medium green, spreading	early to mid summer (Jun-Jul)
pusilla						
pusilla	☉ ☀	6" or less	30-36"	yellow, insignificant	purple-gray, spreading	early to mid summer (Jun-Jul)
squalida						
'Platt's Black'	☉ ☀	6" or less	18-24"	yellow, insignificant	mat-like, blackish-purple tipped in green, spreading	early to mid summer (Jun-Jul)
LEUCANTHEMUM (Shasta Daisy)						
<i>Common name comes from Luther Burbank's extensive work with daisies near Mt. Shasta. Keep in well-drained areas. Prune foliage back after blooming to promote new growth and repeat blooms.</i>						
x superbum						
'Aglaia'	☉ ☀	24-30"	24-30"	large, fringed, white	deep green	early to late summer (Jun-Aug)
<i>flower petals are reminiscent of shaved coconut</i>						
'Becky'	☉ ☀	30-36"	42-48"	large, white with yellow centers	deep green, sturdy	mid summer to early fall (Jul-Sep)
<i>2003 PPA Perennial of the Year</i>						
'Brightside'	☉ ☀	30-36"	30-36"	large, white with yellow centers	deep green, sturdy, disease-resistant	mid summer to early fall (Jul-Sep)
'Broadway Lights'	☉ ☀	24-30"	24-30"	soft yellow maturing to white, yellow center	deep green, sturdy	mid summer to early fall (Jul-Sep)
'Crazy Daisy'	☉ ☀	30-36"	30-36"	frilled white flowers with yellow centers	deep green	mid summer to early fall (Jul-Sep)
'Highland White Dream'	☉ ☀	24-30"	30-36"	semi-double, white with frilled center	deep green, sturdy	mid summer to early fall (Jul-Sep)
<i>slightly more compact than L. 'Becky' but with same performance</i>						
'Snowcap'	☉ ☀	12-18"	12-18"	white flowers with yellow centers	deep green, compact	early to late summer (Jun-Aug)
'Sonnenschein' ('Sunshine')	☉ ☀	30-36"	30-36"	large, pale lemon yellow maturing to white, yellow center	deep green	early to late summer (Jun-Aug)
<i>yellow coloring is enhanced/preserved if given some shade</i>						
'Sunny Side Up' PP12837	☉ ☀	12-18"	12-18"	white, yellow centers, semi-double	deep green, compact	early to late summer (Jun-Aug)
<i>a nice alternative to L. 'Snowcap'</i>						
'Thomas Killen'	☉ ☀	24-30"	24-30"	semi-double, white, fluffy center of white and yellow	deep green	mid summer to early fall (Jul-Sep)
'White Knight'	☉ ☀	30-36"	30-36"	large, single, white with yellow centers	deep green	mid to late summer (Jul-Aug)
LEWISIA (Bitterroot)						
<i>Lewisia prefers afternoon shade and good drainage. Perfect for rockery or cottage-type gardens.</i>						
cotyledon						
New! 'George Henley'	☉ ☀	6" or less	6-12"	magenta-red clusters	succulent, medium green	early to mid summer (Jun-Jul)
New! 'Heikneri Strain'	☉ ☀	6-12"	6-12"	pink striped	succulent, medium green	early to mid summer (Jun-Jul)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Mix'	○ ☞	12-18"	6-12"	mixed orange, pink, red, or white	succulent, medium green	late spring to mid summer (May-Jul)
'Sunset Strain'	○ ☞	6-12"	6-12"	mixed orange, pink, or salmon	succulent, medium green	early to mid summer (Jun-Jul)
<i>longipetala</i>						
'Little Plum'	○ ☞	6-12"	6-12"	salmon pink striped with light pink	succulent, medium green	early to mid summer (Jun-Jul)
LIATRIS (Blazing Star, Gayfeather)						
<i>spicata</i>						
'Floristan Violet'	○ ☞	24-30"	18-24"	spikes are violet-purple to lavender	deep green	mid summer to early fall (Jul-Sep)
'Floristan White'	○ ☞	24-30"	18-24"	spikes are white	deep green	mid summer to early fall (Jul-Sep)
'Kobold'	○ ☞	12-18"	18-24"	spikes are purple to lavender	deep green, compact	mid summer to early fall (Jul-Sep)
LIGULARIA (Goldenray, Ragwort)						
<i>Ligularia loves wet and boggy soils. Few plants can match its imposing and attractive foliage.</i>						
<i>dentata</i>						
'Dark Beauty'	☞ ☀	36-42"	30-36"	daisy-like, golden-orange	glossy, medium to deep green tinted with purple	mid to late summer (Jul-Aug)
'Othello'	☞ ☀	24-30"	24-30"	daisy-like, golden-orange	glossy, medium to deep green tinted with purple	mid to late summer (Jul-Aug)
<i>stenocephala</i>						
'The Rocket'	☞ ☀	42-48"	30-36"	spikes are bright yellow	deep green, deeply cut	mid to late summer (Jul-Aug)
<i>tussilaginea</i>						
'Aureo-maculata'	☞ ☀	18-24"	18-24"	daisy-like, golden-yellow	glossy, leathery, medium to light green irregularly spotted with creamy yellow	mid to late summer (Jul-Aug)
<i>also known as Farfugium 'Aureomaculatum'</i>						
LILIUM (Garden Lily)						
<i>Cut back half-way after blooming to force new bulb production and to tidy up the plant.</i>						
<i>Hybrid Asiatic</i>						
'Crimson Pixie'	○ ☞	12-18"	12-18"	crimson-red	deep green	early to mid summer (Jun-Jul)
'Orange Pixie'	○ ☞	12-18"	12-18"	bright orange with dark center spots	deep green	early to mid summer (Jun-Jul)
New! 'Petite Brigitte'	○ ☞	12-18"	12-18"	lemon-yellow	deep green	early to mid summer (Jun-Jul)
<i>Hybrid Oriental</i>						
'Mona Lisa'	○ ☞	18-24"	18-24"	light pink with deep rose-pink center bars, rose-pink spots, fragrant	deep gray-green	early to mid summer (Jun-Jul)
LIMONIUM (Sea Lavender, Statice)						
<i>latifolia</i>						
latifolia	○ ☞	18-24"	12-18"	sprays are lavender-blue and fade to almost white	deep green	mid to late summer (Jul-Aug)
LINUM (Flax)						
<i>Due to its foliage having an airy nature, Linum can be cut back to produce growth at the base and a more bushy habit.</i>						
<i>perenne</i>						
perenne	○ ☞	12-18"	12-18"	deep to light sky-blue	light green, airy	early to late summer (Jun-Aug)
<i>prune foliage back after blooming to promote new growth and repeat blooms</i>						
LIRIOPE (Lilyturf)						
<i>Liriope are very hardy in our area of Western Michigan, but in zones 5 and lower, they do benefit from some protection.</i>						
<i>muscari</i>						
'Big Blue'	○ ☞ ☀	12-18"	30-36"	lilac-purple	grass-like, deep green, spreading	mid to late summer (Jul-Aug)
<i>spicata</i>						
'Silver Dragon'	○ ☞ ☀	6-12"	30-36"	violet, seldom flowers	striped white and green, spreading	mid to late summer (Jul-Aug)
LOBELIA (Cardinal Flower)						
<i>Lobelia does well in a moist soil. It will break dormancy later than most plants, so be patient in the spring and early summer.</i>						
<i>fulgens</i>						
'Queen Victoria'	○ ☞ ☀	36-42"	30-36"	spikes are bright red	attractive bronzed burgundy	late summer to late fall (Aug-Oct)
<i>Hybrid</i>						
'Grape Knee-Hi' PP13264	○ ☞ ☀	18-24"	18-24"	spikes are deep purple	medium to light green	early to late summer (Jun-Aug)
<i>speciosa</i>						
'Fan Blue'	○ ☞ ☀	24-30"	24-30"	spikes are lavender to blue	deep green with bronze highlights	late summer to late fall (Aug-Oct)
<i>part of the 'Fan' series with a more compact habit</i>						
'Fan Salmon'	○ ☞ ☀	24-30"	24-30"	spikes are salmon-pink	deep green with bronze highlights	late summer to late fall (Aug-Oct)
<i>part of the 'Fan' series with a more compact habit</i>						
LONICERA (Honeysuckle)						
<i>Honeysuckle can be used as a fragrant and ornamental vine when given a place to climb, or let go as a groundcover. Hummingbirds love them, too!</i>						
<i>Hybrid</i>						
'Mandarin' PP11083	○ ☞ ☀	60" or more	54-60"	bright orange and yellow	deep green with copper tints, climbing	early to late summer (Jun-Aug)
<i>mildew resistant</i>						
<i>japonica</i>						
'Aureo-reticulata'	○ ☞ ☀	60" or more	54-60"	white, fragrant	bright green with golden veins, climbing	early to late summer (Jun-Aug)
'Hall's Prolific'	○ ☞ ☀	60" or more	54-60"	white to soft yellow, fragrant	medium to deep green, climbing	early to late summer (Jun-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Purpurea'	○ ☞ ☀	60" or more	54-60"	red buds open to ivory white	deep green tinted with purple, climbing	early to late summer (Jun-Aug)
x brownii						
'Dropmore Scarlet'	○ ☞ ☀	60" or more	54-60"	orange-scarlet, trumpet-shaped	gray-green, climbing	late spring to mid summer (May-Jul)
x heckrottii						
heckrottii	○ ☞ ☀	60" or more	54-60"	carmine buds open to cream-yellow, fragrant	gray-green, climbing	late spring to late summer (May-Aug)
LOTUS (Bird's-foot Trefoil)						
<i>Common name comes from the bird-like shape the seed pods make. ('Pleniflorus' variety is sterile, so no seed pods will form.)</i>						
corniculatus						
'Pleniflorus'	○ ☞ ☀	6" or less	42-48"	yellow, insignificant	mat-like, medium green, spreading	mid to late summer (Jul-Aug)
<i>tolerates foot traffic, also good for brickwork and in between pavers and stepping stones</i>						
LUNARIA (Honesty Plant, Money Plant)						
<i>Lunaria is from luna, meaning of the moon, which refers to the shape and color of the fruit.</i>						
annua						
annua	○ ☞	24-30"	24-30"	lavender flowers followed by trademark papery fruit	medium green	late spring to early summer (May-Jun)
LUPINUS (Lupine)						
<i>Normally, Lupines will go nearly dormant after flowering and foliage will deteriorate. Winter mulching/protection is beneficial.</i>						
Hybrid						
'Gallery Blue'	○ ☞	18-24"	24-30"	spikes are violet-blue and white	medium to light green	late spring to early summer (May-Jun)
'Gallery Mix'	○ ☞	18-24"	24-30"	spikes are mixed (one color per plant) violet-blue, pink, red, white, or yellow	medium to light green	late spring to early summer (May-Jun)
'Gallery Pink'	○ ☞	18-24"	24-30"	spikes are rose-pink and white	medium to light green	late spring to early summer (May-Jun)
'Gallery Red'	○ ☞	18-24"	24-30"	spikes are rose-red and white	medium to light green	late spring to early summer (May-Jun)
'Gallery White'	○ ☞	18-24"	24-30"	spikes are white	medium to light green	late spring to early summer (May-Jun)
'Gallery Yellow'	○ ☞	18-24"	24-30"	spikes are soft yellow and white	medium to light green	late spring to early summer (May-Jun)
'Minarette'	○ ☞	12-18"	18-24"	spikes are mixed (one color per plant) pink, red, or yellow	medium to light green	late spring to early summer (May-Jun)
<i>a nice dwarf variety</i>						
'Russell Hybrids'	○ ☞	30-36"	24-30"	spikes are mixed (one color per plant) violet-blue, pink, red, white, or yellow	medium to light green	late spring to early summer (May-Jun)
regalis						
'Morello Cherry'	○ ☞	30-36"	24-30"	spikes are cherry-red	medium to light green	late spring to early summer (May-Jun)
LYCHNIS (Campion, Catchfly, Maltese Cross)						
<i>Lychnis is from a Greek word meaning lamp, which refers to the bright orange-red flowers of many species.</i>						
chalconica (Maltese Cross)						
chalconica	○ ☞	24-30"	24-30"	bright orange-red	fuzzy, medium green with brown-burgundy highlights	mid to late summer (Jul-Aug)
coronaria (Campion)						
'Angel Blush'	○ ☞	24-30"	24-30"	white with a pink blush center	silver-green, velvety soft in texture	early to mid summer (Jun-Jul)
LYSIMACHIA (Creeping Jenny, Gooseneck Loosestrife, Moneywort)						
clethroides (Gooseneck Loosestrife)						
clethroides	○ ☞ ☀	30-36"	42-48"	spikes are white, gooseneck-shaped	deep green, spreading	mid to late summer (Jul-Aug)
<i>tolerant of many soil conditions, easy to grow</i>						
nummularia (Creeping Jenny, Moneywort)						
'Aurea'	☞ ☀	6" or less	42-48"	yellow	chartreuse-green, spreading	early to late summer (Jun-Aug)
<i>great for containers</i>						
'Green'	☞ ☀	6" or less	42-48"	yellow	light to medium green, spreading	early to late summer (Jun-Aug)
<i>great for containers</i>						
MALVA (Mallow)						
<i>Can seed and spread rapidly. Keep under control with periodic "weeding." Foliage may be pruned back after blooming to promote new growth and blooms.</i>						
Hybrid						
New! 'Park Rondel'	○ ☞	54-60"	48-54"	pink to rose-pink, double	medium-green, tall but usually not floppy	early to late summer (Jun-Aug)
moschata (Musk Mallow)						
'Pink Perfection'	○ ☞	30-36"	42-48"	pale pink	deep green, somewhat woody	mid summer to early fall (Jul-Sep)
<i>prune foliage back after blooming to promote new growth and repeat blooms</i>						
sylvestris (Cheeses)						
'Zebrinus'	○ ☞	30-36"	42-48"	lavender with deeper purple stripes	deep green	mid summer to early fall (Jul-Sep)
<i>will reseed if allowed, prune foliage back after blooming to promote new growth and repeat blooms</i>						
MAZUS						
reptans						
reptans	○ ☞	6" or less	24-30"	purplish-blue	mat-like, medium green, spreading	late spring to early summer (May-Jun)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
MERTENSIA (Bluebells)						
<i>virginica</i>						
	☞ ☀	12-18"	12-18"	blue, nodding	gray-green	early to late spring (Apr-May)
<i>goes dormant soon after flowering</i>						
MONARDA (Bee Balm, Oswego Tea)						
<i>Do not worry when foliage deteriorates during and after blooming... it is normal, just prune back. Butterflies love Monarda's pincushion-like flowers!</i>						
<i>didyma</i>						
	○ ☞	30-36"	36-42"	violet-purple	medium green, fragrant	mid to late summer (Jul-Aug)
	○ ☞	30-36"	36-42"	coral-pink	medium green, mildew-resistant, fragrant	mid to late summer (Jul-Aug)
	○ ☞	30-36"	36-42"	crimson-red	medium green, mildew-resistant, fragrant	mid to late summer (Jul-Aug)
New!	○ ☞	12-18"	24-30"	fuchsia-purple	medium green, mildew-resistant, fragrant	mid to late summer (Jul-Aug)
	○ ☞	30-36"	36-42"	pink	medium green, mildew-resistant, fragrant	mid to late summer (Jul-Aug)
	○ ☞	24-30"	36-42"	scarlet-red	fragrant, medium green	mid to late summer (Jul-Aug)
	○ ☞	12-18"	24-30"	lavender-rose	mildew-resistant, fragrant, medium green, compact	mid to late summer (Jul-Aug)
	○ ☞	12-18"	24-30"	light rose-pink	mildew-resistant, fragrant, medium green, compact	mid to late summer (Jul-Aug)
	○ ☞	36-42"	42-48"	wine-red	mildew-resistant, fragrant, deep green, compact	mid summer to early fall (Jul-Sep)
MYOSOTIS (Woodland Forget-Me-Not)						
<i>Myosotis will seed itself, but does not usually become a problem.</i>						
<i>sylvatica</i>						
	○ ☞ ☀	6-12"	24-30"	light baby-blue	medium green, compact	early to late spring (Apr-May)
NEPETA (Catmint)						
<i>gigantea / x faassenii</i>						
New!	○ ☞	12-18"	18-24"	spikes are violet-blue	fragrant, gray-green	late spring to mid summer (May-Jul)
<i>does not spread as much as most other Nepeta</i>						
	○ ☞	30-36"	36-42"	spikes are periwinkle-blue	fragrant, gray-green	late spring to mid summer (May-Jul)
	○ ☞	24-30"	30-36"	spikes are lavender-blue	gray-green, fragrant	late spring to late summer (May-Aug)
<i>2007 PPA Perennial of the Year, prune foliage back after blooming to promote new growth and repeat blooms</i>						
<i>latifolia</i>						
New!	○ ☞	42-48"	48-54"	spikes are blue-violet	fragrant, medium green	late spring to mid summer (May-Jul)
<i>resembles Agastache when in bloom</i>						
OENOTHERA (Evening Primrose, Sundrops)						
<i>Many varieties of Oenothera benefit from some shade, as some blooms will not completely open during daytime hours or in full sun.</i>						
<i>berlanderi</i>						
	○ ☞	6-12"	36-42"	cup-shaped, light pink	medium to light green with reddish highlights, spreading	mid summer to early fall (Jul-Sep)
<i>allow room to grow</i>						
<i>macrocarpa / missouriensis (Missouri Primrose)</i>						
	○ ☞	6-12"	24-30"	soft lemon-yellow	light green, sometimes tinged with red	early to late summer (Jun-Aug)
<i>speciosa</i>						
	○ ☞	6-12"	42-48"	light pink	light green, spreading	late spring to late summer (May-Aug)
<i>fast-spreading and great for poor soil, allow room to grow as it can get invasive if not kept in check</i>						
OPHIPOGON (Black Lilyturf, Mondo Grass)						
<i>Ophiopogon benefits from a winter mulch if possible. Outstanding as an accent plant.</i>						
<i>planiscapus</i>						
	○ ☞ ☀	6-12"	12-18"	bell-shaped, pinkish-white	grass-like, deep purple	mid to late summer (Jul-Aug)
OXALIS (Wood Sorrel)						
<i>The type of Oxalis listed here is the hardy type for outdoor use in our area.</i>						
<i>crassipes</i>						
	☞ ☀	6-12"	24-30"	bright pink	clover-shaped leaves, light green, spreading	early spring to early summer (Apr-Jun)
<i>will keep flowering if kept moist throughout the summer</i>						
PACHYSANDRA (Japanese Spurge)						
<i>A very nice lush groundcover, but allow some time for it to get established. Keep moist if planted in sunny areas.</i>						
<i>terminalis</i>						
	○ ☞ ☀	6-12"	24-30"	small, white	dense, medium to deep green, spreading	early to late spring (Apr-May)
	○ ☞ ☀	6-12"	18-24"	small, white	medium green with white margins, spreading	early to late spring (Apr-May)

	<i>LIGHT</i>	<i>HEIGHT</i>	<i>SPREAD</i>	<i>FLOWER</i>	<i>FOLIAGE</i>	<i>BLOOM TIME</i>
PAEONIA (Garden Peony, Tree Peony)						
<i>Foliage support is welcome for the garden type of Peony as their huge flowers cause stems to bend. Tree type Peonies are slower-growing, have patience.</i>						
<i>lactiflora (Garden Peony)</i>						
	○ ☞	24-30"	30-36"	semi-double, rose-pink with pale pink center, fragrant	glossy, deep green	late spring to early summer (May-Jun)
New!	○ ☞	30-36"	30-36"	semi-double, bright red with centers tipped in gold, fragrant	glossy, deep green	late spring to early summer (May-Jun)
	○ ☞	36-42"	36-42"	fluffy, light pink to salmon-pink, fragrant	glossy, deep green	late spring to early summer (May-Jun)
	○ ☞	36-42"	36-42"	fluffy, bright red to rose-red, fragrant	glossy, deep green	late spring to early summer (May-Jun)
	○ ☞	36-42"	36-42"	fluffy, pure white, fragrant	glossy, deep green	late spring to early summer (May-Jun)
New!	○ ☞	30-36"	30-36"	double, white	glossy, deep green	late spring to early summer (May-Jun)
New!	○ ☞	24-30"	30-36"	single, dark red with gold center	glossy, deeply cut, deep green	early to late spring (Apr-May)
New!	○ ☞	30-36"	30-36"	semi-double, deep red with yellow center	glossy, deep green	late spring to early summer (May-Jun)
New!	○ ☞	24-30"	30-36"	semi-double, light pink with raspberry-pink blush, yellow center	glossy, deep green	late spring to early summer (May-Jun)
New!	○ ☞	24-30"	30-36"	double, bright crimson red, fragrant	glossy, deep green	late spring to early summer (May-Jun)
New!	○ ☞	24-30"	30-36"	double, pale pink with deeper pink center, fragrant	glossy, deep green	late spring to early summer (May-Jun)
New!	○ ☞	24-30"	30-36"	double, rose-pink and light pink blend, fragrant	glossy, deep green	late spring to early summer (May-Jun)
New!	○ ☞	24-30"	30-36"	single, shell-pink with yellow center	glossy, deep green	late spring to early summer (May-Jun)
<i>suffruticosa (Tree Peony)</i>						
	○ ☞	48-54"	48-54"	semi-double, apricot-pink	medium green, woody	late spring to early summer (May-Jun)
	○ ☞	48-54"	48-54"	semi-double, lipstick red	medium green, woody	late spring to early summer (May-Jun)
	○ ☞	48-54"	48-54"	semi-double, lipstick red	medium green, woody	late spring to early summer (May-Jun)
	○ ☞	48-54"	48-54"	double, golden-yellow edged in orange	medium green, woody	late spring to early summer (May-Jun)
	○ ☞	48-54"	48-54"	semi-double, lemon-yellow	medium green, woody	late spring to early summer (May-Jun)
	○ ☞	48-54"	48-54"	semi-double, reddish-purple striped with white	medium green, woody	late spring to early summer (May-Jun)
	○ ☞	48-54"	48-54"	semi-double, wine-red to purple	medium green, woody	late spring to early summer (May-Jun)
PAPAVER (Poppy)						
<i>Foliage will disappear and plant will go dormant after blooming. Needs well-drained soil.</i>						
<i>nudicaule (Iceland Poppy)</i>						
	○ ☞	6-12"	12-18"	creamy yellow	light green	late spring to mid summer (May-Jul)
	○ ☞	6-12"	12-18"	mixed (one color per plant) orange, red, white, or yellow	light green, somewhat hairy	early to late summer (Jun-Aug)
<i>orientale</i>						
	○ ☞	24-30"	24-30"	fire-red with a large black center	light green, hairy	late spring to early summer (May-Jun)
	○ ☞	24-30"	24-30"	salmon-pink with a large black center	light green, hairy	late spring to early summer (May-Jun)
PARTHENOCISSUS (Boston Ivy)						
<i>quinquefolia (Virginia Creeper)</i>						
	○ ☞ ☂	60" or more	60" or more	yellow, insignificant	deep green, turning red in fall, climbing	mid summer (Jul)
<i>tricuspidata</i>						
	○ ☞ ☂	60" or more	60" or more	white, insignificant	bright golden-yellow, climbing	mid summer (Jul)
	○ ☞ ☂	60" or more	60" or more	white, insignificant	deep green, turning red in fall, climbing	mid summer (Jul)
<i>grape-like fruit that follows the flowers attract songbirds</i>						
PENSTEMON (Beardtongue)						
<i>Penstemon comes from the words pente, five, and stemon, stamen, meaning five stamens. Prune foliage back after blooming to promote new growth and repeat blooms. Many varieties attract hummingbirds.</i>						
<i>barbatus</i>						
	○ ☞	24-30"	24-30"	spikes are rose-purple	glossy, medium green	early to mid summer (Jun-Jul)
	○ ☞	24-30"	24-30"	spikes are scarlet-red	glossy, medium green	early to mid summer (Jun-Jul)
<i>attracts butterflies and hummingbirds</i>						
	○ ☞	12-18"	12-18"	spikes are mixed (one color per plant) lavender, pink, purple, rose, or white	glossy, medium green	early to mid summer (Jun-Jul)
<i>digitalis</i>						
	○ ☞	30-36"	24-30"	spikes are white tinged with pink	deep green and maroon-red	early to late summer (Jun-Aug)
<i>1996 PPA Perennial of the Year</i>						

		LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
New!	'Mystica Lavender' <i>similar to P. 'Husker Red' but with light lavender flowers</i>	○ ☞	30-36"	24-30"	spikes are a light lavender	deep green, tinted with burgundy-bronze	early to late summer (Jun-Aug)
Hybrid							
New!	'Ruby Candle' <i>long-blooming, butterflies and hummingbirds love them!</i>	○ ☞	18-24"	12-18"	spikes are ruby-red	medium green	late spring to late summer (May-Aug)
strictus							
	strictus	○ ☞	24-30"	24-30"	spikes are violet-blue	glossy, medium green	early to late summer (Jun-Aug)
PEROVSKIA (Russian Sage)							
<i>Water well while Perovskia flowers to extend its blooming season. Allow room for growth as it will spread a bit.</i>							
atriplicifolia							
	atriplicifolia <i>1995 PPA Perennial of the Year</i>	○ ☞	36-42"	48-54"	spikes are cornflower to lavender-blue, airy	gray-green, finely dissected	mid summer to early fall (Jul-Sep)
PHLOX (Phlox)							
<i>Tall varieties will get some mildew, which is normal. Pruning foliage back after blooming will promote new growth and blooms. Yes, most Phlox can tolerate shadier areas. Butterflies and hummingbirds love them!</i>							
maculata (Wild Sweet William)							
New!	'Flower Power'	○ ☞ ☀	30-36"	30-36"	white tinged with pink	deep green, mildew resistant	early summer to early fall (Jun-Sep)
	'Natascha'	○ ☞ ☀	24-30"	30-36"	candy-striped pink and white	deep green, mildew resistant	early summer to early fall (Jun-Sep)
paniculata (Tall Phlox)							
	'Bright Eyes'	○ ☞ ☀	30-36"	30-36"	pale pink with hot pink eye	deep green	mid summer to early fall (Jul-Sep)
	'David' <i>2002 PPA Perennial of the Year</i>	○ ☞ ☀	36-42"	36-42"	pure white, fragrant	medium to deep green, mildew resistant	mid summer to early fall (Jul-Sep)
New!	'Delilah' PPAF <i>earlier to bloom than most other tall phlox</i>	○ ☞ ☀	18-24"	18-24"	deep reddish-purple, non-fading	deep green	mid summer to early fall (Jul-Sep)
	'Flame Pink' PP11804	○ ☞ ☀	6-12"	6-12"	pink with red eye	deep green, compact	mid summer to early fall (Jul-Sep)
	'Flame Purple' PPAF	○ ☞ ☀	6-12"	6-12"	flower heads are purple	deep green, compact	mid summer to early fall (Jul-Sep)
New!	'Junior Dance' PPAF	○ ☞ ☀	12-18"	12-18"	hot coral-pink, fragrant	deep green, mildew resistant	mid summer to early fall (Jul-Sep)
New!	'Junior Dream' PPAF	○ ☞ ☀	12-18"	12-18"	bright purple, fragrant	deep green, mildew resistant	mid summer to early fall (Jul-Sep)
	'Laura' <i>one of our favorite Phlox varieties</i>	○ ☞ ☀	24-30"	30-36"	fragrant, fuchsia-purple with a white center	medium to deep green, mildew resistant	mid summer to early fall (Jul-Sep)
New!	'Minnie Pearl' <i>earlier to bloom than most other tall phlox</i>	○ ☞ ☀	12-18"	18-24"	pure white	mildew-resistant, medium to deep green	early to late summer (Jun-Aug)
	'Miss Elie' <i>one of our favorite Phlox varieties</i>	○ ☞ ☀	36-42"	36-42"	rose with dark pink eye, fragrant	medium to deep green, mildew resistant	mid summer to early fall (Jul-Sep)
	'Nicky'	○ ☞ ☀	30-36"	30-36"	magenta-pink	medium to deep green, mildew resistant	mid summer to early fall (Jul-Sep)
	'Orange Perfection'	○ ☞ ☀	30-36"	30-36"	salmon-orange, fragrant	medium to deep green	mid summer to early fall (Jul-Sep)
New!	'Pixie Miracle Grace' PPAF	○ ☞ ☀	12-18"	12-18"	purple with white star-shaped eye	deep green, mildew resistant	mid summer to early fall (Jul-Sep)
New!	'Pixie Twinkle' PPAF	○ ☞ ☀	12-18"	12-18"	soft pink with darker pink eye	deep green, mildew resistant	mid summer to early fall (Jul-Sep)
	'Shortwood' PP10379	○ ☞ ☀	36-42"	36-42"	clear bright pink, fragrant	medium to deep green, mildew resistant	mid summer to early fall (Jul-Sep)
	'Shorty White' PPAF	○ ☞ ☀	12-18"	12-18"	bright white	medium to deep green, mildew resistant	mid summer to early fall (Jul-Sep)
	'Tenor'	○ ☞ ☀	18-24"	18-24"	bright red, fragrant	deep green	mid summer to early fall (Jul-Sep)
	'The King'	○ ☞ ☀	24-30"	24-30"	royal purple	deep green	mid summer to early fall (Jul-Sep)
subulata (Moss Creeping Phlox)							
	'Atropurpurea'	○ ☞	6" or less	12-18"	bright fuchsia-red	mat-like, light green, spreading	early to late spring (Apr-May)
	'Candy Stripe'	○ ☞	6" or less	12-18"	striped pink and white	mat-like, light green, spreading	early to late spring (Apr-May)
	'Emerald Blue'	○ ☞	6" or less	12-18"	light lavender-blue	mat-like, light green, spreading	early to late spring (Apr-May)
	'Emerald Pink'	○ ☞	6" or less	12-18"	pink to rose-pink	mat-like, light green, spreading	early to late spring (Apr-May)
	'White Delight'	○ ☞	6" or less	12-18"	pure white	mat-like, light green, spreading	early to late spring (Apr-May)
PHYSOSTEGIA (False Dragonhead, Lion's Heart, Obedient Plant)							
<i>The common name Obedient Plant comes from its flowers' ability to be twisted on the stem and still remain as they are arranged.</i>							
virginiana							
	'Pink Bouquet'	○ ☞ ☀	36-42"	42-48"	spikes are pink	slightly glossy, medium green, tolerates moisture well	late summer to late fall (Aug-Oct)
	'Summer Snow'	○ ☞ ☀	24-30"	42-48"	spikes are pure white	slightly glossy, medium green, tolerates moisture well	mid summer to early fall (Jul-Sep)
PLATYCODON (Balloon Flower)							
<i>Balloon Flower gets its name from its bud and flower shape. Platycodon will sometimes go dormant after flowering, and it breaks dormancy quite late in the spring.</i>							
grandiflorus							
	'Double Blue'	○ ☞	18-24"	18-24"	bell-shaped, double, violet-blue	medium green	mid to late summer (Jul-Aug)
	'Double White'	○ ☞	18-24"	18-24"	bell-shaped, double, white	medium green	mid to late summer (Jul-Aug)
	'Fuji Blue'	○ ☞	18-24"	18-24"	bell-shaped, deep blue	medium green	mid to late summer (Jul-Aug)
	'Fuji Pink' <i>pink coloring is enhanced/preserved if given some shade</i>	○ ☞	18-24"	18-24"	bell-shaped, soft pink	medium green	mid to late summer (Jul-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Mariesii'	○ ☞	12-18"	12-18"	bell-shaped, violet-blue	medium green, compact	mid to late summer (Jul-Aug)
'Misato Purple'	○ ☞	6-12"	6-12"	bell-shaped, purple	medium green, compact	mid to late summer (Jul-Aug)
'Sentimental Blue'	○ ☞	6-12"	6-12"	round "balloons" open to star-shaped violet-blue flowers	medium green, compact	mid summer to early fall (Jul-Sep)

PODOPHYLLUM (Mayapple)

<i>peltatum</i>						
peltatum	☞ ☀	6-12"	18-24"	white	medium to light green	early to late spring (Apr-May)

POLEMONIUM (Jacob's Ladder)

Common name comes from its ladder-like formation of leaves.

<i>boreale</i>						
'Heavenly Habit'	○ ☞ ☀	18-24"	18-24"	clusters are blue with yellow halo and white eye	medium to light green, lacy	late spring to mid summer (May-Jul)
<i>caeruleum</i>						
'Brise d'Anjou' PP9781	○ ☞ ☀	12-18"	18-24"	clusters are violet-blue	lacy, cream-white and light green variegation	late spring to early summer (May-Jun)
caeruleum	○ ☞ ☀	18-24"	18-24"	clusters are light blue	medium to light green, lacy	late spring to early summer (May-Jun)
<i>prune foliage back after blooming to promote new growth and repeat blooms</i>						
<i>carneum</i>						
'Apricot Delight'	○ ☞ ☀	12-18"	18-24"	clusters are apricot-pink	medium to light green, lacy	late spring to early summer (May-Jun)
<i>reptans</i>						
'Stairway to Heaven' PP15187	○ ☞ ☀	12-18"	12-18"	clusters are pale lavender-blue	lacy, variegated green and white leaves tinged with pink	late spring to early summer (May-Jun)
<i>yazoense</i>						
'Purple Rain'	○ ☞	18-24"	18-24"	clusters are blue	bronze-purple, dark stems, lacy	late spring to mid summer (May-Jul)

POLYGONATUM (Solomon's Seal)

<i>odoratum</i>						
'Variegatum'	☞ ☀	18-24"	18-24"	white, nodding	green with white margins, arching stems	late spring to early summer (May-Jun)

POTENTILLA (Cinquefoil)

Pruning can help to keep the spreading types of Potentillas in check.

<i>nepalensis</i>						
'Ron McBeath'	○ ☞	6-12"	18-24"	carmine-red	deep green, spreading	early to mid summer (Jun-Jul)
<i>thurberi</i>						
'Monarch's Velvet'	○ ☞	6-12"	36-42"	deep reddish-purple with a burgundy throat	spreading, medium green	early to late summer (Jun-Aug)

PRIMULA (Primrose)

Try to keep moist or plant in a shadier area. Prune foliage back after blooming to promote new growth and repeat blooms.

<i>capitata</i>						
New! 'Noverna Deep Blue'	○ ☞ ☀	12-18"	6-12"	lavender-blue petals droop below a white center, unique	medium to light green	late spring to mid summer (May-Jul)
<i>vialii</i>						
vialii	☞ ☀	6-12"	6-12"	red-orange spikes open to lavender petals	light green, crinkled	early to mid summer (Jun-Jul)
<i>x polyantha (English Primrose)</i>						
'Pacific Giant Mix'	☞ ☀	6-12"	6-12"	mixed (one color per plant) lavender, pink, red, violet-blue, white, or yellow, all with yellow centers	foliage is crinkled, compact, light green	early to late spring (Apr-May)

PRUNELLA (Self-Heal)

The common name "Selfheal" comes from the belief in its ability to effectively treat minor disorders.

<i>grandiflora</i>						
New! 'Bella Deep Rose'	○ ☞	6" or less	24-30"	rose-pink	medium green, carpet-like mat	early to mid summer (Jun-Jul)

PULMONARIA (Bethlehem Sage, Lungwort)

Pulmonaria is reported to have lung healing properties, hence the common name Lungwort.

<i>Hybrid</i>						
'Majeste'	☞ ☀	6-12"	6-12"	light pink buds open to bluish-pink	leathery, silver-gray	early to late spring (Apr-May)
'Raspberry Splash' PP12138	☞ ☀	6-12"	6-12"	raspberry-pink	leathery, deep green with silver spots	early to late spring (Apr-May)
<i>longifolia</i>						
'Bertram Anderson'	☞ ☀	6-12"	6-12"	fuchsia buds open to gentian-blue	leathery, medium green with silver spots	early to late spring (Apr-May)
'Roy Davidson'	☞ ☀	6-12"	6-12"	pink maturing to blue	leathery, medium green with silver spots	early to late spring (Apr-May)
<i>officinalis</i>						
'Sissinghurst White'	☞ ☀	6-12"	6-12"	pure white	leathery, deep green slightly spotted with silver	early to late spring (Apr-May)
<i>saccharata</i>						
'Mrs. Moon'	☞ ☀	6-12"	6-12"	magenta-pink buds open to bright blue	leathery, deep green with silver spots	early to late spring (Apr-May)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
PULSATILLA (Pasque Flower)						
<i>vulgaris</i>						
	☉ ☂	12-18"	12-18"	mixed (one color per plant) burgundy-red, cream, pink, or violet-red	soft and fuzzy, medium green	early to late spring (Apr-May)
<i>vulgaris (Anemone pulsatilla)</i>						
	☉ ☂ ☂	12-18"	12-18"	five-petaled, colors of burgundy, lavender, purple, or white	soft and fuzzy, medium green	early to late spring (Apr-May)
RODGERSIA (Rodger's Flower)						
<i>Moisture is absolutely necessary for Rodgersia. Foliage resembles a horse chestnut leaf.</i>						
<i>henrici</i>						
	☂ ☂	36-42"	30-36"	clusters are light pink to rose	medium to deep green	mid to late summer (Jul-Aug)
<i>pinnata</i>						
	☂ ☂	42-48"	24-30"	clusters are pale pink maturing to burgundy-red	brown with hints of green, bronze, and red	early to mid summer (Jun-Jul)
ROSE (Flower Carpet Series)						
<i>Flower Carpet varieties are known for their low maintenance and long bloom time.</i>						
<i>Groundcover Roses - Popular for their rugged character, lower-growing habit, and continuous blooming.</i>						
	☉ ☂	18-24"	30-36"	semi-double, coral-pink with light pink center	deep green, glossy	late spring to late fall (May-Oct)
	☉ ☂	18-24"	30-36"	semi-double, rose-pink	deep green, glossy	late spring to late fall (May-Oct)
	☉ ☂	18-24"	30-36"	single, red with yellow center	deep green, glossy	late spring to late fall (May-Oct)
New!	☉ ☂	18-24"	30-36"	semi-double, red	deep green, glossy	late spring to late fall (May-Oct)
	☉ ☂	18-24"	30-36"	semi-double, soft yellow	deep green, glossy	late spring to late fall (May-Oct)
ROSE (J&P Boxed or Various Potted Varieties)						
<i>2-3 year old, mature plants. Waxed and boxed or potted.</i>						
<i>David Austin's English Roses - From British hybridizer David Austin, these roses are loved for the heavily-petaled cup-shaped blooms and strong fragrance.</i>						
	☉ ☂	54-60"	54-60"	soft peach-pink with pale yellow reverse	leathery, glossy, deep green	early summer to early fall (Jun-Sep)
New!	☉ ☂	42-48"	48-54"	pink	deep green	early summer to early fall (Jun-Sep)
	☉ ☂	54-60"	54-60"	soft pink <i>named in memory of a friend of Mr. Austin</i>	leathery, glossy, medium green	early summer to early fall (Jun-Sep)
	☉ ☂	42-48"	48-54"	white	medium green	early summer to early fall (Jun-Sep)
New!	☉ ☂	42-48"	48-54"	pale and deep pink with hints of copper and yellow	semi-glossy, medium green	early summer to early fall (Jun-Sep)
	☉ ☂	42-48"	48-54"	copper and gold <i>strong old-rose scent</i>	medium green	early summer to early fall (Jun-Sep)
	☉ ☂	42-48"	48-54"	deep to light yellow blend	medium green	early summer to early fall (Jun-Sep)
<i>Miniature Roses - Perfect for smaller areas or containers, with lots of blooms and a compact habit.</i>						
New!	☉ ☂	18-24"	18-24"	semi-double, pink	glossy, deep green	late spring to early fall (May-Sep)
<i>Non-Patented Climbing Roses - Perfect for a backdrop to gardens, camouflaging fences, or screening unwanted views.</i>						
	☉ ☂	60" or more	54-60"	salmon-pink <i>strong clove scent</i>	deep green	mid summer to early fall (Jul-Sep)
	☉ ☂	60" or more	54-60"	brilliant red <i>one of the most popular climbing varieties</i>	medium green, oval-shaped leaves	mid summer to early fall (Jul-Sep)
	☉ ☂	60" or more	54-60"	sunny yellow	glossy, deep green	mid summer to early fall (Jul-Sep)
	☉ ☂	60" or more	54-60"	red-yellow blend	glossy, deep green	mid summer to early fall (Jul-Sep)
<i>Non-Patented Shrub Roses - Easy to care for and versatile, shrub roses are some of the most hardy and maintenance-free roses available.</i>						
	☉ ☂	30-36"	36-42"	rose-pink <i>strong sweet scent</i>	deep green	early summer to early fall (Jun-Sep)
<i>Patented Climbing Roses - Perfect for a backdrop to gardens, camouflaging fences, or screening unwanted views.</i>						
	☉ ☂	60" or more	54-60"	coral-orange	glossy, deep green	mid summer to early fall (Jul-Sep)
	☉ ☂	60" or more	54-60"	coral-pink	glossy, deep green	mid summer to early fall (Jul-Sep)
	☉ ☂	60" or more	54-60"	red with white stripes and blotches <i>strong apple scent</i>	glossy, deep green	mid summer to early fall (Jul-Sep)
	☉ ☂	60" or more	54-60"	deep pink	glossy, deep green	mid summer to early fall (Jul-Sep)
	☉ ☂	60" or more	54-60"	white	glossy, deep green, vigorous	mid summer to early fall (Jul-Sep)
	☉ ☂	60" or more	54-60"	golden-yellow, licorice scented	semi-glossy, deep green	mid summer to early fall (Jul-Sep)
	☉ ☂	60" or more	54-60"	deep pink <i>spicy scent</i>	glossy, deep green	mid summer to early fall (Jul-Sep)
	☉ ☂	60" or more	54-60"	red	glossy, deep green	mid summer to early fall (Jul-Sep)
<i>Patented Floribunda Roses - No other rose type offers as much color, with countless clusters of flowers.</i>						
	☉ ☂	36-42"	36-42"	dark red <i>2006 Floribunda of the Year</i>	glossy, medium green	early summer to early fall (Jun-Sep)
New!	☉ ☂	30-36"	36-42"	coral-orange	glossy, deep green	early summer to early fall (Jun-Sep)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Day Breaker'	○ ☞	48-54"	42-48"	opens yellow then matures to apricot-pink	glossy, deep green	early summer to early fall (Jun-Sep)
'Disneyland Rose' <i>official rose of Disneyland Resort</i>	○ ☞	30-36"	36-42"	copper, apricot, orange, and pink blend	deep green	early summer to early fall (Jun-Sep)
'Fabulous!' <i>2001 Floribunda of the Year</i>	○ ☞	42-48"	42-48"	white	glossy, deep green	early summer to early fall (Jun-Sep)
'Fragrant Wave' <i>spicy scent</i>	○ ☞	36-42"	36-42"	white	glossy, deep green	early summer to early fall (Jun-Sep)
'Grand Prize'	○ ☞	36-42"	42-48"	cream blushed with pink	semi-glossy, deep green	early summer to early fall (Jun-Sep)
'Heaven on Earth' <i>flower shape resembles a peony</i>	○ ☞	36-42"	42-48"	cup-shaped, apricot-pink to light pink, fragrant	glossy, deep green	early summer to early fall (Jun-Sep)
'Honey Perfume' <i>2004 Floribunda of the Year</i>	○ ☞	36-42"	36-42"	apricot-yellow	glossy, deep green	early summer to early fall (Jun-Sep)
'Hot Cocoa'	○ ☞	42-48"	42-48"	chocolate-orange	glossy, deep green	early summer to early fall (Jun-Sep)
'Miss Behavin'	○ ☞	36-42"	42-48"	deep pink with creamy yellow reverse	glossy, deep green	early summer to early fall (Jun-Sep)
New! 'Moondance' <i>2007 Floribunda of the Year</i>	○ ☞	54-60"	42-48"	creamy white, raspberry scent	glossy, deep green	early summer to early fall (Jun-Sep)
'Perfume Perfection' <i>strong fruity scent</i>	○ ☞	36-42"	36-42"	light lavender	glossy, deep green	early summer to early fall (Jun-Sep)
'Purple Tiger'	○ ☞	42-48"	42-48"	purple striped with white	deep green	early summer to early fall (Jun-Sep)
'Salsa'	○ ☞	30-36"	36-42"	bright red	glossy, deep green	early summer to early fall (Jun-Sep)
'Simply Marvelous!' <i>2002 Floribunda of the Year</i>	○ ☞	36-42"	36-42"	lavender	glossy, deep green	early summer to early fall (Jun-Sep)
'Sixteen Candles'	○ ☞	36-42"	36-42"	light pink and peach blend	glossy, deep green	early summer to early fall (Jun-Sep)
'Tuscan Sun' <i>2005 Floribunda of the Year</i>	○ ☞	42-48"	42-48"	deep apricot-orange	glossy, deep green	early summer to early fall (Jun-Sep)
Patented Hybrid Tea/Grandiflora Roses - Still the most popular rose type with classic bloom form, longer stems, and unmistakable fragrance.						
'Aromatherapy'	○ ☞	54-60"	48-54"	pink, one of the most fragrant	semi-glossy, deep green	early to late summer (Jun-Aug)
'Barbara Bush'	○ ☞	48-54"	42-48"	large, coral-pink and ivory-white	deep green	early to late summer (Jun-Aug)
'Beloved'	○ ☞	54-60"	48-54"	bright red	glossy, deep green	early to late summer (Jun-Aug)
'Billy Graham'	○ ☞	54-60"	48-54"	large, light pink with deep pink reverse	glossy, deep green	early to late summer (Jun-Aug)
'Cabana' <i>unique markings, no two blooms are the same</i>	○ ☞	54-60"	48-54"	rose-pink with light yellow stripes	semi-glossy, deep green	early to late summer (Jun-Aug)
New! 'Change of Heart'	○ ☞	54-60"	48-54"	pink with light pink reverse	glossy, deep green	early to late summer (Jun-Aug)
New! 'Color Me Pink'	○ ☞	54-60"	48-54"	pink with cream reverse	glossy, deep green	early to late summer (Jun-Aug)
'Diana, Princess of Wales' <i>a percentage of J&P sales are donated to Diana, Princess of Wales Memorial Fund</i>	○ ☞	54-60"	48-54"	pink and cream	semi-glossy, deep green	early to late summer (Jun-Aug)
'Gemini'	○ ☞	54-60"	48-54"	coral-pink and white blend	glossy, deep green	early to late summer (Jun-Aug)
'Henry Fonda'	○ ☞	42-48"	36-42"	deep yellow	glossy, deep green	early to late summer (Jun-Aug)
'Ingrid Bergman'	○ ☞	42-48"	36-42"	large, deep red	glossy, deep green	early to late summer (Jun-Aug)
'Lovers Lane' <i>2002 Rose of the Year</i>	○ ☞	60" or more	54-60"	bright red with lighter reverse	semi-glossy, deep green	early to late summer (Jun-Aug)
'Memorial Day'	○ ☞	60" or more	54-60"	large, lavender-pink	medium green	early to late summer (Jun-Aug)
'Nancy Reagan'	○ ☞	54-60"	48-54"	deep apricot	glossy, deep green	early to late summer (Jun-Aug)
'Opening Night'	○ ☞	42-48"	36-42"	bright deep red	semi-glossy, deep green	early to late summer (Jun-Aug)
'Purple Passion' <i>strong lemon scent</i>	○ ☞	54-60"	48-54"	large, purple to dark purple	glossy, deep green	early to late summer (Jun-Aug)
'Radiant Perfume' <i>strong citrus scent</i>	○ ☞	54-60"	48-54"	deep yellow	glossy, deep green	early to late summer (Jun-Aug)
'Ronald Reagan'	○ ☞	60" or more	54-60"	red with white reverse	glossy, deep green	early to late summer (Jun-Aug)
New! 'Sheer Magic' <i>2007 Rose of the Year</i>	○ ☞	54-60"	48-54"	cream-white with coral edges	glossy, deep green	early to late summer (Jun-Aug)
'Spellbound' <i>2006 Rose of the Year</i>	○ ☞	54-60"	48-54"	deep coral-red to coral-pink	semi-glossy, deep green	early to late summer (Jun-Aug)
'Strike It Rich'	○ ☞	60" or more	54-60"	large, deep golden-yellow with faint red swirls	semi-glossy, deep green	early to late summer (Jun-Aug)
'Sundance' <i>2004 Rose of the Year</i>	○ ☞	54-60"	48-54"	bright gold with orange-pink edges	deep green	early to late summer (Jun-Aug)
'Tournament of Roses'	○ ☞	36-42"	36-42"	coral-pink maturing to light pink	glossy, deep green	early to late summer (Jun-Aug)
'Veterans' Honor' <i>2000 Rose of the Year, a percentage of proceeds to benefit veterans' healthcare</i>	○ ☞	54-60"	48-54"	bright red, long-lasting	semi-glossy, deep green	early to late summer (Jun-Aug)
'Voluptuous!' <i>2005 Rose of the Year</i>	○ ☞	54-60"	48-54"	deep pink	glossy, deep green	early to late summer (Jun-Aug)
'Voodoo'	○ ☞	42-48"	42-48"	large, orange-peach blend	glossy, deep green	early to late summer (Jun-Aug)

		<i>LIGHT</i>	<i>HEIGHT</i>	<i>SPREAD</i>	<i>FLOWER</i>	<i>FOLIAGE</i>	<i>BLOOM TIME</i>
New!	'Welcome Home' <i>moderate licorice scent</i>	○ ☞	54-60"	48-54"	light yellow	deep green	early to late summer (Jun-Aug)
	'Whisper'	○ ☞	54-60"	48-54"	large, ivory-white	semi-glossy, deep green	early to late summer (Jun-Aug)
	'Wildfire'	○ ☞	54-60"	48-54"	orange with light yellow reverse	semi-glossy, deep green	early to late summer (Jun-Aug)
Patented Shrub Roses - Easy to care for and versatile, shrub roses are some of the most hardy and maintenance-free roses available.							
New!	'Home Run' <i>hybrid from the 'Knock Out' series</i>	○ ☞	30-36"	30-36"	single, deep red with yellow center	deep green	early summer to early fall (Jun-Sep)
	'Knock Out Blushing'	○ ☞	36-42"	36-42"	semi-double, soft light pink	deep green	early summer to early fall (Jun-Sep)
New!	'Knock Out Double' ('Radtko') PP16202	○ ☞	30-36"	30-36"	double, cherry-red	deep green	early summer to early fall (Jun-Sep)
	'Knock Out Pink' ('Radcon') PPAF	○ ☞	36-42"	36-42"	single, rose-pink	deep green	early summer to early fall (Jun-Sep)
	'Knock Out Red'	○ ☞	36-42"	36-42"	semi-double, red	deep green	early summer to early fall (Jun-Sep)
New!	'Plum Frost' <i>strong lemon scent</i>	○ ☞	42-48"	48-54"	fuchsia-purple with lavender reverse	glossy, deep green	early summer to early fall (Jun-Sep)
New!	'Ruffled Cloud' <i>strong fragrance</i>	○ ☞	36-42"	42-48"	deep pink	glossy, medium green	early summer to early fall (Jun-Sep)
New!	'Wild Thing'	○ ☞	36-42"	42-48"	dark pink	glossy, deep green	early summer to early fall (Jun-Sep)

RUDBECKIA (Black-Eyed Susan, Coneflower, Orange Coneflower)

Rudbeckia is a classic, and any garden can benefit from its late summer color and presence. *Hirta* species prefers some winter protection/mulching.

<i>fulgida</i>							
	'Goldsturm' <i>1999 PPA Perennial of the Year</i>	○ ☞	24-30"	30-36"	golden-yellow, brown center cone	deep green	mid summer to early fall (Jul-Sep)
<i>hirta</i>							
New!	'Becky Cinnamon Bicolor'	○ ☞	12-18"	12-18"	cinnamon-red with golden-yellow petal tips	fuzzy, medium to light green, compact	mid summer to early fall (Jul-Sep)
	'Cherokee Sunset'	○ ☞	30-36"	24-30"	varies, combinations of golden- yellow, rust-red, copper-brown, and orange	fuzzy, medium to light green	mid summer to early fall (Jul-Sep)
	'Prairie Sun'	○ ☞	30-36"	24-30"	bright golden-yellow drooping petals with a green center	fuzzy, medium to light green	mid summer to early fall (Jul-Sep)
	'Rustic Colors'	○ ☞	12-18"	12-18"	varies, combinations mostly of rust- red, copper-orange, and burgundy	fuzzy, medium to light green, compact	mid summer to early fall (Jul-Sep)
<i>Hybrid</i>							
	'Viette's Little Suzy' PP8867 <i>a slightly more compact variety</i>	○ ☞	18-24"	24-30"	golden-yellow with a brown center cone	deep green	mid summer to early fall (Jul-Sep)
<i>nitida</i>							
	'Herbstzonne' ('Autumn Sun')	○ ☞	60" or more	54-60"	daisy-like, bright yellow, greenish centers	sturdy, leathery, deep green	late summer to late fall (Aug-Oct)

RUMEX (Dock)

<i>sanguineus</i> (Bloody Dock)							
	<i>sanguineus</i>	○ ☞	6-12"	12-18"	insignificant	deep green with red veining	mid to late summer (Jul-Aug)

SAGINA (Corsican Pearlwort)

A nice choice for in between rockery, brickwork, or pavers.

<i>subulata</i>							
	'Aurea'	☞ ☰	6" or less	6-12"	white, dainty	moss-like, chartreuse to yellow	early to mid summer (Jun-Jul)
	<i>subulata</i>	☞ ☰	6" or less	6-12"	white, dainty	moss-like, light green	early to mid summer (Jun-Jul)

SALVIA (Sage)

Cutting back foliage after flowering will take care of unattractive foliage and promote repeat blooming.

<i>argentea</i>							
	<i>argentea</i> <i>makes a nice accent plant with its silver foliage</i>	○ ☞	24-30"	24-30"	spikes are white	soft and fuzzy, silvery-white hairs on top of gray-green leaves	early to mid summer (Jun-Jul)
<i>nemorosa</i>							
	'Blue Hill' <i>closest to true blue of any hardy Salvia</i>	○ ☞	12-18"	24-30"	spikes are light lavender-blue	fragrant, medium green	early to late summer (Jun-Aug)
	'Caradonna' <i>a more upright habit than most Salvia</i>	○ ☞	24-30"	24-30"	spikes are light purple with purple stems	fragrant, medium green	early to late summer (Jun-Aug)
	'East Friesland'	○ ☞	18-24"	24-30"	spikes are violet-purple	fragrant, medium green, mounding	early to late summer (Jun-Aug)
	'May Night' <i>1997 PPA Perennial of the Year</i>	○ ☞	18-24"	24-30"	spikes are deep violet-blue to purple	fragrant, medium green	early to late summer (Jun-Aug)
	'Plumosa'	○ ☞	12-18"	24-30"	spikes are dusted rose-purple, thicker than most Salvia	fragrant, medium green	early to mid summer (Jun-Jul)
	'Snow Hill'	○ ☞	18-24"	24-30"	spikes are white	fragrant, medium green	early to late summer (Jun-Aug)
	'Viola Klose'	○ ☞	12-18"	18-24"	spikes are deep violet-purple	fragrant, medium green, compact	late spring to late summer (May-Aug)
<i>verticillata</i>							
	'Purple Rain'	○ ☞	18-24"	24-30"	spikes are smoky purple	fuzzy, gray-green	early to late summer (Jun-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
SANICULA (Blue Sanicle)						
<i>caerulescens</i>						
caerulescens	☀	6" or less	6-12"	sky-blue with white centers	bronze-green	late spring to mid summer (May-Jul)
<i>a nice alternative low-grower for shade</i>						
SAPONARIA (Bouncing Bet, Soapwort)						
<i>Saponaria comes from the Latin sapo, meaning soap. Many species contain root sap that lathers when mixed with water.</i>						
<i>ocymoides (Soapwort)</i>						
ocymoides	☀	6-12"	18-24"	light pink	medium green, spreading	late spring to early summer (May-Jun)
SAXIFRAGA (Rockfoil, Saxifrage)						
<i>x arendsii</i>						
'Mossy Species Mix'	☀	6" or less	6-12"	mostly shades of pink and rose-pink with some white	moss-like, compact, light green	late spring to early summer (May-Jun)
<i>keep moist if planted in full sun</i>						
SCABIOSA (Pincushion Flower)						
<i>Reliability can be improved with winter mulching. An absolute must-have if you want to attract butterflies!</i>						
<i>columbaria</i>						
'Butterfly Blue'	☀	12-18"	6-12"	pincushion-like, lavender-blue	medium green, compact	early summer to early fall (Jun-Sep)
<i>2000 PPA Perennial of the Year</i>						
'Pink Mist' PP8957	☀	12-18"	6-12"	pincushion-like, lavender-pink	medium green, compact	early summer to early fall (Jun-Sep)
<i>japonica</i>						
'Pink Diamonds'	☀	6-12"	12-18"	pincushion-like and light pink to light lavender	medium green, compact	early summer to early fall (Jun-Sep)
<i>prune foliage back after blooming to promote new growth and repeat blooms</i>						
SCHIZOPHRAGMA (Japanese Hydrangea Vine)						
<i>hydrangeoides</i>						
'Moonlight'	☀	60" or more	42-48"	clusters are silver-white	blue-green dusted with silver, climbing	mid to late summer (Jul-Aug)
<i>flowers are similar to a climbing Hydrangea</i>						
SEDUM (Live-Forever, Stonecrop)						
<i>Stonecrop comes from the manner by which many species seem to flourish on rockery. Sedum is one of the easiest perennials to grow and maintain.</i>						
<i>acre (Goldmoss Sedum)</i>						
acre	☀	6" or less	36-42"	clusters are yellow-green	light green, succulent, mat-forming, spreading	early to late summer (Jun-Aug)
<i>a tough easy-to-grow little groundcover, nice in containers as well</i>						
'Aureum'	☀	6" or less	36-42"	clusters are yellow-green	light green tipped in gold, succulent, mat-forming, spreading	early to mid summer (Jun-Jul)
<i>a tough easy-to-grow little groundcover, nice in containers as well</i>						
<i>album (White Flowered Sedum)</i>						
chloroticum	☀	6" or less	30-36"	clusters are ivory-white	gray-green, spreading, succulent	early to mid summer (Jun-Jul)
'Coral Carpet'	☀	6" or less	30-36"	clusters are ivory-white	gray-green maturing to red, spreading, succulent	early to mid summer (Jun-Jul)
<i>dasyphyllum (Thick Leaved Sedum)</i>						
'Major'	☀	6" or less	30-36"	clusters are pale-pink	succulent, powdery-blue, spreading	early to mid summer (Jun-Jul)
<i>floriferum</i>						
New! 'Weihenstephaner Gold'	☀	6" or less	24-30"	clusters are yellow	succulent, bright green, reddish-burgundy stems, spreading	early to mid summer (Jun-Jul)
<i>fosterianum (Foster's Sedum)</i>						
New! fosterianum	☀	6" or less	24-30"	clusters are sulphur-yellow	succulent, blue-gray, spreading	early to mid summer (Jun-Jul)
<i>hispanicum (Baby Tears, Blue Carpet Sedum)</i>						
'Minus'	☀	6" or less	18-24"	clusters are pinkish-white	mat-like, succulent, rich blue, spreading	early to mid summer (Jun-Jul)
<i>tolerates some foot traffic</i>						
<i>Hybrid</i>						
New! 'Abbeydore'	☀	12-18"	18-24"	heads are pink to pinkish-red	succulent, blue-green, compact	late summer to late fall (Aug-Oct)
'Autumn Fire'	☀	24-30"	24-30"	heads are rose-red maturing to copper-red	succulent, light green	late summer to late fall (Aug-Oct)
'Autumn Joy'	☀	30-36"	30-36"	heads are dusty rose-red maturing to copper-red	succulent, light green	late summer to late fall (Aug-Oct)
'Bertram Anderson'	☀	6-12"	24-30"	heads are mauve-pink	succulent, gray-green and purple blend, spreading	late summer to early fall (Aug-Sep)
'Black Jack' PP16736	☀	24-30"	24-30"	heads are pink to light pink	succulent, black-purple	late summer to late fall (Aug-Oct)
New! 'Immergrunchen'	☀	6" or less	24-30"	clusters are lemon-yellow	succulent, spreading, medium to light green	early to mid summer (Jun-Jul)
<i>"Immergrunchen" is German for "evergreen," repeats bloom later in fall</i>						
New! 'Maestro' PPAF	☀	24-30"	24-30"	heads are reddish-pink	succulent, blue-green, purple stems	late summer to late fall (Aug-Oct)
<i>sport of 'Matrona'</i>						
'Matrona'	☀	18-24"	24-30"	heads are mauve-pink	succulent, gray-green with rose-pink highlights, purple stems	mid summer to early fall (Jul-Sep)
New! 'Postman's Pride' PPAF	☀	18-24"	24-30"	heads are reddish-pink	succulent, deep purple-blue	late summer to late fall (Aug-Oct)
'Purple Emperor'	☀	18-24"	18-24"	heads are dusty pink maturing to bronze	succulent, black-burgundy	late summer to early fall (Aug-Sep)
New! 'Red Cauli'	☀	6-12"	18-24"	heads are ruby-red	succulent, purplish-red and green, red stems, spreading	late summer to early fall (Aug-Sep)
'Rosy Glow'	☀	6-12"	24-30"	heads are ruby-red	succulent, blue-green, spreading	late summer to early fall (Aug-Sep)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Vera Jameson'	○ ☞	6-12"	24-30"	heads are light pink to rose	reddish-maroon, spreading	late summer to early fall (Aug-Sep)
'Xenox' PPAF	○ ☞	12-18"	12-18"	heads are rose-pink	succulent, gray-green maturing to bronze	late summer to early fall (Aug-Sep)
kamtschaticum						
ellacombianum	○ ☞	6-12"	30-36"	clusters are lemon-yellow to golden-orange	succulent, spreading, medium to light green	early to late summer (Jun-Aug)
kamtschaticum	○ ☞	6-12"	30-36"	clusters are lemon-yellow to golden-orange	succulent, spreading, medium green	early to mid summer (Jun-Jul)
'Variegatum'	○ ☞	6-12"	30-36"	clusters are lemon-yellow to golden-orange	succulent, spreading, medium green edged in creamy white	early to mid summer (Jun-Jul)
reflexum						
New! 'Blue Lagoon'	○ ☞	6" or less	24-30"	clusters are yellow	resembles spruce needles, blue-green with purplish-red base, spreading	mid to late summer (Jul-Aug)
'Green Spruce'	○ ☞	6-12"	24-30"	clusters are yellow	resembles spruce needles, medium to light green, slightly more upright, spreading	mid to late summer (Jul-Aug)
repestre						
'Angelina' PPAF	○ ☞	6" or less	24-30"	clusters are yellow	needle-like, chartreuse to yellow turning reddish-orange in fall and winter, spreading	early to late summer (Jun-Aug)
sieboldii (October Daphne)						
sieboldii	○ ☞	6" or less	18-24"	clusters are pink	succulent, powdery-blue edged in burgundy, spreading	late summer to early fall (Aug-Sep)
spectabile						
'Brilliant'	○ ☞	24-30"	24-30"	heads are bright rose-pink	succulent, light green	late summer to late fall (Aug-Oct)
'Neon'	○ ☞	18-24"	18-24"	heads are rose-pink to magenta	succulent, light green	late summer to early fall (Aug-Sep)
'Pink Chablis' PPAF	○ ☞	18-24"	18-24"	heads are light pink	succulent, light green edged in white	late summer to early fall (Aug-Sep)
					<i>foliage does not seem to revert back to green as some other variegated varieties do</i>	
spurium (Two-Row Sedum)						
'Bronze Carpet'	○ ☞	6" or less	30-36"	clusters are pink	succulent, spreading, medium green with burgundy-red highlights, turning reddish in fall	early to late summer (Jun-Aug)
'Dragon's Blood'	○ ☞	6" or less	30-36"	clusters are hot-pink	succulent, spreading, medium green with burgundy-red highlights	early to late summer (Jun-Aug)
					<i>best foliage color comes with full sunlight and mature plants</i>	
'Fulda Glow'	○ ☞	6" or less	30-36"	clusters are hot-pink	succulent, spreading, bronze to burgundy-red	early to late summer (Jun-Aug)
'Tricolor'	○ ☞	6" or less	30-36"	clusters are pale pink	succulent, variegated white and green with pink highlights, spreading	early to late summer (Jun-Aug)
New! 'Voo Doo'	○ ☞	6" or less	30-36"	clusters are deep red	succulent, mahogany-red, spreading	early to late summer (Jun-Aug)
SEMPERVIVUM (Hens and Chicks, Houseleek, Live-Forever)						
<i>An excellent plant for the poorest of soils. Superstitions abound for its ability to repel lightning and fire.</i>						
arachnoideum						
'Cobweb'	○ ☞	6" or less	6-12"	clusters are rose-red	succulent, green pointed leaves, silver hairs criss-cross leaves resembling a spiderweb	early to mid summer (Jun-Jul)
tectorum						
'Braunii'	○ ☞	6" or less	6-12"	clusters are yellow	succulent, deep green, pointed leaves	early to mid summer (Jun-Jul)
'Pileoseum'	○ ☞	6" or less	6-12"	clusters are light pink	succulent, gray-green, pointed leaves	early to mid summer (Jun-Jul)
'Purple Beauty'	○ ☞	6" or less	6-12"	clusters are light pink	succulent, silver-green pointed leaves with purple tips	early to mid summer (Jun-Jul)
'Silverine'	○ ☞	6" or less	6-12"	clusters are dark pink	succulent, silver-green pointed leaves with bases flushed in red	early to mid summer (Jun-Jul)
SHRUB ACER (Maple)						
<i>Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.</i>						
palmatum /dissectum (Japanese Maple)						
'Crimson Queen'	○ ☞ ☂	60" or more	60" or more		lace-leaf type, burgundy red, slow-growing	
					<i>a popular choice for small accent tree</i>	
SHRUB BUXUS (Boxwood)						
<i>Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.</i>						
Hybrid						
'Green Velvet'	○ ☞ ☂	24-30"	24-30"		deep green, glossy, compact	
					<i>a nice alternative evergreen, slow-growing</i>	
SHRUB CLETHRA (Summersweet)						
<i>Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.</i>						
alnifolia						
'Ruby Spice'	○ ☞	36-42"	42-48"	spikes are reddish-pink, non-fading, fragrant	medium green, woody	mid to late summer (Jul-Aug)
New! 'Sixteen Candles'	○ ☞	24-30"	24-30"	spikes are white, fragrant	deep green, woody	mid to late summer (Jul-Aug)

SHRUB DEUTZIA (Deutzia)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

gracilis

	'Nikko'	○ ☞	12-18"	18-24"	white, fragrant	medium green turning bronze in fall	early to late summer (Jun-Aug)
--	---------	-----	--------	--------	-----------------	-------------------------------------	--------------------------------

SHRUB HIBISCUS (Rose of Sharon)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

syriacus - A slight pruning in late spring will usually keep plants shorter and more compact if desired.

	'Chiffon Lavender' PP12619	○ ☞	60" or more	60" or more	double, lavender with a lacy center row of petals	woody, medium green, semi-glossy	mid summer to early fall (Jul-Sep)
New!	'Freedom'	○ ☞	60" or more	60" or more	semi-double, rich red to rose-red	woody, medium green, semi-glossy	mid summer to early fall (Jul-Sep)
New!	'Lil' Kim' PPAF ('Antong Two')	○ ☞	48-54"	42-48"	single, white with red center	woody, medium green, semi-glossy, compact	mid summer to early fall (Jul-Sep)
	'Satin Blue' PP12680	○ ☞	60" or more	60" or more	single, rich royal blue to violet-blue with a burgundy-purple center	woody, medium green, semi-glossy	mid summer to early fall (Jul-Sep)
	'Satin Violet' PP12196	○ ☞	60" or more	60" or more	single, deep violet-pink with a reddish center	woody, medium green, semi-glossy	mid summer to early fall (Jul-Sep)

SHRUB HYDRANGEA (Hydrangea)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

macrophylla (Bigleaf Hydrangea) - Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue.)

New!	'Blushing Bride' PP15298	○ ☞ ☀	42-48"	42-48"	white, matures to blush pink	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
	<i>newer variety, blooms appear on new growth/wood giving extended bloom time</i>						
	'Endless Summer' ('Bailmer')	○ ☞ ☀	42-48"	42-48"	pink (alkaline) or blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
	<i>newer variety, blooms appear on new growth/wood giving extended bloom time</i>						
	'Forever & Ever'	○ ☞ ☀	30-36"	30-36"	mophead-shaped, pink (alkaline) or blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
	<i>newer variety, blooms appear on new growth/wood giving extended bloom time</i>						
	'Forever & Ever Double Pink'	○ ☞ ☀	30-36"	30-36"	star-shaped, pink (alkaline) or blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
	<i>newer variety, blooms appear on new growth/wood giving extended bloom time</i>						
	'Forever & Ever Red'	○ ☞ ☀	30-36"	30-36"	mophead-shaped, rose-red maturing to shades of purple, richness of color depends on soil pH	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
	<i>newer variety, blooms appear on new growth/wood giving extended bloom time</i>						
New!	'Mini Penny' PP15744	○ ☞ ☀	36-42"	42-48"	mophead-shaped, pink (alkaline) or blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
	<i>newer variety, blooms appear on new growth/wood giving extended bloom time</i>						

paniculata (Hardy Hydrangea)

New!	'Limelight' PP12874	○ ☞ ☀	60" or more	60" or more	conical-shaped, white to lime-green maturing with pinkish tones	woody, medium green	mid summer to early fall (Jul-Sep)
-------------	---------------------	-------	-------------	-------------	---	---------------------	------------------------------------

SHRUB LEPTODERMIS

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

oblonga

New!	<i>oblonga</i>	○ ☞	12-18"	12-18"	lilac-like, violet-purple, fragrant	semi-woody, medium green, compact	early to late summer (Jun-Aug)
-------------	----------------	-----	--------	--------	-------------------------------------	-----------------------------------	--------------------------------

SHRUB SAMBUCUS (Elderberry)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

nigra

New!	'Black Lace' PP15575	○ ☞	60" or more	54-60"	clusters are pink	woody, lacy, maple-like, purple-black	early to mid summer (Jun-Jul)
	<i>an excellent contrast plant</i>						

SHRUB SYRINGA (Lilac)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

meyeri (Dwarf Korean Lilac)

	'Palibin'	○ ☞	42-48"	30-36"	light lavender to pink, fragrant	medium to deep green	early to late spring (Apr-May)
--	-----------	-----	--------	--------	----------------------------------	----------------------	--------------------------------

patula (Manchurian Lilac)

	'Miss Kim'	○ ☞	54-60"	48-54"	pink to lavender-purple, fragrant	medium to deep green	early to late spring (Apr-May)
--	------------	-----	--------	--------	-----------------------------------	----------------------	--------------------------------

SHRUB TAMARIX (Tamarix)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

ramosissima

New!	'Pink Cascade'	○ ☞	60" or more	60" or more	feathery, deep pink	soft, juniper-like, light green	early to late spring (Apr-May)
	<i>prune back half-way each year to promote more dense growth</i>						

SHRUB VITEX (Chastetree)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

agnus-castus

	'Abbeville Blue'	○ ☞	48-54"	42-48"	spikes are purple-blue, fragrant	woody, light to medium green	mid to late summer (Jul-Aug)
	<i>be patient as it is late to break dormancy</i>						

SHRUB WEIGELA (Weigela)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

florida

New!	'Eyecatcher' PPAF	○ ☞ ☀	18-24"	24-30"	reddish-pink	variegated yellow and light green, compact	late spring to mid summer (May-Jul)
New!	'Fine Wine' PPAF ('Bramwell')	○ ☞ ☀	18-24"	24-30"	pink	deep purple to burgundy, compact	late spring to mid summer (May-Jul)
	'Java Red'	○ ☞ ☀	36-42"	42-48"	light pink	medium green tinted with bronze	late spring to mid summer (May-Jul)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Midnight Wine' PP12217 <i>a dwarf variety of W. 'Wine & Roses'</i>	○ ☞ ☂	24-30"	30-36"	rose-pink	burgundy-purple, compact	late spring to mid summer (May-Jul)
'Wine & Roses' PP10772	○ ☞ ☂	36-42"	42-48"	pink	deep purple to burgundy	late spring to mid summer (May-Jul)
SIDALCEA (Miniature Hollyhock, Prairie Mallow)						
<i>Sidalcea is a great choice for a Hollyhock-like appearance but in a smaller size. Prune foliage back after blooming to promote new growth and repeat blooms.</i>						
<i>Hybrid</i>						
New! 'Candy Girl'	○ ☞	18-24"	18-24"	spikes are pink with white centers	glossy, medium green	early to late summer (Jun-Aug)
New! 'Party Girl'	○ ☞	18-24"	18-24"	rose-pink	medium green	mid summer to early fall (Jul-Sep)
SISYRINCHIUM (Blue-eyed Grass)						
<i>augustifolium</i>						
'Lucerne'	○ ☞	6-12"	6-12"	bright blue with gold centers	grass-like, medium to deep green	late spring to mid summer (May-Jul)
<i>bermudianum</i>						
bermudianum	○ ☞	6-12"	6-12"	purplish-blue with gold centers	grass-like, medium to deep green	late spring to mid summer (May-Jul)
SOLIDAGO (Goldenrod)						
<i>Not the source of "hay fever" allergies as many people think (Ragweed), Solidago is an ornamental and hybrid form of the wild yellow sprays we see alongside the road every summer and autumn.</i>						
<i>canadensis</i>						
New! 'Baby Gold'	○ ☞	24-30"	24-30"	sprays are bright yellow	deep green	late summer to early fall (Aug-Sep)
<i>Hybrid</i>						
New! 'Peter Pan'	○ ☞	24-30"	24-30"	sprays are bright yellow	deep green, fragrant	late summer to early fall (Aug-Sep)
STACHYS (Lamb's Ears, Woolly Betony)						
<i>Best results will be appreciated if planted in well-drained soil.</i>						
<i>byzantina</i>						
'Helene von Stein'	○ ☞	6-12"	30-36"	usually non-flowering	green with silver hairs giving its soft velvety feel	
<i>monnieri (Common Betony)</i>						
'Hummelo'	○ ☞	18-24"	18-24"	spikes are lavender-rose	medium green	early to late summer (Jun-Aug)
STOKESIA (Stokes' Aster)						
<i>Hybrid</i>						
'Purple Parasols' PP10660	○ ☞ ☂	12-18"	12-18"	starburst-shaped, blue maturing to deep purple	deep green, leathery	mid to late summer (Jul-Aug)
<i>laevis</i>						
'Honeysong Purple' PPAF	○ ☞ ☂	12-18"	12-18"	deep purple	deep green, leathery	mid to late summer (Jul-Aug)
TANACETUM (Painted Daisy)						
<i>Tanacetum make excellent cut flowers. Prune foliage back after blooming to promote new growth and repeat blooms.</i>						
<i>coccineum</i>						
'Robinson Hybrids'	○ ☞	18-24"	18-24"	mixed (one color per plant) pink, red, or white (dominant color is red)	fern, deep green	early to mid summer (Jun-Jul)
'Robinson Red'	○ ☞	18-24"	18-24"	hot pinkish-red	fern, deep green	early to mid summer (Jun-Jul)
TEUCRIUM (Germander)						
<i>chamaedrys</i>						
'Summer Sunshine' <i>a durable, attractive, and overlooked groundcover</i>	○ ☞	6-12"	18-24"	spikes are pink	chartreuse-yellow, spreading, mat-like	mid to late summer (Jul-Aug)
THALICTRUM (Meadow Rue)						
<i>aquilegifolium</i>						
aquilegifolium <i>a great choice for shadier areas needing taller plants</i>	○ ☞ ☂	36-42"	24-30"	light pink to lavender	gray-green, airy	early to mid summer (Jun-Jul)
THYMUS (Thyme)						
<i>Many varieties of Thyme are good choices for in-between pavers or brickwork.</i>						
<i>lanuginosus (Woolly Thyme)</i>						
lanuginosus	○ ☞	6" or less	30-36"	purplish-pink	medium green covered with silvery-gray hair, spreading, fragrant	late spring to early summer (May-Jun)
<i>praecox (Mother-of-Thyme)</i>						
'Coccineum'	○ ☞	6" or less	30-36"	magenta-red	fragrant, deep green, turns bronze in fall, spreading	late spring to mid summer (May-Jul)
'Ruby Glow'	○ ☞	6" or less	30-36"	ruby-purple	deep green, spreading, fragrant	late spring to mid summer (May-Jul)
<i>serpyllum</i>						
'Elfin' <i>tolerates some foot traffic</i>	○ ☞	6" or less	18-24"	pink	medium green, spreading, fragrant, compact	late spring to early summer (May-Jun)
<i>x citriodorus (Lemon Thyme)</i>						
citriodorus <i>great for culinary or ornamental purposes, strong lemon scent</i>	○ ☞	6" or less	30-36"	lavender	deep green and yellow variegation, fragrant, spreading	mid to late summer (Jul-Aug)
TIARELLA (False Miterwort, Foam Flower)						
<i>Tiarella is from the Greek word tiara, a small crown, which refers to its flowers.</i>						
<i>wherryi</i>						
wherryi <i>a long-blooming and easy-to-grow variety, often overlooked</i>	☞ ☂	6-12"	18-24"	creamy white tinged with pink, fragrant	medium green	late spring to late summer (May-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
TRADESCANTIA (Spiderwort, Widow's Tears)						
<i>Flowers will close during the daytime hours if planted in full sunlight.</i>						
<i>x andersoniana / virginiana</i>						
	'Bilberry Ice'	○ ☞ ☀	12-18"	18-24"	triangular-shaped, white with lavender-splashed centers	grass-like, medium green, compact early summer to early fall (Jun-Sep)
New!	'Blue Denim'	○ ☞ ☀	24-30"	24-30"	triangular-shaped, light denim-blue	grass-like, gray-green early summer to early fall (Jun-Sep)
New!	'Perinne's Pink'	○ ☞ ☀	18-24"	18-24"	triangular-shaped, pale pink to purple	grass-like, medium green early summer to early fall (Jun-Sep)
	'Snowcap'	○ ☞ ☀	18-24"	18-24"	triangular-shaped, pure white	grass-like, medium green early to late summer (Jun-Aug)
	'Sweet Kate'	○ ☞ ☀	12-18"	18-24"	violet-blue	grass-like, chartreuse to gold early to late summer (Jun-Aug)
	'Zwanenberg Blue'	○ ☞ ☀	18-24"	24-30"	violet-purple	medium green, vigorous early summer to early fall (Jun-Sep)
TRICYRTIS (Orchid Flower, Toad Lily)						
<i>Tricyrtis is best used if it can be seen up close, as the flowers are unique but not showy from a distance.</i>						
<i>formosana</i>						
	'Gilt Edge'	○ ☞ ☀	18-24"	18-24"	orchid-like, white with purple streaks and spots	soft, olive-green with creamy yellow margins, arching stems mid summer to early fall (Jul-Sep)
	'Samurai'	○ ☞ ☀	18-24"	18-24"	orchid-like, lavender with purple spots	soft, olive-green with thin yellow margins, arching stems mid summer to early fall (Jul-Sep)
<i>hirta</i>						
New!	'Blue Wonder'	☞ ☀	18-24"	12-18"	orchid-like, light lavender to blue with purple spots	soft, medium green, arching stems late summer to early fall (Aug-Sep)
	'Lightning Strike'	☞ ☀	12-18"	12-18"	orchid-like, lavender	bright green streaked with gold late summer to early fall (Aug-Sep)
	'Miyazaki Hybrids'	☞ ☀	24-30"	24-30"	orchid-like, white with large purple spots	soft, light green, arching stems late summer to early fall (Aug-Sep)
New!	'Moonlight'	☞ ☀	12-18"	12-18"	orchid-like, white with purple flecks	soft, chartreuse-green, arching stems late summer to early fall (Aug-Sep)
	'Tojen'	○ ☞ ☀	18-24"	18-24"	orchid-like, lavender and white blend	soft, light green, arching stems late summer to early fall (Aug-Sep)
TRIFOLIUM (Clover)						
<i>repens</i>						
	'Purpurascens'	○ ☞ ☀	6" or less	36-42"	white	green with burgundy-purple markings, spreading early to mid summer (Jun-Jul)
TRILLIUM (Wake-Robin)						
<i>Trillium found in the wild has been on the decline due to consumer demand... try to obtain Trillium from a garden center, not the forest.</i>						
<i>grandiflorum (Snowy Trillium)</i>						
	grandiflorum	☞ ☀	6" or less	12-18"	pure white	medium to light green early to late spring (Apr-May)
TROLLIUS (Globeflower)						
<i>Moisture is absolutely necessary for Trollius, especially if in sunny areas.</i>						
<i>chinensis</i>						
	'Golden Queen'	○ ☞ ☀	24-30"	18-24"	cup-shaped, golden-orange	deep green, glossy late spring to mid summer (May-Jul)
<i>moisture-loving</i>						
VERBASCUM (Mullein)						
<i>Verbascums offer unique tropical colors and ease of maintenance. Said to be short-lived, but not in our experiences and testing. Adaptable to most soils.</i>						
<i>Hybrid</i>						
	'Caribbean Crush'	○ ☞	42-48"	30-36"	spikes are blended mango-orange, peach, and yellow	leathery, medium green early to late summer (Jun-Aug)
	'Dark Eyes' PPAF	○ ☞	12-18"	12-18"	spikes are peach and gold with deep red eyes	leathery, medium green, compact early to late summer (Jun-Aug)
	'Jackie'	○ ☞	18-24"	18-24"	spikes are peach-yellow with plum-rose centers	leathery, medium green early to late summer (Jun-Aug)
	'Jackie in Pink' PP15735	○ ☞	18-24"	18-24"	spikes are soft pink with plum-rose centers	leathery, medium green early to late summer (Jun-Aug)
	'Plum Smokey' PP16156	○ ☞	12-18"	12-18"	spikes are dusty purple	leathery, medium green, compact early to late summer (Jun-Aug)
New!	'Royalty' PPAF	○ ☞	12-18"	12-18"	spikes are royal violet-purple	leathery, medium green, compact early to late summer (Jun-Aug)
	'Sugar Plum' PP16224	○ ☞	18-24"	18-24"	spikes are plum-purple	leathery, medium green early to late summer (Jun-Aug)
	'Summer Sorbet'	○ ☞	24-30"	24-30"	spikes are magenta-purple with deep raspberry centers	leathery, medium green early to late summer (Jun-Aug)
<i>phoeniceum</i>						
New!	'Benary's Hybrid Mix'	○ ☞	24-30"	24-30"	spikes are mixed (one color per plant) lavender or pink	leathery, medium green early to late summer (Jun-Aug)
VERBENA (Vervain)						
<i>We like the naturalizing effect this type of Verbena gives. But it will reseed readily, so a quick weeding out of seedlings in the spring should keep it contained to your desired area.</i>						
<i>bonariensis</i>						
	bonariensis	○ ☞	42-48"	60" or more	purple to lavender	semi-woody, strong stems, medium green early to late summer (Jun-Aug)
VERONICA (Speedwell)						
<i>Blackening and deteriorating foliage is normal throughout the season, but pruning regularly will alleviate these problems.</i>						
<i>incana</i>						
	'Giles van Hees'	○ ☞	6-12"	18-24"	spikes are bright pink	medium to deep green early to late summer (Jun-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
longifolia						
New!						
oltensis (Turkish Veronica)						
New!						
prostrata						
spicata						
New!						
VINCA (Myrtle, Periwinkle)						
minor						
VIOLA (Hardy Violet)						
<i>Dead-heading and trimming of most varieties will keep plants blooming. Plant in partial shade for best summer color as Viola prefer cooler temps. Also keep moist if in full sun.</i>						
cornuta						
x wittrockiana						
VITIS (Ornamental Grape)						
vinifera						
WATER/POND PLANTS - An assortment of water-loving plants for your pond or wet area. Call or email for specific availability.						
WISTERIA						
<i>Be patient! Wisteria, unless bought at a very mature age, takes at least 4-5 years to significantly flower. Try not to fertilize for best flowering results.</i>						
frutescens (American Wisteria)						
sinensis (Chinese Wisteria)						
YUCCA (Adam's Needle, Needle Palm)						
<i>Yucca, once established, will probably flower every other season.</i>						
filamentosa						