

PERENNIAL VARIETIES FOR 2008

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
ACHILLEA (Milfoil, Yarrow)						
<i>The Greek hero Achilles is said to have used Achillea for its wound-healing properties. Prune foliage back to promote new growth and repeat blooms.</i>						
<i>Hybrid</i>						
	☉ ☁	18-24"	30-36"	clusters are sulphur-yellow	fragrant, silver-green	early summer to early fall (Jun-Sep)
New!	☉ ☁	18-24"	30-36"	clusters are deep pink fading to light pink	fragrant, upright, medium green	early to late summer (Jun-Aug)
New!	☉ ☁	18-24"	30-36"	clusters are orange-red	fragrant, upright, gray-green	early to late summer (Jun-Aug)
<i>millefolium</i>						
New!	☉ ☁	18-24"	30-36"	clusters are lavender-pink fading to light pink	fragrant, gray-green	early summer to early fall (Jun-Sep)
	☉ ☁	18-24"	30-36"	clusters are dusted ruby-red then fade to pink	fragrant, gray-green	early to late summer (Jun-Aug)
	☉ ☁	18-24"	30-36"	flower heads are mixed (one color per plant) pink, rose, salmon, white, or yellow	fragrant, gray-green	early to late summer (Jun-Aug)
New!	☉ ☁	24-30"	36-42"	clusters are ruby-red fading to fuchsia-pink	fragrant, upright, gray-green	early to late summer (Jun-Aug)
ACONITUM (Helmet Flower, Monkshood, Turk's Cap)						
<i>Aconitum is toxic, but easily grown. Just be sure to keep the sap from your mouth.</i>						
<i>cammarum</i>						
	☁ ☀	30-36"	18-24"	spikes are blue and white	deep green, glossy	mid summer to early fall (Jul-Sep)
AEGOPODIUM (Bishop's Weed, Ground Elder, Goutweed, Snow-on-the-Mountain)						
<i>Spreads quickly, so allow plenty of room for growth. Once thought to cure gout.</i>						
<i>podagraria</i>						
	☉ ☁ ☀	6-12"	60" or more	clusters are white	light green edged in white, spreading	late spring to early summer (May-Jun)
					<i>allow plenty of room to grow as it will spread</i>	
AGASTACHE (Anise Hyssop)						
<i>Butterflies and hummingbirds love the late summer blooms on Agastache.</i>						
<i>Hybrid</i>						
	☉ ☁	42-48"	42-48"	spikes are cornflower-blue to violet	grayish-green, spicy fragrance	mid summer to early fall (Jul-Sep)
<i>rupestris (Rock Anise Hyssop)</i>						
New!	☉ ☁	24-30"	30-36"	spikes are salmon-pink and orange	grayish-green, fragrant	mid to late summer (Jul-Aug)
					<i>benefits from winter mulching/protection</i>	
AJUGA (Bugleweed)						
<i>An easy-to-grow and adaptable groundcover or container plant. Try to plant Ajuga in moist but very well-drained soil to prevent crown rot and wilt.</i>						
<i>Hybrid</i>						
	☉ ☁ ☀	6" or less	12-18"	spikes are lavender to sky-blue	small leaves, chocolate-bronze, compact	early spring to early summer (Apr-Jun)
					<i>more compact than most Ajuga varieties</i>	
<i>reptans</i>						
	☉ ☁ ☀	6" or less	24-30"	spikes are violet-blue	spreading, crinkled, variegated cream, gray-green, and shades of burgundy-purple	late spring to early summer (May-Jun)
AKEBIA (Chocolate Vine, Fiveleaf)						
<i>quinata</i>						
	☉ ☁	60" or more	60" or more	burgundy-purple and white	medium green, climbing	early to late spring (Apr-May)
					<i>A. quinata and A. quinata 'Alba' combined in a single pot to allow pollination for fruit</i>	
ALCEA (Hollyhock)						
<i>Alcea is from the word altheo, which means to cure, due to many species' medicinal properties. Taller varieties benefit from staking. Rust often appears on leaves during/after blooming, foliage may be pruned if appearance becomes undesirable.</i>						
<i>rosea</i>						
	☉ ☁	54-60"	48-54"	spike clusters are mixed (one color per plant) pink, red, white, or yellow	medium green	mid to late summer (Jul-Aug)
	☉ ☁	30-36"	24-30"	spike clusters are burgundy-purple, semi-double	medium to deep green, compact	mid to late summer (Jul-Aug)
					<i>a great performer and more compact than other Hollyhocks</i>	
ALCHEMILLA (Lady's Mantle)						
<i>Keep moist if planted in sunny areas, otherwise foliage has a tendency to scorch.</i>						
<i>mollis</i>						
New!	☉ ☁ ☀	12-18"	12-18"	clusters are yellow	medium green to gray-green	late spring to early summer (May-Jun)
					<i>slightly larger and more robust than A. mollis</i>	
ALLIUM (Ornamental Chives/Onion)						
<i>Easy to grow and deer-resistant. The schoenoprasum and senescens species is especially hardy and drought-resistant.</i>						
<i>Hybrid</i>						
	☉ ☁	24-30"	18-24"	large, lilac-pink, globular	deep green, glossy	late spring to early summer (May-Jun)
<i>maximowiczii</i>						
	☉ ☁	6-12"	12-18"	white, globular	grass-like, mounding, medium to light green	late spring to mid summer (May-Jul)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
schoenoprasum						
New!	'Dwarf'	○ ☞	6-12"	6-12"	rose-pink, globular	grass-like, mounding, compact, medium to light green late spring to early summer (May-Jun)
New!	'Gaucum'	○ ☞	12-18"	12-18"	pink with violet-blue tints, globular	grass-like, mounding, medium to light green late spring to early summer (May-Jun)
senescens (Mountain Garlic)						
	montanum	○ ☞	6-12"	12-18"	pink-purple, globular	leathery, narrow leaves, mounding, medium to light green mid to late summer (Jul-Aug)
tanguticum						
	'Summer Beauty'	○ ☞	18-24"	18-24"	pink, globular	grass-like, mounding, medium to light green mid to late summer (Jul-Aug)
ALSTROEMERIA (Inca Lily, Peruvian Lily)						
<i>Alstroemeria benefit from winter mulching/protection in our area.</i>						
Hybrid						
New!	'Mauve Majesty' PPAF	○ ☞	24-30"	24-30"	mauve-pink with dark spots and yellow throat	medium to light green early to mid summer (Jun-Jul)
AMPELOPSIS (Monk's Hood Vine, Porcelain Vine)						
brevipedunculata						
	'Elegans'	○ ☞	60" or more	48-54"	insignificant white flowers, colorful berries	silver and white mottled leaves, climbing early to mid summer (Jun-Jul)
<i>more sun will produce more berries</i>						
AMSONIA (Bluestar, Blue Dogbane)						
hubrichtii (Arkansas Amsonia)						
New!	'Halfway to Arkansas'	○ ☞	24-30"	24-30"	bright sky-blue	airy, willow-like, medium green late spring to early summer (May-Jun)
	hubrichtii	○ ☞	30-36"	30-36"	bright sky-blue	airy, willow-like, medium green, turning gold in fall late spring to early summer (May-Jun)
Hybrid						
	'Blue Ice'	○ ☞	12-18"	12-18"	deep blue	deep green early to mid summer (Jun-Jul)
<i>drought-resistant</i>						
ANACYCLUS (Mt. Atlas Daisy)						
<i>An alpine plant that is resistant to drought. However, it does benefit from moisture in full sun.</i>						
depressus						
	depressus	○ ☞	6" or less	6-12"	daisy-like shape, white petals with rose-red-striped undersides	crinkly steel-green early to mid summer (Jun-Jul)
ANCHUSA (Bugloss, Forget-Me-Not)						
<i>Keep moist but well-drained to prevent crown rot.</i>						
capensis						
	'Blue Angel'	○ ☞	12-18"	12-18"	electric blue	medium green mid to late summer (Jul-Aug)
<i>benefits from winter mulching/protection</i>						
ANEMONE (Windflower)						
<i>Anemone is often overlooked, but is an excellent choice for late summer and fall color. Keep moist.</i>						
hupehensis (Japanese Anemone)						
	'September Charm'	○ ☞ ☂	30-36"	30-36"	pale pink	deep green mid summer to early fall (Jul-Sep)
Hybrid						
	'Honorine Jobert'	○ ☞ ☂	24-30"	24-30"	white with yellow center	medium to deep green early to late fall (Sep-Oct)
	'Party Dress' PP13844	○ ☞ ☂	24-30"	30-36"	semi-double, soft pink	medium to deep green mid summer to early fall (Jul-Sep)
<i>usually only available in late summer-fall</i>						
	'Prince Henry'	○ ☞ ☂	30-36"	30-36"	rich rose-pink	medium to deep green late summer to late fall (Aug-Oct)
<i>usually only available in late summer-fall</i>						
	'Whirlwind'	○ ☞ ☂	30-36"	36-42"	semi-double, white	medium to deep green late summer to late fall (Aug-Oct)
<i>usually only available in late summer-fall</i>						
multifida						
	'Annabella Deep Rose'	○ ☞ ☂	6-12"	6-12"	single, rose-pink	lacy, medium to deep green early to mid summer (Jun-Jul)
sylvestris (Snow Drop Anemone)						
	sylvestris	○ ☞ ☂	6-12"	18-24"	cup-shaped, pure white	deep green late spring to early summer (May-Jun)
<i>can spread if allowed, repeats bloom in fall, makes a nice groundcover as well</i>						
ANTHEMIS (Golden Chamomile, Golden Marguerite)						
<i>Keep moist if planted in sunny areas, and trim back often to force repeat blooming.</i>						
tinctoria						
	'Kelwayi'	○ ☞	24-30"	30-36"	daisy-like, sunny-yellow	fragrant, medium green early to mid summer (Jun-Jul)
<i>prune foliage back after blooming to promote new growth and repeat blooms</i>						
AQUILEGIA (Columbine)						
<i>Aquilegia is derived from aquila, like an eagle, which may refer to the beak-like spurs on the flowers.</i>						
Hybrid						
	'Crimson Star'	○ ☞ ☂	24-30"	24-30"	crimson-red sepals, white petals	light green to gray-green early to mid summer (Jun-Jul)
	'McKana Hybrids'	○ ☞ ☂	24-30"	24-30"	mixed (one color per plant) lilac, pink, red, white, or yellow	light green to gray-green early to mid summer (Jun-Jul)
Hybrid (Music Series)						
	'Red & Gold'	○ ☞ ☂	18-24"	12-18"	golden-yellow sepals, red petals	light green to gray-green early to mid summer (Jun-Jul)

		LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
Hybrid (Origami Series) : larger flowers than most Aquilegia							
New!	'Blue & White'	○ ☞ ☀	12-18"	12-18"	violet-blue with white center	gray-green	late spring to early summer (May-Jun)
	'Mix'	○ ☞ ☀	12-18"	12-18"	mixed (one color per plant) blue, pink, red, white, or yellow	gray-green	late spring to mid summer (May-Jul)
	<i>larger flowers and longer-blooming than most Aquilegia</i>						
	'Pink & White'	○ ☞ ☀	12-18"	12-18"	light pink with white center	gray-green	late spring to early summer (May-Jun)
	'Red & White'	○ ☞ ☀	12-18"	12-18"	dusty rose-red with white center	gray-green	late spring to early summer (May-Jun)
New!	'Yellow'	○ ☞ ☀	12-18"	12-18"	lemon-yellow with white center	gray-green	late spring to early summer (May-Jun)
Hybrid (Songbird Series)							
	'Mix'	○ ☞ ☀	18-24"	18-24"	mixed (one color per plant) blue, pink, red, or white	gray-green	late spring to mid summer (May-Jul)
	'Robin'	○ ☞ ☀	18-24"	18-24"	soft pink with white center	gray-green	late spring to mid summer (May-Jul)
vulgaris							
	'Double Pleat Blue & White'	○ ☞ ☀	12-18"	12-18"	unique, blue-centered white sepals, blue petals	gray-green, compact	late spring to early summer (May-Jun)
	'Heidi'	○ ☞ ☀	12-18"	12-18"	rose-pink, short-spurred	gray-green, compact	late spring to early summer (May-Jun)
ARABIS (Rock Cress)							
<i>The caucasica species is one of the earliest plants to bloom in the spring.</i>							
caucasica							
New!	'Little Treasure Deep Rose'	○ ☞	6" or less	6-12"	rose-pink	gray-green, carpet-like, attractive even when not in bloom	early to late spring (Apr-May)
	'Snow Cap'	○ ☞	6" or less	12-18"	bright white	gray-green, carpet-like, attractive even when not in bloom	early to late spring (Apr-May)
ARENARIA (Sandwort)							
montana							
	'Avalanche'	○ ☞	6" or less	12-18"	bright white	dense, deep green	late spring to early summer (May-Jun)
	<i>slightly larger flowers than the species</i>						
	montana	○ ☞	6" or less	12-18"	bright white	dense, deep green	late spring to early summer (May-Jun)
ARISAEMA (Indian Turnip, Jack-in-the-Pulpit)							
<i>Goes dormant after blooming. Prefers consistently moist soil conditions.</i>							
triphillum							
	triphillum	☞ ☀	12-18"	12-18"	green, purple, and brown blend, unique	medium green	early to late spring (Apr-May)
ARMERIA (Sea Pink, Sea Thrift)							
<i>Divide every few years to keep the clump centers from dying out.</i>							
maritima							
New!	'Armada Rose'	○ ☞	6-12"	6-12"	bright rose-pink, globular shape	compact, grass-like, light green	late spring to early summer (May-Jun)
	<i>repeats bloom again in fall</i>						
	'Bloodstone'	○ ☞	6-12"	6-12"	rose-red to pink, globular shape	grass-like, mounding, medium to light green	late spring to mid summer (May-Jul)
	'Cotton Tail'	○ ☞	6-12"	6-12"	white, globular shape	grass-like, mounding, medium to light green	late spring to mid summer (May-Jul)
	'Splendens'	○ ☞	12-18"	6-12"	hot pink, globular shape	grass-like, light green	late spring to early summer (May-Jun)
	<i>repeats bloom again in fall</i>						
ARTEMISIA (Mugwort, Wormwood)							
<i>Good as a filler for cut bouquets, or as an accent plant in the garden.</i>							
schmidtiana							
	'Silver Mound'	○ ☞	6-12"	6-12"	clusters are yellow, insignificant	soft silvery leaves, mounding	mid to late summer (Jul-Aug)
	<i>makes a perfect accent to other surrounding plants</i>						
ARUNCUS (Goat's Beard)							
<i>Similar to Astilbe, Aruncus needs a good amount of moisture if planted in sunny areas.</i>							
dioicus							
	dioicus	☞ ☀	42-48"	42-48"	feathery, spikes are creamy white	medium green	early to mid summer (Jun-Jul)
Hybrid							
New!	'Misty Lace' PP15798	○ ☞ ☀	18-24"	18-24"	feathery, spikes are creamy white	compact, medium green with red stems	early to mid summer (Jun-Jul)
	<i>more heat tolerant than other Aruncus</i>						
ASARUM (Wild Ginger)							
<i>Relatively slow-growing, but if you are patient and keep it moist, few groundcovers are as attractive.</i>							
canadense (Canadian Wild Ginger)							
	canadense	☞ ☀	6-12"	36-42"	maroon, insignificant	medium green, semi-glossy, spreading	late spring to early summer (May-Jun)
europeum (European Wild Ginger)							
	europeum	☞ ☀	6-12"	30-36"	burgundy-purple, insignificant	deep green, glossy, spreading	late spring to early summer (May-Jun)
	<i>slow to spread</i>						
ASCLEPIAS (Butterfly Weed, Milkweed)							
<i>Slow to break dormancy in the spring, so be patient. Butterflies love them! (The incarnata species is an important food source for the larval stage of Monarchs.)</i>							
Hybrid							
	'Gay Butterflies'	○ ☞	18-24"	18-24"	heads are orange with some yellow and red mixed in	medium to light green	mid to late summer (Jul-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
incarnata (Swamp Milkweed)						
'Cinderella'	○ ☞	36-42"	24-30"	flower heads are soft pink	medium to light green	early to late summer (Jun-Aug)
tuberosa						
'Hello Yellow'	○ ☞	18-24"	18-24"	heads are sunny yellow with orange tint	medium to light green	mid to late summer (Jul-Aug)
tuberosa <i>tolerates dry soil</i>	○ ☞	18-24"	18-24"	heads are copper-orange	medium to light green	mid to late summer (Jul-Aug)
ASTER (Hardy Aster, Michaelmas Daisy)						
<i>A blackened appearance on most Asters after blooming or planting is normal. Just trim back the undesirable foliage.</i>						
alpinus						
'Dwarf Mix'	○ ☞	6-12"	6-12"	daisy-like with yellow centers, mixed (one color per plant) lavender-blue, pink, or white	compact, medium green	early to mid summer (Jun-Jul)
dumosus (Bushy Aster)						
'Wood's Pink'	○ ☞	12-18"	24-30"	daisy-like, pink with yellow centers	deep green, mildew resistant	early to late fall (Sep-Oct)
'Wood's Purple'	○ ☞	12-18"	24-30"	daisy-like, royal purple with yellow centers	deep green, mildew resistant	early to late fall (Sep-Oct)
novae-angliae (New England Aster)						
'Alma Potschke'	○ ☞	42-48"	42-48"	starburst-shaped, hot pink	upright, woody, and medium green	late summer to early fall (Aug-Sep)
'Purple Dome'	○ ☞	18-24"	24-30"	starburst-shaped, royal purple	deep green, mildew resistant	late summer to late fall (Aug-Oct)
x frikartii						
'Monch'	○ ☞	24-30"	30-36"	daisy-like, lavender-blue with yellow centers	upright, woody, and medium green	late summer to early fall (Aug-Sep)
ASTILBE (False Spirea, Feather Flower)						
<i>Keep moist. If Astilbe is forced to withstand a stressful dry period, it will go dormant. (It isn't dead so don't worry. It will grow back.)</i>						
arendsii						
'August Light'	○ ☞ ☀	24-30"	24-30"	spikes are scarlet-red	medium green with red highlights	mid to late summer (Jul-Aug)
'Bressingham Beauty'	○ ☞ ☀	30-36"	24-30"	spikes are dusty salmon-rose, drooping tips	medium green	mid to late summer (Jul-Aug)
'Bridal Veil'	○ ☞ ☀	24-30"	24-30"	spikes are white, drooping tips	glossy, deep green	early to mid summer (Jun-Jul)
New! 'Drum & Bass' PP14964	○ ☞ ☀	12-18"	18-24"	spikes are pink	medium to deep green	early to mid summer (Jun-Jul)
'Erica'	○ ☞ ☀	24-30"	24-30"	spikes are coral-pink, airy	deep green	mid to late summer (Jul-Aug)
'Fanal'	○ ☞ ☀	18-24"	18-24"	spikes are blood-red	deep green with deep red highlights	early to mid summer (Jun-Jul)
New! 'Jump & Jive' PP14892	○ ☞ ☀	12-18"	18-24"	spikes are deep pink	medium to deep green	mid to late summer (Jul-Aug)
'Rhythm and Blues' PP14846	○ ☞ ☀	24-30"	24-30"	spikes are raspberry-pink	medium to deep green	early to mid summer (Jun-Jul)
'Rock and Roll' PP14855	○ ☞ ☀	18-24"	18-24"	spikes are bright white to pale light pink	medium to deep green, bronze highlights	early to mid summer (Jun-Jul)
'Sister Theresa'	○ ☞ ☀	18-24"	18-24"	spikes are light salmon-pink, fluffy	medium to deep green	mid to late summer (Jul-Aug)
'Snow Drift'	○ ☞ ☀	18-24"	18-24"	spikes are white	medium to deep green, glossy	mid to late summer (Jul-Aug)
'White Gloria'	○ ☞ ☀	24-30"	24-30"	feathery, spikes are pure white	medium to deep green, glossy	mid to late summer (Jul-Aug)
chinensis						
New! 'Alive and Kicking' <i>drought tolerant variety</i>	○ ☞ ☀	36-42"	24-30"	large, spikes are rose-pink	medium to deep green	mid to late summer (Jul-Aug)
New! 'Milk and Honey' <i>drought tolerant variety</i>	○ ☞ ☀	24-30"	24-30"	spikes are white maturing to light pink	medium to deep green with silver highlights	mid to late summer (Jul-Aug)
'Veronica Klose'	○ ☞ ☀	12-18"	12-18"	spikes are purplish-rose	deep green	mid to late summer (Jul-Aug)
'Vision in Pink' PP11860	○ ☞ ☀	18-24"	18-24"	spikes are pale pink, fluffy	deep green to blue-green	mid to late summer (Jul-Aug)
'Vision in Red' PP11965	○ ☞ ☀	18-24"	18-24"	spikes are rose to light red, fluffy	deep green to blue-green	mid to late summer (Jul-Aug)
'Visions'	○ ☞ ☀	18-24"	18-24"	spikes are raspberry-red to pink, fluffy	deep green to blue-green	mid to late summer (Jul-Aug)
japonica						
'Deutschland'	○ ☞ ☀	12-18"	12-18"	spikes are white	compact, medium green	early to mid summer (Jun-Jul)
'Montgomery'	○ ☞ ☀	18-24"	18-24"	spikes are dark red	deep green with bronze highlights	mid to late summer (Jul-Aug)
'Peach Blossom'	○ ☞ ☀	18-24"	18-24"	spikes are light peach-pink	glossy, deep green	early to mid summer (Jun-Jul)
'Red Sentinel'	○ ☞ ☀	18-24"	18-24"	spikes are scarlet-red	deep green with dark red highlights	early to mid summer (Jun-Jul)
'Rheinland'	○ ☞ ☀	18-24"	18-24"	spikes are rose-pink maturing to light pink	medium green	early to mid summer (Jun-Jul)
simplicifolia						
'Hennie Graafland'	○ ☞ ☀	6-12"	6-12"	spikes are light pink	deep green, compact	mid to late summer (Jul-Aug)
New! 'Key West' PPAF	○ ☞ ☀	12-18"	12-18"	spikes are pinkish-red	red maturing to deep green	mid to late summer (Jul-Aug)
'Sprite' <i>1994 PPA Perennial of the Year</i>	○ ☞ ☀	6-12"	6-12"	spikes are light pink	deep green with bronze highlights, compact	mid to late summer (Jul-Aug)
thunbergii						
'Ostrich Plume'	○ ☞ ☀	30-36"	24-30"	airy, flamingo-pink, drooping tips	deep green	mid to late summer (Jul-Aug)

AUBRIETA (Purple Rock Cress)

Some pruning is beneficial, which prevents straggly stems and the centers from dying out.

deltoides

'Whitewell Gem'	○ ☞	6" or less	12-18"	royal to deep purple	mat-like, deep green	early to late spring (Apr-May)
-----------------	-----	------------	--------	----------------------	----------------------	--------------------------------

AURINIA (Allysum, Basket of Gold, Madwort)

The common name Madwort comes from the ancient belief that it has powers to calm the troubled mind.

saxatilis

'Compacta'	○ ☞	6-12"	18-24"	clusters are sulphur-yellow	gray-green, attractive even when not in bloom	early to late spring (Apr-May)
------------	-----	-------	--------	-----------------------------	---	--------------------------------

BAPTISIA (Blue Indigo, False Indigo)

Baptisia does become large after a few years, so allow enough room. Prune spent blooms and stems to promote continued flowering.

Hybrid

'Purple Smoke'	○ ☞	42-48"	42-48"	lavender-purple with deeper purple eye	gray-green	late spring to early summer (May-Jun)
----------------	-----	--------	--------	--	------------	---------------------------------------

sphaerocarpa

New! 'sphaerocarpa'	○ ☞	30-36"	30-36"	pea-shaped, yellow	gray-green	late spring to early summer (May-Jun)
----------------------------	-----	--------	--------	--------------------	------------	---------------------------------------

BELLIS (English Daisy)

Bellis is from the Latin word bellus which means pretty. Most times Bellis will repeat its bloom again in fall with cooler temps. Prefers extra moisture if in full sun.

perennis

'Habanera Rose'	○ ☞ ☀	6-12"	6-12"	rose-pink, globe-shaped	medium green, glossy	late spring to early summer (May-Jun)
'Habanera White & Red'	○ ☞ ☀	6-12"	6-12"	white with red-tinged petals, globe-shaped	medium green, glossy	late spring to early summer (May-Jun)
'Strawberries & Cream'	○ ☞ ☀	6-12"	6-12"	creamy-rose and white, globe-shaped	medium green, glossy	late spring to early summer (May-Jun)

BERGENIA (Pigsqueak, Saxifraga)

The common name Pigsqueak comes from the sound made by the leaves when quickly rubbed.

cordifolia

'cordifolia'	○ ☞ ☀	12-18"	12-18"	clusters are rose-pink	shiny rounded leaves, attractive even when not in bloom	early to late spring (Apr-May)
--------------	-------	--------	--------	------------------------	---	--------------------------------

BRUNNERA (Alkanet, Siberian Bugloss)

Prefers moist soil. Expect some burnt leaf edges during the latter part of the season if planted in sun.

macrophylla

New! 'Emerald Mist' PPAF	☞ ☀	12-18"	18-24"	clusters are baby-blue	medium green with silver marbling	late spring to early summer (May-Jun)
<i>an improved variety of 'Langtrees'</i>						
'Jack Frost' PP13859	☞ ☀	12-18"	18-24"	clusters are baby-blue	bright silver with marbled green veining	late spring to early summer (May-Jun)
<i>excellent contrast plant, great for brightening up shady areas</i>						
'Looking Glass' PP17829	☞ ☀	12-18"	24-30"	clusters are baby-blue	solid bright silver with thin green veining	late spring to early summer (May-Jun)
<i>sport of 'Jack Frost'</i>						
<i>macrophylla</i>	○ ☞ ☀	12-18"	24-30"	clusters are baby-blue	deep green, somewhat spreading	late spring to early summer (May-Jun)
'Variegata'	☞ ☀	12-18"	18-24"	clusters are baby-blue	deep green with irregular creamy-white margins	late spring to early summer (May-Jun)

BUDDLEIA (Butterfly Bush)

Hard to beat for their butterfly and hummingbird attraction. A slight pruning in early summer will usually keep plants shorter and more compact. In the fall, try to prune no more than 2/3 of the foliage back otherwise overwintering may be a problem.

davidii

New! 'Adonis Blue'	○ ☞	48-54"	48-54"	large spikes are deep blue	compact, woody, bush-like, medium green	mid summer to early fall (Jul-Sep)
<i>part of the English Butterfly Series</i>						
'Black Knight'	○ ☞	60" or more	60" or more	spikes are deep purple-violet	woody, bush-like, medium green	mid summer to early fall (Jul-Sep)
'Ellen's Blue'	○ ☞	48-54"	48-54"	spikes are blue-violet	woody, bush-like, medium green to gray-green	mid summer to early fall (Jul-Sep)
New! 'Peacock'	○ ☞	48-54"	48-54"	large spikes are rose-pink	compact, woody, bush-like, medium green	mid summer to early fall (Jul-Sep)
<i>part of the English Butterfly Series</i>						
'Pink Delight'	○ ☞	60" or more	60" or more	spikes are light pink to rose-pink	woody, bush-like, medium green	mid summer to early fall (Jul-Sep)
New! 'Purple Emperor'	○ ☞	48-54"	48-54"	large spikes are mauve-purple	compact, woody, bush-like, medium green	mid summer to early fall (Jul-Sep)
<i>part of the English Butterfly Series</i>						
'Royal Red'	○ ☞	60" or more	60" or more	spikes are bright purple-red	woody, bush-like, medium green	mid summer to early fall (Jul-Sep)
<i>Hybrid</i>						
'Bicolor'	○ ☞	60" or more	54-60"	spikes are lavender and tangerine, unique	woody, bush-like, medium green	mid summer to early fall (Jul-Sep)
<i>slightly more compact</i>						
New! 'Butterfly Heaven' PPAF	○ ☞	60" or more	60" or more	large, fragrant, spikes are lilac-purple	woody, bush-like, gray-green	mid summer to early fall (Jul-Sep)
<i>nanhoensis</i>						
'Nanho Blue'	○ ☞	48-54"	48-54"	spikes are soft lavender-blue	woody, bush-like, medium green to gray-green	mid summer to early fall (Jul-Sep)

CALTHA (Marsh Marigold)

Prefers moist soil conditions.

palustris

'palustris'	○ ☞	12-18"	18-24"	sunny yellow	deep green, glossy	early to late spring (Apr-May)
-------------	-----	--------	--------	--------------	--------------------	--------------------------------

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME	
CAMPANULA (Bellflower, Harebell)							
<i>Most varieties can be repeatedly trimmed back to force continued growth and new blooms.</i>							
<i>carpatica (Carpathian Bellflower)</i>							
		'Pearl Deep Blue' ○ ☞	6-12"	6-12"	star-shaped, deep violet-blue	medium green, crinkled leaves	early summer to early fall (Jun-Sep)
		<i>a must-have for any garden</i>					
New!		'Pearl Light Blue' ○ ☞	6-12"	6-12"	star-shaped, light blue with white centers	medium green, crinkled leaves	early summer to early fall (Jun-Sep)
		'Pearl White' ○ ☞	6-12"	6-12"	star-shaped, pure white	medium green, crinkled leaves	early summer to early fall (Jun-Sep)
		<i>slightly more uniform than 'White Clips'</i>					
		'White Clips' ○ ☞	6-12"	6-12"	star-shaped, pure white	medium green, crinkled leaves	early summer to early fall (Jun-Sep)
<i>garganica</i>							
New!		'Dickson's Gold' ○ ☞	6" or less	6-12"	lavender-blue, star-shaped	crisp, chartreuse-green	early to mid summer (Jun-Jul)
<i>glomerata (Clustered Bellflower)</i>							
		'Joan Elliott' ○ ☞	12-18"	18-24"	clusters are deep violet-blue	slightly hairy, medium green	late spring to early summer (May-Jun)
		<i>makes a nice cut flower</i>					
<i>medium (Canterbury Bells, Cup and Saucers)</i>							
		medium ○ ☞	18-24"	12-18"	bell-shaped, mixed (one color per plant) blue, pink, or white	medium to light green	early to mid summer (Jun-Jul)
		<i>biennial</i>					
<i>persicifolia (Peach-Leaved Bellflower)</i>							
New!		'Blue-Eyed Blonde' PPAF ○ ☞	12-18"	6-12"	bell-shaped, clusters are deep blue	yellow-green	early to mid summer (Jun-Jul)
<i>punctata</i>							
New!		'Pink Octopus' PPAF ○ ☞	12-18"	6-12"	pink with darker pink spots, narrow dangling petals resemble octopus legs	medium green	late spring to mid summer (May-Jul)
CAMPISIS (Trumpet Creeper)							
<i>Campsis will need 3-5 years before it will begin to flower. It is worth the wait, but patience is essential. Butterflies and hummingbirds love them too!</i>							
<i>radicans</i>							
		'Flava' ○ ☞	60" or more	60" or more	trumpet-shaped, bright yellow	woody, climbing, deep green	mid summer to early fall (Jul-Sep)
		'Minnesota Red' ○ ☞	60" or more	60" or more	trumpet-shaped, velvety red	woody, climbing, deep green	mid summer to early fall (Jul-Sep)
		radicans ○ ☞	60" or more	60" or more	trumpet-shaped, orange	woody, climbing, deep green	mid summer to early fall (Jul-Sep)
CATANANCHE (Cupid's Dart)							
<i>The common name and the Greek katanangke, a strong incentive, suggest it was once used in love potions.</i>							
<i>caerulea</i>							
		caerulea ○ ☞	12-18"	12-18"	starburst-like, cornflower-blue	grass-like, clump-forming	mid summer to early fall (Jul-Sep)
CELASTRUS (Bittersweet)							
<i>EXCEPT for C. rosethormianus, male and female plants are needed for fruit production. Ask your neighbor to plant one, and you can plant the other.</i>							
<i>rosethormianus (Loesener Bittersweet)</i>							
		rosethormianus ○ ☞	60" or more	54-60"	insignificant flowers, bright orange berries	glossy, deep green, climbing	late spring to early summer (May-Jun)
		<i>bisexual variety, no need for separate male and female plants</i>					
CENTAUREA (Cornflower, Knapweed, Bachelor Button)							
<i>Any undesirable foliage that may follow blooming can be pruned back for new growth and repeat blooms.</i>							
<i>macrocephala (Giant Knapweed)</i>							
		macrocephala ○ ☞	30-36"	36-42"	heads are bright yellow, pincushion-like	vigorous, medium green	mid to late summer (Jul-Aug)
		<i>great for cutting or drying</i>					
<i>montana</i>							
		'Amethyst in Snow' PPAF ○ ☞	18-24"	18-24"	starburst-shaped, white with purple center cone	gray-green	early to mid summer (Jun-Jul)
		'Blue' ○ ☞	18-24"	18-24"	starburst-shaped, cornflower-blue	gray-green	early to mid summer (Jun-Jul)
		'Gold Bullion' PP10865 ○ ☞	18-24"	18-24"	starburst-shaped, cornflower-blue	bright golden-yellow	early to mid summer (Jun-Jul)
		<i>shadier conditions will cause lime-green foliage color</i>					
CENTRANTHUS (Jupiter's Beard, Valerian)							
<i>Prune back after blooming to promote new growth and repeat flowers.</i>							
<i>ruber</i>							
		'Coccineus' ○ ☞	18-24"	24-30"	clusters are crimson-red	glossy, light green	early to late summer (Jun-Aug)
CERASTIUM (Snow in Summer)							
<i>Cerastium will spread rapidly, but is controlled easily by simply ripping back unwanted growth.</i>							
<i>tomentosum</i>							
		'Yo-Yo' ○ ☞	6" or less	36-42"	bright white	silver-gray, spreading, attractive even when not in bloom	late spring to mid summer (May-Jul)
CERATOSTIGMA (Leadwort)							
<i>plumbaginoides</i>							
		plumbaginoides ○ ☞ ☂	6-12"	24-30"	deep lavender-blue	medium green, turns bronze-red in fall, spreading	mid summer to early fall (Jul-Sep)
CHELONE (Turtlehead)							
<i>Common name comes from the individual flower's resemblance of a turtle with its mouth open.</i>							
<i>lyonii</i>							
		'Hot Lips' ○ ☞ ☂	30-36"	36-42"	rose-pink	deep green, glossy	late summer to early fall (Aug-Sep)

CIMICIFUGA (Black Cohosh, Black Snakeroot, Bugbane)

Cimicifuga is reported to repel insects, hence the name Bugbane. It benefits from moist, well-drained soil.

racemosa

	'Atropurpurea'	☞	36-42"	24-30"	spikes are creamy white	burgundy-purple	mid to late summer (Jul-Aug)
	'Hillside Black Beauty'	☞	48-54"	30-36"	fragrant, white with pink blush	purplish-black	late summer to early fall (Aug-Sep)

PP0988 find

CLEMATIS

alpina

	'Constance' D	○ ☞	60" or more	48-54"	bell-shaped, bright pink	medium green, climbing	early to late spring (Apr-May)
--	---------------	-----	-------------	--------	--------------------------	------------------------	--------------------------------

early bloom, lots of blooms

Hybrid

	'Alabast' B	○ ☞	60" or more	30-36"	large, cream-white with tinge of green	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in late summer</i>						
New!	'Allanah' B	○ ☞	60" or more	30-36"	deep ruby-red	compact, deep green, climbing	early to late summer (Jun-Aug)
	'Anna-Louise' B	○ ☞	60" or more	30-36"	large, violet with reddish-purple bar	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in late summer and early fall</i>						
	'Asao' B	○ ☞	60" or more	30-36"	deep rose-pink with white center bar	deep green, climbing	late spring to mid summer (May-Jul)
New!	'Bonanza' C	○ ☞	60" or more	24-30"	mauve-blue, cream anthers	compact, deep green, climbing	early to late summer (Jun-Aug)
New!	'Bourbon' B	○ ☞	48-54"	24-30"	large, bright rose-red with pink highlights	compact, deep green, climbing	early to late summer (Jun-Aug)
	<i>compact grower, ideal for containers</i>						
New!	'Carnaby' B	○ ☞	60" or more	30-36"	rich pink with red center bar	compact, deep green, climbing	early to mid summer (Jun-Jul)
	<i>repeats bloom in early fall</i>						
New!	'Clair de Lune' B	○ ☞	48-54"	24-30"	large, white flushed with lilac	compact, deep green, climbing	early to late summer (Jun-Aug)
	<i>compact grower</i>						
	'Comtesse de Bouchaud' B	○ ☞	60" or more	30-36"	large, rose-pink	deep green, climbing	early to late summer (Jun-Aug)
	'Dr. Ruppel' B	○ ☞	60" or more	30-36"	orchid-pink with reddish center bar, ruffled	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in early fall</i>						
	'Duchess of Edinburgh' B	○ ☞	60" or more	30-36"	double, white with yellow center	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in early fall</i>						
New!	'Empress' B	○ ☞	54-60"	30-36"	large, double, pink with deeper pink bar	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in late summer</i>						
	'Ernest Markham' C	○ ☞	60" or more	30-36"	magenta-red with gold anthers	deep green, climbing	mid summer to early fall (Jul-Sep)
	<i>considered one of the best red varieties</i>						
New!	'Franziska Maria' B	○ ☞	48-54"	24-30"	double, purple-blue	compact, deep green, climbing	early summer to early fall (Jun-Sep)
	<i>compact grower, ideal for containers</i>						
	'General Sikorsky' C	○ ☞	60" or more	30-36"	large, deep lavender with red tints	deep green, climbing	mid summer to early fall (Jul-Sep)
	'Hagley Hybrids' B	○ ☞	60" or more	30-36"	rich pink, ruffled	deep green, climbing	early to mid summer (Jun-Jul)
	<i>repeats bloom in early fall</i>						
	'Henry' B	○ ☞	60" or more	30-36"	large, white with brown anthers	deep green, climbing	early to mid summer (Jun-Jul)
	<i>repeats bloom in early fall</i>						
	'Ice Blue' B	○ ☞	60" or more	30-36"	large, white tinged with blue	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in late summer</i>						
	'Jackmanii' B	○ ☞	60" or more	30-36"	rich purple, creamy-yellow center	deep green, climbing	early summer to early fall (Jun-Sep)
	<i>very likely the most popular Clematis</i>						
	'Jackmanii Superba' B	○ ☞	60" or more	30-36"	rich purple, larger and more rounded than 'Jackmanii'	deep green, climbing	early to mid summer (Jun-Jul)
	<i>repeats bloom in early fall</i>						
	'Josephine' B	○ ☞	60" or more	30-36"	double, lilac-pink with light pink center petals	deep green, climbing	early to late summer (Jun-Aug)
New!	'Kingfisher' B	○ ☞	60" or more	30-36"	large, blue with yellow center	deep green, climbing	early to mid summer (Jun-Jul)
	<i>repeats bloom in late summer</i>						
	'Lincoln Star' B	○ ☞	60" or more	30-36"	raspberry-red with light pink to white edges	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in late summer and early fall</i>						
	'Miss Bateman' B	○ ☞	60" or more	30-36"	rounded, white with contrasting burgundy anthers	deep green, climbing	early summer to early fall (Jun-Sep)
	'Multi Blue' B	○ ☞	60" or more	30-36"	semi-double, deep purple to blue with silvery bar	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in early fall</i>						
	'Nelly Moser' B	○ ☞	60" or more	30-36"	pale pink with red center bar	deep green, climbing	early to mid summer (Jun-Jul)
	<i>repeats bloom in early fall</i>						
New!	'Prince Charles' C	○ ☞	54-60"	30-36"	mauve-blue, nodding	compact, deep green, climbing	mid summer to early fall (Jul-Sep)
	<i>compact grower</i>						
	'Rosemoor' B	○ ☞	60" or more	30-36"	large, reddish-purple with yellow center	deep green, climbing	late spring to early fall (May-Sep)
	'Snow Queen' B	○ ☞	60" or more	30-36"	large, white	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in late summer</i>						
New!	'Sugar Candy' B	○ ☞	60" or more	30-36"	large, mauve-pink with deeper center bar	deep green, climbing	early summer to early fall (Jun-Sep)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'The President' B	○ ☞	60" or more	30-36"	large, deep purple with purple anthers	deep green, climbing	early summer to early fall (Jun-Sep)
'Ville de Lyon' C	○ ☞	60" or more	30-36"	large, carmine-red with lighter centers	deep green, climbing	early summer to early fall (Jun-Sep)
'Will Goodwin' B	○ ☞	60" or more	30-36"	overlapping, true blue	deep green, climbing	early summer to early fall (Jun-Sep)
<i>lanuginosa</i>						
'Candida' B <i>repeats bloom in early fall</i>	○ ☞	60" or more	30-36"	large, white	deep green, climbing	early to mid summer (Jun-Jul)
<i>macropetala</i>						
'Blue Bird' D	○ ☞	60" or more	48-54"	bell-shaped, bright blue, semi-double	light green, climbing	early to late spring (Apr-May)
<i>terniflora (Sweet Autumn Clematis)</i>						
terniflora (paniculata) D	○ ☞	60" or more	48-54"	creamy white, fragrant	deep green, vigorous, climbing, spreading	early to late fall (Sep-Oct)
<i>viticella</i>						
'Etoile Violette' D <i>parent of many Clematis breeding programs</i>	○ ☞	60" or more	48-54"	bright purple	deep green, climbing	early to late summer (Jun-Aug)
New! 'Venosa Violaacea' C	○ ☞	60" or more	48-54"	white centers fading to purple edges	deep green, climbing	mid to late summer (Jul-Aug)

CLEMATIS PRUNING GROUPS and GUIDELINES

For a Clematis to perform its best, pruning is sometimes necessary. Follow these guidelines to help you know when and how to prune based on the corresponding letter for each variety. These are guidelines only, call/email us with any additional questions.

Group A : Early Flowering (blooms in spring on previous season's growth)

generally do not need pruning but can be kept in check if needed; prune within one month after blooming, prune back 1-2' for overall appearance

Group B : Mid-Season Flowering (blooms in early summer on previous season's growth, repeats bloom in summer on current season's growth)

prune in late winter or early spring; remove dead or weak shoots and prune remaining shoots back about 12" for overall appearance

Group C : Late-Season Flowering (blooms in late summer on current season's growth, repeats bloom in fall)

prune in late winter or early spring; prune about 1/3 of shoots back about 12" each season for overall appearance

Group D : Small-Flowering (varieties that produce small flowers)

generally do not need pruning; can be pruned back after blooming if overgrown for the area in which they are located

CONVALLARIA (Lily of the Valley)

Often goes dormant after flowering. Sometimes orange-red berries will be produced in the fall which can be removed due to their toxicity.

<i>majalis</i>						
majalis	☞ ☀	6-12"	12-18"	small, nodding, fragrant, white	light green, spreading	late spring to early summer (May-Jun)

COREOPSIS (Tickseed)

Keep Coreopsis pruned back after flowering to promote new growth and repeat blooming.

<i>grandiflora / lanceolata</i>						
New! 'Early Sunrise'	○ ☞	18-24"	18-24"	double golden-yellow	medium green	early summer to early fall (Jun-Sep)
New! 'Presto'	○ ☞	6-12"	6-12"	semi-double, bright golden-yellow	medium green, compact	early summer to early fall (Jun-Sep)
'Sunfire'	○ ☞	18-24"	18-24"	bright golden-yellow with a burgundy eye	medium green	early summer to early fall (Jun-Sep)
Hybrid						
New! 'Crème Brulee' PP16096	○ ☞	12-18"	12-18"	soft yellow	light green, ferny	late spring to late summer (May-Aug)
New! 'Full Moon' PPAF <i>part of the Big Bang series</i>	○ ☞	24-30"	24-30"	canary-yellow	deep green, ferny	early to late summer (Jun-Aug)
New! 'Little Sundial' PPAF	○ ☞	6-12"	6-12"	golden-yellow with deep maroon eye	compact, medium green	early to late summer (Jun-Aug)
New! 'Snowberry' PPAF	○ ☞	24-30"	24-30"	creamy white with deep burgundy-red eye	deep green, ferny	early to late summer (Jun-Aug)

<i>rosea</i>						
'Heaven's Gate' PP13140 <i>a cross between 'Limerock Ruby' and 'Sweet Dreams'</i>	○ ☞	18-24"	24-30"	pink with a rose-red eye	fernny, deep green	early to late summer (Jun-Aug)
'Sweet Dreams' PP12720	○ ☞	18-24"	24-30"	white with a rose-purple eye	fernny, deep green	early to late summer (Jun-Aug)
<i>verticillata</i>						
'Moonbeam' <i>1992 PPA Perennial of the Year</i>	○ ☞	12-18"	24-30"	light lemon-yellow	fernny, medium green	early to late summer (Jun-Aug)
'Zagreb'	○ ☞	12-18"	18-24"	golden-yellow	fernny, medium green, compact	early to late summer (Jun-Aug)

CORYDALIS

Corydalis requires a well-drained but moist soil, and does best in at least some shade. Avoid heavy or clay-like soil. May go dormant during heat and summer months.

<i>flexuosa</i>						
'Golden Panda'	○ ☞ ☀	6-12"	6-12"	cobalt-blue, fragrant	medium green, lacy	late spring to early fall (May-Sep)
'Golden Panda' PP13254 <i>more sunlight produces deeper blue flowers</i>	○ ☞ ☀	6-12"	6-12"	deep sky-blue	greenish-gold, lacy	late spring to early fall (May-Sep)
<i>lutea</i>						
lutea	○ ☞ ☀	12-18"	12-18"	clusters are yellow	fernny, medium green to gray-green	late spring to late summer (May-Aug)

CROCOSMIA (Crocoshmia, Montbretia)

Crocoshmia makes a great cut flower, and also attracts butterflies and hummingbirds.

Hybrid

'Lucifer' <i>perfect for brilliant red summer color</i>	○ ☞	36-42"	42-48"	bright flame red	Iris-like, medium to light green, arching stems	mid to late summer (Jul-Aug)
'Walberton Yellow'	○ ☞	24-30"	30-36"	yellow tinged with orange	Iris-like, medium to light green, arching stems	mid to late summer (Jul-Aug)

DELOSPERMA (Hardy Ice Plant)

Delosperma is a perfect choice for poor or dry soil conditions. Benefits from some winter protection/mulching.

congestum

'Gold Nugget' <i>a great choice for rock gardens or in containers</i>	○ ☞	6" or less	30-36"	starburst-shaped, bright yellow	succulent, spreading, medium to light green	late spring to early fall (May-Sep)
--	-----	------------	--------	---------------------------------	---	-------------------------------------

cooperi

cooperi <i>one of our top performers in our display gardens, does well in poor soil</i>	○ ☞	6" or less	36-42"	starburst-shaped, fuchsia-purple	succulent, spreading, medium to light green	late spring to early fall (May-Sep)
--	-----	------------	--------	----------------------------------	---	-------------------------------------

dyeri

New! 'Psold' PPAF ('Red Mountain')	○ ☞	6" or less	24-30"	starburst-shaped, pinkish-red with cream centers	succulent, spreading, medium to light green	late spring to early fall (May-Sep)
---	-----	------------	--------	--	---	-------------------------------------

Hybrid

'John Proffitt' PPAF ('Table Mountain') <i>more compact habit than D. cooperi</i>	○ ☞	6" or less	24-30"	starburst-shaped, fuchsia-purple	succulent, spreading, medium to light green	late spring to early fall (May-Sep)
--	-----	------------	--------	----------------------------------	---	-------------------------------------

DELPHINIUM (Larkspur)

Some taller varieties might need staking, but keeping plants trimmed back after blooming will help to keep them sturdy and robust. Most varieties benefit from winter protection/mulching.

grandiflorum

'Blue Butterfly'	○ ☞	6-12"	6-12"	spikes are electric blue	lacy, medium green, compact	early to late summer (Jun-Aug)
'Summer Nights'	○ ☞	12-18"	12-18"	spikes are midnight-blue	lacy, light green	early to late summer (Jun-Aug)

x belladonna

'Connecticut Yankee'	○ ☞	24-30"	18-24"	spikes are single, mixed (one color per plant) shades of blue and white	medium to light green	early to mid summer (Jun-Jul)
----------------------	-----	--------	--------	---	-----------------------	-------------------------------

x elatum (New Zealand Hybrids)

'Double Innocence'	○ ☞	42-48"	30-36"	spikes are pure white, double	medium to light green	early to mid summer (Jun-Jul)
'Misty Mauves'	○ ☞	42-48"	30-36"	spikes are mixed (one color per plant) dark purple or light mauve	medium to light green	early to mid summer (Jun-Jul)
'New Millenium Stars'	○ ☞	42-48"	30-36"	spikes are mixed (one color per plant) pink, blue, purple, or white	medium to light green	early to mid summer (Jun-Jul)
'Pagan Purples'	○ ☞	54-60"	30-36"	spikes are bluish-purple, with white or brown center/bee	medium to light green	early to mid summer (Jun-Jul)
'Purple Passion'	○ ☞	48-54"	30-36"	spikes are purple, white center/bee	medium to light green	early to mid summer (Jun-Jul)
'Royal Aspirations'	○ ☞	48-54"	30-36"	spikes are shades of blue, white center/bee	medium to light green	early to mid summer (Jun-Jul)

x elatum (Pacific Hybrids)

'Black Knight'	○ ☞	54-60"	30-36"	spikes are purple, black center/bee	medium to light green	early to mid summer (Jun-Jul)
'Round Table' <i>a mixture of the Pacific Hybrids varieties</i>	○ ☞	54-60"	30-36"	spikes are mixed (one color per plant) shades of blue, lavender, purple, and white	medium to light green	early to mid summer (Jun-Jul)

DENDRANTHEMA (Chrysanthemum, Hardy Mum)

Mums benefit from winter protection and mulching. They can also be pinched during the summer to promote a more bushy habit.

Hybrid

'Bolero' <i>usually only available in late summer-fall</i>	○ ☞	24-30"	42-48"	daisy-like, deep gold to yellow	hardy, gray-green, mounding	late summer to early fall (Aug-Sep)
'Rhumba' <i>usually only available in late summer-fall</i>	○ ☞	24-30"	42-48"	daisy-like, coral-red	hardy, gray-green, mounding	late summer to early fall (Aug-Sep)
'Samba' <i>usually only available in late summer-fall</i>	○ ☞	24-30"	42-48"	daisy-like, peach-pink	hardy, gray-green, mounding	late summer to early fall (Aug-Sep)

morifolium (Garden Mums)

Assorted Colors <i>also visit us in the fall for our famous field-grown premium quality mums</i>	○ ☞					late summer to late fall (Aug-Oct)
---	-----	--	--	--	--	------------------------------------

DIANTHUS (Pinks)

Like many plants, Dianthus can be cut back after blooming to force new blooms and healthier growth. Many varieties will repeat bloom again in fall.

barbatus (Sweet William) : D. barbatus benefit from winter protection.

'Double Dwarf' <i>biennial</i>	○ ☞	6-12"	12-18"	clusters are mixed (one color per plant) pink, red, and white blends, fragrant	deep green, glossy	early to mid summer (Jun-Jul)
'Heart Attack'	○ ☞	18-24"	18-24"	large, clusters are bright crimson-red	deep green tinged with burgundy-red	late spring to mid summer (May-Jul)

chinensis (China Pinks, Rainbow Pinks) : Cut back to force repeat blooms. D. chinensis benefit from winter protection.

'Parfait Raspberry'	○ ☞	6-12"	6-12"	pink with deep raspberry-pink center	medium green	late spring to late summer (May-Aug)
'Parfait Strawberry'	○ ☞	6-12"	6-12"	light pink with rose-red center	medium green	late spring to late summer (May-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
deltoides (Maiden Pinks)						
'Zing Rose'	○ ☞	6" or less	12-18"	deep rose-red	deep green, maturing to reddish in fall, spreading	early to mid summer (Jun-Jul)
gratianopolitanis (Cheddar Pinks)						
'Firewitch' <i>2006 PPA Perennial of the Year</i>	○ ☞	6-12"	24-30"	magenta-pink, fragrant	silver-green, mat-like	late spring to mid summer (May-Jul)
'Tiny Rubies'	○ ☞	6" or less	12-18"	pink, fragrant	mat-like, medium to light green	late spring to early summer (May-Jun)
Hybrid						
'Devon Siskin' PP14377 (<i>'Raspberry Swirl'</i>)	○ ☞	6-12"	6-12"	light pink to white with maroon edges and center	gray-green	late spring to mid summer (May-Jul)
'Strawberry Sorbet' PPAF	○ ☞	12-18"	12-18"	red with rose-pink splotches and edges, fragrant	gray-green	late spring to mid summer (May-Jul)
Hybrid (Star Series)						
'Eastern Star' PP14437	○ ☞	6-12"	6-12"	velvety-red with deeper red centers and a narrow edge of pink, fragrant	blue-green, compact	late spring to mid summer (May-Jul)
'Neon Star' PP14549	○ ☞	6-12"	6-12"	bright pink, fragrant	blue-green, compact	late spring to mid summer (May-Jul)
'Shooting Star' PPAF	○ ☞	6-12"	6-12"	magenta-purple, fragrant	blue-green, compact	late spring to mid summer (May-Jul)
x allwoodii (Allwood Pinks, Modern Pinks)						
'Frosty Fire'	○ ☞	6-12"	6-12"	red	blue-green, compact	late spring to early summer (May-Jun)
DICENTRA (Bleeding Heart)						
<i>Needs a well-drained but moist soil. It is normal for the spectabilis species to go dormant after blooming.</i>						
cucularia (Dutchman's Breeches)						
cucularia	☞ ☀	6-12"	6-12"	pink, nodding	gray-green, ferny, compact	early to late spring (Apr-May)
eximia (Fringed Bleeding Heart)						
'Snowdrift'	○ ☞ ☀	12-18"	12-18"	heart-shaped, pure white, nodding	gray-green, ferny, compact	early summer to early fall (Jun-Sep) <i>will keep blooming if given enough moisture throughout the summer</i>
Hybrid						
New! 'Ivory Heart' PPAF	○ ☞ ☀	6-12"	12-18"	heart-shaped, white, nodding	medium green, ferny, compact	early summer to early fall (Jun-Sep)
'King of Hearts'	○ ☞ ☀	6-12"	12-18"	heart-shaped, cherry-red, nodding	medium green, ferny, compact	early summer to early fall (Jun-Sep)
'Luxuriant'	○ ☞ ☀	12-18"	12-18"	heart-shaped, cherry-red, nodding	medium green, ferny, compact	early summer to early fall (Jun-Sep) <i>will keep blooming if given enough moisture throughout the summer</i>
spectabilis (Old-fashioned Bleeding Heart)						
'Alba'	○ ☞ ☀	30-36"	36-42"	heart-shaped, white, nodding	medium to light green, arching stems	late spring to early summer (May-Jun)
'Gold Heart'	☞ ☀	18-24"	24-30"	heart-shaped, rose-pink with white tips, nodding	golden-yellow, arching peach stems	late spring to early summer (May-Jun) <i>foliage color is best in sunny locations, turns greenish in shadier locations</i>
spectabilis	○ ☞ ☀	30-36"	36-42"	heart-shaped, rose-pink with white tips, nodding	medium to light green, arching stems	late spring to early summer (May-Jun)
DIGITALIS (Finger Flower, Foxglove)						
<i>Digitalis in Latin means finger of a glove, referring to the shape of the flower.</i>						
purpurea						
'Camelot Cream'	○ ☞	42-48"	24-30"	spikes are white with splotches of burgundy-purple	large leaves, medium green	early to mid summer (Jun-Jul) <i>biennial</i>
'Camelot Lavender'	○ ☞	42-48"	24-30"	pale lavender to white with burgundy splotches	large leaves, medium green	early to mid summer (Jun-Jul) <i>biennial</i>
New! 'Camelot Mix'	○ ☞	42-48"	24-30"	spikes are splotched with purple and mixed (one color per plant) shades of lavender, pink, or white	large leaves, medium green	early to mid summer (Jun-Jul) <i>biennial</i>
'Camelot Rose'	○ ☞	42-48"	24-30"	spikes are light lavender to pink with splotches of purple	large leaves, medium green	early to mid summer (Jun-Jul) <i>biennial</i>
New! 'Candy Mountain'	○ ☞	42-48"	24-30"	upright-facing, spikes are rose-pink with splotches of white	large leaves, medium green	early to mid summer (Jun-Jul) <i>biennial</i>
'Giant Shirley'	○ ☞	42-48"	24-30"	spikes are mixed (one color per plant) lavender, pink, rose, and white	large leaves, medium green	early to mid summer (Jun-Jul) <i>biennial</i>
x mertonensis						
mertonensis (<i>'Summer King'</i>)	○ ☞	24-30"	24-30"	spikes are dusty-rose to pink	large leaves, deep green	early to mid summer (Jun-Jul)
DISPORUM (Fairy Bells)						
sessile (Variegated Fairy Bells)						
'Variegatum'	☞ ☀	12-18"	24-30"	bell-shaped, cream-white, nodding	deep green with white stripes, arching stems	early to late spring (Apr-May)
DORONICUM (Leopard's Bane)						
<i>Common name comes from arrows, once used to hunt leopards, being dipped in its juice.</i>						
caucasicum						
'Little Leo'	○ ☞ ☀	6-12"	12-18"	starburst-shaped, bright yellow	lush medium green, slightly glossy	late spring to early summer (May-Jun)

DRABA (Carolina Whitlow)

A tough little groundcover for any area. Tolerates foot traffic.

aizoides

aizoides	○ ☞	6" or less	12-18"	clusters are yellow	spreading, mat-like, medium to light green	early to late spring (Apr-May)
-----------------	-----	------------	--------	---------------------	--	--------------------------------

ECHINACEA (Coneflower)

Truly one of the easiest perennials to grow, and worthwhile in any garden. Prune foliage back after blooming to promote new growth and repeat blooms. Echinacea comes from the Greek word "echinos" which means "hedgehog", referring to its spiny center cone.

Hybrid

New!	'Adam Saul' PPAF ('Crazy Pink') <i>extremely free-flowering</i>	○ ☞	24-30"	24-30"	drooping petals, clear pink, brown center cone	medium green	early summer to early fall (Jun-Sep)
New!	'All That Jazz' PPAF	○ ☞	30-36"	24-30"	unique quilled petals, lavender-pink, orange center cone	medium green	early to late summer (Jun-Aug)
	'Evan Saul' PP17659 ('Sundown') <i>consistent and vigorous variety compared to E. 'Sunset'</i>	○ ☞	30-36"	30-36"	orange, orange-brown cone	medium green	early to late summer (Jun-Aug)
	'Matthew Saul' PP17652 ('Harvest Moon')	○ ☞	24-30"	24-30"	golden-yellow, orange cone	medium green	early to late summer (Jun-Aug)
	'Sunrise' PP16235	○ ☞	30-36"	30-36"	soft yellow, gold cone	medium green	early to late summer (Jun-Aug)
New!	'Tiki Torch' PPAF <i>the deepest longest-lasting orange coneflower to date</i>	○ ☞	30-36"	24-30"	deep orange, bronze-brown center cone	medium green	early to late summer (Jun-Aug)

purpurea

New!	'Coconut Lime' PPAF <i>a white version of 'Pink Double Delight'</i>	○ ☞	24-30"	24-30"	lime-white petals, orange center pom-pom cone	medium green	mid to late summer (Jul-Aug)
New!	'Green Jewel' PPAF	○ ☞	24-30"	24-30"	fragrant, light green petals, green center cone	medium green	mid to late summer (Jul-Aug)
	'Hope' PP17194 <i>a percentage of proceeds to benefit the Susan G. Komen Foundation (breast cancer)</i>	○ ☞	24-30"	24-30"	large, soft pink, rust-orange cone	medium green	mid to late summer (Jul-Aug)
	'Kim's Knee High' PP12242	○ ☞	18-24"	24-30"	drooping petals, pink, bronze center cone	compact, medium green	mid to late summer (Jul-Aug)
New!	'Pink Double Delight' PPAF <i>compact and improved version of E. 'Razzmatazz'</i>	○ ☞	18-24"	12-18"	double, daisy-like, bright pink	medium green	mid to late summer (Jul-Aug)
New!	'Prairie Splendor'	○ ☞	18-24"	18-24"	large, pink with orange-brown cone	medium green, compact	mid to late summer (Jul-Aug)
	'Ruby Giant' <i>a sport of 'Rubinstem', very large flowers</i>	○ ☞	24-30"	24-30"	large, clear pink, copper-orange center cone	deep green	mid to late summer (Jul-Aug)
New!	'Virgin' PPAF	○ ☞	18-24"	18-24"	fragrant, white, green center cone	deep green	mid summer to early fall (Jul-Sep)
	'White Swan'	○ ☞	24-30"	24-30"	white with copper-brown center cone	medium green	mid to late summer (Jul-Aug)

ECHINOPS (Globe Thistle)

Foliage will disappear or begin to look unattractive later in the season, which is normal. Great for cutting or dried arrangements.

ritro

ritro	○ ☞	24-30"	42-48"	heads are spiny and steel-blue	gray-green	mid to late summer (Jul-Aug)
--------------	-----	--------	--------	--------------------------------	------------	------------------------------

ERYNGIUM (Sea Holly, Snakeroot)

planum

'Sapphire Blue'	○ ☞	24-30"	24-30"	heads are spiny and purple-blue maturing to silver	green with silver veins, purple stems	early to mid summer (Jun-Jul)
------------------------	-----	--------	--------	--	---------------------------------------	-------------------------------

keep moist for best foliage and flower color

EUONYMOUS (Wintercreeper)

An all-purpose semi-evergreen plant that can be trained to climb, be kept in shrub form, or allowed to creep as a groundcover.

fortunei

'Coloratus'	○ ☞ ☂	12-18"	42-48"		leathery, deep green, turning reddish-purple in fall, spreading	
--------------------	-------	--------	--------	--	---	--

EUPATORIUM (Hardy Ageratum, Joe-Pye Weed, Mist Flower, Boneset)

Some powdery mildew might appear after flowering, so simply trim undesirable foliage.

purpureum (Joe-Pye Weed)

purpureum	○ ☞	54-60"	60" or more	clusters are lavender-purple	deep green to gray-green	mid summer to early fall (Jul-Sep)
------------------	-----	--------	-------------	------------------------------	--------------------------	------------------------------------

rugosum

'Chocolate'	○ ☞	30-36"	36-42"	clusters are white	chocolate-burgundy	mid to late summer (Jul-Aug)
--------------------	-----	--------	--------	--------------------	--------------------	------------------------------

EUPHORBIA (Spurge)

The sap from Euphorbia may cause skin irritation when pruning or handling. Gloves might be useful.

amygdaloides (Wood Spurge)

'Purpurea'	○ ☞	12-18"	12-18"	clusters are chartreuse-yellow	blue-green tinged with purple, turns purple as season progresses	late spring to early summer (May-Jun)
-------------------	-----	--------	--------	--------------------------------	--	---------------------------------------

cyparissias (Cypress Spurge)

'Fens Ruby'	○ ☞	6-12"	6-12"	clusters are chartreuse-yellow	ruby-red maturing to blue-green, fine, compact	late spring to early summer (May-Jun)
--------------------	-----	-------	-------	--------------------------------	--	---------------------------------------

myrsinites (Donkeytail Spurge)

myrsinites	○ ☞	6-12"	30-36"	clusters are sulphur-yellow	blue-gray, spiny leaves, spreading	late spring to early summer (May-Jun)
-------------------	-----	-------	--------	-----------------------------	------------------------------------	---------------------------------------

polychroma (Cushion Spurge)

'First Blush' PPAF	○ ☞	6-12"	12-18"	clusters are bright yellow	blue-green with white margins, develops rose-pink highlights	late spring to early summer (May-Jun)
---------------------------	-----	-------	--------	----------------------------	--	---------------------------------------

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
polychroma (epithymoides)	○ ☞	18-24"	18-24"	clusters are sulphur-yellow	gray-green, turns red in fall, mounding	late spring to early summer (May-Jun)
FALLOPIA (Fleece Flower)						
<i>aubertii (Silver Lace Vine)</i>						
aubertii	○ ☞	60" or more	60" or more	sprays are cream-white, fragrant	climbing, medium green, vigorous	mid summer to early fall (Jul-Sep)
<i>puts on a spectacular fall display</i>						
'Lemon Lace'	○ ☞	60" or more	60" or more	sprays are cream-white, fragrant	climbing, bright lemon-yellow, vigorous	mid summer to early fall (Jul-Sep)
FARFUGIUM (Leopard Plant)						
<i>Loves wet and boggy soils. Unique foliage is unmatched.</i>						
<i>japonica</i>						
'Aureomaculatum'	☞ ☞	18-24"	18-24"	daisy-like, golden-yellow	glossy, leathery, medium to light green irregularly spotted with creamy yellow	mid to late summer (Jul-Aug)
<i>also known as Ligularia tussilaginea 'Aureo-maculata'</i>						
FERN ADIANTUM						
<i>pedatum (Maidenhair Fern)</i>						
pedatum	☞ ☞	18-24"	24-30"		soft, medium to light green, turning gold in fall	
FERN ATHYRIUM						
<i>angustum forma rubellum (Lady Fern)</i>						
'Lady in Red'	☞ ☞	24-30"	30-36"		burgundy-red stems, medium green leaves, lacy	
<i>felix-femina (Encourage Lady Fern)</i>						
'Encourage'	☞ ☞	12-18"	12-18"		crested, lacy, apple-green, unique	
<i>felix-femina (Ghost Lady Fern)</i>						
'Ghost'	☞ ☞	18-24"	24-30"		neat and tidy, silver-gray, upright	
<i>felix-femina (Lady Fern)</i>						
felix-femina	☞ ☞	18-24"	24-30"		medium green	
<i>tolerates dryer soils</i>						
<i>felix-femina (Tatting Fern)</i>						
'Frizelliae'	☞ ☞	12-18"	12-18"		frilly round leaflets, unique, light green	
<i>felix-femina (Victorian Lady Fern)</i>						
'Victoriae'	☞ ☞	18-24"	24-30"		unique, forked leaflets, light green	
<i>Hybrid</i>						
'Branford Beauty'	☞ ☞	18-24"	24-30"		silver-green, upright	
<i>nipponicum (Japanese Painted Fern)</i>						
'Pictum'	☞ ☞	12-18"	12-18"		burgundy stems, silver-green fronds with burgundy tints	
<i>2004 PPA Perennial of the Year</i>						
<i>otophorum (English Painted Fern)</i>						
otophorum	☞ ☞	12-18"	18-24"		burgundy stems, frosted gray-green fronds	
<i>durable, drought tolerant</i>						
FERN BLECHNUM						
<i>spicant (Deer Fern)</i>						
spicant	☞ ☞	12-18"	12-18"		leathery, deep green, narrow fronds	
FERN DRYOPTERIS						
<i>affinis (Golden Scaled Male Fern)</i>						
affinis	☞ ☞	30-36"	30-36"		leathery, deep green	
'The King'	☞ ☞	18-24"	24-30"		deep green fronds, crested frilly leaflets	
<i>affinis (Narrow Crested Fern)</i>						
'Angustata Crispa'	☞ ☞	12-18"	12-18"		medium green fronds, crested frilly leaflets, compact	
<i>atrata (Black Wood Fern)</i>						
atrata	☞ ☞	18-24"	24-30"		medium green with hints of gold, leathery	
<i>stems are covered in coarse black hairs</i>						
<i>crassirhizoma (Thick-stemmed Wood Fern)</i>						
crassirhizoma	☞ ☞	30-36"	36-42"		medium green, upright, sturdy	
<i>dilatata (Crisp Broad Buckler)</i>						
'Crispa Whiteside'	☞ ☞	12-18"	18-24"		chartreuse maturing to medium green, soft, lacy	
<i>erythrosora (Autumn Fern, Japanese Sword Fern)</i>						
'Brilliance'	○ ☞ ☞	18-24"	24-30"		golden-orange fronds mature to medium green, reddish-orange in fall	
<i>excellent fall color</i>						
erythrosora	○ ☞ ☞	18-24"	24-30"		durable, copper fronds mature to medium green, bronze in fall	
<i>excellent fall color</i>						

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
filix-mas (Lace-leaf Male Fern)						
'Linearis Polydactyla'	☞ ☀	18-24"	24-30"		airy, very narrow leaflets, lacy, medium green	
filix-mas (Male Fern)						
'Parsley'	☞ ☀	12-18"	18-24"		ruffled, deep green	
<i>fluffy and ruffled appearance resembles parsley</i>						
'Undulata-robusta'	☞ ☀	24-30"	30-36"		sturdy, upright, medium green	
filix-mas (Mexican Wood Fern)						
pseudo-filix-mas	○ ☞ ☀	30-36"	36-42"		clumping, medium green	
<i>tolerates sunny conditions</i>						

FERN MATTEUCCIA

struthiopteris (Ostrich Fern)						
pennsylvanica	☞ ☀	42-48"	42-48"		vase-shaped, large, medium green	
<i>fronds resemble ostrich feathers</i>						
'The King'	☞ ☀	42-48"	42-48"		vase-shaped, large, medium green	
<i>fronds are broad and wide</i>						

FERN ONOCLEA

sensibilis (Sensitive Fern, Bead Fern)						
sensibilis	○ ☞ ☀	18-24"	36-42"		deeply lobed, light green, spreading	

FERN OSMUNDA

cinnamomea (Cinnamon Fern)						
cinnamomea	☞ ☀	42-48"	42-48"		stately, medium green, cinnamon-brown fronds	
regalis (Royal Fern)						
regalis	☞ ☀	36-42"	42-48"		light green with hints of red	
<i>prefers a consistently moist area</i>						

FERN POLYSTICHUM

acrostichoides (Christmas Fern)						
acrostichoides	☞ ☀	18-24"	24-30"		medium green with silver highlights, leathery	
polyblepharum (Japanese Tassel Fern)						
polyblepharum	☞ ☀	18-24"	24-30"		tan stems, deep green leaflets	
<i>durable and easy to grow</i>						

FRAGARIA (Alpine Strawberry)

A strong and hardy groundcover.

Hybrid						
'Lipstick'	○ ☞ ☀	6-12"	30-36"	bright reddish-pink	spreading, fuzzy, medium green	mid summer to early fall (Jul-Sep)

FRUIT : Many varieties of potted fruit plants are available, including varieties of blackberry, blueberry, grape, raspberry, strawberry, and more. Please call or email us for availability.

GAILLARDIA (Blanket Flower)

Prune foliage after blooming to promote new growth and repeat blooms. Heat tolerant. Try not to plant in heavy clay soil.

aristata						
'Arizona Sun'	○ ☞	6-12"	12-18"	daisy-like with orange-red petals tipped in yellow	medium green	early summer to early fall (Jun-Sep)
'Oranges & Lemons' PP17092	○ ☞	24-30"	18-24"	peach-orange with petals tipped in yellow	medium to light gray-green	early to late summer (Jun-Aug)
x grandiflora						
New! 'Amber Wheels'	○ ☞	24-30"	18-24"	fringed petals, golden yellow with amber-red center	medium green	early summer to early fall (Jun-Sep)
'Burgundy'	○ ☞	24-30"	18-24"	daisy-like, dusty wine-red	medium green	mid to late summer (Jul-Aug)
'Fanfare' PP15892	○ ☞	18-24"	18-24"	scarlet-orange trumpet-shaped petals tipped in bright yellow	medium green	early summer to early fall (Jun-Sep)
'Goblin'	○ ☞	6-12"	12-18"	daisy-like, scarlet/rust-red with yellow petal tips	medium green	early summer to early fall (Jun-Sep)
<i>one of the best Gaillardia varieties, popular</i>						
'The Sun'	○ ☞	12-18"	12-18"	daisy-like, golden-yellow	medium green	early to late summer (Jun-Aug)
'Tokajer'	○ ☞	12-18"	12-18"	daisy-like, copper-orange with light tips	medium green	mid to late summer (Jul-Aug)

GALIUM (Sweet Woodruff)

Galium does best in some shade with a well-drained soil.

odoratum						
odoratum	☞ ☀	6" or less	18-24"	star-shaped, white, fragrant	light green	late spring to mid summer (May-Jul)

GAURA (Wand Flower)

Gaura is derived from gauros, which means superb. Flowers resemble small butterflies.

lindheimeri

'Pink Fountain'	○ ☞	24-30"	24-30"	light pink	medium green tinged with red	early summer to early fall (Jun-Sep)
'Siskiyou Pink'	○ ☞	18-24"	24-30"	rose-pink and white	medium green	mid summer to early fall (Jul-Sep)
'The Bride'	○ ☞	18-24"	24-30"	white with red sepals	medium green	early summer to early fall (Jun-Sep)
'White Fountain'	○ ☞	24-30"	24-30"	white	medium green	early summer to early fall (Jun-Sep)

GAZANIA (Hardy Gazania, Treasure Flower)

Benefits from some winter protection/mulching.

linearis

'Colorado Gold'	○ ☞	6-12"	6-12"	bright golden-yellow daisies	grass-like, medium green	early to late summer (Jun-Aug)
-----------------	-----	-------	-------	------------------------------	--------------------------	--------------------------------

GERANIUM (Cranesbill)

Foliage may be cut back any time to promote a more bushy habit. Common name is from the beaked fruits' resemblance to a Crane's bill.

cinereum (Grayleaf Cranesbill)

'Ballerina'	○ ☞ ☰	6" or less	12-18"	lilac-pink with deep pink veins and centers	gray-green, compact, fragrant	early to late summer (Jun-Aug)
-------------	-------	------------	--------	---	-------------------------------	--------------------------------

Hybrid

'Johnson's Blue'	○ ☞ ☰	12-18"	24-30"	clear sky-blue	fragrant, medium to deep green	early to late summer (Jun-Aug)
'Jolly Bee' PP12148 <i>slightly more upright than G. 'Rozanne'</i>	○ ☞ ☰	24-30"	30-36"	violet-blue with white centers	deep green, mounding, fragrant	early to late summer (Jun-Aug)
'Orkney Cherry' PPAF	○ ☞ ☰	12-18"	30-36"	bright pink	fragrant, medium green and bronze	early to late summer (Jun-Aug)
'Rozanne' PP12175 <i>2008 PPA Perennial of the Year</i>	○ ☞ ☰	18-24"	30-36"	violet-blue with a white eye, large	deep green, mounding, fragrant	early summer to early fall (Jun-Sep)
'Sweet Heidi' PPAF	○ ☞ ☰	12-18"	30-36"	blue-purple with a pink ring around a white eye	deep green, fragrant	early to late summer (Jun-Aug)

sanguineum (Bloody Cranesbill)

'Striatum'	○ ☞ ☰	6-12"	12-18"	light pink with crimson veins	deep green	early to mid summer (Jun-Jul)
------------	-------	-------	--------	-------------------------------	------------	-------------------------------

x cantabrigiense

'Cambridge'	○ ☞ ☰	6-12"	24-30"	lavender-pink	fragrant, spreading, medium to deep green	early to late summer (Jun-Aug)
-------------	-------	-------	--------	---------------	---	--------------------------------

GEUM (Avens)

Planting in moist but well-drained soil will aid in overwintering.

flora plena

'Blazing Sunset' ('Double Bloody Mary')	○ ☞	18-24"	12-18"	double, bright scarlet-red	fuzzy, light green	late spring to mid summer (May-Jul)
---	-----	--------	--------	----------------------------	--------------------	-------------------------------------

GRASS ACORUS (Variegated Sweet Flag)

Acorus does well in any light, but needs to be kept moist for best results.

calamus

'Variegatus'	○ ☞	18-24"	24-30"	greenish-yellow, insignificant	leathery, iris-like, medium green striped with white	mid to late summer (Jul-Aug)
--------------	-----	--------	--------	--------------------------------	--	------------------------------

gramineus

'Oborozuki'	○ ☞	6-12"	6-12"	tan, insignificant	fan-shaped, chartreuse-green and yellow	late spring (May)
'Pusillus Minimus Aureus'	○ ☞	6" or less	6-12"	brown, insignificant	mounding, golden-yellow	late spring (May)
'Variegatus'	○ ☞	12-18"	18-24"	tan, insignificant	fan-shaped, green and white striped	late spring (May)

GRASS ALOPECURUS (Foxtail Grass)

pratensis

'Aurea' <i>bamboo-like in appearance</i>	○ ☞	6-12"	6-12"	tan	compact, clumping, gold with some green stripes, narrow leaves	early to late fall (Sep-Oct)
---	-----	-------	-------	-----	--	------------------------------

GRASS ARUNDO (Giant Reed)

donax

'Variegata'	○ ☞	7-8'	6-7'	tan, insignificant	gray-green and creamy white stripes, wide leaves	late summer to early fall (Aug-Sep)
-------------	-----	------	------	--------------------	--	-------------------------------------

GRASS CALAMAGROSTIS (Reed Grass)

acutiflora

'Avalanche'	○ ☞	30-36"	24-30"	plumes are tan, wheat-like	deep green with gold to white center stripes, narrow leaves	mid summer to early fall (Jul-Sep)
'Overdam'	○ ☞	30-36"	24-30"	plumes are tan, wheat-like	deep green with thin white margins, narrow leaves	mid summer to early fall (Jul-Sep)

arundinacea

var. <i>brachytricha</i>	○ ☞	30-36"	30-36"	plumes open pinkish maturing to silvery-tan	medium green, turns yellow in fall, medium wide leaves	late summer to early fall (Aug-Sep)
--------------------------	-----	--------	--------	---	--	-------------------------------------

Hybrid

New! 'Cheju-do' <i>dwarf variety, also does quite well in shady areas</i>	○ ☞ ☰	24-30"	24-30"	plumes are tan maturing to silver	medium green, medium wide leaves, compact	mid summer to early fall (Jul-Sep)
---	-------	--------	--------	-----------------------------------	---	------------------------------------

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
GRASS CAREX (Sedge Grass)						
<i>Carex is an ideal choice for semi-shade to shady places where a compact and season-long attractive plant is needed.</i>						
<i>buchananii (Leather-leaf Sedge)</i>						
<i>conica</i>						
<i>elata (Gold Sedge)</i>						
<i>glauca</i>						
New!						
<i>morowii (Variegated Sedge)</i>						
<i>testacea (New Zealand Sedge)</i>						
New!						
GRASS CHASMANTHIUM (Northern Sea Oats, Spangle Grass)						
<i>latifolium</i>						
GRASS CORTADERIA (Pampas Grass)						
<i>Cortaderia selloana is the true Pampas Grass species, but the 'Pumila' cultivar is semi-winter hardy for our area (some mulching/protection is beneficial). All other Cortaderia selloana varieties are NOT hardy for our area.</i>						
<i>selloana</i>						
GRASS ERIANTHUS (Hardy Pampas Grass, Ravenna Grass)						
<i>Not the true Pampas Grass, but much hardier and similar in appearance.</i>						
<i>ravennae</i>						
GRASS HAKONECHLOA (Forest Grass, Hakone Grass)						
<i>Hakone or Forest Grass offers bamboo-like foliage and maintenance-free traits.</i>						
<i>macra</i>						
<i>macra (Golden Variegated Hakone Grass)</i>						
GRASS HELICTOTRICHON (Blue Oat Grass)						
<i>sempervirens</i>						
GRASS IMPERATA (Japanese Blood Grass)						
<i>Rarely plumes. Best foliage color will occur in full sun.</i>						
<i>cylindrica</i>						
GRASS ISOLEPIS (Fiber Optic Grass)						
<i>Name comes from its wire-thin leaves tipped with tiny spikes.</i>						
<i>cernua</i>						
GRASS JUNCUS (Rush)						
<i>Most varieties are not invasive, but allow more room if given moist conditions.</i>						
<i>effusus</i>						

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
GRASS MISCANTHUS (Eulalia Grass, Maiden Grass)						
<i>sinensis</i>						
	○ ☞	42-48"	36-42"	plumes are pink maturing to white	gray-green, narrow leaves	early to late fall (Sep-Oct)
		<i>a little more compact than most Miscanthus varieties</i>				
	○ ☞	5-6'	5-6'	plumes are reddish-pink maturing to tan	deep green, turns yellow in fall, narrow leaves	early fall (Sep)
New!	○ ☞	48-54"	36-42"	plumes are silver	medium green, narrow leaves	late summer to late fall (Aug-Oct)
		<i>plumes held high above foliage</i>				
New!	○ ☞	4-5'	4-5'	plumes open burgundy maturing to silver-tan	widely spaced horizontal markings of yellow against medium green, narrow leaves	early to late fall (Sep-Oct)
	○ ☞	5-6'	5-6'	plumes are silver maturing to tan	medium green with wide center white stripe, wide leaves	late fall (Oct)
		<i>late to plume if at all</i>				
	○ ☞	42-48"	42-48"	plumes open burgundy maturing to silver-tan	variegated white and green striped, wide leaves	early to late fall (Sep-Oct)
		<i>dwarf version of M. 'Silver Arrow'</i>				
	○ ☞	4-5'	4-5'	plumes open burgundy maturing to silver-tan, airy	medium to deep green, narrow leaves	late summer to early fall (Aug-Sep)
New!	○ ☞	5-6'	4-5'	plumes open burgundy maturing to silver-tan, airy	medium green, narrow leaves	late summer to late fall (Aug-Oct)
		<i>very columnar in form (top is not much wider than base)</i>				
New!	○ ☞	42-48"	36-42"	plumes open burgundy maturing to silver-tan, airy	numerous horizontal markings of yellow against bright green, wide leaves, compact	late summer to late fall (Aug-Oct)
	○ ☞	5-6'	4-5'	plumes are silver maturing to tan	deep green, narrow leaves	late fall (Oct)
		<i>one of the most common ornamental grasses, late to plume if at all</i>				
	○ ☞	5-6'	4-5'	plumes are silver-white	deep green, narrow leaves	late summer to early fall (Aug-Sep)
	○ ☞	6-7'	6-7'	plumes are silver-white, large	medium green, medium wide leaves	early to late fall (Sep-Oct)
		<i>name of "Grosse Fontäne" ("Giant Fountain") is a fitting description of its appearance</i>				
	○ ☞	5-6'	5-6'	cascading plumes are pinkish maturing to silver-tan	deep green, narrow leaves	late summer to early fall (Aug-Sep)
	○ ☞	30-36"	30-36"	plumes are silver maturing to tan	medium green, compact, narrow leaves	early to late fall (Sep-Oct)
	○ ☞	42-48"	42-48"	plumes are pinkish maturing to tan	horizontal markings of yellow against bright green, compact, medium wide leaves	late summer to late fall (Aug-Oct)
	○ ☞	5-6'	5-6'	plumes are pinkish-purple maturing to silver and tan	medium green, leaves extend perpendicular to stems, medium wide leaves	early to late fall (Sep-Oct)
	○ ☞	48-54"	42-48"	plumes are silver with purplish tint	slight variegation of cream and medium green, narrow leaves	early to late fall (Sep-Oct)
	○ ☞	48-54"	36-42"	plumes are silver maturing to tan	horizontal markings of yellow against bright green, medium wide leaves, compact	late summer to late fall (Aug-Oct)
	○ ☞	4-5'	4-5'	plumes open magenta then mature to white	medium green turning rust-red in fall, medium wide leaves	late summer to late fall (Aug-Oct)
	○ ☞	6-7'	5-6'	plumes are pinkish-silver maturing to tan	deep green, arching, narrow leaves	late summer to late fall (Aug-Oct)
	○ ☞	5-7'	5-6'	plumes are pinkish-silver maturing to tan	mostly white with stripes of bright green, wide leaves	late summer to late fall (Aug-Oct)
	○ ☞	5-6'	4-5'	plumes are copper-silver maturing to tan	horizontal markings of yellow against bright green, wide leaves	early to late fall (Sep-Oct)
		<i>a little more upright and compact than M. 'Zebrinus'</i>				
New!	○ ☞	6-7'	5-6'	plumes are tan	tightly spaced horizontal markings of gold against bright green, medium wide leaves	late summer to late fall (Aug-Oct)
	○ ☞	6-7'	5-6'	plumes are reddish-silver maturing to tan	white and green striped leaves, wide leaves	early to late fall (Sep-Oct)
New!	○ ☞	5-7'	4-5'	plumes open pink maturing to silver-tan	medium green, wide leaves	mid summer to early fall (Jul-Sep)
		<i>earlier to plume than most Miscanthus</i>				
	○ ☞	6-7'	5-6'	plumes are copper-silver maturing to tan	horizontal markings of yellow against bright green, arching appearance, wide leaves	early to late fall (Sep-Oct)
GRASS MOLINIA (Moor Grass)						
<i>arundinacea</i>						
	○ ☞	6-7'	4-5'	plumes are silver-white, airy, held high above foliage	deep gray-green, medium wide leaves, 2-3' foliage	mid summer to early fall (Jul-Sep)
<i>caerulea</i>						
	○ ☞	18-24"	18-24"	plumes are tan	medium green, turns orange-red in fall, narrow leaves	mid summer to early fall (Jul-Sep)
	○ ☞	36-42"	30-36"	plumes are black-purple maturing to tan	medium green, narrow leaves	mid summer to early fall (Jul-Sep)
	○ ☞	36-42"	30-36"	plumes are purple maturing to tan	medium green, vase-shaped, narrow leaves	mid summer to early fall (Jul-Sep)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Variegata'	○ ☞ ☱	12-18"	12-18"	plumes are tan, airy	medium green with creamy yellow edges, vase-shaped, narrow leaves	mid to late summer (Jul-Aug)
GRASS PANICUM (Switch Grass)						
<i>virgatum</i>						
'Hanse Herms'	○ ☞	36-42"	30-36"	plumes are red maturing to tan, airy	medium green with bright red highlights in summer, narrow leaves	late summer to late fall (Aug-Oct)
'Heavy Metal'	○ ☞	42-48"	30-36"	plumes open reddish maturing to tan	blue-green, turns yellow in fall, medium wide leaves	late summer to late fall (Aug-Oct)
'Northwind'	○ ☞	5-6'	4-5'	plumes are tan, airy	blue-green, vase-shaped, medium wide leaves	late summer to late fall (Aug-Oct)
'Rotstrahlbush'	○ ☞	42-48"	36-42"	plumes are tan, airy	gray-green, turns bright red in fall, medium wide leaves	early to late fall (Sep-Oct)
'Shenandoah'	○ ☞	30-36"	30-36"	plumes are pinkish maturing to tan, airy	medium green with red tips, medium wide leaves	late summer to early fall (Aug-Sep)
<i>a larger substitute for I. Red Baron'</i>						
GRASS PENNISETUM (Fountain Grass)						
<i>Long-favored for its maintenance-free traits and attractive appearance even when not in flower.</i>						
<i>alopecuroides</i>						
'alopecuroides'	○ ☞	30-36"	30-36"	fuzzy, bottle-brush-shaped, tan	medium green, mounding, narrow leaves	mid summer to early fall (Jul-Sep)
'Cassian'	○ ☞	12-18"	12-18"	fuzzy, bottle-brush-shaped, tan	medium green with hints of gold, vase-shaped, narrow leaves	mid summer to late fall (Jul-Oct)
New! 'Desert Plains' PPAF	○ ☞	42-48"	42-48"	fuzzy, bottle-brush-shaped, tan	medium to light green, vase-shaped, narrow leaves	mid summer to late fall (Jul-Oct)
<i>an improved form of 'Cassian'</i>						
'Foxtrot' ('Japonicum')	○ ☞	48-54"	48-54"	fuzzy, bottle-brush-shaped, light pink maturing to tan	medium green, upright, narrow leaves	late summer to late fall (Aug-Oct)
'Hameln'	○ ☞	24-30"	24-30"	fuzzy, bottle-brush-shaped, tan	medium green, compact and mounding, narrow leaves	mid summer to early fall (Jul-Sep)
<i>a popular choice for a compact grass</i>						
'Little Bunny'	○ ☞	6-12"	6-12"	fuzzy, bottle-brush-shaped, tan	medium green, compact, narrow leaves	late summer to late fall (Aug-Oct)
'Little Honey'	○ ☞	6-12"	6-12"	fuzzy, bottle-brush-shaped, tan	medium green with thin silver margins, compact, narrow leaves	late summer to late fall (Aug-Oct)
'Moudry'	○ ☞	30-36"	30-36"	fuzzy, bottle-brush-shaped, black-brown maturing to tan	deep green, glossy, medium wide leaves	early to late fall (Sep-Oct)
New! 'Piglet' PPAF	○ ☞	18-24"	18-24"	fuzzy, bottle-brush-shaped, tan with a pink tint	compact, medium to light green, vase-shaped, narrow leaves	mid summer to late fall (Jul-Oct)
'Red Head'	○ ☞	36-42"	36-42"	fuzzy, bottle-brush-shaped, smoky-purple maturing to tan	medium green, compact and mounding, narrow leaves	late summer to late fall (Aug-Oct)
'Viridescens'	○ ☞	24-30"	24-30"	fuzzy, bottle-brush-shaped, black-brown maturing to tan	deep green, glossy, medium wide leaves	mid summer to early fall (Jul-Sep)
<i>orientale</i>						
'Karley Rose' PPAF	○ ☞	30-36"	30-36"	fuzzy, bottle-brush-shaped, drooping, pink maturing to tan	medium green, compact and mounding, narrow leaves	mid to late summer (Jul-Aug)
<i>setaceum</i>						
'Rubrum'	○ ☞	18-24"	18-24"	plumes are pink maturing to tan	burgundy-red, narrow leaves	early summer to late fall (Jun-Oct)
<i>we are listing this due to the many requests for this grass, but it is NOT HARDY for our area</i>						
GRASS PLEIOBLASTUS (Dwarf Bamboo)						
<i>Pleioblastus can be contained with deep edging or by planting in containers.</i>						
<i>auricoma / viridistriata</i>						
'auricoma'	○ ☞ ☱	30-36"	42-48"		medium to light green striped with creamy-yellow, spreading	
New! 'Chrysophyllus'	○ ☞ ☱	30-36"	42-48"		bright golden-yellow, spreading	
<i>perfect as a larger accent plant</i>						
<i>fortunei</i>						
'Variegata'	○ ☞ ☱	18-24"	42-48"		striped with green and white, spreading	
GRASS SASA (Dwarf Kuma Bamboo)						
<i>veitchii</i>						
'Nana'	○ ☞	18-24"	30-36"	insignificant	deep green with white margins, spreading	mid to late summer (Jul-Aug)
<i>benefits from winter protection/mulching</i>						
GRASS SCHIZACHYRIUM (Little Bluestem)						
<i>scoparium</i>						
'The Blues'	○ ☞	24-30"	24-30"	plumes are silvery-tan	bright blue-gray, turns yellow and burgundy in fall, narrow leaves	late summer to early fall (Aug-Sep)
GRASS SESLERIA (Blue Moor Grass)						
<i>autumnalis (Autumn Moor Grass)</i>						
New! autumnalis	○ ☞	12-18"	12-18"	plumes are purplish-black maturing to brown	medium to light green, narrow leaves	early to late summer (Jun-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
GRASS SPOROBOLUS (Prairie Dropseed)						
<i>heterolepis</i>						
	☉ ☼	30-36"	30-36"	plumes are pinkish maturing to silver-tan, airy	deep green, turns copper-orange in fall, narrow leaves	late summer to late fall (Aug-Oct)
New!	☉ ☼	18-24"	24-30"	plumes are pinkish maturing to silver-tan, airy	deep green, turns copper-orange in fall, narrow leaves, compact	late summer to late fall (Aug-Oct)
GYPSOPHILA (Baby's Breath)						
<i>An excellent choice for filling in those spaces left by spring blooming plants that have gone dormant or have become unattractive. Always popular for cutting or dried arrangements.</i>						
<i>cerastoides</i>						
	☉ ☼	6" or less	30-36"	white with lilac veins	gray-green, spreading	late spring to mid summer (May-Jul)
<i>paniculata</i>						
	☉ ☼	30-36"	30-36"	sprays are white, double	gray-green	early to mid summer (Jun-Jul)
	☉ ☼	18-24"	18-24"	sprays are white, double	gray-green, compact	early to mid summer (Jun-Jul)
New!	☉ ☼	12-18"	18-24"	sprays are white	gray-green, compact	early summer to early fall (Jun-Sep)
		<i>compact grower, long-blooming</i>				
	☉ ☼	24-30"	24-30"	sprays are light pink to white, double	gray-green	early to mid summer (Jun-Jul)
New!	☉ ☼	30-36"	30-36"	double, white	gray-green	early to mid summer (Jun-Jul)
<i>repens</i>						
	☉ ☼	6-12"	12-18"	dainty, light pink	compact, gray-green	early to late summer (Jun-Aug)
HEDERA (English Ivy)						
<i>A popular choice for a maintenance-free groundcover, but also makes a nice accent plant in containers.</i>						
<i>helix</i>						
New!	☉ ☼ ☀	6" or less	42-48"		ruffled, medium green, glossy	
		<i>also perfect for containers and pots</i>				
	☉ ☼ ☀	6" or less	42-48"		deep green, glossy	
		<i>will climb if given support</i>				
	☉ ☼ ☀	6" or less	42-48"		large leaves, deep green, glossy	
HELIOPSIS (False Sunflower)						
<i>Powdery mildew can be a problem, but usually only after it has bloomed. Trim back to alleviate any problem.</i>						
<i>helianthoides</i>						
	☉ ☼	42-48"	42-48"	daisy-like, golden yellow with a mahogany eye	medium green tinged with purple, purple-red stems	mid summer to early fall (Jul-Sep)
		<i>prune foliage back after blooming to promote new growth and repeat blooms</i>				
<i>Hybrid</i>						
	☉ ☼	12-18"	12-18"	daisy-like, bright yellow	consistent variegation, creamy white with medium green veins	mid summer to early fall (Jul-Sep)
HELLEBORUS (Christmas Rose, Hellebore, Lenten Rose)						
<i>Helleborus is one of the earliest perennials to bloom in our area. May go dormant during summer months. 2005 PPA Plant of the Year.</i>						
<i>Hybrid</i>						
	☼ ☀	12-18"	12-18"	ivory-white with burgundy, chartreuse, and pink highlights	blue-green	early to late spring (Apr-May)
<i>Hybrid (Lady Series)</i>						
	☼ ☀	12-18"	12-18"	nodding, blue-purple blend	deep green	early to late spring (Apr-May)
	☼ ☀	12-18"	12-18"	nodding, light pink and rose blend	deep green	early to late spring (Apr-May)
	☼ ☀	12-18"	12-18"	nodding, deep red with darker center	deep green	early to late spring (Apr-May)
<i>orientalis</i>						
	☼ ☀	18-24"	12-18"	mixed (one color per plant) purple, white, light green, pink, or light yellow	leathery, deep green	early spring (Apr)
HEMEROCALLIS (Daylily)						
<i>Without a doubt the most popular perennial due to its easy maintenance and summertime beauty. Hemerocallis in Greek means beautiful for a day.</i>						
<i>Designer Series : These varieties are a cut above the rest, with many superior qualities compared to "normal" daylilies. These qualities include higher bud count, vigorous and healthy performance, richer colors, heavier textures, and highly adaptable.</i>						
	☉ ☼	18-24"	18-24"	ruffled, dusty-rose with plum-purple eye, repeat bloomer, tetraploid	medium green	mid to late summer (Jul-Aug)
	☉ ☼	18-24"	18-24"	ruffled, soft pink, rounded petals, repeat bloomer	medium green	mid to late summer (Jul-Aug)
	☉ ☼	30-36"	30-36"	true purple, lime-green throat	medium green	mid to late summer (Jul-Aug)
		<i>one of the best purple varieties</i>				
	☉ ☼	18-24"	18-24"	creamy pink with purple eye and purple edging, green throat, repeat bloomer, tetraploid	medium green	early to late summer (Jun-Aug)
	☉ ☼	24-30"	18-24"	medium pink with red eye and green throat, fragrant, ruffled, repeat bloomer, tetraploid	medium green	early to late summer (Jun-Aug)
	☉ ☼	24-30"	24-30"	ruffled, clear yellow, bright green throat, repeat bloomer, tetraploid	medium green	early to late summer (Jun-Aug)
	☉ ☼	12-18"	12-18"	rose-pink with deep rose eye, yellow throat, repeat bloomer	medium green	late spring to late summer (May-Aug)
		<i>a pink sport of 'Happy Returns'</i>				

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
	○ ☞	24-30"	18-24"	ruffled, primrose-yellow with lighter midribs and edges, repeat bloomer	medium green	early to late summer (Jun-Aug)
	○ ☞	24-30"	24-30"	ruffled, double, peach-pink, repeat bloomer	medium green	early to late summer (Jun-Aug)
New!	○ ☞	24-30"	24-30"	black-red, yellow throat, tetraploid	medium green	early to late summer (Jun-Aug)
	○ ☞	24-30"	24-30"	coral-tangerine, yellow throat, repeat bloomer, tetraploid	medium green	early to late summer (Jun-Aug)
	○ ☞	24-30"	24-30"	ruffled, peach, gold throat, repeat bloomer, tetraploid	medium green	early to late summer (Jun-Aug)
	○ ☞	24-30"	24-30"	deep black-purple with silver-white halo, lemon-green throat, tetraploid	medium green	late spring to late summer (May-Aug)
	○ ☞	24-30"	24-30"	ruffled, fragrant, near white with pale yellow eye, repeat bloomer	medium green	early to late summer (Jun-Aug)
	○ ☞	18-24"	18-24"	orchid-pink with wine-purple eye, purple veining, tetraploid, repeat bloomer	medium green	early to late summer (Jun-Aug)
Hybrid						
	○ ☞	24-30"	24-30"	red with yellow halo and midribs, tetraploid, repeat bloomer	medium green	early to mid summer (Jun-Jul)
New!	○ ☞	24-30"	24-30"	large, ruffled, sunny-yellow with light pink edges	medium green	early to mid summer (Jun-Jul)
	○ ☞	24-30"	24-30"	ruffled, golden-yellow, repeat bloomer	medium green	mid to late summer (Jul-Aug)
	○ ☞	24-30"	24-30"	yellow with maroon eye, orange throat, repeat bloomer, tetraploid	medium green	mid to late summer (Jul-Aug)
	○ ☞	30-36"	30-36"	copper-orange with gold midribs, ruffled, tetraploid, repeat bloomer, fragrant	medium green	early summer (Jun)
	○ ☞	30-36"	30-36"	large, butter-yellow, tetraploid, repeat bloomer	medium green	early to mid summer (Jun-Jul)
	○ ☞	24-30"	24-30"	deep purplish-red, green throat	medium green	mid to late summer (Jul-Aug)
	○ ☞	24-30"	24-30"	large, ruffled, scarlet red, tetraploid	medium green	early to late summer (Jun-Aug)
	○ ☞	18-24"	18-24"	pale rose-pink with large rose-red eye, repeat bloomer	medium green	mid to late summer (Jul-Aug)
	○ ☞	6-12"	12-18"	ruffled, light yellow, repeat bloomer	medium green	early to late summer (Jun-Aug)
	○ ☞	18-24"	18-24"	ruffled, large, pale pink, tetraploid, repeat bloomer	medium green	mid to late summer (Jul-Aug)
	○ ☞	24-30"	24-30"	cherry-red and pink blend, yellow throat	medium green	mid to late summer (Jul-Aug)
	○ ☞	18-24"	18-24"	large, plum-purple with maroon-purple eye, ruffled	medium green	mid to late summer (Jul-Aug)
	○ ☞	24-30"	24-30"	orange-yellow sepals and rust-red petals with orange midribs	medium green	early to mid summer (Jun-Jul)
	○ ☞	24-30"	24-30"	large, near-white, chartreuse throat	medium green	early to mid summer (Jun-Jul)
	○ ☞	18-24"	18-24"	canary-yellow, repeat bloomer	medium green	mid to late summer (Jul-Aug)
				<i>an improved 'Happy Returns' variety with larger flowers and more consistent blooming</i>		
	○ ☞	12-18"	12-18"	lemon-yellow, repeat bloomer	medium green, compact	late spring to early fall (May-Sep)
				<i>same habit and long-blooming qualities as the famous 'Stella de Oro'</i>		
	○ ☞	24-30"	18-24"	fragrant, large, near white with lime-green throat, repeat bloomer	medium green	early to mid summer (Jun-Jul)
	○ ☞	24-30"	24-30"	creamy white with pale yellow-green throat, repeat bloomer	medium green	early to mid summer (Jun-Jul)
	○ ☞	24-30"	24-30"	white with soft green tints, yellow-green throat, tetraploid	medium green	mid to late summer (Jul-Aug)
	○ ☞	12-18"	12-18"	grape-purple, green throat, repeat bloomer	medium green, compact	early to mid summer (Jun-Jul)
	○ ☞	18-24"	18-24"	ruffled, rose-lavender with wine-purple eye, chartreuse throat, repeat bloomer	medium green	mid to late summer (Jul-Aug)
	○ ☞	30-36"	30-36"	large, bright golden-yellow, tetraploid	medium green	early to mid summer (Jun-Jul)
	○ ☞	18-24"	18-24"	copper-orange to tangerine	deep green	mid to late summer (Jul-Aug)
	○ ☞	24-30"	24-30"	large, red with chartreuse throat, tetraploid	medium green	early to mid summer (Jun-Jul)
	○ ☞	18-24"	18-24"	ruffled, cream with cranberry eye, repeat bloomer	medium green	early to mid summer (Jun-Jul)
	○ ☞	12-18"	12-18"	cranberry-red, green throat, repeat bloomer	medium green, compact	mid to late summer (Jul-Aug)
New!	○ ☞	24-30"	24-30"	large, fragrant, red with yellow throat, tetraploid	medium green	mid to late summer (Jul-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Pretty in Pink'	○ ☞	24-30"	24-30"	lavender-pink, deep green throat, repeat bloomer, tetraploid	medium green	early to mid summer (Jun-Jul)
New! 'Ruffled Ruby'	○ ☞	24-30"	24-30"	ruffled, deep red with orange-yellow throat, tetraploid	deep green	early to mid summer (Jun-Jul)
'Siloam Ury Winniford'	○ ☞	24-30"	24-30"	creamy white to yellow with deep purple eye	medium green	mid summer (Jul)
'Spellbinder'	○ ☞	30-36"	30-36"	large, golden-orange, tetraploid, repeat bloomer	medium green	mid to late summer (Jul-Aug)
'Stella de Oro' <i>the most popular daylily, long-blooming</i>	○ ☞	12-18"	12-18"	golden-yellow, repeat bloomer	medium green, compact	late spring to early fall (May-Sep)
'Strawberry Candy'	○ ☞	24-30"	24-30"	ruffled, pink with raspberry-red eye, green throat, repeat bloomer, tetraploid	medium green	late spring to late summer (May-Aug)

HEPATICA (Liverleaf, Mayflower)

<i>nobilis</i>						
nobilis	☞ ☰	6" or less	6-12"	mixed (one color per plant) blue, pink, or white	deep green	early to late spring (Apr-May)

HERBS : As always, we carry an expansive variety of herbs, too many to list in this space. Please call or email for availability.

HERNIARIA (Rupturewort)

Herniaria can handle foot traffic quite well, and is also a great choice for rockery, brickwork, walls, or in between pavers.

<i>glabra</i>						
'Green Carpet'	○ ☞	6" or less	18-24"	green to yellow, insignificant	mat-like, medium to deep green, spreading	early to mid summer (Jun-Jul)
'Sea Foam' PP15989	○ ☞	6" or less	18-24"	green to yellow, insignificant	mat-like, green and cream variegation, spreading	early to mid summer (Jun-Jul)

HESPERIS (Dame's Rocket)

<i>matronalis</i>						
'Sweet Rocket Mix' <i>prune foliage back after blooming to promote new growth and repeat blooms</i>	○ ☞	18-24"	18-24"	clusters are mixed (one color per plant) lavender, purple, or white	medium green	late spring to early summer (May-Jun)

HEUCHERA (Alumroot, Coral Bells)

Few plants offer as much outstanding foliage color and contrast possibilities, and butterflies and hummingbirds can't resist them either! Plant in a well-drained area. Height listed includes flower, foliage usually stays about half as tall.

<i>americana</i>						
New! 'Dale's Strain'	○ ☞ ☰	24-30"	18-24"	clusters are greenish-white	silver and green with burgundy veins	late spring to mid summer (May-Jul)
<i>Hybrid</i>						
'Amethyst Myst'	○ ☞ ☰	18-24"	18-24"	clusters are creamy-white	blackish-purple with silver overlay, purple undersides	late spring to mid summer (May-Jul)
'Beauty of Color' PP13729	○ ☞ ☰	6-12"	18-24"	clusters are creamy-white	chocolate-purple veins and green edges overlaid in silver	late spring to mid summer (May-Jul)
New! 'Blackout' PPAF	○ ☞ ☰	12-18"	12-18"	clusters are white	compact, near black	late spring to mid summer (May-Jul)
New! 'Frosted Violet' PP15085 <i>small hairs give the leaves a frosted appearance</i>	○ ☞ ☰	24-30"	24-30"	clusters are pink	deep maroon-purple maturing to plum-purple	late spring to mid summer (May-Jul)
'Lime Rickey' PP16210	○ ☞ ☰	18-24"	18-24"	clusters are white	lime-green, ruffled, lime-green undersides	late spring to mid summer (May-Jul)
'Marmalade' PP15945	○ ☞ ☰	12-18"	12-18"	clusters are white	ruffled, honey-gold and peach, purple undersides	late spring to mid summer (May-Jul)
'Obsidian' PP14836 <i>one of the darkest Heuchera available</i>	○ ☞ ☰	12-18"	12-18"	clusters are creamy-white	purplish-black, deep purple undersides	late spring to mid summer (May-Jul)
'Peach Flambe' PP17195	○ ☞ ☰	12-18"	12-18"	clusters are white	ruffled, bright peach with red highlights, pink undersides	late spring to mid summer (May-Jul)
'Plum Pudding'	○ ☞ ☰	18-24"	18-24"	clusters are creamy-white	plum-purple with deep purple veins, deep purple undersides	late spring to mid summer (May-Jul)
New! 'Southern Comfort' PPAF <i>reportedly more tolerant of heat and humidity</i>	○ ☞ ☰	18-24"	18-24"	clusters are creamy white	cinnamon-peach maturing to copper and amber	late spring to mid summer (May-Jul)
'Sparkling Burgundy' PP17208	○ ☞ ☰	18-24"	18-24"	clusters are white	ruffled, rose-burgundy	late spring to mid summer (May-Jul)
<i>micrantha</i>						
New! 'Melting Fire'	○ ☞ ☰	18-24"	18-24"	clusters are white	ruffled, bright red maturing to deep burgundy	late spring to mid summer (May-Jul)
'Palace Purple' <i>1991 PPA Perennial of the Year</i>	○ ☞ ☰	12-18"	18-24"	clusters are cream white	leaves range from olive-green, bronze, and burgundy, purple undersides	late spring to mid summer (May-Jul)
<i>sanguinea / x brizoides</i>						
'Ruby Bells'	○ ☞ ☰	18-24"	12-18"	clusters are blood-red	medium to light green with faint silver mottling	late spring to mid summer (May-Jul)
'Snow Angel'	○ ☞ ☰	6-12"	6-12"	clusters are bright rose-pink	mint-green and white marbled variegation, compact	late spring to mid summer (May-Jul)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
<i>villosa</i>						
	○ ☞ ☀	6-12"	6-12"	clusters are creamy white	compact, hairy, orange-yellow	late spring to mid summer (May-Jul)
New!	○ ☞ ☀	6-12"	6-12"	clusters are white to light pink	compact, hairy, rose-purple during spring maturing to peach shades with silver accents	late spring to mid summer (May-Jul)
New!	○ ☞ ☀	6-12"	6-12"	clusters are creamy white	hairy, lemon to lime-yellow, will be chartreuse in shady areas	late spring to mid summer (May-Jul)
New!	○ ☞ ☀	6-12"	6-12"	clusters are light pink	hairy, brick-red to purplish-red with chartreuse-gold edges, silver undersides	late spring to mid summer (May-Jul)
New!	○ ☞ ☀	12-18"	12-18"	clusters are creamy white	hairy, large leaves, deep bronze-purple, purple undersides	late spring to mid summer (May-Jul)
New!	○ ☞ ☀	12-18"	12-18"	clusters are white	hairy, ginger to smoky-rose with silver overlays and deep purple undersides	late spring to mid summer (May-Jul)
New!	○ ☞ ☀	12-18"	12-18"	clusters are white	hairy, deep purple in spring maturing to silver with black-purple veining and purple undersides	late spring to mid summer (May-Jul)
New!	○ ☞ ☀	12-18"	6-12"	clusters are white	hairy, light green to chartreuse-yellow	late spring to mid summer (May-Jul)
New!	○ ☞ ☀	6-12"	6-12"	clusters are creamy white	hairy, yellow with reddish centers maturing to chartreuse with silver overlay	late spring to mid summer (May-Jul)

HEUCHERELLA (Foamy Bells)

Heucherella is a cross between *Heuchera* and *Tiarella*. (Flowers like *Heuchera*, foliage like *Tiarella*.)

Hybrid

	○ ☞ ☀	6-12"	18-24"	clusters are white	chartreuse to yellow leaves with rust-red center splotch	late spring to early summer (May-Jun)
--	-------	-------	--------	--------------------	--	---------------------------------------

an improved variety over H. 'Sunspot'

HIBISCUS (Rose Mallow)

Very late to break dormancy, so don't worry if you don't see signs of life until June or even July.

Hybrid

	○ ☞ ☀	54-60"	54-60"	large, fire red	deep green with tinted with purple	mid summer to early fall (Jul-Sep)
	○ ☞ ☀	54-60"	54-60"	large, white with veined red eye	copper-red	mid summer to early fall (Jul-Sep)
	○ ☞ ☀	42-48"	36-42"	large, light yellow to cream-white, red center eye	compact, medium green	mid summer to early fall (Jul-Sep)
New!	○ ☞ ☀	48-54"	42-48"	large, pink with reddish streaks, red center eye	medium green	mid summer to early fall (Jul-Sep)
	○ ☞ ☀	54-60"	54-60"	large, deep rose to plum with darker eye	deep green tinted with purple	mid summer to early fall (Jul-Sep)
New!	○ ☞ ☀	48-54"	48-54"	large, pink with rose veining and magenta eye	compact, wine-purple	mid summer to early fall (Jul-Sep)

moscheutos

New!	○ ☞ ☀	54-60"	48-54"	large, ruffled, pink with deep red center eye	medium to light green	mid to late summer (Jul-Aug)
-------------	-------	--------	--------	---	-----------------------	------------------------------

featuring extremely large flowers, sometimes 12" across

'Southern Belle' ○ ☞ ☀ 42-48" 42-48" large flowers, mixed (one color per plant) pink, red, or white, all having a small red center medium to light green mid summer to early fall (Jul-Sep)
tolerates wet areas and moist soil

HOSTA (Funkia, Plantain Lily)

Requiring little care, *Hosta* can make any planting classy and attractive. If flowers are not desired, simply prune out the flower stalks as they appear. Height listed includes flower, foliage usually stays about half or two-thirds as tall.

fortunei

	○ ☞ ☀	12-18"	18-24"	lavender	semi-glossy, medium to deep green with thin white margin	mid to late summer (Jul-Aug)
	○ ☞ ☀	18-24"	24-30"	pale lavender	light green maturing to gold with deep green irregular margins	mid to late summer (Jul-Aug)
	○ ☞ ☀	24-30"	24-30"	lavender	deep green with wide white margins	mid to late summer (Jul-Aug)
	○ ☞ ☀	36-42"	36-42"	pale lavender	large leaves, blue-green with large chartreuse center	mid to late summer (Jul-Aug)

1999 Hosta of the Year

Hybrid

	○ ☞ ☀	30-36"	42-48"	pale lavender	large leaves, green with wide gold margin	mid to late summer (Jul-Aug)
	○ ☞ ☀	18-24"	24-30"	pale lavender	gold to chartreuse, puckered	mid to late summer (Jul-Aug)
	○ ☞ ☀	36-42"	36-42"	white	large leaves, blue-green, leathery	mid to late summer (Jul-Aug)
New!	○ ☞ ☀	6-12"	6-12"	lavender	compact, leathery, blue to gray-green with heavy substance	mid to late summer (Jul-Aug)
	○ ☞ ☀	18-24"	18-24"	white, fragrant	blue-green with creamy-white margins	mid to late summer (Jul-Aug)
	○ ☞ ☀	18-24"	36-42"	white	large leaves, blue-green margins and creamy white irregular center, puckered	mid to late summer (Jul-Aug)

2008 Hosta of the Year

'Diana Remembered' ○ ☞ ☀ 18-24" 18-24" white, fragrant blue-green with creamy-white margins mid to late summer (Jul-Aug)
named after the late Diana, Princess of Wales, sport of 'Seventh Heaven'

'Dream Weaver' ○ ☞ ☀ 18-24" 36-42" white large leaves, blue-green margins and creamy white irregular center, puckered mid to late summer (Jul-Aug)
sport of 'Great Expectations'

	<i>LIGHT</i>	<i>HEIGHT</i>	<i>SPREAD</i>	<i>FLOWER</i>	<i>FOLIAGE</i>	<i>BLOOM TIME</i>
'Earth Angel' <i>sport of 'Blue Angel'</i>	○ ☞ ☛	30-36"	30-36"	pale lavender	large leaves, blue green with wide creamy-yellow margins	mid to late summer (Jul-Aug)
'First Frost' <i>sport of 'Halcyon'</i>	○ ☞ ☛	18-24"	18-24"	light lavender	blue-green with gold margins turning white	mid to late summer (Jul-Aug)
'Fragrant Blue'	○ ☞ ☛	18-24"	18-24"	light lavender	wavy, dusted blue-green to gray-green, leathery	early to late summer (Jun-Aug)
'Ginko Craig'	○ ☞ ☛	6-12"	12-18"	light purple	compact, bright green with white irregular margins	late summer to early fall (Aug-Sep)
'Great Expectations'	○ ☞ ☛	24-30"	36-42"	white	large leaves, blue-green margin and creamy yellow to white irregular center, puckered	early to mid summer (Jun-Jul)
'Guacamole' <i>2002 Hosta of the Year</i>	○ ☞ ☛	30-36"	36-42"	white, fragrant	large leaves, apple-green with deep green margins, centers mature to gold	mid to late summer (Jul-Aug)
'Hi Ho Silver' <i>sport of 'Ginko Craig'</i>	○ ☞ ☛	6-12"	6-12"	purple	compact, green with wide white margins	mid to late summer (Jul-Aug)
'High Society' PP17313 <i>sport of 'June'</i>	○ ☞ ☛	6-12"	6-12"	pale lavender	narrow yellow center and wide blue-green margins	mid to late summer (Jul-Aug)
'Island Charm'	○ ☞ ☛	6-12"	6-12"	pale purple	compact, deep green margins around a white center	mid to late summer (Jul-Aug)
'June' <i>2001 Hosta of the Year, sport of 'Halcyon'</i>	○ ☞ ☛	18-24"	24-30"	pale lavender	blue-green margins with chartreuse centers that turn gold in summer	mid to late summer (Jul-Aug)
New! 'June Fever' PP15340	○ ☞ ☛	18-24"	24-30"	lavender-blue	nearly all yellow maturing to chartreuse, narrow blue margin	mid to late summer (Jul-Aug)
'Liberty' PP12531 <i>sport of 'Sage'</i>	○ ☞ ☛	24-30"	30-36"	lavender	gray-green with very wide yellow to white margins	mid to late summer (Jul-Aug)
'Maui Buttercups'	○ ☞ ☛	12-18"	18-24"	violet	cupped, bright gold, puckered	mid to late summer (Jul-Aug)
'Northern Exposure'	○ ☞ ☛	30-36"	30-36"	white	large leaves, deep blue-green with wide yellow streaked margins	mid to late summer (Jul-Aug)
'Paradigm' <i>2007 Hosta of the Year</i>	○ ☞ ☛	24-30"	24-30"	light lavender	gold with wide irregular blue-green margins, puckered	mid to late summer (Jul-Aug)
'Princess Anastasia' <i>sport of 'Big One'</i>	○ ☞ ☛	18-24"	18-24"	white	gold with narrow blue-green margins	mid to late summer (Jul-Aug)
'Remember Me' <i>a percentage of proceeds to benefit the Susan G. Komen Foundation (breast cancer), sport of 'June'</i>	○ ☞ ☛	18-24"	18-24"	lavender	yellow centers brightening to white with blue-green margin	mid to late summer (Jul-Aug)
'Satisfaction' <i>sport of 'Piedmont Gold'</i>	○ ☞ ☛	36-42"	36-42"	white	large leaves, deep green with wavy yellow margins	mid to late summer (Jul-Aug)
'So Sweet' <i>1996 Hosta of the Year</i>	○ ☞ ☛	18-24"	24-30"	white, fragrant	glossy, green with creamy yellow margins	mid to late summer (Jul-Aug)
'Stained Glass' <i>2006 Hosta of the Year, sport of 'Guacamole'</i>	○ ☞ ☛	30-36"	36-42"	pale lavender, fragrant	large leaves, brilliant gold with wide deep green margins	mid to late summer (Jul-Aug)
'Sum and Substance' <i>2004 Hosta of the Year</i>	○ ☞ ☛	36-42"	42-48"	pale lavender	large leaves, leathery, light green in shade, chartreuse to gold in sunny areas	mid to late summer (Jul-Aug)
'Sun Power'	○ ☞ ☛	24-30"	24-30"	pale lavender	wavy leaves, light green in shade, gold-green in sunny areas	mid summer (Jul)
'T. Rex' <i>huge leaves</i>	○ ☞ ☛	36-42"	42-48"	white	large leaves, medium green	mid to late summer (Jul-Aug)
'Wheaton Blue' <i>sport of 'Paul's Glory'</i>	○ ☞ ☛	36-42"	36-42"	lavender	large leaves, blue-gray, leathery	early to mid summer (Jun-Jul)
'Wide Brim'	○ ☞ ☛	18-24"	18-24"	pale lavender	deep green with irregular butter-yellow margins	mid to late summer (Jul-Aug)
montana						
'Aureo-marginata'	○ ☞ ☛	36-42"	36-42"	pale lavender	deep green with irregular wide gold to cream margins	mid to late summer (Jul-Aug)
sieboldiana						
'Frances Williams'	○ ☞ ☛	30-36"	46-42"	white	leathery, large, puckered, blue-green with wide chartreuse margins	mid to late summer (Jul-Aug)
tardiana						
'Halcyon'	○ ☞ ☛	18-24"	18-24"	light blue-violet	frosty blue-green	mid to late summer (Jul-Aug)
tokudama						
'Flavo-circinalis'	○ ☞ ☛	24-30"	24-30"	white	large puckered leaves, blue-green with wide irregular chartreuse margins	mid to late summer (Jul-Aug)
HOUTTUYNIA (Chameleon Plant)						
Very adaptable to any soil condition. Houttuynia breaks dormancy late in the spring. It will spread, so allow room.						
cordata						
'Chameleon' <i>allow plenty of room as it will spread</i>	○ ☞ ☛	6-12"	42-48"	white	variegated green, yellow, pink, and red, spreading	early to mid summer (Jun-Jul)

HYDRANGEA (Climbing Hydrangea)

Climbing Hydrangea can tolerate sun, but does better in semi-shady areas. Be patient, it takes times to mature. Always an attractive plant, even when not in bloom.

anomala

'Mirranda'	○ ☞ ☹	60" or more	42-48"	clusters are white	deep green with yellow margins, climbing	early to mid summer (Jun-Jul)
petiolaris	○ ☞ ☹	60" or more	42-48"	clusters are white	deep green, climbing	early to mid summer (Jun-Jul)

HYPERICUM (Aaron's Beard, St. John's Wort)

Common name comes from the fact that it usually flowers by and is harvested on June 24, St. John's Day. Used for many home remedies but also as a nice ornamental.

androsaemum

'Albury Purple'	○ ☞	18-24"	18-24"	bright yellow	green and burgundy-purple	late spring to mid summer (May-Jul)
-----------------	-----	--------	--------	---------------	---------------------------	-------------------------------------

patulum

'Hidcote'	○ ☞	24-30"	36-42"	large, bright sunny yellow	deep green	early to mid summer (Jun-Jul)
-----------	-----	--------	--------	----------------------------	------------	-------------------------------

IBERIS (Candytuft)

Some trimming after flowering is beneficial to promote healthy center growth and an attractive appearance for the remainder of the season.

sempervirens

'Alexander's White'	○ ☞	6-12"	30-36"	pure white	deep green, spreading, drought tolerant	early to late spring (Apr-May)
---------------------	-----	-------	--------	------------	---	--------------------------------

often repeats bloom in fall

'Snowflake'	○ ☞	6-12"	30-36"	pure white	deep green, spreading, drought tolerant	early to late spring (Apr-May)
-------------	-----	-------	--------	------------	---	--------------------------------

newer variety with a slightly more uniform growth than the species

New! 'Tahoe'	○ ☞	6-12"	30-36"	pure white	deep green, spreading, drought tolerant	early to late spring (Apr-May)
---------------------	-----	-------	--------	------------	---	--------------------------------

improved uniform growth, slightly earlier to flower than 'Snowflake'

INCARVILLEA (Hardy Gloxinia)

Prefers well-drained soil, but keep from extended dry spells. May rebloom later in season.

delavayi

delavayi	○ ☞	12-18"	12-18"	deep rose-pink, trumpet-shaped	medium green, glossy	early to late spring (Apr-May)
'Snowtop'	○ ☞	12-18"	12-18"	pure white, trumpet-shaped	medium green, glossy	early to late spring (Apr-May)

IRIS

Trim out flower stems when flowering is complete, and divide the root clumps every few years to help maintain healthy growth.

cristata (Dwarf Crested Iris)

New! 'Alba'	○ ☞	6-12"	12-18"	white with white crests	medium green, compact	early to late spring (Apr-May)
cristata	○ ☞	6-12"	12-18"	soft blue-lilac with yellow or white crests	medium green, compact	early to late spring (Apr-May)

ensata (Japanese Iris)

'Mixed'	○ ☞	30-36"	24-30"	large, mixed (one color per plant) blue, burgundy, or purple	medium green	mid to late summer (Jul-Aug)
---------	-----	--------	--------	--	--------------	------------------------------

Hybrid Bearded Iris (German Iris) : More varieties will become available later in the season.

New! 'American Classic'	○ ☞	30-36"	24-30"	white standards and falls edged and etched in blue-violet	gray-green	late spring to early summer (May-Jun)
'Batik'	○ ☞	24-30"	18-24"	royal purple with white splashes on standards and falls	gray-green	late spring to early summer (May-Jun)
'Before the Storm'	○ ☞	30-36"	24-30"	black-purple	gray-green	late spring to mid summer (May-Jul)
<i>unique with its near-black color</i>						
'City Lights'	○ ☞	30-36"	24-30"	bright violet-blue standards and falls, white centers, fragrant	gray-green	late spring to early summer (May-Jun)
'Conjuration'	○ ☞	30-36"	24-30"	white with thin purple edges on standards and wide purple edges on falls	gray-green	late spring to early summer (May-Jun)
New! 'Painted Clouds'	○ ☞	30-36"	24-30"	mauve pink with white falls edged in pink, centers blushed with lemon	gray-green	late spring to early summer (May-Jun)
'Rare Treat'	○ ☞	30-36"	24-30"	white with violet to sky-blue edges on standards and falls	gray-green	late spring to early summer (May-Jun)
'Red at Night'	○ ☞	30-36"	24-30"	burgundy and rust-red blend	gray-green	late spring to early summer (May-Jun)
New! 'Rockstar'	○ ☞	30-36"	24-30"	fuchsia-purple standards, white-centered falls with fuchsia-purple edges, repeat bloomer	gray-green	late spring to early summer (May-Jun)

pumila (Dwarf Bearded Iris)

'Baby Blessed'	○ ☞	6-12"	6-12"	light yellow with white-flecked falls and cream beards	gray-green, compact	early to late spring (Apr-May)
----------------	-----	-------	-------	--	---------------------	--------------------------------

repeats bloom in early fall

New! 'Stitch Witch'	○ ☞	6-12"	6-12"	white with violet-blue edges	gray-green, compact	early to late spring (Apr-May)
----------------------------	-----	-------	-------	------------------------------	---------------------	--------------------------------

sibirica (Siberian Iris)

'Butter and Sugar'	○ ☞	24-30"	24-30"	white standards, butter-yellow falls, greenish-yellow veins	medium green	early to mid summer (Jun-Jul)
'Caesar's Brother'	○ ☞	36-42"	30-36"	deep purple with yellow and white highlights, black veins	medium green	early to mid summer (Jun-Jul)
'Dreaming Spires'	○ ☞	30-36"	24-30"	lavender standards, royal purple falls, white streaking	medium green	early to mid summer (Jun-Jul)
'Pink Haze'	○ ☞	24-30"	24-30"	lavender-pink with faint white edges	medium green	early to mid summer (Jun-Jul)
'Ruffled Velvet'	○ ☞	24-30"	24-30"	red-purple standards, darker purple falls, black and gold highlights	medium green	early to mid summer (Jun-Jul)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Silver Edge'	○ ☞	18-24"	24-30"	ruffled, velvet-blue edged in silver	medium green	early to mid summer (Jun-Jul)
'Strawberry Fair'	○ ☞	24-30"	24-30"	ruffled, light pink standards, strawberry-pink falls, white highlights, tetraploid	medium green	early to mid summer (Jun-Jul)
'White Swirl'	○ ☞	24-30"	24-30"	ivory-white with gold throat and highlights	medium green	early to mid summer (Jun-Jul)

versicolor

'Gerald Darby'	○ ☞	30-36"	36-42"	purple-blue with white and yellow centers	medium green to gray with purple-tinted bases	early to mid summer (Jun-Jul)
----------------	-----	--------	--------	---	---	-------------------------------

ISOTOMA (Blue-star Creeper)

Also known as *Laurentia fluviatilis* or *Pratia pedunculata*.

fluviatilis

fluviatilis	○ ☞	6" or less	6-12"	dainty, lilac with purple veining	mat-like, spreading, medium green	late spring to late summer (May-Aug)
-------------	-----	------------	-------	-----------------------------------	-----------------------------------	--------------------------------------

prefers moist soil, tolerates foot traffic

KNAUTIA

Another must-have for butterfly gardens!

macedonica

macedonica	○ ☞	18-24"	12-18"	cherry-red, globular	medium green	early to late summer (Jun-Aug)
'Mars Midget'	○ ☞	12-18"	12-18"	ruby-red, globular	medium green	early to late summer (Jun-Aug)
'Melton Pastels'	○ ☞	18-24"	12-18"	globed-shape, mixed (one color per plant) shades of ruby-red, pink, or rose	medium green	early to late summer (Jun-Aug)

KNIPHOFIA (Poker Plant, Torch Lily, Tritoma)

Very unique flowers and mature plants in bloom can be an incredible sight. Does best in mostly sunny areas.

Hybrid

'Flamenco Mix'	○ ☞	30-36"	24-30"	spikes are mixed (one color per plant) orange, orange-red, yellow, or orange and yellow bicolor	Daylily-like, medium green	early to late summer (Jun-Aug)
----------------	-----	--------	--------	---	----------------------------	--------------------------------

LAMIASTRUM (Yellow Archangel)

'Herman's Pride' stays quite contained, but allow plenty of room for the rest of the genus.

galeobdolan

'Herman's Pride'	○ ☞ ☀	6" or less	12-18"	yellow, insignificant	variegated and marbled deep green and silver-white, vigorous, compact	early to late spring (Apr-May)
'Variegatum'	○ ☞ ☀	6" or less	36-42"	yellow, insignificant	variegated deep green and silver-white, vigorous, spreading	early to late spring (Apr-May)

LAMIUM (Dead or Spotted Nettle)

Lamium will tolerate some sun, but all varieties will do best if they get a break from the sun during some part of the day.

maculatum

'Anne Greenaway'	☞ ☀	6-12"	30-36"	clusters are lavender-pink to purple	deep green with chartreuse margins and silver centers, spreading	late spring to mid summer (May-Jul)
'Beacon Silver'	○ ☞ ☀	6-12"	30-36"	clusters are lavender-pink to purple	silver leaves with narrow green margins, spreading	late spring to mid summer (May-Jul)
New! 'Cosmopolitan' PPAF	○ ☞ ☀	6" or less	24-30"	clusters are shell-pink	compact, mostly silver-white	late spring to mid summer (May-Jul)
<i>more compact than most Lamium</i>						
New! 'Ghost'	○ ☞ ☀	12-18"	30-36"	clusters are orchid-purple	compact, mostly silver-white	late spring to mid summer (May-Jul)
<i>taller than most Lamium</i>						
'Purple Dragon' PP15890	○ ☞ ☀	6-12"	30-36"	cluster are large, fuchsia-purple	silver with deep green margins, spreading	late spring to mid summer (May-Jul)
'White Nancy'	○ ☞ ☀	6-12"	30-36"	clusters are pure white	silver leaves with narrow green margins, spreading	late spring to mid summer (May-Jul)

LATHYRUS (Sweet Pea)

An old-fashioned vine, and still worth their space in any garden. Mildew can be a problem, but pruning infected foliage is a quick fix.

latifolius

'Mix'	○ ☞	54-60"	30-36"	mixed (one color per plant) rose, pink, or white	light gray-green, twining and climbing	mid to late summer (Jul-Aug)
-------	-----	--------	--------	--	--	------------------------------

makes a nice groundcover if not given support to climbing

LAVANDULA (Lavender)

Pruning foliage half-way back every year after blooming will promote more lush growth and a less "woody" appearance.

angustifolia

New! 'Blue Cushion' PP9119	○ ☞	12-18"	12-18"	lavender-blue	blue-green, fragrant	early summer to early fall (Jun-Sep)
'Hidcote'	○ ☞	12-18"	12-18"	deep violet-blue	tidy, silver gray-green, fragrant	mid summer to early fall (Jul-Sep)
'Hidcote Pink'	○ ☞	12-18"	12-18"	light pink	blue-green, fragrant	early summer to early fall (Jun-Sep)
'Jean Davis'	○ ☞	12-18"	12-18"	ivory-white to light pink	blue-green, fragrant	mid summer to early fall (Jul-Sep)
'Munstead'	○ ☞	12-18"	18-24"	lavender to purple	silver gray-green, fragrant	early summer to early fall (Jun-Sep)

the traditional English Lavender

x intermedia

'Dutch'	○ ☞	24-30"	24-30"	light purple	gray-green, fragrant, upright	mid summer to early fall (Jul-Sep)
'Grosso'	○ ☞	24-30"	24-30"	violet-blue	gray-green, fragrant, upright	mid summer to early fall (Jul-Sep)

LEPTINELLA (Brass Buttons)

Leptinella prefers a well-drained soil. If planting in clay or heavier soil, add some lighter potting soil or peat moss to the area and work it in. Tolerates foot traffic, and also good in rockery, brickwork, or between stepping stones.

<i>minor</i>							
minor	○ ☞	6" or less	18-24"	yellow, insignificant	mat-like, medium green, spreading	early to mid summer (Jun-Jul)	
<i>pusilla</i>							
pusilla	○ ☞	6" or less	30-36"	yellow, insignificant	mat-like, purple and green dusted with silver, spreading	early to mid summer (Jun-Jul)	
<i>squalida</i>							
'Platt's Black'	○ ☞	6" or less	18-24"	yellow, insignificant	mat-like, blackish-purple tipped in green, spreading	early to mid summer (Jun-Jul)	

LEUCANTHEMUM (Shasta Daisy)

Common name comes from Luther Burbank's extensive work with daisies near Mt. Shasta. Keep in well-drained areas. Prune foliage back after blooming to promote new growth and repeat blooms.

<i>x superbum</i>							
'Aglaia'	○ ☞	24-30"	24-30"	large, fringed, white	deep green	early to late summer (Jun-Aug)	
<i>flower petals are reminiscent of shaved coconut</i>							
'Alaska'	○ ☞	24-30"	24-30"	single, white with yellow centers	deep green	early to late summer (Jun-Aug)	
'Becky'	○ ☞	30-36"	42-48"	large, white with yellow centers	deep green, sturdy	mid summer to early fall (Jul-Sep)	
<i>2003 PPA Perennial of the Year</i>							
'Broadway Lights'	○ ☞	24-30"	24-30"	soft yellow maturing to white, yellow center	deep green, sturdy	mid summer to early fall (Jul-Sep)	
New! 'Gold Rush' PPAF	○ ☞	18-24"	18-24"	frilled, light creamy-yellow outer petals and deeper yellow inner petals	deep green, compact	early to late summer (Jun-Aug)	
'Silver Princess'	○ ☞	12-18"	12-18"	single, white with yellow centers	compact, deep green	early to late summer (Jun-Aug)	
'Snowcap'	○ ☞	12-18"	12-18"	white flowers with yellow centers	deep green, compact	early to late summer (Jun-Aug)	
'Sonnenschein' ('Sunshine')	○ ☞	30-36"	30-36"	large, pale lemon yellow maturing to white, yellow center	deep green	early to late summer (Jun-Aug)	
<i>yellow coloring is enhanced/preserved if given some shade</i>							
'Thomas Killen'	○ ☞	24-30"	24-30"	semi-double, white, fluffy center of white and yellow	deep green	mid summer to early fall (Jul-Sep)	
'White Knight'	○ ☞	30-36"	30-36"	large, single, white with yellow centers	deep green	mid to late summer (Jul-Aug)	

LEWISIA (Bitterroot)

Lewisia prefers afternoon shade and good drainage. Perfect for rockery or cottage-type gardens.

<i>cotyledon</i>							
'Heikneri Strain'	○ ☞	6-12"	6-12"	pink edged with creamy yellow	succulent, medium green	early to mid summer (Jun-Jul)	
'Sunset Strain'	○ ☞	6-12"	6-12"	mixed orange, pink, or salmon	succulent, medium green	early to mid summer (Jun-Jul)	

LIATRIS (Blazing Star, Gayfeather)

<i>spicata</i>							
'Floristan Violet'	○ ☞	24-30"	18-24"	spikes are violet-purple to lavender	deep green	mid summer to early fall (Jul-Sep)	
'Floristan White'	○ ☞	24-30"	18-24"	spikes are white	deep green	mid summer to early fall (Jul-Sep)	
'Kobold'	○ ☞	12-18"	18-24"	spikes are purple to lavender	deep green, compact	mid summer to early fall (Jul-Sep)	

LIGULARIA (Goldenray, Ragwort)

Ligularia loves wet and boggy soils. Few plants can match its imposing and attractive foliage.

<i>dentata</i>							
'Britt Marie Crawford' PP16113	☞ ☰	36-42"	30-36"	daisy-like, golden-orange	glossy, large leaves, chocolate-purple, purple undersides	mid to late summer (Jul-Aug)	
'Dark Beauty'	☞ ☰	36-42"	30-36"	daisy-like, golden-orange	glossy, medium to deep green tinted with purple	mid to late summer (Jul-Aug)	
<i>stenocephala</i>							
'The Rocket'	☞ ☰	42-48"	30-36"	spikes are bright yellow	deep green, glossy, deeply cut	mid to late summer (Jul-Aug)	

LILIUM (Garden Lily)

Cut back half-way after blooming to force new bulb production and to tidy up the plant.

<i>Hybrid Asiatic</i>							
'Crimson Pixie'	○ ☞	12-18"	12-18"	crimson-red	deep green	early to mid summer (Jun-Jul)	
'Orange Pixie'	○ ☞	12-18"	12-18"	bright orange with dark center spots	deep green	early to mid summer (Jun-Jul)	
New! 'Tiny Bee'	○ ☞	12-18"	12-18"	bright sunny yellow	deep green, compact	early to mid summer (Jun-Jul)	
New! 'Tiny Dino'	○ ☞	12-18"	12-18"	bright orange	deep green, compact	early to mid summer (Jun-Jul)	
New! 'Tiny Ghost'	○ ☞	12-18"	12-18"	lavender-purple	deep green, compact	early to mid summer (Jun-Jul)	
New! 'Tiny Hope'	○ ☞	12-18"	12-18"	large, bright red	deep green, compact	early to mid summer (Jun-Jul)	
New! 'Tiny Todd'	○ ☞	12-18"	12-18"	light pink with deeper pink edges	deep green, compact	early to mid summer (Jun-Jul)	
<i>Hybrid Oriental</i>							
New! 'After Eight'	○ ☞	12-18"	12-18"	rose-pink center fading to lighter pink edges	deep gray-green, compact	early to mid summer (Jun-Jul)	
<i>a miniature version of 'Stargazer'</i>							
'Casa Blanca'	○ ☞	30-36"	18-24"	fragrant, large, white	deep gray-green, compact	early to mid summer (Jun-Jul)	

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Stargazer'	○ ☞	24-30"	18-24"	large, rich rose-pink center fading to lighter pink edges	deep gray-green	early to mid summer (Jun-Jul)
LINUM (Flax)						
<i>Due to its foliage having an airy nature, Linum can be cut back to produce growth at the base and a more bushy habit.</i>						
<i>perenne</i>						
perenne	○ ☞	12-18"	12-18"	deep to light sky-blue	light green, airy	early to late summer (Jun-Aug)
<i>prune foliage back after blooming to promote new growth and repeat blooms</i>						
LIRIOPE (Lilyturf)						
<i>Liriope are very hardy in our area of Western Michigan, but in zones 5 and lower, they do benefit from some protection.</i>						
<i>muscaria</i>						
'Big Blue'	○ ☞ ☀	12-18"	30-36"	lilac-purple	grass-like, deep green, spreading	mid to late summer (Jul-Aug)
'Silvery Sunproof'	○ ☞ ☀	12-18"	30-36"	lavender, seldom flowers	striped white and green, spreading	early to late fall (Sep-Oct)
<i>spicata</i>						
'Silver Dragon'	○ ☞ ☀	6-12"	30-36"	violet, seldom flowers	striped white and green, spreading	mid to late summer (Jul-Aug)
spicata	○ ☞ ☀	6-12"	30-36"	violet	grass-like, deep green, spreading	late summer to early fall (Aug-Sep)
<i>often overlooked but a very nice groundcover</i>						
LOBELIA (Cardinal Flower)						
<i>Lobelia does well in a moist soil. It will break dormancy later than most plants, so be patient in the spring and early summer.</i>						
<i>fulgens</i>						
'Queen Victoria'	○ ☞ ☀	36-42"	30-36"	spikes are bright red	attractive bronzed burgundy	late summer to late fall (Aug-Oct)
LONICERA (Honeysuckle)						
<i>Honeysuckle can be used as a fragrant and ornamental vine when given a place to climb, or let go as a groundcover. Hummingbirds love them, too!</i>						
<i>japonica</i>						
'Hall's Prolific'	○ ☞ ☀	60" or more	54-60"	white to soft yellow, fragrant	medium to deep green, climbing	early to late summer (Jun-Aug)
'Mandarin' PP11083	○ ☞ ☀	60" or more	54-60"	bright orange and yellow, fragrant	deep green with copper highlights, climbing	early to late summer (Jun-Aug)
<i>x brownii</i>						
'Dropmore Scarlet'	○ ☞ ☀	60" or more	54-60"	orange-scarlet, trumpet-shaped, fragrant	gray-green, climbing	late spring to mid summer (May-Jul)
<i>x heckrottii</i>						
heckrottii	○ ☞ ☀	60" or more	54-60"	carmine buds open to cream-yellow, fragrant	gray-green, climbing	late spring to late summer (May-Aug)
LOTUS (Bird's-foot Trefoil)						
<i>Common name comes from the bird-like shape the seed pods make. ('Pleniflorus' variety is sterile, so no seed pods will form.)</i>						
<i>corniculatus</i>						
'Pleniflorus'	○ ☞ ☀	6" or less	42-48"	yellow, insignificant	mat-like, medium green, spreading	mid to late summer (Jul-Aug)
<i>tolerates foot traffic, also good for brickwork and in between pavers and stepping stones</i>						
LUPINUS (Lupine)						
<i>Normally, Lupines will go nearly dormant after flowering and foliage will deteriorate. Winter mulching/protection is beneficial.</i>						
<i>Hybrid</i>						
'Gallery Blue'	○ ☞	18-24"	24-30"	spikes are violet-blue and white	medium to light green	late spring to early summer (May-Jun)
'Gallery Mix'	○ ☞	18-24"	24-30"	spikes are mixed (one color per plant) violet-blue, pink, red, white, or yellow	medium to light green	late spring to early summer (May-Jun)
'Gallery Pink'	○ ☞	18-24"	24-30"	spikes are rose-pink and white	medium to light green	late spring to early summer (May-Jun)
'Gallery Red'	○ ☞	18-24"	24-30"	spikes are rose-red and white	medium to light green	late spring to early summer (May-Jun)
'Gallery Yellow'	○ ☞	18-24"	24-30"	spikes are soft yellow and white	medium to light green	late spring to early summer (May-Jun)
'Minarette'	○ ☞	12-18"	18-24"	spikes are mixed (one color per plant) pink, red, or yellow	medium to light green, compact	late spring to early summer (May-Jun)
New!						
'Popcicle Blue'	○ ☞	12-18"	18-24"	spikes are purple-blue	medium to light green	early spring to early summer (Apr-Jun)
'Popcicle Mix'	○ ☞	12-18"	18-24"	spikes are mixed (one color per plant) blue, purple, pink, red, yellow, or bicolor	medium to light green	early spring to early summer (Apr-Jun)
New!						
'Popcicle Red'	○ ☞	12-18"	18-24"	spikes are red	medium to light green	early spring to early summer (Apr-Jun)
<i>regalis</i>						
'Morello Cherry'	○ ☞	30-36"	24-30"	spikes are cherry-red	medium to light green	late spring to early summer (May-Jun)
LYSIMACHIA (Creeping Jenny, Gooseneck Loosestrife, Moneywort)						
<i>clethroides (Gooseneck Loosestrife)</i>						
clethroides	○ ☞ ☀	30-36"	42-48"	spikes are white, gooseneck-shaped	deep green, reddish color in fall, spreading	mid to late summer (Jul-Aug)
<i>tolerant of many soil conditions, easy to grow</i>						
<i>nummularia (Creeping Jenny, Moneywort)</i>						
'Aurea'	☞ ☀	6" or less	42-48"	yellow	chartreuse-green, spreading	early to late summer (Jun-Aug)
<i>great for containers</i>						
'Green'	☞ ☀	6" or less	42-48"	yellow	light to medium green, spreading	early to late summer (Jun-Aug)
<i>great for containers</i>						

MALVA (Mallow)

Can seed and spread rapidly. Keep under control with periodic "weeding." Foliage may be pruned back after blooming to promote new growth and blooms.

sylvestris (Cheeses)

'Zebrinus'	○ ☞	30-36"	42-48"	lavender with deeper purple stripes	deep green	mid summer to early fall (Jul-Sep)
------------	-----	--------	--------	-------------------------------------	------------	------------------------------------

will reseed if allowed, prune foliage back after blooming to promote new growth and repeat blooms

MAZUS

reptans

reptans	○ ☞	6" or less	24-30"	purplish-blue	mat-like, medium green, spreading	late spring to early summer (May-Jun)
---------	-----	------------	--------	---------------	-----------------------------------	---------------------------------------

MERTENSIA (Bluebells)

virginica

virginica	☞ ☝	12-18"	12-18"	blue, nodding	gray-green	early to late spring (Apr-May)
-----------	-----	--------	--------	---------------	------------	--------------------------------

may go dormant soon after flowering

MONARDA (Bee Balm, Oswego Tea)

Do not worry when foliage deteriorates during and after blooming... it is normal, just prune back. Butterflies love Monarda's pincushion-like flowers!

didyma

'Blue Stocking'	○ ☞	30-36"	36-42"	violet-purple	medium green, fragrant	mid to late summer (Jul-Aug)
'Colrain Red'	○ ☞	42-48"	42-48"	bright red with yellow highlights	medium green, mildew-resistant, fragrant	mid to late summer (Jul-Aug)
'Grand Marshall' PPAF	○ ☞	12-18"	24-30"	fuchsia-purple	medium green, mildew-resistant, fragrant	mid to late summer (Jul-Aug)
'Jacob Cline'	○ ☞	30-36"	36-42"	large, bright red	medium green, mildew-resistant, fragrant	mid to late summer (Jul-Aug)
'Marshall's Delight'	○ ☞	30-36"	36-42"	pink	medium green, mildew-resistant, fragrant	mid to late summer (Jul-Aug)
'Panorama Red'	○ ☞	24-30"	36-42"	scarlet-red	fragrant, medium green	mid to late summer (Jul-Aug)
New! 'Pink Lace' PPAF	○ ☞	12-18"	24-30"	light pink with purple center	fragrant, medium green, purplish stems, compact	mid to late summer (Jul-Aug)

MUEHLENBECKIA (Creeping Wirevine)

Common name comes from wiry nature of its stems and its creeping habit. Perfect for foot traffic areas or in between rocks and pavers.

axillaris

New! axillaris	○ ☞ ☝	6" or less	42-48"	yellow, insignificant	mat-like, medium green edged in red, spreading	late summer to early fall (Aug-Sep)
-----------------------	-------	------------	--------	-----------------------	--	-------------------------------------

MYOSOTIS (Woodland Forget-Me-Not)

Myosotis will seed itself, but does not usually become a problem.

sylvatica

'Royal Blue' ('Bluesylva')	○ ☞ ☝	6-12"	24-30"	light baby-blue	medium green, compact	early to late spring (Apr-May)
----------------------------	-------	-------	--------	-----------------	-----------------------	--------------------------------

NEPETA (Catmint)

gigantea / *x faassenii*

'Walker's Low'	○ ☞	24-30"	30-36"	spikes are lavender-blue	gray-green, fragrant	late spring to late summer (May-Aug)
----------------	-----	--------	--------	--------------------------	----------------------	--------------------------------------

2007 PPA Perennial of the Year, prune foliage back after blooming to promote new growth and repeat blooms

OENOTHERA (Evening Primrose, Sundrops)

Many varieties of Oenothera benefit from some shade, as some blooms will not completely open during daytime hours or in full sun.

berlanderi

'Siskiyou'	○ ☞	6-12"	36-42"	cup-shaped, light pink	medium to light green with reddish highlights, spreading	mid summer to early fall (Jul-Sep)
------------	-----	-------	--------	------------------------	--	------------------------------------

allow room to grow

kunthiana

New! 'Glowing Magenta'	○ ☞	6-12"	36-42"	deep pink	deep green, compact but does spread	early to late summer (Jun-Aug)
-------------------------------	-----	-------	--------	-----------	-------------------------------------	--------------------------------

macrocarpa / *missouriensis* (Missouri Primrose)

macrocarpa / missouriensis	○ ☞	6-12"	24-30"	soft lemon-yellow	light green, sometimes tinged with red	early to late summer (Jun-Aug)
----------------------------	-----	-------	--------	-------------------	--	--------------------------------

OPHIPOGON (Black Lilyturf, Mondo Grass)

Ophiopogon benefits from a winter mulch if possible. Outstanding as an accent plant.

planiscapus

'Nigrescens'	○ ☞ ☝	6-12"	12-18"	bell-shaped, pinkish-white	grass-like, deep purple	mid to late summer (Jul-Aug)
--------------	-------	-------	--------	----------------------------	-------------------------	------------------------------

OXALIS (Wood Sorrel)

The type of Oxalis listed here is the hardy type for outdoor use in our area.

crassipes

'Rosea'	☞ ☝	6-12"	24-30"	bright pink	clover-shaped leaves, light green, spreading	early spring to early summer (Apr-Jun)
---------	-----	-------	--------	-------------	--	--

will keep flowering if kept moist throughout the summer

PACHYSANDRA (Japanese Spurge)

A very nice lush groundcover, but allow some time for it to get established. Keep moist if planted in sunny areas.

terminalis

'Green Carpet'	○ ☞ ☝	6-12"	18-24"	small, white	dense, medium to deep green, spreading	early to late spring (Apr-May)
----------------	-------	-------	--------	--------------	--	--------------------------------

a little more compact habit than most Pachysandra

terminalis	○ ☞ ☝	6-12"	24-30"	small, white	dense, medium to deep green, spreading	early to late spring (Apr-May)
------------	-------	-------	--------	--------------	--	--------------------------------

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Variegata'	○ ☞ ☀	6-12"	18-24"	small, white	medium green with white margins, spreading	early to late spring (Apr-May)

PAEONIA (Garden Peony, Tree Peony)

Foliage support is welcome for the garden type of Peony as their huge flowers cause stems to bend. Tree type Peonies are slower-growing, have patience.

<i>lactiflora</i> (Garden Peony)						
'Double Pink'	○ ☞	36-42"	36-42"	fluffy, light pink to salmon-pink, fragrant	glossy, deep green	late spring to early summer (May-Jun)
'Double Red'	○ ☞	36-42"	36-42"	fluffy, bright red to rose-red, fragrant	glossy, deep green	late spring to early summer (May-Jun)
'Double White'	○ ☞	36-42"	36-42"	fluffy, pure white, fragrant	glossy, deep green	late spring to early summer (May-Jun)
<i>suffruticosa</i> (Tree Peony)						
'Hanakiso Pink'	○ ☞	48-54"	48-54"	semi-double, apricot-pink	medium green, woody	late spring to early summer (May-Jun)
'Hoki Red'	○ ☞	48-54"	48-54"	semi-double, lipstick red	medium green, woody	late spring to early summer (May-Jun)
'Kamatanihiki Blue'	○ ☞	48-54"	48-54"	semi-double, lipstick red	medium green, woody	late spring to early summer (May-Jun)
'Kinkaku Orange'	○ ☞	48-54"	48-54"	double, golden-yellow edged in orange	medium green, woody	late spring to early summer (May-Jun)
'Kinshi Yellow'	○ ☞	48-54"	48-54"	semi-double, lemon-yellow	medium green, woody	late spring to early summer (May-Jun)
'Shimanihiki Bicolor'	○ ☞	48-54"	48-54"	semi-double, reddish-purple striped with white	medium green, woody	late spring to early summer (May-Jun)
'Yagumo Purple'	○ ☞	48-54"	48-54"	semi-double, wine-red to purple	medium green, woody	late spring to early summer (May-Jun)

PAPAVER (Poppy)

Foliage will disappear and plant will go dormant after blooming. Needs well-drained soil.

<i>orientale</i>						
'Beauty of Livermore'	○ ☞	24-30"	24-30"	crimson-red with a large black center	light green, hairy	late spring to early summer (May-Jun)
'Brilliant'	○ ☞	24-30"	24-30"	fire-red with a large black center	light green, hairy	late spring to early summer (May-Jun)
'Princess Louise'	○ ☞	24-30"	24-30"	salmon-pink with a large black center	light green, hairy	late spring to early summer (May-Jun)

PARTHENOCISSUS (Boston Ivy)

A popular, attractive, and hardy climber or groundcover. Foliage turns crimson-red in fall. Tolerates shade but fall color will be diminished.

<i>quinquefolia</i> (Virginia Creeper)						
quinquefolia	○ ☞ ☀	60" or more	60" or more	yellow, insignificant	deep green, turning red in fall, climbing	mid summer (Jul)
<i>tricuspidata</i>						
'Fenway Park'	○ ☞ ☀	60" or more	60" or more	white, insignificant	bright golden-yellow (chartreuse to green in shade), climbing	mid summer (Jul)
tricuspidata	○ ☞ ☀	60" or more	60" or more	white, insignificant	deep green, turning red in fall, climbing	mid summer (Jul)
<i>grape-like fruit that follows the flowers attract songbirds</i>						

PENSTEMON (Beardtongue)

Penstemon comes from the words "pente" (five), and "stemon" (stamen), meaning "five stamens." Prune foliage back after blooming to promote new growth and repeat blooms. Many varieties attract hummingbirds.

<i>barbatus</i>						
New! 'Pinacolada Violet'	○ ☞	6-12"	6-12"	spikes are violet-purple	compact, glossy, medium green	late spring to mid summer (May-Jul)
'Prairie Fire'	○ ☞	24-30"	24-30"	spikes are scarlet-red	glossy, medium green	early to mid summer (Jun-Jul)
<i>attracts butterflies and hummingbirds</i>						
'Rondo Mix'	○ ☞	12-18"	12-18"	spikes are mixed (one color per plant) lavender, pink, purple, rose, or white	glossy, medium green	early to mid summer (Jun-Jul)
<i>digitalis</i>						
'Husker Red'	○ ☞	30-36"	24-30"	spikes are white tinged with pink	deep green and maroon-red	early to late summer (Jun-Aug)
<i>1996 PPA Perennial of the Year</i>						

PEROVSKIA (Russian Sage)

Water well while Perovskia flowers to extend its blooming season. Allow room for growth as it will spread a bit.

<i>atriplicifolia</i>						
atriplicifolia	○ ☞	36-42"	48-54"	spikes are cornflower to lavender-blue, airy	gray-green, finely dissected	mid summer to early fall (Jul-Sep)
<i>1995 PPA Perennial of the Year</i>						
'Little Spire' PP11643	○ ☞	18-24"	24-30"	spikes are cornflower to lavender-blue, airy	gray-green, finely dissected, compact	mid summer to early fall (Jul-Sep)
<i>a more compact grower than other Perovskia</i>						

PHLOX (Phlox)

Tall varieties will get some mildew, which is normal. Pruning foliage back after blooming will promote new growth and blooms. Yes, most Phlox can tolerate shadier areas. Butterflies and hummingbirds love them!

<i>paniculata</i> (Tall Phlox)						
'Blue Paradise'	○ ☞ ☀	36-42"	30-36"	lavender-blue with small white centers, fragrant	deep green	mid summer to early fall (Jul-Sep)
'Bright Eyes'	○ ☞ ☀	30-36"	30-36"	pale pink with hot pink eye	deep green	mid summer to early fall (Jul-Sep)
New! 'Candy Floss' PPAF	○ ☞ ☀	18-24"	18-24"	pink	deep green, compact, mildew resistant	mid summer to early fall (Jul-Sep)
'David'	○ ☞ ☀	36-42"	36-42"	pure white, fragrant	medium to deep green, mildew resistant	mid summer to early fall (Jul-Sep)
<i>2002 PPA Perennial of the Year</i>						

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Flame Purple' PPAF	○ ☞ ☞	6-12"	6-12"	purple	deep green, compact	mid summer to early fall (Jul-Sep)
'Flame White' PPAF	○ ☞ ☞	6-12"	6-12"	white	deep green, compact	mid summer to early fall (Jul-Sep)
'Junior Dance' PP16059	○ ☞ ☞	12-18"	12-18"	hot coral-pink, fragrant	deep green, mildew resistant	mid summer to early fall (Jul-Sep)
'Junior Dream' PP16104	○ ☞ ☞	12-18"	12-18"	bright purple, fragrant	deep green, mildew resistant	mid summer to early fall (Jul-Sep)
'Laura' <i>one of our favorite Phlox varieties</i>	○ ☞ ☞	24-30"	30-36"	fragrant, fuchsia-purple with a white center	medium to deep green, mildew resistant	mid summer to early fall (Jul-Sep)
'Miss Elie' <i>one of our favorite Phlox varieties</i>	○ ☞ ☞	36-42"	36-42"	rose with dark pink eye, fragrant	medium to deep green, mildew resistant	mid summer to early fall (Jul-Sep)
'Nicky'	○ ☞ ☞	30-36"	30-36"	magenta-pink	medium to deep green, mildew resistant	mid summer to early fall (Jul-Sep)
'Orange Perfection'	○ ☞ ☞	30-36"	30-36"	salmon-orange, fragrant	medium to deep green	mid summer to early fall (Jul-Sep)
'Pixie Miracle Grace' PPAF	○ ☞ ☞	12-18"	12-18"	purple with white star-shaped eye	deep green, mildew resistant, compact	mid summer to early fall (Jul-Sep)
'Pixie Twinkle' PPAF	○ ☞ ☞	12-18"	12-18"	soft pink with darker pink eye	deep green, mildew resistant, compact	mid summer to early fall (Jul-Sep)
'Red Riding Hood'	○ ☞ ☞	18-24"	18-24"	cherry-red, fragrant	medium to deep green	mid summer to early fall (Jul-Sep)
'Starfire'	○ ☞ ☞	30-36"	30-36"	cherry-red	deep green	mid summer to early fall (Jul-Sep)
'Tenor'	○ ☞ ☞	18-24"	18-24"	bright red, fragrant	deep green	mid summer to early fall (Jul-Sep)
subulata (Moss Creeping Phlox)						
'Atropurpurea'	○ ☞	6" or less	12-18"	bright fuchsia-red	mat-like, light green, spreading	early to late spring (Apr-May)
'Candy Stripe'	○ ☞	6" or less	12-18"	striped pink and white	mat-like, light green, spreading	early to late spring (Apr-May)
'Emerald Blue'	○ ☞	6" or less	12-18"	light lavender-blue	mat-like, light green, spreading	early to late spring (Apr-May)
'Emerald Pink'	○ ☞	6" or less	12-18"	pink to rose-pink	mat-like, light green, spreading	early to late spring (Apr-May)
'White Delight'	○ ☞	6" or less	12-18"	pure white	mat-like, light green, spreading	early to late spring (Apr-May)
PHYSOSTEGIA (False Dragonhead, Lion's Heart, Obedient Plant)						
<i>The common name Obedient Plant comes from its flowers' ability to be twisted on the stem and still remain as they are arranged.</i>						
virginiana						
'Pink Bouquet' <i>usually only available late summer-fall</i>	○ ☞ ☞	36-42"	42-48"	spikes are pink	slightly glossy, medium green, tolerates moisture well	late summer to late fall (Aug-Oct)
'Summer Snow' <i>usually only available late summer-fall</i>	○ ☞ ☞	24-30"	42-48"	spikes are pure white	slightly glossy, medium green, tolerates moisture well	mid summer to early fall (Jul-Sep)
PLATYCODON (Balloon Flower)						
<i>Balloon Flower gets its name from its bud and flower shape. Platycodon will sometimes go dormant after flowering, and it breaks dormancy quite late in the spring.</i>						
grandiflorus						
'Astra Double Blue'	○ ☞	6-12"	6-12"	double, star-shaped, periwinkle-blue	compact, medium green	early to late summer (Jun-Aug)
'Astra Pink'	○ ☞	6-12"	6-12"	star-shaped, pink	compact, medium green	early to late summer (Jun-Aug)
PODOPHYLLUM (Mayapple)						
peltatum						
peltatum	☞ ☞	6-12"	18-24"	white	medium to light green	early to late spring (Apr-May)
POLEMONIUM (Jacob's Ladder)						
<i>Common name comes from its ladder-like formation of leaves. Prune foliage back after blooming to promote new growth and repeat blooms.</i>						
boreale						
'Heavenly Habit'	○ ☞ ☞	18-24"	18-24"	clusters are blue with yellow halo and white eye	medium to light green, lacy	late spring to mid summer (May-Jul)
caeruleum						
'Brise d'Anjou' PP9781	○ ☞ ☞	12-18"	18-24"	clusters are violet-blue	lacy, cream-white and light green variegation	late spring to early summer (May-Jun)
caeruleum	○ ☞ ☞	18-24"	18-24"	clusters are light blue	medium to light green, lacy	late spring to early summer (May-Jun)
Hybrid						
New! 'Heaven Scent' PPAF	○ ☞ ☞	12-18"	12-18"	clusters are blue, fragrant	medium to light green with purple highlights, lacy, compact	late spring to mid summer (May-Jul)
New! 'Touch of Class' PPAF <i>sport of 'Stairway to Heaven'</i>	○ ☞ ☞	12-18"	12-18"	pink buds mature to pale blue	medium to light green with narrow white margin, lacy, compact	early spring to early summer (Apr-Jun)
yazoense						
'Purple Rain'	○ ☞	18-24"	18-24"	clusters are blue	bronze-purple, dark stems, lacy	late spring to mid summer (May-Jul)
POLYGONATUM (Solomon's Seal)						
humile						
New! 'Fred Case'	☞ ☞	6-12"	18-24"	white, nodding	medium to deep green, compact	late spring to early summer (May-Jun)
odoratum						
'Variegatum'	☞ ☞	18-24"	24-30"	white, nodding	green with white margins, arching stems	late spring to early summer (May-Jun)
POTENTILLA (Cinquefoil)						
<i>Pruning can help to keep the spreading types of Potentillas in check.</i>						
atrosanguinea						
'Gibson Scarlet'	○ ☞	12-18"	24-30"	bright red	deep green, spreading	mid to late summer (Jul-Aug)

PRIMULA (Primrose)

Try to keep moist or plant in a shadier area. Prune foliage back after blooming to promote new growth and repeat blooms.

capitata

New!	'Salvana'	☉ ☁	6-12"	6-12"	clusters are violet-blue with silver-dusted top	medium to light green, silver-dusted	late spring to mid summer (May-Jul)
-------------	-----------	-----	-------	-------	---	--------------------------------------	-------------------------------------

x polyantha (English Primrose)

	'Pacific Giant Blue'	☁	6-12"	6-12"	violet-blue with yellow center	foliage is crinkled, compact, light green	early to late spring (Apr-May)
--	----------------------	---	-------	-------	--------------------------------	---	--------------------------------

	'Pacific Giant Mix'	☁	6-12"	6-12"	mixed (one color per plant) lavender, pink, red, violet-blue, white, or yellow, all with yellow centers	foliage is crinkled, compact, light green	early to late spring (Apr-May)
--	---------------------	---	-------	-------	---	---	--------------------------------

	'Pacific Giant Red'	☁	6-12"	6-12"	red with yellow center	foliage is crinkled, compact, light green	early to late spring (Apr-May)
--	---------------------	---	-------	-------	------------------------	---	--------------------------------

	'Pacific Giant Yellow'	☁	6-12"	6-12"	bright sunny yellow	foliage is crinkled, compact, light green	early to late spring (Apr-May)
--	------------------------	---	-------	-------	---------------------	---	--------------------------------

PRUNELLA (Self-Heal)

The common name "Selfheal" comes from the belief in its ability to effectively treat minor disorders.

grandiflora

	'Bella Deep Rose'	☉ ☁	6" or less	24-30"	rose-pink	medium green, carpet-like mat	early to mid summer (Jun-Jul)
--	-------------------	-----	------------	--------	-----------	-------------------------------	-------------------------------

PULMONARIA (Bethlehem Sage, Lungwort)

Pulmonaria is reported to have lung healing properties, hence the common name Lungwort.

Hybrid

	'Majeste'	☁	6-12"	6-12"	light pink buds open to bluish-pink	leathery, silver-gray	early to late spring (Apr-May)
--	-----------	---	-------	-------	-------------------------------------	-----------------------	--------------------------------

	'Raspberry Splash' PP12138	☁	6-12"	6-12"	raspberry-pink	leathery, deep green with silver spots	early to late spring (Apr-May)
--	----------------------------	---	-------	-------	----------------	--	--------------------------------

officinalis

	'Sissinghurst White'	☁	6-12"	6-12"	pure white	leathery, deep green slightly spotted with silver	early to late spring (Apr-May)
--	----------------------	---	-------	-------	------------	---	--------------------------------

saccharata

	'Mrs. Moon'	☁	6-12"	6-12"	magenta-pink buds open to bright blue	leathery, deep green with silver spots	early to late spring (Apr-May)
--	-------------	---	-------	-------	---------------------------------------	--	--------------------------------

RODGERSIA (Rodger's Flower)

Moisture is absolutely necessary for Rodgersia. Leaves resemble a horse chestnut leaf.

aesculifolia

	<i>aesculifolia</i>	☉ ☁	36-42"	30-36"	clusters are creamy white maturing to light pink	hairy, course, medium to deep green	early to mid summer (Jun-Jul)
--	---------------------	-----	--------	--------	--	-------------------------------------	-------------------------------

henrici

	<i>henrici</i>	☁	36-42"	30-36"	clusters are light pink to rose	hairy, course, medium to deep green	mid to late summer (Jul-Aug)
--	----------------	---	--------	--------	---------------------------------	-------------------------------------	------------------------------

ROSE (Flower Carpet Series)

Flower Carpet varieties are known for their low maintenance and long bloom time.

Groundcover Roses : Popular for their rugged character, lower-growing habit, and continuous blooming.

	'Flower Carpet Coral'	☉ ☁	18-24"	30-36"	semi-double, coral-pink with light pink center	deep green, glossy	late spring to late fall (May-Oct)
--	-----------------------	-----	--------	--------	--	--------------------	------------------------------------

	'Flower Carpet Pink Supreme'	☉ ☁	18-24"	30-36"	semi-double, rose-pink	deep green, glossy	late spring to late fall (May-Oct)
--	------------------------------	-----	--------	--------	------------------------	--------------------	------------------------------------

	'Flower Carpet Red'	☉ ☁	18-24"	30-36"	single, red with yellow center	deep green, glossy	late spring to late fall (May-Oct)
--	---------------------	-----	--------	--------	--------------------------------	--------------------	------------------------------------

	'Flower Carpet Scarlet'	☉ ☁	18-24"	30-36"	semi-double, red	deep green, glossy	late spring to late fall (May-Oct)
--	-------------------------	-----	--------	--------	------------------	--------------------	------------------------------------

	'Flower Carpet Yellow'	☉ ☁	18-24"	30-36"	semi-double, soft yellow	deep green, glossy	late spring to late fall (May-Oct)
--	------------------------	-----	--------	--------	--------------------------	--------------------	------------------------------------

ROSE (J&P Boxed or Various Potted Varieties)

2-3 year old, mature plants. Waxed and boxed or potted.

David Austin's English Roses : From British hybridizer David Austin, these roses are loved for the heavily-petaled cup-shaped blooms and strong fragrance.

	'Abraham Darby'	☉ ☁	54-60"	54-60"	soft peach-pink with pale yellow reverse, strong fruity scent	leathery, glossy, deep green	early summer to early fall (Jun-Sep)
--	-----------------	-----	--------	--------	---	------------------------------	--------------------------------------

	'Bishop's Castle'	☉ ☁	42-48"	48-54"	pink, strong scent	deep green	early summer to early fall (Jun-Sep)
--	-------------------	-----	--------	--------	--------------------	------------	--------------------------------------

	'Christopher Marlowe'	☉ ☁	36-42"	36-42"	orange-red to salmon-pink, cream reverse, slight lemon scent	glossy, deep green, compact	early summer to early fall (Jun-Sep)
--	-----------------------	-----	--------	--------	--	-----------------------------	--------------------------------------

	'Gertrude Jekyll'	☉ ☁	54-60"	48-54"	rich deep pink, strong scent	leathery, glossy, medium green	early summer to early fall (Jun-Sep)
--	-------------------	-----	--------	--------	------------------------------	--------------------------------	--------------------------------------

	'Golden Celebration'	☉ ☁	54-60"	48-54"	golden-yellow, honey scent	medium green	early summer to early fall (Jun-Sep)
--	----------------------	-----	--------	--------	----------------------------	--------------	--------------------------------------

	'Pat Austin'	☉ ☁	42-48"	48-54"	copper and gold, strong scent	medium green	early summer to early fall (Jun-Sep)
--	--------------	-----	--------	--------	-------------------------------	--------------	--------------------------------------

	'Teasing Georgia'	☉ ☁	42-48"	48-54"	deep to light yellow blend, licorice scent	medium green	early summer to early fall (Jun-Sep)
--	-------------------	-----	--------	--------	--	--------------	--------------------------------------

Non-Patented Climbing Roses : Perfect for a backdrop to gardens, camouflaging fences, or screening unwanted views.

	'America'	☉ ☁	60" or more	54-60"	salmon-pink, clove scent	deep green	mid summer to early fall (Jul-Sep)
--	-----------	-----	-------------	--------	--------------------------	------------	------------------------------------

New!	'Sally Holmes'	☉ ☁	60" or more	54-60"	white, single, sweet fragrance	deep green	mid summer to early fall (Jul-Sep)
-------------	----------------	-----	-------------	--------	--------------------------------	------------	------------------------------------

Non-Patented Shrub Roses : Easy to care for and versatile, shrub roses are some of the most hardy and maintenance-free roses available.

	'Nearly Wild'	☉ ☁	30-36"	36-42"	rose-pink, sweet scent	rugosa type, deep green	early summer to early fall (Jun-Sep)
--	---------------	-----	--------	--------	------------------------	-------------------------	--------------------------------------

Patented Climbing Roses : Perfect for a backdrop to gardens, camouflaging fences, or screening unwanted views.

	'Blaze of Glory'	☉ ☁	60" or more	54-60"	coral-orange, light scent	glossy, deep green	mid summer to early fall (Jul-Sep)
--	------------------	-----	-------------	--------	---------------------------	--------------------	------------------------------------

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Fourth of July'	○ ☞	60" or more	54-60"	red and white splashed, strong apple scent	glossy, deep green	mid summer to early fall (Jul-Sep)
'Scent from Above'	○ ☞	60" or more	54-60"	golden-yellow, licorice scent	semi-glossy, deep green	mid summer to early fall (Jul-Sep)
'Stairway to Heaven'	○ ☞	60" or more	54-60"	red, light scent	glossy, deep green	mid summer to early fall (Jul-Sep)
Patented Floribunda Roses : No other rose type offers as much color, with countless clusters of flowers.						
'Betty Boop'	○ ☞	30-36"	24-30"	single, creamy yellow edged in red, fruity scent	deep green	early summer to early fall (Jun-Sep)
'Black Cherry' <i>2006 Floribunda of the Year</i>	○ ☞	36-42"	36-42"	dark red, light scent	glossy, medium green	early summer to early fall (Jun-Sep)
'Disneyland Rose' <i>official rose of Disneyland Resort</i>	○ ☞	30-36"	36-42"	copper, apricot, orange, and pink blend, light scent	deep green	early summer to early fall (Jun-Sep)
'Eureka'	○ ☞	36-42"	36-42"	apricot and apricot-copper blend, light scent	glossy, deep green	early summer to early fall (Jun-Sep)
'Fabulous!' <i>2001 Floribunda of the Year</i>	○ ☞	42-48"	42-48"	white, light sweet scent	glossy, deep green	early summer to early fall (Jun-Sep)
New! 'Frankly Scarlet'	○ ☞	36-42"	36-42"	scarlet-red, spicy scent	glossy, deep green	early summer to early fall (Jun-Sep)
'Heaven on Earth' <i>flower shape resembles a peony</i>	○ ☞	36-42"	42-48"	cup-shaped, apricot-pink to light pink, spicy scent	glossy, deep green	early summer to early fall (Jun-Sep)
'Honey Perfume' <i>2004 Floribunda of the Year</i>	○ ☞	36-42"	36-42"	apricot-yellow, spicy scent	glossy, deep green	early summer to early fall (Jun-Sep)
'Hot Cocoa'	○ ☞	42-48"	42-48"	chocolate-orange, light fruity scent	glossy, deep green	early summer to early fall (Jun-Sep)
New! 'Laura Bush'	○ ☞	36-42"	36-42"	cinnamon-orange with yellow-splashed reverse, light fruity scent	glossy, deep green	early summer to early fall (Jun-Sep)
New! 'Lovestruck' <i>2008 Floribunda of the Year</i>	○ ☞	36-42"	36-42"	cream splashed with pink with white reverse, light spicy scent	glossy, deep green	early summer to early fall (Jun-Sep)
New! 'Mardi Gras'	○ ☞	36-42"	36-42"	yellow, orange, and pink blend, light scent	deep green	early summer to early fall (Jun-Sep)
'Purple Tiger'	○ ☞	42-48"	42-48"	purple striped with white	deep green	early summer to early fall (Jun-Sep)
'Scentimental'	○ ☞	36-42"	36-42"	burgundy-red and white splashed, strong spicy scent	glossy, deep green	early summer to early fall (Jun-Sep)
'Tuscan Sun' <i>2005 Floribunda of the Year</i>	○ ☞	42-48"	42-48"	deep apricot-orange, light spicy scent	glossy, deep green	early summer to early fall (Jun-Sep)
Patented Hybrid Tea/Grandiflora Roses : Still the most popular rose type with classic bloom form, longer stems, and unmistakable fragrance.						
'Aperitif'	○ ☞	60" or more	48-54"	sunny yellow with a hint of gold, spicy scent	glossy, deep green	early to late summer (Jun-Aug)
New! 'April in Paris' <i>2008 Rose of the Year</i>	○ ☞	54-60"	48-54"	cream-white with light pink tinges, strong tea scent	glossy, deep green	early to late summer (Jun-Aug)
'Aromatherapy'	○ ☞	54-60"	48-54"	pink, strong fruit scent	semi-glossy, deep green	early to late summer (Jun-Aug)
'Barbara Bush'	○ ☞	48-54"	42-48"	large, coral-pink and ivory-white, light scent	deep green	early to late summer (Jun-Aug)
New! 'Catalina' PPAF	○ ☞	54-60"	48-54"	apricot-pink with deeper pink reverse, light scent	glossy, deep green	early to late summer (Jun-Aug)
'Crimson Bouquet'	○ ☞	48-54"	48-54"	bright garnet-red, light scent	glossy, deep green	early to late summer (Jun-Aug)
'Diana, Princess of Wales' <i>a percentage of J&P sales are donated to Diana, Princess of Wales Memorial Fund</i>	○ ☞	54-60"	48-54"	pink and cream	semi-glossy, deep green	early to late summer (Jun-Aug)
New! 'Dream Come True'	○ ☞	36-42"	36-42"	yellow with ruby-red edges	deep green	early to late summer (Jun-Aug)
'Eile'	○ ☞	42-48"	42-48"	pink with yellow undertones, strong citrus scent	compact, glossy, deep green	early to late summer (Jun-Aug)
'Ingrid Bergman'	○ ☞	42-48"	36-42"	large, deep red	glossy, deep green	early to late summer (Jun-Aug)
'Moon Shadow'	○ ☞	54-60"	48-54"	lavender-purple with silver overlay, strong scent	glossy, deep green	early to late summer (Jun-Aug)
'Opening Night'	○ ☞	42-48"	36-42"	bright deep red, light fruity scent	semi-glossy, deep green	early to late summer (Jun-Aug)
New! 'Pope John Paul II' <i>one of the finest white varieties available</i>	○ ☞	48-54"	42-48"	white, strong citrus scent	glossy, deep green	early to late summer (Jun-Aug)
'Spellbound' <i>2006 Rose of the Year</i>	○ ☞	54-60"	48-54"	deep coral-red to coral-pink, light scent	semi-glossy, deep green	early to late summer (Jun-Aug)
'Tournament of Roses'	○ ☞	36-42"	36-42"	coral-pink maturing to light pink, light sweet scent	glossy, deep green	early to late summer (Jun-Aug)
'Welcome Home'	○ ☞	54-60"	48-54"	light yellow, light licorice scent	deep green	early to late summer (Jun-Aug)
'Whisper'	○ ☞	54-60"	48-54"	large, ivory-white, light musk scent	semi-glossy, deep green	early to late summer (Jun-Aug)
'Wild Blue Yonder'	○ ☞	48-54"	42-48"	red-purple with lavender highlights, light scent	glossy, medium green	early to late summer (Jun-Aug)
Patented Shrub Roses : Easy to care for and versatile, shrub roses are some of the most hardy and maintenance-free roses available.						
New! 'Citrus Splash'	○ ☞	48-54"	48-54"	semi-double, striped orange and yellow, citrus scent	deep green	early summer to early fall (Jun-Sep)
'Knock Out Blushing' <i>part of the 'Knock Out' series with exceptional performance</i>	○ ☞	36-42"	36-42"	semi-double, soft light pink	deep green	early summer to late fall (Jun-Oct)

SARRACENIA (Hybrid Pitcher Plant)

An exciting native carnivorous perennial for our area, yet still benefits from winter protection/mulching. The 'Little Bug' series features a compact habit and plentiful pitchers.

Hybrid (Little Bug Series)

New!	'Doodle Bug'	○	6-12"	6-12"	green with red veining	medium to light green	early to late summer (Jun-Aug)
New!	'Redbug' PP13412	○	6-12"	6-12"	burgundy with deeper veining	medium to light green	early to late summer (Jun-Aug)

pitchers will tend to be more green in shadier areas

SCABIOSA (Pincushion Flower)

Reliability can be improved with winter mulching. An absolute must-have if you want to attract butterflies!

columbaria

	'Butterfly Blue'	○ ☞	12-18"	6-12"	pincushion-like, lavender-blue	medium green, compact	early summer to early fall (Jun-Sep)
--	------------------	-----	--------	-------	--------------------------------	-----------------------	--------------------------------------

2000 PPA Perennial of the Year

japonica

	'Blue Diamonds'	○ ☞	6-12"	12-18"	pincushion-like, cornflower-blue to lavender	medium green, compact	early to late summer (Jun-Aug)
--	-----------------	-----	-------	--------	--	-----------------------	--------------------------------

prune foliage back after blooming to promote new growth and repeat blooms

SCHIZOPHRAGMA (Japanese Hydrangea Vine)

hydrangeoides

	'Moonlight'	○ ☞	60" or more	42-48"	clusters are silver-white	blue-green dusted with silver, climbing	mid to late summer (Jul-Aug)
	'Rosea'	○ ☞	60" or more	42-48"	clusters are pale pink	blue-green dusted with silver, climbing	mid to late summer (Jul-Aug)

flowers are similar to a climbing Hydrangea

SEDUM (Live-Forever, Stonecrop)

Stonecrop comes from the manner by which many species seem to flourish on rocky. Sedum is one of the easiest perennials to grow and maintain with excellent drought resistant qualities.

acre (Goldmoss Sedum)

	acre	○ ☞	6" or less	36-42"	clusters are yellow-green	light green, succulent, mat-forming, spreading	early to late summer (Jun-Aug)
New!	'Oktoberfest'	○ ☞	6" or less	36-42"	clusters are light yellow	light green, succulent, mat-forming, spreading	early to mid summer (Jun-Jul)

tolerates some foot traffic

album (White Flowered Sedum)

New!	'Athoum'	○ ☞	6" or less	36-42"	clusters are light pink	medium green tipped in purplish-red, succulent	early to mid summer (Jun-Jul)
	chloroticum (Baby Tears)	○ ☞	6" or less	30-36"	clusters are ivory-white	gray-green, spreading, succulent	early to mid summer (Jun-Jul)
New!	'Faro Island'	○ ☞	6" or less	36-42"	clusters are white	moss-like, medium green, succulent	early to mid summer (Jun-Jul)
New!	'Green Ice'	○ ☞	6" or less	36-42"	clusters are white	evergreen, moss-like, medium green, succulent	early to mid summer (Jun-Jul)
New!	'Orange Ice'	○ ☞	6" or less	36-42"	clusters are white	medium green maturing to orange in fall and winter, succulent	early to mid summer (Jun-Jul)
New!	'Red Ice'	○ ☞	6" or less	36-42"	clusters are white	blue-green maturing to burgundy-red in fall and winter, succulent	early to mid summer (Jun-Jul)

tolerates some foot traffic

cauticola

New!	'Sunset Cloud'	○ ☞	6" or less	36-42"	clusters are pinkish-red	blue-green maturing to purplish-red in fall and winter, succulent	early to late fall (Sep-Oct)
-------------	----------------	-----	------------	--------	--------------------------	---	------------------------------

divergens (Cascade Sedum)

New!	divergens	○ ☞	6" or less	24-30"	clusters are bright yellow	glossy, medium green tinted with red, succulent	early to mid summer (Jun-Jul)
-------------	-----------	-----	------------	--------	----------------------------	---	-------------------------------

tolerates some foot traffic

grisbachii (Grisebach Sedum)

New!	grisbachii	○ ☞	6" or less	24-30"	clusters are bright yellow	moss-like, chartreuse-green, succulent	early to mid summer (Jun-Jul)
-------------	------------	-----	------------	--------	----------------------------	--	-------------------------------

hispanicum (Baby Tears, Blue Carpet Sedum)

New!	'Pinkie'	○ ☞	6" or less	18-24"	clusters are pinkish-white	mat-like, succulent, blue-gray with a rose tint, spreading	early to mid summer (Jun-Jul)
-------------	----------	-----	------------	--------	----------------------------	--	-------------------------------

tolerates some foot traffic

Hybrid

	'Abbeydore'	○ ☞	12-18"	18-24"	heads are pink to pinkish-red	succulent, blue-green, compact	late summer to late fall (Aug-Oct)
	'Autumn Fire'	○ ☞	24-30"	24-30"	heads are rose-red maturing to copper-red	succulent, light green	late summer to late fall (Aug-Oct)
	'Autumn Joy'	○ ☞	30-36"	30-36"	heads are dusty rose-red maturing to copper-red	succulent, light green	late summer to late fall (Aug-Oct)
New!	'Beka' PPAF ('Autumn Delight')	○ ☞	18-24"	24-30"	heads are light pink maturing to bronze red	succulent, chartreuse-green with blue-green irregular margins	late summer to late fall (Aug-Oct)
	'Black Jack' PP16736	○ ☞	24-30"	24-30"	heads are pink to light pink	succulent, black-purple	late summer to late fall (Aug-Oct)
New!	'Crazy Ruffles' PPAF	○ ☞	18-24"	24-30"	heads are light pink	succulent, toothed, blue-green	late summer to late fall (Aug-Oct)
	'John Creech'	○ ☞	6" or less	30-36"	clusters are purplish-pink	succulent, spreading, medium green	mid to late summer (Jul-Aug)
	'Maestro' PPAF	○ ☞	24-30"	24-30"	heads are reddish-pink	succulent, blue-green, purple stems	late summer to late fall (Aug-Oct)
	'Matrona'	○ ☞	18-24"	24-30"	heads are mauve-pink	succulent, gray-green with rose-pink highlights, purple stems	mid summer to early fall (Jul-Sep)
	'Postman's Pride' PPAF	○ ☞	18-24"	24-30"	heads are reddish-pink	succulent, deep purple-blue	late summer to late fall (Aug-Oct)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Red Cauli'	○ ☞	6-12"	18-24"	heads are ruby-red	succulent, purplish-red and green, red stems, spreading	late summer to early fall (Aug-Sep)
'Rosy Glow'	○ ☞	6-12"	24-30"	heads are ruby-red	succulent, blue-green, spreading	late summer to early fall (Aug-Sep)
'Vera Jameson'	○ ☞	6-12"	24-30"	heads are light pink to rose	reddish-maroon, spreading	late summer to early fall (Aug-Sep)
'Xenox' PPAF	○ ☞	12-18"	12-18"	heads are rose-pink	succulent, gray-green maturing to bronze	late summer to early fall (Aug-Sep)
kamtschaticum						
ellacombianum	○ ☞	6-12"	30-36"	clusters are lemon-yellow to golden-orange	succulent, spreading, medium to light green	early to late summer (Jun-Aug)
'Variegatum'	○ ☞	6-12"	30-36"	clusters are lemon-yellow to golden-orange	succulent, spreading, medium green edged in creamy white	early to mid summer (Jun-Jul)
pachyclados (Thick Stemmed Sedum)						
pachyclados	○ ☞	6" or less	18-24"	clusters are white	rosettes of blue-green, succulent	early to mid summer (Jun-Jul)
<i>tolerates some foot traffic</i>						
repestre						
'Angelina' PPAF	○ ☞	6" or less	24-30"	clusters are yellow	needle-like, chartreuse to yellow turning reddish-orange in fall and winter, spreading	early to late summer (Jun-Aug)
New! 'Sea Gold'	○ ☞	6" or less	24-30"	clusters are yellow	needle-like, golden-yellow turning reddish-orange in summer	early to mid summer (Jun-Jul)
rubrotinctum						
New! 'Mini Me'	○ ☞	6" or less	18-24"		moss-like, succulent, blue-green tipped in red, spreading	early to mid summer (Jun-Jul)
<i>benefits from some winter protection/mulching</i>						
sieboldii (October Daphne)						
'Nana'	○ ☞	6" or less	12-18"	clusters are pink	succulent, powdery-blue edged in burgundy, spreading	late summer to early fall (Aug-Sep)
sieboldii	○ ☞	6" or less	18-24"	clusters are pink	succulent, powdery-blue edged in burgundy, spreading	late summer to early fall (Aug-Sep)
spectabile						
'Brilliant'	○ ☞	18-24"	18-24"	heads are rose-pink	succulent, light green	late summer to late fall (Aug-Oct)
'Neon'	○ ☞	18-24"	18-24"	heads are bright rose-pink to magenta	succulent, light green	late summer to early fall (Aug-Sep)
<i>slightly brighter color and consistency than S. 'Brilliant'</i>						
'Pink Chablis' PPAF	○ ☞	18-24"	18-24"	heads are light pink	succulent, light green edged in white	late summer to early fall (Aug-Sep)
<i>foliage does not seem to revert back to green as some other variegated varieties do</i>						
spurium (Two-Row Sedum)						
'Dragon's Blood'	○ ☞	6" or less	30-36"	clusters are hot-pink	succulent, spreading, medium green with burgundy-red highlights	early to late summer (Jun-Aug)
<i>best foliage color comes with full sunlight and mature plants</i>						
New! 'Elizabeth'	○ ☞	6" or less	30-36"	clusters are deep red	succulent, spreading, medium green with burgundy-red tints	early to late summer (Jun-Aug)
'Fulda Glow'	○ ☞	6" or less	30-36"	clusters are hot-pink	succulent, spreading, bronze to burgundy-red	early to late summer (Jun-Aug)
<i>best foliage color comes with full sunlight and mature plants</i>						
New! 'Green Mantle'	○ ☞	6" or less	30-36"	clusters are soft pink	succulent, spreading, medium green	early to late summer (Jun-Aug)
New! 'Roseum'	○ ☞	6" or less	30-36"	clusters are pink	succulent, spreading, lime-green	early to late summer (Jun-Aug)
SEMPERVIVUM (Hens and Chicks, Houseleek, Live-Forever)						
<i>An excellent plant for the poorest of soils. Superstitions abound for its ability to repel lightning and fire.</i>						
tectorum						
'Braunii'	○ ☞	6" or less	6-12"	clusters are yellow	succulent, deep green, pointed leaves	early to mid summer (Jun-Jul)
'Pileoseum'	○ ☞	6" or less	6-12"	clusters are light pink	succulent, gray-green, pointed leaves	early to mid summer (Jun-Jul)
'Purple Beauty'	○ ☞	6" or less	6-12"	clusters are light pink	succulent, silver-green pointed leaves with purple tips	early to mid summer (Jun-Jul)
'Sanford Hybrids'	○ ☞	6" or less	6-12"	clusters are light pink	succulent, deep red pointed leaves with green tips	early to mid summer (Jun-Jul)
'Silverine'	○ ☞	6" or less	6-12"	clusters are dark pink	succulent, silver-green pointed leaves with bases flushed in red	early to mid summer (Jun-Jul)
SHRUB HYDRANGEA (Hydrangea)						
<i>Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.</i>						
macrophylla (Bigleaf Hydrangea) : Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue.						
'Endless Summer'	○ ☞ ☀	42-48"	42-48"	pink (alkaline) or blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
<i>newer variety, blooms appear on new growth/wood giving extended bloom time</i>						
New! 'Endless Summer Blushing'	○ ☞ ☀	42-48"	42-48"	semi-double, white maturing to light pink	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
<i>Bridal variety, blooms appear on new growth/wood giving extended bloom time</i>						
macrophylla (Forever & Ever Series) : Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue. Blooms also appear on new growth/wood giving extended bloom time.						
'Forever & Ever' ('Early Sensation')	○ ☞ ☀	30-36"	30-36"	mophead-shaped, pink (alkaline) or blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
New! 'Forever & Ever Blue Heaven' PPAF	○ ☞ ☀	30-36"	30-36"	large, mophead-shaped, pink (alkaline) or blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
	'Forever & Ever Double Pink' ○ ☞ ☀	30-36"	30-36"	star-shaped, pink (alkaline) or blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
New!	'Forever & Ever Peppermint' PPAF ○ ☞ ☀	30-36"	30-36"	mophead-shaped, white with pink (alkaline) or blue (acidic) stripes in center of each petal	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
	'Forever & Ever Red Sensation' ○ ☞ ☀	30-36"	30-36"	mophead-shaped, rose-red maturing to shades of purple, richness of color depends on soil pH	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
New!	'Forever & Ever Together' PPAF ○ ☞ ☀	30-36"	30-36"	double, mophead-shaped, light green maturing to rich pink (alkaline) or vivid blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
<i>macrophylla (Let's Dance Series) : Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue. A newer series with blooms appearing on old and new growth/wood.</i>						
New!	'Let's Dance Moonlight' foliage turns bronze in fall ○ ☞ ☀	30-36"	30-36"	mphead-shaped, deep rose-pink (alkaline) or lavender-blue (acidic)	woody, deep green, strong stems, pruning only needed for shaping	early to late summer (Jun-Aug)
New!	'Let's Dance Starlight' ○ ☞ ☀	30-36"	30-36"	lace-cap-shaped, rich pink (alkaline) or bright blue (acidic)	woody, deep green, strong stems, pruning only needed for shaping	early to late summer (Jun-Aug)
<i>paniculata (Hardy Hydrangea)</i>						
	'Limelight' PP12874 ○ ☞ ☀	60" or more	60" or more	conical-shaped, white to lime-green maturing with pinkish tones	woody, medium green	mid summer to early fall (Jul-Sep)
SHRUB SAMBUCUS (Elderberry)						
<i>Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.</i>						
<i>nigra</i>						
	'Black Lace' PP15575 an excellent contrast plant ○ ☞	60" or more	54-60"	clusters are pink	woody, lacy, maple-like, purple-black	early to mid summer (Jun-Jul)
SHRUB SYRINGA (Lilac)						
<i>Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.</i>						
<i>meyeri (Dwarf Korean Lilac)</i>						
	'Palibin' ○ ☞	42-48"	30-36"	light lavender to pink, fragrant	medium to deep green	early to late spring (Apr-May)
SHRUB WEIGELA (Weigela)						
<i>Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.</i>						
<i>florida</i>						
New!	'My Monet' PP16824 ○ ☞ ☀	12-18"	18-24"	lavender-pink	variegated white and green with pink tinges, compact	late spring to mid summer (May-Jul)
SILENE (Campion, Catchfly)						
<i>uniflora</i>						
New!	'Compacta' ○ ☞	6-12"	30-36"	double, white	spreading, gray-green	early to late summer (Jun-Aug)
SISYRINCHIUM (Blue-eyed Grass)						
<i>angustifolium</i>						
	'Lucerne' ○ ☞	6-12"	6-12"	bright blue with gold centers	grass-like, medium to deep green	late spring to mid summer (May-Jul)
<i>bermudianum</i>						
	'bermudianum' ○ ☞	6-12"	6-12"	purplish-blue with gold centers	grass-like, medium to deep green	late spring to mid summer (May-Jul)
STACHYS (Lamb's Ears, Woolly Betony)						
<i>Best results will be appreciated if planted in well-drained soil.</i>						
<i>byzantina</i>						
	'byzantina' ○ ☞	6-12"	30-36"	spikes are light lavender-pink	soft, spreading, silver-white	mid to late summer (Jul-Aug)
	'Helene von Stein' ○ ☞	6-12"	30-36"	lavender-pink, usually non-flowering	large leaves, green with silver, hairy, velvety-soft	
	'Silver Carpet' ○ ☞	6-12"	30-36"	lavender-pink, usually non-flowering	green with silver, hairy, velvety-soft	
<i>monnieri (Common Betony)</i>						
	'Hummelo' ○ ☞	18-24"	18-24"	spikes are lavender-rose	medium green	early to late summer (Jun-Aug)
STOKESIA (Stokes' Aster)						
<i>Hybrid</i>						
	'Purple Parasols' PP10660 ○ ☞ ☀	12-18"	12-18"	starburst-shaped, blue maturing to deep purple	deep green, leathery	mid to late summer (Jul-Aug)
<i>laevis</i>						
	'Honeysong Purple' ○ ☞ ☀	12-18"	12-18"	starburst-shaped, deep purple	deep green, leathery	mid to late summer (Jul-Aug)
TANACETUM (Painted Daisy)						
<i>Tanacetum make excellent cut flowers. Prune foliage back after blooming to promote new growth and repeat blooms.</i>						
<i>coccineum</i>						
	'Robinson Hybrids' ○ ☞	18-24"	18-24"	mixed (one color per plant) pink, rose-red, or white (dominant color is rose-red)	ferry, deep green	early to mid summer (Jun-Jul)
THYMUS (Thyme)						
<i>Many varieties of Thyme are good choices for in-between pavers or brickwork.</i>						
<i>lanuginosus (Woolly Thyme)</i>						
	'lanuginosus' ○ ☞	6" or less	30-36"	purplish-pink	medium green covered with silvery-gray hair, spreading, fragrant	late spring to early summer (May-Jun)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
praecox (Mother-of-Thyme)						
'Coccineum'	○ ☞	6" or less	30-36"	magenta-red	fragrant, deep green, turns bronze in fall, spreading	late spring to mid summer (May-Jul)
'Ruby Glow'	○ ☞	6" or less	30-36"	ruby-purple	deep green, spreading, fragrant	late spring to mid summer (May-Jul)
serpyllum						
'Elfin' <i>tolerates some foot traffic</i>	○ ☞	6" or less	18-24"	pink	medium green, spreading, fragrant, compact	late spring to early summer (May-Jun)
'Pink Chintz'	○ ☞	6" or less	18-24"	salmon-pink	fuzzy, gray-green, spreading, fragrant, compact	late spring to early summer (May-Jun)
x citriodorus (Lemon Thyme)						
'aureas'	○ ☞	6" or less	30-36"	lavender	deep green and yellow variegation, fragrant, spreading	mid to late summer (Jul-Aug)
'Variegatus' <i>great for culinary or ornamental purposes, strong lemon scent</i>	○ ☞	6" or less	24-30"	lavender	deep green and yellow variegation, fragrant, spreading	mid to late summer (Jul-Aug)
TIARELLA (False Miterwort, Foam Flower)						
<i>Tiarella is from the Greek word tiara, a small crown, which refers to its flowers.</i>						
Hybrid						
'Pink Bouquet'	○ ☞ ☀	6-12"	12-18"	spikes are light pink, fragrant	medium green	late spring to mid summer (May-Jul)
wherryi						
New! 'Spanish Cross' PP11345	○ ☞ ☀	6-12"	18-24"	creamy white tinged with pink, fragrant	medium green, small center burgundy-black splotch, deeply dissected	late spring to late summer (May-Aug)
wherryi <i>a long-blooming and easy-to-grow variety, often overlooked</i>	○ ☞ ☀	6-12"	18-24"	creamy white tinged with pink, fragrant	medium green	late spring to late summer (May-Aug)
TRADESCANTIA (Spiderwort, Widow's Tears)						
<i>Flowers will close during the daytime hours if planted in full sunlight.</i>						
x andersoniana / virginiana						
'Bilberry Ice'	○ ☞ ☀	12-18"	18-24"	triangular-shaped, white with lavender-splashed centers	grass-like, medium green, compact	early summer to early fall (Jun-Sep)
'Blue Denim'	○ ☞ ☀	24-30"	24-30"	triangular-shaped, light denim-blue	grass-like, gray-green	early summer to early fall (Jun-Sep)
'Perinne's Pink'	○ ☞ ☀	18-24"	18-24"	triangular-shaped, pale pink to purple	grass-like, medium green	early summer to early fall (Jun-Sep)
'Snowcap'	○ ☞ ☀	18-24"	18-24"	triangular-shaped, pure white	grass-like, medium green	early to late summer (Jun-Aug)
'Sweet Kate'	○ ☞ ☀	12-18"	18-24"	violet-blue	grass-like, chartreuse to gold	early to late summer (Jun-Aug)
'Zwanenberg Blue'	○ ☞ ☀	18-24"	24-30"	violet-purple	medium green, vigorous	early summer to early fall (Jun-Sep)
TRICYRTIS (Orchid Flower, Toad Lily)						
<i>Tricyrtis is best used if it can be seen up close, as the flowers are unique but not showy from a distance.</i>						
formosana						
New! 'Imperial Banner' PPAF	○ ☞ ☀	24-30"	18-24"	orchid-like, white with purple spots	glossy, medium to light green with cream-white streaks, arching stems	mid summer to early fall (Jul-Sep)
'Samurai'	○ ☞ ☀	18-24"	18-24"	orchid-like, lavender with purple spots	soft, olive-green with thin yellow margins, arching stems	mid summer to early fall (Jul-Sep)
hirta						
'Miyazaki Hybrids'	☞ ☀	24-30"	24-30"	orchid-like, white with large purple spots	soft, light green, arching stems	late summer to early fall (Aug-Sep)
TRIFOLIUM (Clover)						
repens						
'Purpurascens' <i>can become invasive, use with care</i>	○ ☞ ☀	6" or less	36-42"	white	green with burgundy-purple markings, spreading	early to mid summer (Jun-Jul)
TRILLIUM (Wake-Robin)						
<i>Trillium found in the wild has been on the decline due to consumer demand... try to obtain Trillium from a garden center, not the forest.</i>						
grandiflorum (Snowy Trillium)						
grandiflorum	☞ ☀	6" or less	12-18"	pure white	medium to light green	early to late spring (Apr-May)
TROLLIUS (Globeflower)						
<i>Moisture is absolutely necessary for Trollius, especially if in sunny areas.</i>						
chinensis						
'Golden Queen' <i>moisture-loving</i>	○ ☞ ☀	24-30"	18-24"	cup-shaped, golden-orange	deep green, glossy	late spring to mid summer (May-Jul)
VERBASCUM (Mullein)						
<i>Verbascums offer unique tropical colors and ease of maintenance. Said to be short-lived, but not in our experiences and testing. Adaptable to most soils.</i>						
Hybrid						
'Caribbean Crush'	○ ☞	42-48"	30-36"	spikes are blended mango-orange, peach, and yellow	leathery, medium green	early to late summer (Jun-Aug)
'Dark Eyes' PP16986	○ ☞	12-18"	12-18"	spikes are peach and gold with deep red eyes	leathery, medium green, compact	early to late summer (Jun-Aug)
'Jackie'	○ ☞	18-24"	18-24"	spikes are peach-yellow with plum-rose centers	leathery, medium green	early to late summer (Jun-Aug)
'Jackie in Pink' PP15735	○ ☞	18-24"	18-24"	spikes are soft pink with plum-rose centers	leathery, medium green	early to late summer (Jun-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Plum Smokey' PP16156	○ ☞	12-18"	12-18"	spikes are dusty purple	leathery, medium green, compact	early to late summer (Jun-Aug)
'Sugar Plum' PP16224	○ ☞	18-24"	18-24"	spikes are plum-purple	leathery, medium green	early to late summer (Jun-Aug)
'Summer Sorbet'	○ ☞	24-30"	24-30"	spikes are magenta-purple with deep raspberry centers	leathery, medium green	early to late summer (Jun-Aug)

VERBENA (Vervain)

We like the naturalizing effect this type of Verbena gives. But it will reseed readily, so a quick weeding out of seedlings in the spring should keep it contained to your desired area.

bonariensis

bonariensis	○ ☞	42-48"	60" or more	purple to lavender	semi-woody, strong stems, medium green	early to late summer (Jun-Aug)
<i>a must-have for any butterfly garden</i>						

VERONICA (Speedwell)

Blackening and deteriorating foliage is normal throughout the season, but pruning regularly will alleviate these problems.

longifolia

'Eveline' PP14888	○ ☞	18-24"	18-24"	spikes are deep purplish-red	medium green	early to late summer (Jun-Aug)
'Waterperry Blue'	○ ☞	6" or less	18-24"	spikes are sky-blue	spreading, medium green, turns bronze in fall	early to mid summer (Jun-Jul)

prostrata

'Aztec Gold' PP13354	○ ☞	6" or less	24-30"	light lavender-blue spikes	bright gold (chartreuse in some shade), spreading	early to mid summer (Jun-Jul)
----------------------	-----	------------	--------	----------------------------	---	-------------------------------

repens

'Sunshine'	○ ☞	6" or less	24-30"	spikes are blue	mat-like, chartreuse-gold	early to mid summer (Jun-Jul)
------------	-----	------------	--------	-----------------	---------------------------	-------------------------------

spicata

'Blue'	○ ☞	12-18"	18-24"	spikes are blue to light blue	spreading, medium green	early to mid summer (Jun-Jul)
--------	-----	--------	--------	-------------------------------	-------------------------	-------------------------------

New! 'Foxy Lady' PPAF	○ ☞	12-18"	18-24"	spikes are fuchsia-pink and white	compact, medium to light green	early to mid summer (Jun-Jul)
<i>sport of 'Red Fox'</i>						

'Red Fox'	○ ☞	12-18"	18-24"	spikes are hot rose-pink	medium to light green	early to mid summer (Jun-Jul)
-----------	-----	--------	--------	--------------------------	-----------------------	-------------------------------

'Royal Candles' PPAF	○ ☞	12-18"	18-24"	spikes are violet-blue	deep green, crinkled	early to late summer (Jun-Aug)
<i>an improved variety over V. 'Sunny Border Blue'</i>						

VINCA (Myrtle, Periwinkle)

A venerable and popular groundcover. Keep moist if planted in sunny locations, and allow a year or two to get established. Once established, it is maintenance-free.

minor

'Atropurpurea'	○ ☞ ☀	6" or less	24-30"	wine-purple	glossy, deep green, spreading	early spring to early summer (Apr-Jun)
----------------	-------	------------	--------	-------------	-------------------------------	--

'Dart's Blue'	○ ☞ ☀	6" or less	24-30"	deep lilac-blue	glossy, deep green, spreading	early spring to early summer (Apr-Jun)
---------------	-------	------------	--------	-----------------	-------------------------------	--

minor	○ ☞ ☀	6" or less	24-30"	lilac-blue	glossy, deep green, spreading	early spring to early summer (Apr-Jun)
--------------	-------	------------	--------	------------	-------------------------------	--

'Ralph Shugert'	○ ☞ ☀	6" or less	24-30"	lilac-blue to violet	glossy, deep green with white margins, spreading	early spring to early summer (Apr-Jun)
-----------------	-------	------------	--------	----------------------	--	--

New! 'Sterling Silver'	○ ☞ ☀	6" or less	30-36"	lilac-blue	glossy, deep green with white margins, spreading	early spring to early summer (Apr-Jun)
-------------------------------	-------	------------	--------	------------	--	--

VIOLA (Hardy Violet)

Dead-heading and trimming of most varieties will keep plants blooming. Plant in partial shade for best summer color as Viola prefer cooler temps. Also keep moist if in full sun.

cornuta

'Black Magic'	○ ☞ ☀	6-12"	12-18"	deep blackish-purple	medium to deep green, may reseed	early spring to early summer (Apr-Jun)
---------------	-------	-------	--------	----------------------	----------------------------------	--

'Etain'	○ ☞ ☀	6-12"	12-18"	fragrant, pale creamy yellow with purple margins	medium to deep green, reseeds readily	early spring to early summer (Apr-Jun)
---------	-------	-------	--------	--	---------------------------------------	--

'Purple Showers'	○ ☞ ☀	6-12"	12-18"	rich royal purple	medium to deep green	late spring to early fall (May-Sep)
<i>one of our longest bloomers, especially if given some shade for those summer months</i>						

'Rebecca'	○ ☞ ☀	6-12"	12-18"	fragrant, pale creamy yellow and white with purple flecks	medium to deep green, reseeds readily	early spring to early summer (Apr-Jun)
-----------	-------	-------	--------	---	---------------------------------------	--

Hybrid

New! 'Angel Amber Kiss'	○ ☞ ☀	6-12"	12-18"	yellow with black whiskers and rust-orange to red margins	medium to deep green	early spring to mid summer (Apr-Jul)
<i>large flowers and improved winter hardiness</i>						

New! 'Angel Tiger Eye'	○ ☞ ☀	6-12"	12-18"	golden-yellow with black to purple etched veins	medium to deep green	early spring to mid summer (Apr-Jul)
<i>large flowers and improved winter hardiness</i>						

x wittrockiana

'Purple Rain'	○ ☞ ☀	6-12"	12-18"	rich royal purple	medium to deep green, will sometimes reseed	early spring to early summer (Apr-Jun)
<i>benefits from some winter protection/mulching</i>						

VITIS (Ornamental Grape)

Often missed as an alternative climber or fence covering with attractive foliage.

vinifera

'Purpurea'	○ ☞ ☀	60" or more	60" or more	white	reddish-purple, climbing	late spring (May)
------------	-------	-------------	-------------	-------	--------------------------	-------------------

WALDSTEINIA (Barren Strawberry)

ternata

ternata	○ ☞ ☀	6" or less	30-36"	yellow	deep green, reddish tint in fall, spreading	late spring to early summer (May-Jun)
<i>an extremely easy-to-grow groundcover for areas where nothing else will grow</i>						

WATER/POND PLANTS : An assortment of water-loving plants for your pond or wet area. Call or email for specific availability.

WISTERIA

Be patient! Wisteria, unless bought at a very mature age, takes at least 4-5 years to significantly flower. Try not to fertilize for best flowering results.

frutescens (American Wisteria)

'Amethyst Falls'	○ ☞	60" or more	60" or more	lavender-blue, fragrant	medium green, climbing	early to late summer (Jun-Aug)
<i>does not take as long to flower as other Wisteria; sometimes blooms the first or second year</i>						

macrostachya (Kentucky Wisteria)

New! 'Clara Mack'	○ ☞	60" or more	60" or more	white, fragrant	medium green, climbing	late spring to early summer (May-Jun)
<i>does not take as long to flower as other Wisteria; sometimes blooms the first or second year</i>						

YUCCA (Adam's Needle, Needle Palm)

Yucca, once established, will probably flower every other season.

filamentosa

'Color Guard'	○ ☞	30-36"	30-36"	creamy white	gray-green with golden-yellow to creamy white stripes	mid to late summer (Jul-Aug)
<i>filamentosa</i>	○ ☞	42-48"	42-48"	creamy white	gray-green	mid to late summer (Jul-Aug)