

PERENNIAL VARIETIES FOR 2010 (revised 4/30)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
ACHILLEA (Milfoil, Yarrow)						
<i>The Greek hero Achilles is said to have used Achillea for its wound-healing properties. Prune foliage back to promote new growth and repeat blooms.</i>						
<i>millefolium</i>						
	☉ ☁	12-18"	18-24"	clusters are magenta-red	compact, fragrant, gray-green	early to late summer (Jun-Aug)
	<i>'Pomegranate' PPAF</i> <i>part of the Tutti Frutti series</i>					
New!	☉ ☁	18-24"	30-36"	flower heads are strawberry-red with golden centers, matures to mostly yellow	fragrant, gray-green	early to late summer (Jun-Aug)
	<i>'Strawberry Seduction' PP18401</i>					
	☉ ☁	18-24"	30-36"	flower heads are mixed (one color per plant) pink, rose, salmon, white, or yellow	fragrant, gray-green	early to late summer (Jun-Aug)
	<i>'Summer Pastels'</i>					
ACONITUM (Helmet Flower, Monkshood, Turk's Cap)						
<i>Aconitum is toxic, but easily grown. Just be sure to keep the sap from your mouth.</i>						
<i>napellus</i>						
	☁ ☀	30-36"	18-24"	spikes are deep blue	deep green, glossy	late summer to early fall (Aug-Sep)
<i>napellus</i>						
AEGOPODIUM (Bishop's Weed, Ground Elder, Goutweed, Snow-on-the-Mountain)						
<i>Spreads quickly, so allow plenty of room for growth. Once thought to cure gout.</i>						
<i>podagraria</i>						
	☉ ☁ ☀	6-12"	60" or more	clusters are white	light green edged in white, spreading	late spring to early summer (May-Jun)
	<i>'Variegatum'</i> <i>allow plenty of room to grow as it will spread</i>					
AGAPANTHUS (African Lily, Hardy Agapanthus, Lily of the Nile)						
<i>Hybrid</i>						
	☉ ☁ ☀	12-18"	24-30"	heads are deep blue	deep green	mid to late summer (Jul-Aug)
	<i>'Hardy Blue'</i> <i>attracts hummingbirds</i>					
AGASTACHE (Anise Hyssop)						
<i>Butterflies and hummingbirds love the blooms on Agastache!</i>						
<i>foeniculum</i>						
	☉ ☁	36-42"	36-42"	spikes are cornflower-blue to violet	grayish-green, spicy fragrance	mid summer to early fall (Jul-Sep)
	<i>foeniculum</i>					
AJUGA (Bugleweed)						
<i>An easy-to-grow and adaptable groundcover or container plant. Try to plant Ajuga in moist but very well-drained soil to prevent crown rot and wilt.</i>						
<i>Hybrid</i>						
	☉ ☁ ☀	6" or less	12-18"	spikes are lavender to sky-blue	small leaves, chocolate-bronze, compact	early spring to early summer (Apr-Jun)
	<i>'Chocolate Chip'</i> <i>more compact than most Ajuga varieties</i>					
	☉ ☁ ☀	6" or less	12-18"	spikes are blue	small leaves, chocolate-bronze maturing to variegated gray-green and cream, compact	early spring to early summer (Apr-Jun)
	<i>'Toffee Chip' PP18805</i> <i>sport of 'Chocolate Chip'</i>					
<i>reptans</i>						
	☉ ☁ ☀	6" or less	12-18"	spikes are deep blue	compact, crinkled, near black, not as spreading as most Ajuga	late spring to early summer (May-Jun)
	<i>'Black Scallop' PP15815</i>					
	☉ ☁ ☀	6" or less	24-30"	spikes are violet-blue	spreading, crinkled, variegated cream, gray-green, and shades of burgundy-purple	late spring to early summer (May-Jun)
	<i>'Burgundy Glow'</i>					
AKEBIA (Chocolate Vine, Fiveleaf)						
<i>quinata</i>						
	☉ ☁	60" or more	60" or more	burgundy-purple and white	medium green, climbing	early to late spring (Apr-May)
	<i>'Fruitful Combo'</i> <i>A. quinata and A. quinata 'Alba' combined in a single pot to allow pollination for fruit</i>					
ALCEA (Hollyhock)						
<i>Alcea is from the word altheo, which means to cure, due to many species' medicinal properties. Taller varieties benefit from staking. Rust often appears on leaves during/after blooming, foliage may be pruned if appearance becomes undesirable.</i>						
<i>rosea</i>						
	☉ ☁	48-54"	42-48"	spikes are mixed (one color per plant) pink, red, white, or yellow, double flowers	medium green	mid to late summer (Jul-Aug)
	<i>'Powderpuffs Mix'</i>					
	☉ ☁	30-36"	24-30"	spike clusters are burgundy-purple, semi-double	medium to deep green, compact	mid to late summer (Jul-Aug)
	<i>'Queen Purple'</i> <i>a great performer and more compact than other Hollyhocks</i>					
ALLIUM (Ornamental Chives/Onion)						
<i>Easy to grow and deer-resistant. The schoenoprasum and senescens species is especially hardy and drought-resistant.</i>						
<i>Hybrid</i>						
	☉ ☁	24-30"	18-24"	large, lilac-pink, globular	deep green, glossy	late spring to early summer (May-Jun)
	<i>'Globemaster'</i>					
<i>karataviense (Turkestan Onion)</i>						
New!	☉ ☁	6-12"	6-12"	light pink, globular, large	blue-green to gray-green, wide leaves	late spring to early summer (May-Jun)
	<i>karataviense</i>					
<i>schoenoprasum</i>						
	☉ ☁	6-12"	12-18"	white, globular	grass-like, mounding, medium to light green	late spring to mid summer (May-Jul)
	<i>'Album'</i>					
	☉ ☁	12-18"	12-18"	pink with lighter centers, globular	grass-like, mounding, medium to light green, blue-gray flower stems	late spring to early summer (May-Jun)
	<i>'Pink Giant'</i>					

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
senescens (Mountain Garlic)						
montanum	○ ☞	6-12"	12-18"	pink-purple, globular	leathery, narrow leaves, mounding, medium to light green	mid to late summer (Jul-Aug)
tanguticum						
New! 'Noneuq' PPAF ('Ballon Bouquet') <i>Planting of A. t. 'Summer Beauty'</i>	○ ☞	6-12"	12-18"	dark pink, globular	grass-like, mounding, medium to deep green	mid to late summer (Jul-Aug)
'Summer Beauty'	○ ☞	18-24"	18-24"	pink, globular	grass-like, mounding, medium to light green	mid to late summer (Jul-Aug)
AMPELOPSIS (Monk's Hood Vine, Porcelain Vine)						
brevipedunculata						
'Elegans' <i>more sun will produce more berries</i>	○ ☞	60" or more	48-54"	insignificant white flowers, colorful berries	silver and white mottled leaves, climbing	early to mid summer (Jun-Jul)
AMSONIA (Bluestar, Blue Dogbane)						
hubrichtii (Arkansas Amsonia)						
hubrichtii	○ ☞	30-36"	30-36"	bright sky-blue	airy, willow-like, medium green, turning gold in fall	late spring to early summer (May-Jun)
ANACYCLUS (Mt. Atlas Daisy)						
<i>An alpine plant that is resistant to drought. However, it does benefit from moisture in full sun.</i>						
depressus						
depressus	○ ☞	6" or less	6-12"	daisy-like shape, white petals with rose-red-striped undersides	crinkly steel-green	early to mid summer (Jun-Jul)
ANEMONE (Windflower)						
<i>Anemone is often overlooked, but is an excellent choice for late summer and fall color. Keep moist.</i>						
hupehensis (Japanese Anemone)						
'September Charm'	○ ☞ ☂	30-36"	30-36"	pale pink	deep green	mid summer to early fall (Jul-Sep)
Hybrid						
'Prince Henry' <i>usually only available in late summer-fall</i>	○ ☞ ☂	30-36"	30-36"	rich rose-pink	medium to deep green	late summer to late fall (Aug-Oct)
'Queen Charlotte'	○ ☞ ☂					late summer to early fall (Aug-Sep)
ANTHEMIS (Golden Chamomile, Golden Marguerite)						
<i>Keep moist if planted in sunny areas, and trim back often to force repeat blooming.</i>						
tinctoria						
'Charme' PP15200 <i>compact and drought tolerant variety</i>	○ ☞	12-18"	18-24"	golden-yellow	compact, medium green	early summer to early fall (Jun-Sep)
AQUILEGIA (Columbine)						
<i>Aquilegia is derived from aquila, like an eagle, which may refer to the beak-like spurs on the flowers.</i>						
Hybrid						
'Dorothy Rose' <i>unique bloom appearance with a "flower in flower" look</i>	○ ☞ ☂	24-30"	24-30"	double, light rose-pink	light green to gray-green	early to mid summer (Jun-Jul)
'McKana Hybrids'	○ ☞ ☂	24-30"	24-30"	mixed (one color per plant) lilac, pink, red, white, or yellow	light green to gray-green	early to mid summer (Jun-Jul)
Hybrid (Origami Series) : larger flowers and longer-blooming than most Aquilegia						
'Mix'	○ ☞ ☂	12-18"	12-18"	mixed (one color per plant) blue, pink, red, white, or yellow	compact, gray-green	early spring to mid summer (Apr-Jul)
Hybrid (Songbird Series)						
'Mix'	○ ☞ ☂	18-24"	18-24"	mixed (one color per plant) blue, pink, red, or white	gray-green	late spring to mid summer (May-Jul)
'Robin'	○ ☞ ☂	18-24"	18-24"	soft pink with white center	gray-green	late spring to mid summer (May-Jul)
vulgaris						
'Woodside Gold'	○ ☞ ☂	18-24"	12-18"	mixed (one color per plant) blue, pink, or white	chartreuse-yellow maturing to gray-green in summer	late spring to early summer (May-Jun)
ARABIS (Rock Cress)						
<i>The caucasica species is one of the earliest plants to bloom in the spring.</i>						
caucasica						
'Snow Cap'	○ ☞	6" or less	12-18"	bright white	gray-green, carpet-like, attractive even when not in bloom	early to late spring (Apr-May)
ARENARIA (Sandwort)						
montana						
'Avalanche' <i>slightly larger flowers than the species</i>	○ ☞	6" or less	12-18"	bright white	dense, deep green	late spring to early summer (May-Jun)
ARISAEMA (Indian Turnip, Jack-in-the-Pulpit)						
<i>Goes dormant after blooming. Prefers consistently moist soil conditions.</i>						
triphyllum						
triphyllum	☞ ☂	12-18"	12-18"	green, purple, and brown blend, unique	medium green	early to late spring (Apr-May)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
ARISTOLOCHIA (Dutchman's Pipe)						
<i>macrophylla</i>						
	○ ☞	60" or more	60" or more	purple and yellowish-brown, pipe-shaped	medium green, heart-shaped leaves	late spring to early summer (May-Jun)
ARMERIA (Sea Pink, Sea Thrift)						
<i>Often reblooms in the fall months. Divide every few years to keep the clump centers from dying out.</i>						
<i>maritima</i>						
	○ ☞	6-12"	6-12"	bright rose-pink, globular shape	compact, grass-like, light green	late spring to early summer (May-Jun)
		<i>repeats bloom again in fall</i>				
	○ ☞	6-12"	6-12"	rose-red to pink, globular shape	grass-like, mounding, medium to light green	late spring to mid summer (May-Jul)
New!	○ ☞	6" or less	6" or less	pure white, globular shape	grass-like, compact, medium to light green	late spring to early summer (May-Jun)
		<i>even more compact than most Armeria, great for containers</i>				
	○ ☞	6-12"	6-12"	rose-pink, globular shape	grass-like, compact, variegated light green with cream-white edges	late spring to mid summer (May-Jul)
ARTEMISIA (Mugwort, Wormwood)						
<i>Good as a filler for cut bouquets, or as an accent plant in the garden.</i>						
<i>schmidtiana</i>						
	○ ☞	6-12"	6-12"	clusters are yellow, insignificant	soft silvery leaves, mounding	mid to late summer (Jul-Aug)
		<i>makes a perfect accent to other surrounding plants</i>				
ASARUM (Wild Ginger)						
<i>Relatively slow-growing, but if you are patient and keep it moist, few groundcovers are as attractive.</i>						
<i>europaeum (European Wild Ginger)</i>						
	☞ ☰	6-12"	30-36"	burgundy-purple, insignificant	deep green, glossy, spreading	late spring to early summer (May-Jun)
		<i>slow to spread</i>				
<i>splendens (Chinese Wild Ginger)</i>						
	☞ ☰	6-12"	18-24"	insignificant	deep green mottled with silver, slow-spreading	
		<i>perfect for accenting shady areas or in containers</i>				
ASCLEPIAS (Butterfly Weed, Milkweed)						
<i>Slow to break dormancy in the spring, so be patient. Butterflies love them! (The incarnata species is an important food source for the larval stage of Monarchs.)</i>						
<i>Hybrid</i>						
	○ ☞	18-24"	18-24"	heads are orange with some yellow and red mixed in	medium to light green	mid to late summer (Jul-Aug)
<i>incarnata (Swamp Milkweed)</i>						
	○ ☞	36-42"	24-30"	flower heads are soft pink	medium to light green	early to late summer (Jun-Aug)
<i>tuberosa</i>						
	○ ☞	18-24"	18-24"	heads are sunny yellow with orange tint	medium to light green	mid to late summer (Jul-Aug)
	○ ☞	18-24"	18-24"	heads are copper-orange	medium to light green	mid to late summer (Jul-Aug)
		<i>tolerates dry soil</i>				
ASTER (Hardy Aster, Michaelmas Daisy)						
<i>A blackened appearance on most Asters after blooming or planting is normal. Just trim back the undesirable foliage.</i>						
<i>alpinus</i>						
	○ ☞	6-12"	6-12"	daisy-like with yellow centers, mixed (one color per plant) lavender-blue, pink, or white	compact, medium green	early to mid summer (Jun-Jul)
<i>dumosus (Bushy Aster)</i>						
	○ ☞	12-18"	18-24"	lavender-blue, semi-double	deep green	late summer to late fall (Aug-Oct)
ASTILBE (False Spirea, Feather Flower)						
<i>Keep moist. If Astilbe is forced to withstand a stressful dry period, it will go dormant. (It isn't dead so don't worry. It will grow back.)</i>						
<i>arendsii</i>						
	○ ☞ ☰	24-30"	24-30"	feathery, plumes are pure white	medium to deep green, glossy	mid to late summer (Jul-Aug)
<i>chinensis</i>						
	○ ☞ ☰	36-42"	24-30"	large, plumes are rose-pink	medium to deep green	mid to late summer (Jul-Aug)
		<i>a more drought tolerant variety</i>				
	○ ☞ ☰	24-30"	24-30"	plumes are white maturing to light pink	medium to deep green with silver highlights	mid to late summer (Jul-Aug)
		<i>drought tolerant variety</i>				
<i>Hybrid (Short n' Sweet Series)</i>						
New!	○ ☞ ☰	12-18"	12-18"	plumes are raspberry-pink	compact, medium green	early to mid summer (Jun-Jul)
		<i>compact variety, perfect for containers</i>				
<i>Hybrid (Yonique Series)</i>						
New!	○ ☞ ☰	12-18"	12-18"	plumes are lavender-pink	compact, medium to light green green	early to mid summer (Jun-Jul)
		<i>compact variety, perfect for containers</i>				
New!	○ ☞ ☰	12-18"	12-18"	plumes are pale pink	compact, medium to light green green	early to mid summer (Jun-Jul)
		<i>compact variety, perfect for containers</i>				
<i>japonica</i>						
	○ ☞ ☰	18-24"	18-24"	plumes are rose-pink maturing to light pink	medium green	early to mid summer (Jun-Jul)

AUBRIETA (Purple Rock Cress)

Some pruning is beneficial, which prevents straggly stems and the centers from dying out.

deltoides

New!	'Cascade Red'	○ ☞	6" or less	12-18"	purple-pink	mat-like, deep green	early to late spring (Apr-May)
-------------	---------------	-----	------------	--------	-------------	----------------------	--------------------------------

AURINIA (Allysum, Basket of Gold, Madwort)

The common name Madwort comes from the ancient belief that it has powers to calm the troubled mind.

saxatilis

	'Compacta'	○ ☞	6-12"	18-24"	clusters are sulphur-yellow	gray-green, attractive even when not in bloom	early to late spring (Apr-May)
--	------------	-----	-------	--------	-----------------------------	-----------------------------------------------	--------------------------------

BAPTISIA (Blue Indigo, False Indigo)

Baptisia does become large after a few years, so allow enough room. Prune spent blooms and stems to promote continued flowering. 2010 PPA Perennial of the Year.

australis

New!	'Caspian Blue'	○ ☞	42-48"	42-48"	deep violet-blue	gray-green	late spring to early summer (May-Jun)
-------------	----------------	-----	--------	--------	------------------	------------	---------------------------------------

Hybrid

	'Purple Smoke'	○ ☞	42-48"	42-48"	lavender-purple with deeper purple eye	gray-green	late spring to early summer (May-Jun)
--	----------------	-----	--------	--------	----------------------------------------	------------	---------------------------------------

BELAMCANDA (Blackberry Lily, Leopard Flower)

chinensis

	chinensis	○ ☞ ☰	24-30"	30-36"	star-shaped, yellow orange to red, spotted with red	gray-green	mid summer to early fall (Jul-Sep)
--	-----------	-------	--------	--------	-----------------------------------------------------	------------	------------------------------------

BELLIS (English Daisy)

Bellis is from the Latin word bellus which means pretty. Most times Bellis will repeat its bloom again in fall with cooler temps. Prefers extra moisture if in full sun.

perennis

New!	'Habanera Mix'	○ ☞ ☰	6-12"	6-12"	globe-shaped, mixed (one color per plant) shades of pink, red, or white	medium green, glossy	late spring to early summer (May-Jun)
-------------	----------------	-------	-------	-------	-------------------------------------------------------------------------	----------------------	---------------------------------------

	'Habanera White & Red'	○ ☞ ☰	6-12"	6-12"	white with red-tinged petals, globe-shaped	medium green, glossy	late spring to early summer (May-Jun)
--	------------------------	-------	-------	-------	--------------------------------------------	----------------------	---------------------------------------

	'Strawberries & Cream'	○ ☞ ☰	6-12"	6-12"	creamy-rose and white, globe-shaped	medium green, glossy	late spring to early summer (May-Jun)
--	------------------------	-------	-------	-------	-------------------------------------	----------------------	---------------------------------------

BRUNNERA (Aikanet, Siberian Bugloss)

Prefers moist soil. Expect some burnt leaf edges during the latter part of the season if planted in sun.

macrophylla

	'Emerald Mist' PP20460	☞ ☰	12-18"	18-24"	clusters are baby-blue	medium green with silver marbling	late spring to early summer (May-Jun)
--	------------------------	-----	--------	--------	------------------------	-----------------------------------	---------------------------------------

an improved variety of 'Langtrees'

	'Jack Frost' PP13859	☞ ☰	12-18"	18-24"	clusters are baby-blue	bright silver with marbled green veining	late spring to early summer (May-Jun)
--	----------------------	-----	--------	--------	------------------------	------------------------------------------	---------------------------------------

excellent contrast plant, great for brightening up shady areas

	'Looking Glass' PP17829	☞ ☰	12-18"	24-30"	clusters are baby-blue	solid bright silver with thin green veining	late spring to early summer (May-Jun)
--	-------------------------	-----	--------	--------	------------------------	---------------------------------------------	---------------------------------------

sport of 'Jack Frost'

	<i>macrophylla</i>	○ ☞ ☰	12-18"	24-30"	clusters are baby-blue	deep green, somewhat spreading	late spring to early summer (May-Jun)
--	--------------------	-------	--------	--------	------------------------	--------------------------------	---------------------------------------

	'Variegata'	☞ ☰	12-18"	18-24"	clusters are baby-blue	deep green with irregular creamy-white margins	late spring to early summer (May-Jun)
--	-------------	-----	--------	--------	------------------------	------------------------------------------------	---------------------------------------

BUDDLEIA (Butterfly Bush)

Hard to beat for their butterfly and hummingbird attraction. A slight pruning in early summer will usually keep plants shorter and more compact. In the fall, try to prune no more than 2/3 of the foliage back otherwise overwintering may be a problem.

davidii

	'Black Knight'	○ ☞	60" or more	60" or more	spikes are deep purple-violet	woody, bush-like, medium green	mid summer to early fall (Jul-Sep)
--	----------------	-----	-------------	-------------	-------------------------------	--------------------------------	------------------------------------

	'Ellen's Blue'	○ ☞	48-54"	48-54"	spikes are blue-violet	woody, bush-like, medium green to gray-green	mid summer to early fall (Jul-Sep)
--	----------------	-----	--------	--------	------------------------	----------------------------------------------	------------------------------------

	'White Profusion'	○ ☞	60" or more	60" or more	spikes are white	woody, bush-like, medium green	mid summer to early fall (Jul-Sep)
--	-------------------	-----	-------------	-------------	------------------	--------------------------------	------------------------------------

Hybrid

New!	'Lo and Behold' ('Blue Chip' PP19994)	○ ☞	24-30"	24-30"	fragrant, spikes are blue-purple	compact, woody, medium green	early summer to early fall (Jun-Sep)
-------------	---------------------------------------	-----	--------	--------	----------------------------------	------------------------------	--------------------------------------

compact size and long-blooming traits make it perfect for containers

	'Santana' PP12383	○ ☞	60" or more	60" or more	fragrant, spikes are purple-red	woody, bush-like, variegated green with yellow to gold margins	mid summer to early fall (Jul-Sep)
--	-------------------	-----	-------------	-------------	---------------------------------	----------------------------------------------------------------	------------------------------------

nanhoensis

	'Nanho Blue'	○ ☞	48-54"	48-54"	spikes are soft lavender-blue	woody, bush-like, medium green to gray-green	mid summer to early fall (Jul-Sep)
--	--------------	-----	--------	--------	-------------------------------	----------------------------------------------	------------------------------------

x weyeriana

	'Honeycomb'	○ ☞	60" or more	60" or more	clusters are creamy yellow with a hint of orange-gold	woody, bush-like, medium green	mid summer to early fall (Jul-Sep)
--	-------------	-----	-------------	-------------	-------------------------------------------------------	--------------------------------	------------------------------------

CALTHA (Marsh Marigold)

Prefers moist soil conditions.

palustris

	palustris	○ ☞	12-18"	18-24"	sunny yellow	deep green, glossy	early to late spring (Apr-May)
--	-----------	-----	--------	--------	--------------	--------------------	--------------------------------

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
CAMPANULA (Bellflower, Harebell)						
<i>Most varieties can be repeatedly trimmed back to force continued growth and new blooms.</i>						
<i>carpatica (Carpathian Bellflower)</i>						
'Pearl Deep Blue'	☉ ☞	6-12"	6-12"	star-shaped, deep violet-blue	medium green, crinkled leaves	early summer to early fall (Jun-Sep)
<i>a must-have for any garden</i>						
'Pearl Light Blue'	☉ ☞	6-12"	6-12"	star-shaped, light blue with white centers	medium green, crinkled leaves	early summer to early fall (Jun-Sep)
'Pearl White'	☉ ☞	6-12"	6-12"	star-shaped, pure white	medium green, crinkled leaves	early summer to early fall (Jun-Sep)
<i>slightly more uniform than 'White Clips'</i>						
<i>garganica</i>						
'Dickson's Gold'	☉ ☞	6" or less	6-12"	lavender-blue, star-shaped	crisp, compact, bright gold, lime-green if given more shade	early to mid summer (Jun-Jul)
<i>glomerata (Clustered Bellflower)</i>						
'Superba'	☉ ☞	12-18"	24-30"	clusters are violet to purple	slightly hairy, medium green	late spring to early summer (May-Jun)
<i>medium (Canterbury Bells, Cup and Saucers)</i>						
medium	☉ ☞	18-24"	12-18"	bell-shaped, mixed (one color per plant) blue, pink, or white	medium to light green	early to mid summer (Jun-Jul)
<i>biennial</i>						
<i>persicifolia (Peach-Leaved Bellflower)</i>						
'Blue'	☉ ☞	12-18"	6-12"	bell-shaped, clusters are clear blue	medium to deep green	early to mid summer (Jun-Jul)
CAMPISIS (Trumpet Creeper)						
<i>Campsis will need 3-5 years before it will begin to flower. It is worth the wait, but patience is essential. Butterflies and hummingbirds love them too!</i>						
<i>radicans</i>						
'Flava'	☉ ☞	60" or more	60" or more	trumpet-shaped, bright yellow	woody, climbing, deep green	mid summer to early fall (Jul-Sep)
'Minnesota Red'	☉ ☞	60" or more	60" or more	trumpet-shaped, velvety red	woody, climbing, deep green	mid summer to early fall (Jul-Sep)
radicans	☉ ☞	60" or more	60" or more	trumpet-shaped, scarlet to orange	woody, climbing, deep green	mid summer to early fall (Jul-Sep)
<i>x tagliabuana</i>						
'Madame Galen'	☉ ☞	60" or more	60" or more	trumpet-shaped, salmon-rose	woody, climbing, deep green	mid to late summer (Jul-Aug)
CARYOPTERIS (Bluebeard, Blue Mist, Blue Spirea)						
<i>Hybrid</i>						
'First Choice' PP11958	☉ ☞	24-30"	30-36"	clusters are purplish-blue	woody, compact, gray-green	early to late summer (Jun-Aug)
<i>earlier to bloom and more compact than other Caryopteris</i>						
CATANANCHE (Cupid's Dart)						
<i>The common name and the Greek katanangke, a strong incentive, suggest it was once used in love potions.</i>						
<i>caerulea</i>						
New! 'Amour White'	☉ ☞	12-18"	12-18"	starburst-like, mostly white with purplish-blue centers and some blue speckling on petals	grass-like, clump-forming	mid summer to early fall (Jul-Sep)
CELASTRUS (Bittersweet)						
<i>EXCEPT for C. rosthornianus, male and female plants are needed for fruit production. Ask your neighbor to plant one, and you can plant the other.</i>						
<i>rosthornianus (Loesener Bittersweet)</i>						
rosthornianus	☉ ☞	60" or more	54-60"	insignificant flowers, bright orange berries	glossy, deep green, yellow fall color, climbing	late spring to early summer (May-Jun)
<i>bisexual variety, no need for separate male and female plants</i>						
CENTAUREA (Cornflower, Knapweed, Bachelor Button)						
<i>Any undesirable foliage that may follow blooming can be pruned back for new growth and repeat blooms.</i>						
<i>dealbata</i>						
'Rosea'	☉ ☞	18-24"	18-24"	starburst-shaped, rose-pink	foliage is vigorous, deeply lobed, and medium green	early to late summer (Jun-Aug)
<i>montana</i>						
'Amethyst in Snow' PPAF	☉ ☞	18-24"	18-24"	starburst-shaped, white with purple center cone	gray-green	early to mid summer (Jun-Jul)
'Gold Bullion' PP10865	☉ ☞	18-24"	18-24"	starburst-shaped, cornflower-blue	bright golden-yellow	early to mid summer (Jun-Jul)
<i>shadier conditions will cause lime-green foliage color</i>						
CENTRANTHUS (Jupiter's Beard, Valerian)						
<i>Prune back after blooming to promote new growth and repeat flowers.</i>						
<i>ruber</i>						
'Coccineus'	☉ ☞	18-24"	24-30"	clusters are crimson-red	glossy, light green	early to late summer (Jun-Aug)
CERASTIUM (Snow in Summer)						
<i>Cerastium will spread rapidly, but is controlled easily by simply ripping back unwanted growth.</i>						
<i>tomentosum</i>						
'Yo-Yo'	☉ ☞	6" or less	36-42"	bright white	silver-gray, spreading, attractive even when not in bloom	late spring to mid summer (May-Jul)
CERATOSTIGMA (Leadwort)						
<i>plumbaginoides</i>						
plumbaginoides	☉ ☞ ☝	6-12"	24-30"	deep lavender-blue	medium green, turns bronze-red in fall, spreading	mid summer to early fall (Jul-Sep)

CHELONE (Turtlehead)

Common name comes from the individual flower's resemblance of a turtle with its mouth open.

lyonii

'Hot Lips'	○ ☞ ☀	30-36"	36-42"	rose-pink	deep green, glossy	late summer to early fall (Aug-Sep)
------------	-------	--------	--------	-----------	--------------------	-------------------------------------

CIMICIFUGA (Black Cohosh, Black Snakeroot, Bugbane)

Cimicifuga is reported to repel insects, hence the name Bugbane. It benefits from moist, well-drained soil.

ramosa

'Brunette'	☞ ☀	36-42"	24-30"	spikes are creamy white blushed with pink	deep burgundy-purple	mid to late summer (Jul-Aug)
'James Compton'	☞ ☀	30-36"	30-36"	fragrant, white with pink blush	bronze-green maturing to purplish-black	late summer to early fall (Aug-Sep)

compact version of 'Hillside Black Beauty'

CLEMATIS

Hybrid

New!	'Avant-Garde' B	○ ☞	60" or more	30-36"	fuchsia-red with pink center stamens	deep green, climbing	mid summer to early fall (Jul-Sep)
	'Barbara Harrington' C	○ ☞	60" or more	30-36"	cerise-red petals with yellow anthers	deep green, climbing	early to late summer (Jun-Aug)
	'Belle of Woking' B	○ ☞	60" or more	30-36"	silvery-blue	deep green, climbing	late spring to mid summer (May-Jul)
	<i>repeats bloom in fall</i>						
New!	'Beth Currie' B	○ ☞	60" or more	30-36"	large, plum-purple with crimson center bar	deep green, climbing	late spring to mid summer (May-Jul)
	<i>repeats bloom in late summer</i>						
	'Comtesse de Bouchaud' B	○ ☞	60" or more	30-36"	large, rose-pink	deep green, climbing	early to late summer (Jun-Aug)
	'Crystal Fountain' A	○ ☞	54-60"	30-36"	semi-double, lilac-blue with a lavender starburst center	deep green, climbing	late spring to mid summer (May-Jul)
	<i>slightly more compact habit than most varieties</i>						
	'Dr. Ruppel' B	○ ☞	60" or more	30-36"	orchid-pink with reddish center bar, ruffled	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in early fall</i>						
	'Empress' B	○ ☞	54-60"	30-36"	large, double, pink with deeper pink bar	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in late summer</i>						
	'Ernest Markham' C	○ ☞	60" or more	30-36"	magenta-red with gold anthers	deep green, climbing	mid summer to early fall (Jul-Sep)
	<i>considered one of the best red varieties</i>						
	'Gillian Blades' B	○ ☞	60" or more	30-36"	large, pure white, ruffled edges	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in early fall</i>						
	'Guernsey Cream' B	○ ☞	60" or more	30-36"	large, cream-white and very light yellow blend	deep green, climbing	early to late summer (Jun-Aug)
New!	'Gypsy Queen' B	○ ☞	60" or more	30-36"	large, rich purple	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in late summer and fall</i>						
	'Hagley Hybrids' B	○ ☞	60" or more	30-36"	rich pink, ruffled	deep green, climbing	early to mid summer (Jun-Jul)
	<i>repeats bloom in early fall</i>						
New!	'Hyde Hall' B	○ ☞	48-54"	24-30"	large, white	compact, deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in late summer, ideal for containers</i>						
	'Jackmanii' B	○ ☞	60" or more	30-36"	rich purple, creamy-yellow center	deep green, climbing	early summer to early fall (Jun-Sep)
	<i>very likely the most popular Clematis</i>						
	'Jackmanii Superba' B	○ ☞	60" or more	30-36"	rich purple, larger and more rounded than 'Jackmanii'	deep green, climbing	early to mid summer (Jun-Jul)
	<i>repeats bloom in early fall</i>						
	'Josephine' B	○ ☞	60" or more	30-36"	double, lilac-pink with light pink center petals	deep green, climbing	early to late summer (Jun-Aug)
	'Kilian Donahue' A	○ ☞	60" or more	30-36"	fuchsia, then mature to lavender with pink bar	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in late summer and early fall</i>						
	'Lemon Chiffon' B	○ ☞	60" or more	30-36"	cream-white with a touch of pink	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in early summer, seems to do well in shaded areas</i>						
New!	'Mme. Baron Veillard' C	○ ☞	60" or more	30-36"	large, bluish-pink with deeper pink tinges	deep green, climbing	early to late summer (Jun-Aug)
	<i>repeats bloom in early fall</i>						
	'Multi Blue' B	○ ☞	60" or more	30-36"	semi-double, deep purple to blue with silvery bar	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in early fall</i>						
	'Nelly Moser' B	○ ☞	60" or more	30-36"	pale pink with red center bar	deep green, climbing	early to mid summer (Jun-Jul)
	<i>repeats bloom in early fall</i>						
	'Ramona' C	○ ☞	60" or more	30-36"	lavender-blue	deep green, climbing	mid summer to early fall (Jul-Sep)
	'Snow Queen' B	○ ☞	60" or more	30-36"	large, white	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in late summer</i>						
	'Sugar Candy' B	○ ☞	60" or more	30-36"	large, mauve-pink with deeper center bar	deep green, climbing	early summer to early fall (Jun-Sep)
	'Sunset' B	○ ☞	60" or more	30-36"	purplish-red with magenta-pink bar, creamy-yellow center	deep green, climbing	early summer to early fall (Jun-Sep)
	'The President' B	○ ☞	60" or more	30-36"	large, deep purple with purple anthers	deep green, climbing	early summer to early fall (Jun-Sep)
New!	'Veronica's Choice' B	○ ☞	54-60"	30-36"	semi-double, light lavender to white	deep green, climbing	early summer to early fall (Jun-Sep)
	'Ville de Lyon' C	○ ☞	60" or more	30-36"	large, carmine-red with lighter centers	deep green, climbing	early summer to early fall (Jun-Sep)
	'Vino' B	○ ☞	60" or more	30-36"	large, red and dusty-rose with yellow anthers	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in late summer</i>						

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
montana						
rubens A	○ ☞	60" or more	30-36"	light to deep rose-pink	deep green with purple tints, climbing	late spring to early summer (May-Jun)
terniflora (Sweet Autumn Clematis)						
terniflora (paniculata) D	○ ☞	60" or more	48-54"	creamy white, fragrant	deep green, vigorous, climbing, spreading	early to late fall (Sep-Oct)
viticella						
'Etoile Violette' D <i>parent of many Clematis breeding programs</i>	○ ☞	60" or more	48-54"	bright purple	deep green, climbing	early to late summer (Jun-Aug)
'Venosa Violaacea' C	○ ☞	60" or more	48-54"	white centers fading to purple edges	deep green, climbing	mid to late summer (Jul-Aug)

CLEMATIS PRUNING GROUPS and GUIDELINES

For a Clematis to perform its best, pruning is sometimes necessary. Follow these guidelines to help you know when and how to prune based on the corresponding letter for each variety. These are guidelines only, call/email us with any additional questions.

Group A : Early Flowering (blooms in spring on previous season's growth)

generally do not need pruning but can be kept in check if needed; prune within one month after blooming, prune back 1-2' for overall appearance

Group B : Mid-Season Flowering (blooms in early summer on previous season's growth, repeats bloom in summer on current season's growth)

prune in late winter or early spring; remove dead or weak shoots and prune remaining shoots back about 12" for overall appearance

Group C : Late-Season Flowering (blooms in late summer on current season's growth, repeats bloom in fall)

prune in late winter or early spring; prune about 1/3 of shoots back about 12" each season for overall appearance

Group D : Small-Flowering (varieties that produce small flowers)

generally do not need pruning; can be pruned back after blooming if overgrown for the area in which they are located

CONVALLARIA (Lily of the Valley)

Often goes dormant after flowering. Sometimes orange-red berries will be produced in the fall which can be removed due to their toxicity.

majalis						
majalis	☞ ☀	6-12"	12-18"	small, nodding, fragrant, white	light green, spreading	late spring to early summer (May-Jun)

COREOPSIS (Tickseed)

Keep Coreopsis pruned back after flowering to promote new growth and repeat blooming.

grandiflora / lanceolata						
'Presto'	○ ☞	6-12"	6-12"	semi-double, bright golden-yellow	medium green, compact	early summer to early fall (Jun-Sep)
'Sunfire'	○ ☞	18-24"	18-24"	bright golden-yellow with a burgundy eye	medium green	early summer to early fall (Jun-Sep)
Hybrid						
'Little Sundial' PP18460	○ ☞	6-12"	6-12"	golden-yellow with deep maroon eye	compact, medium green	early to late summer (Jun-Aug)
'Tequila Sunrise' PP9875 <i>benefits from some winter protection/mulching</i>	○ ☞	12-18"	12-18"	bright golden-yellow with a burgundy eyezone	variegated, medium green with creamy-yellow margins, compact	early summer to early fall (Jun-Sep)
rosea						
'Sweet Dreams' PP12720	○ ☞	18-24"	24-30"	white with a rose-purple eye	ferry, deep green	early to late summer (Jun-Aug)
verticillata						
'Moonbeam' <i>1992 PPA Perennial of the Year</i>	○ ☞	12-18"	24-30"	light lemon-yellow	ferry, medium green	early to late summer (Jun-Aug)
New! 'Route 66' PPAF	○ ☞	24-30"	24-30"	yellow with blood-red eye, matures to mostly burgundy red in cooler temps	ferry, medium green	early to late summer (Jun-Aug)

CORONILLA (Crown Vetch)

varia						
varia	○ ☞ ☀	6-12"	60" or more	mostly light pink with some white	light green, spreading	mid summer to early fall (Jul-Sep)

a good choice for poor soil, for slopes, or where nothing else will grow

CORYDALIS

Corydalis requires a well-drained but moist soil, and does best in at least some shade. Avoid heavy or clay-like soil. May go dormant during heat and summer months.

lutea						
lutea	○ ☞ ☀	12-18"	12-18"	clusters are yellow	ferry, medium green to gray-green	late spring to late summer (May-Aug)

CROCOSMIA (Crococsmia, Montbretia)

Crococsmia makes a great cut flower, and also attracts butterflies and hummingbirds.

Hybrid						
'Bright Eyes' PP17165	○ ☞	30-36"	30-36"	yellow-orange with red center	Iris-like, medium to light green, arching stems	mid to late summer (Jul-Aug)
'Lucifer' <i>perfect for brilliant red summer color</i>	○ ☞	36-42"	42-48"	bright flame red	Iris-like, medium to light green, arching stems	mid to late summer (Jul-Aug)

CYMBALARIA (Kenilworth Ivy, Toadflax Ivy)

aequitriloba						
aequitriloba <i>can tolerate some foot traffic</i>	○ ☞ ☀	6" or less	18-24"	purple-pink	light green, spreading	early to late summer (Jun-Aug)

DELOSPERMA (Hardy Ice Plant)

Delosperma is a perfect choice for poor or dry soil conditions. Benefits from some winter protection/mulching.

<i>cooperi</i>							
cooperi	○ ☞	6" or less	36-42"	starburst-shaped, fuchsia-purple	succulent, spreading, medium to light green	late spring to early fall (May-Sep)	<i>one of our top performers in our display gardens, does well in poor soil</i>

DELPHINIUM (Larkspur)

Some taller varieties might need staking, but keeping plants trimmed back after blooming will help to keep them sturdy and robust. Most varieties benefit from winter protection/mulching.

<i>grandiflorum</i>							
New! 'Summer Cloud'	○ ☞	6-12"	6-12"	spikes are deep blue with white center	compact, lacy, medium to light green	early to late summer (Jun-Aug)	
'Summer Nights'	○ ☞	12-18"	12-18"	spikes are midnight-blue	lacy, light green	early to late summer (Jun-Aug)	
<i>x elatum (Fountains Series)</i>							
'Cherry Blossom'	○ ☞					early to mid summer (Jun-Jul)	
'Dark Blue/Dark Bee'	○ ☞					early to mid summer (Jun-Jul)	
<i>x elatum (Guardian Series)</i>							
'Guardian Mix'	○ ☞	30-36"	18-24"	spikes are mixed (one color per plant) shades of blue or white	medium to light green	late spring to early summer (May-Jun)	
<i>x elatum (New Millenium Hybrids)</i>							
'Double Innocence'	○ ☞	42-48"	30-36"	spikes are pure white, double	medium to light green	early to mid summer (Jun-Jul)	
'New Millenium Stars'	○ ☞	42-48"	30-36"	spikes are mixed (one color per plant) pink, blue, purple, or white	medium to light green	early to mid summer (Jun-Jul)	
'Pagan Purples'	○ ☞	54-60"	30-36"	spikes are bluish-purple, with white or brown center/bee	medium to light green	early to mid summer (Jun-Jul)	
'Pink Punch'	○ ☞	54-60"	30-36"	spikes are mulberry-pink	medium to light green	early to mid summer (Jun-Jul)	<i>one of the darkest pink Delphinium varieties</i>
<i>x elatum (Pacific Hybrids)</i>							
'Black Knight'	○ ☞	54-60"	30-36"	spikes are purple, black center/bee	medium to light green	early to mid summer (Jun-Jul)	

DIANTHUS (Pinks)

Like many plants, Dianthus can be cut back after blooming to force new blooms and healthier growth. Many varieties will repeat bloom again in fall.

<i>barbatus (Sweet William) : Biennial type. The barbatus species of Dianthus benefit from winter protection.</i>							
'Double Dwarf'	○ ☞	6-12"	12-18"	clusters are mixed (one color per plant) pink, red, and white blends, fragrant	deep green, glossy	early to mid summer (Jun-Jul)	
<i>deltoides (Maiden Pinks)</i>							
'Zing Rose'	○ ☞	6" or less	12-18"	deep rose-red	deep green, maturing to reddish in fall, spreading	early to mid summer (Jun-Jul)	
<i>gratianopolitanis (Cheddar Pinks)</i>							
'Firewitch'	○ ☞	6-12"	24-30"	magenta-pink, fragrant	silver-green, mat-like	late spring to mid summer (May-Jul)	<i>2006 PPA Perennial of the Year</i>
<i>Hybrid</i>							
New! 'Cranberry Ice' PP18342	○ ☞	6-12"	6-12"	rose-pink with cranberry-red edges and center	gray-green	late spring to mid summer (May-Jul)	
'Devon Siskin' PP14377 ('Raspberry Swirl')	○ ☞	6-12"	6-12"	light pink to white with maroon edges and center	gray-green	late spring to mid summer (May-Jul)	
New! 'Devon Yolande' PP16029 ('Raspberry Surprise')	○ ☞	6-12"	6-12"	fragrant, double, white with maroon center	gray-green	late spring to mid summer (May-Jul)	
'Spooky Mix'	○ ☞	6-12"	6-12"	fragrant, varying shades of pink, red, and white, petals are finely dissected and wavy	gray-green	late spring to mid summer (May-Jul)	
'Strawberry Sorbet' PP18338	○ ☞	12-18"	12-18"	red with rose-pink splotches and edges, fragrant	gray-green	late spring to mid summer (May-Jul)	
<i>Hybrid (Star Series)</i>							
'Eastern Star' ('Red Dwarf' PP14437)	○ ☞	6-12"	6-12"	velvety-red with deeper red centers and a narrow edge of pink, fragrant	blue-green, compact	late spring to mid summer (May-Jul)	
'Neon Star' PP14549	○ ☞	6-12"	6-12"	bright pink, fragrant	blue-green, compact	late spring to mid summer (May-Jul)	
'Shooting Star' PPAF	○ ☞	6-12"	6-12"	magenta-purple, fragrant	blue-green, compact	late spring to mid summer (May-Jul)	
<i>x allwoodii (Allwood Pinks, Modern Pinks)</i>							
'Frosty Fire'	○ ☞	6-12"	6-12"	red	blue-green, compact	late spring to early summer (May-Jun)	

DICENTRA (Bleeding Heart)

Needs a well-drained but moist soil. It is normal for the spectabilis species to go dormant after blooming.

<i>cucularia (Dutchman's Breeches)</i>							
cucularia	☞ ☀	6-12"	6-12"	pink, nodding	gray-green, ferny, compact	early to late spring (Apr-May)	
<i>eximia (Fringed Bleeding Heart)</i>							
'Snowdrift'	○ ☞ ☀	12-18"	12-18"	heart-shaped, pure white, nodding	gray-green, ferny, compact	late spring to late summer (May-Aug)	<i>will keep blooming if given enough moisture throughout the summer</i>
<i>Hybrid</i>							
'Burning Hearts' PPAF	○ ☞ ☀	6-12"	12-18"	heart-shaped, deep valentine-red with thick cream-white lower edge, nodding	medium to gray-green, ferny, compact	early summer to early fall (Jun-Sep)	

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Luxuriant'	○ ☞ ☀	12-18"	12-18"	heart-shaped, cherry-red, nodding	medium green, ferny, compact	early summer to early fall (Jun-Sep)
<i>will keep blooming if given enough moisture throughout the summer</i>						
spectabilis (Old-fashioned Bleeding Heart)						
'Gold Heart'	☞ ☀	18-24"	24-30"	heart-shaped, rose-pink with white tips, nodding	golden-yellow, arching peach stems	late spring to early summer (May-Jun)
<i>foliage color is best in sunny locations, turns greenish in shadier locations</i>						
spectabilis	○ ☞ ☀	30-36"	36-42"	heart-shaped, rose-pink with white tips, nodding	medium to light green, arching stems	late spring to early summer (May-Jun)
DIGITALIS (Finger Flower, Foxglove)						
<i>Digitalis in Latin means finger of a glove, referring to the shape of the flower.</i>						
Hybrid						
New! 'Dalmation Purple'	○ ☞	30-36"	24-30"	spikes are deep lavender-purple with spotted maroon throat	medium to deep green	early to mid summer (Jun-Jul)
purpurea : Biennial type. The purpurea species of Digitalis benefits from winter protection/mulching.						
'Camelot Lavender'	○ ☞	42-48"	24-30"	light lavender-pink with burgundy-purple splotches	large leaves, medium green	early to mid summer (Jun-Jul)
'Camelot Mix'	○ ☞	42-48"	24-30"	spikes are splotched with burgundy-purple and mixed (one color per plant) shades of lavender, pink, or white	large leaves, medium green	early to mid summer (Jun-Jul)
'Camelot Rose'	○ ☞	42-48"	24-30"	spikes are rose-pink with splotches of burgundy-purple	large leaves, medium green	early to mid summer (Jun-Jul)
x mertonensis						
mertonensis ('Summer King')	○ ☞	24-30"	24-30"	spikes are dusty-rose to pink	large leaves, deep green	early to mid summer (Jun-Jul)
DISPORUM (Fairy Bells)						
sessile (Variegated Fairy Bells)						
'Variegatum'	☞ ☀	12-18"	24-30"	bell-shaped, cream-white, nodding	deep green with white stripes, arching stems	early to late spring (Apr-May)
DODECATHEON (Shooting Star)						
<i>Dodecatheon will go dormant during the summer.</i>						
media						
media	☞ ☀	12-18"	6-12"	mixed (one color per plant) pink, purple, or white	deep green	late spring to early summer (May-Jun)
<i>often goes dormant after blooming</i>						
DORONICUM (Leopard's Bane)						
<i>Common name comes from arrows, once used to hunt leopards, being dipped in its juice.</i>						
caucasicum						
'Little Leo'	○ ☞ ☀	6-12"	12-18"	starburst-shaped, bright yellow	lush medium green, slightly glossy	late spring to early summer (May-Jun)
ECHINACEA (Coneflower)						
<i>Truly one of the easiest perennials to grow, and worthwhile in any garden. Prune foliage back after blooming to promote new growth and repeat blooms. Echinacea comes from the Greek word "echinos" which means "hedgehog", referring to its spiny center cone.</i>						
Hybrid						
'After Midnight' ('Emily Saul' PPAF)	○ ☞	12-18"	12-18"	dark magenta-purple, black-red cone	medium green, compact	early to late summer (Jun-Aug)
'All That Jazz' PPAF	○ ☞	30-36"	24-30"	unique quilled petals, lavender-pink, orange center cone	medium green	early to late summer (Jun-Aug)
New! 'Coral Reef' PPAF	○ ☞	24-30"	24-30"	double, daisy-like, coral and dark orange with a coral-red center	medium green	mid to late summer (Jul-Aug)
New! 'Firebird' PPAF	○ ☞	24-30"	18-24"	daisy-like, orange-red drooping petals with copper-brown center cone	medium green	early to late summer (Jun-Aug)
New! 'Gum Drop' PPAF	○ ☞	24-30"	18-24"	double, daisy-like, deep rose-pink	medium green	mid to late summer (Jul-Aug)
<i>similar to 'Pink Double Delight' but deeper in color</i>						
'Harvest Moon' ('Matthew Saul' PP17652)	○ ☞	24-30"	24-30"	golden-yellow, orange cone	medium green	early to late summer (Jun-Aug)
New! 'Hot Lava' PPAF	○ ☞	30-36"	24-30"	large, daisy-like, bright red to orange-red with a copper center cone	medium green	early to late summer (Jun-Aug)
New! 'Hot Papaya' PPAF	○ ☞	24-30"	24-30"	double, daisy-like, red-orange, papaya-orange center tinge	deep green, some purplish stems	early to late summer (Jun-Aug)
New! 'Maui Sunshine' PPAF	○ ☞	30-36"	24-30"	large, daisy-like, bright yellow maturing to soft yellow with orange center cone	deep green	early to late summer (Jun-Aug)
<i>similar to 'Harvest Moon' but with flowers more full and flat</i>						
New! 'Milkshake' PPAF	○ ☞	30-36"	24-30"	large, double, vanilla-white	deep green	early to late summer (Jun-Aug)
'Pink Poodle' PP19428	○ ☞	24-30"	24-30"	large, double, bright pink	medium green	early to late summer (Jun-Aug)
<i>large 4" flowers on sturdy stems</i>						
New! 'Summer Sun' PPAF	○ ☞	36-42"	30-36"	daisy-like, drooping, red-orange maturing to gold-orange with bronze center cone	medium green	mid to late summer (Jul-Aug)
<i>great for cutting</i>						
'Sundown' ('Evan Saul' PP17659)	○ ☞	30-36"	30-36"	orange, orange-brown cone	medium green	early to late summer (Jun-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Tiki Torch' PP18839 <i>the deepest longest-lasting orange coneflower to date</i>	○ ☞	30-36"	24-30"	deep orange, bronze-brown center cone	medium green	early to late summer (Jun-Aug)
'Tomato Soup' PP19427	○ ☞	24-30"	24-30"	large, daisy-like, tomato-red	medium green	early to late summer (Jun-Aug)
purpurea						
'Bright Star'	○ ☞					mid to late summer (Jul-Aug)
'Coconut Lime' PPAF <i>a white version of 'Pink Double Delight'</i>	○ ☞	24-30"	24-30"	lime-white petals, orange center pom-pom cone	medium green	mid to late summer (Jul-Aug)
'Elton Knight' PP18133	○ ☞	18-24"	24-30"	large, daisy-like, bright pink, non-drooping	compact, medium green	mid to late summer (Jul-Aug)
'Fatal Attraction' PP18429	○ ☞	24-30"	24-30"	daisy-like, bright purple-pink with a brown-red center cone	medium green, dark stems	mid summer to early fall (Jul-Sep)
'Green Eyes' PP17172	○ ☞	24-30"	24-30"	large, deep pink, copper-orange cone with green center	deep green	mid to late summer (Jul-Aug)
'Green Jewel' PP18678	○ ☞	24-30"	24-30"	fragrant, light green petals, green center cone	medium green	mid to late summer (Jul-Aug)
'Hope' PP17194 <i>a percentage of proceeds to benefit the Susan G. Komen Breast Cancer Foundation</i>	○ ☞	24-30"	24-30"	large, soft pink, rust-orange cone	medium green	mid to late summer (Jul-Aug)
'Kim's Knee High' PP12242	○ ☞	18-24"	24-30"	drooping petals, pink, bronze center cone	compact, medium green	mid to late summer (Jul-Aug)
New! 'Lucky Star' <i>sport of E. 'Rubinstern'</i>	○ ☞	36-42"	30-36"	non-drooping petals, bright white, orange-yellow center cone	medium green, sturdy	mid summer to early fall (Jul-Sep)
'Magnus' <i>1998 PPA Perennial of the Year</i>	○ ☞	30-36"	30-36"	rose-pink fading to light pink	medium green	early to late summer (Jun-Aug)
'Pink Double Delight' PP18803 <i>compact and improved version of E. 'Razzmatazz'</i>	○ ☞	18-24"	12-18"	double, daisy-like, bright pink	medium green	mid to late summer (Jul-Aug)
'Rubinstern' ('Ruby Star')	○ ☞					mid summer to early fall (Jul-Sep)
'White Swan'	○ ☞	24-30"	24-30"	white with copper-brown center cone	medium green	mid to late summer (Jul-Aug)
EPIMEDIUM (Barrenwort)						
<i>Epimedium is slow to establish itself, but makes a nice clumping or groundcover plant at maturity.</i>						
x rubrum						
New! x rubrum	☞ ☞	6-12"	12-18"	fuchsia-pink to rose-red	medium green, turns reddish in fall	late spring to early summer (May-Jun)
ERYNGIUM (Sea Holly, Snakeroot)						
planum						
'Sapphire Blue' <i>keep moist for best foliage and flower color</i>	○ ☞	24-30"	24-30"	heads are spiny and purple-blue maturing to silver	green with silver veins, purple stems	early to mid summer (Jun-Jul)
EUPATORIUM (Hardy Ageratum, Joe-Pye Weed, Mist Flower, Boneset)						
<i>Some powdery mildew might appear after flowering, so simply trim undesirable foliage.</i>						
dubium						
New! 'Baby Joe' PP20320	○ ☞	24-30"	24-30"	heads are purple-pink	deep green to gray-green, compact	mid summer to early fall (Jul-Sep)
rugosum						
'Chocolate'	○ ☞	30-36"	36-42"	clusters are white	chocolate-burgundy	mid to late summer (Jul-Aug)
EUPHORBIA (Spurge)						
<i>The sap from Euphorbia may cause skin irritation when pruning or handling. Gloves might be useful.</i>						
epithymoides / polychroma (Cusshion Spurge)						
'Bonfire' PP18585	○ ☞	18-24"	18-24"	clusters are sulphur-yellow	multicolored purple, red, orange, and light green, mounding	late spring to early summer (May-Jun)
epithymoides (polychroma)	○ ☞	18-24"	18-24"	clusters are sulphur-yellow	gray-green, turns red in fall, mounding	late spring to early summer (May-Jun)
'First Blush' PP15292	○ ☞	6-12"	12-18"	clusters are bright yellow	blue-green with white margins, develops rose-pink highlights	late spring to early summer (May-Jun)
x martinii						
New! 'Ascot Rainbow' PPAF	○ ☞	18-24"	18-24"	bracts are variegated green and yellow with a burgundy center	variegated green and yellow maturing with shades of pink and orange in cooler temps, mounding habit	late spring to early summer (May-Jun)
FALLOPIA (Fleece Flower)						
aubertii (Silver Lace Vine)						
aubertii <i>puts on a spectacular fall display</i>	○ ☞	60" or more	60" or more	sprays are cream-white, fragrant	climbing, medium green, vigorous	mid summer to early fall (Jul-Sep)
FERN ADIANTUM						
pedatum (Maidenhair Fern)						
pedatum	☞ ☞	18-24"	24-30"		soft, medium to light green, turning gold in fall	
FERN ATHYRIUM						
angustum forma rubellum (Lady Fern)						
'Lady in Red'	☞ ☞	24-30"	30-36"		burgundy-red stems, medium green leaves, lacy	

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
felix-femina (Ghost Lady Fern)						
'Ghost'	☞ ☂	18-24"	24-30"		neat and tidy, silver-gray, upright	
felix-femina (Lady Fern)						
felix-femina <i>tolerates dryer soils</i>	☞ ☂	18-24"	24-30"		medium green	
felix-femina (Tatting Fern)						
'Frizelliae'	☞ ☂	12-18"	12-18"		frilly round leaflets, unique, light green	
felix-femina (Victorian Lady Fern)						
'Victoriae'	☞ ☂	18-24"	24-30"		unique, forked leaflets, light green	
Hybrid						
'Branford Beauty'	☞ ☂	18-24"	24-30"		silver-green, upright	
nipponicum (Japanese Painted Fern)						
'Pictum' <i>2004 PPA Perennial of the Year</i>	☞ ☂	12-18"	12-18"		burgundy stems, silver-green fronds with burgundy tints	
otophorum (English Painted Fern)						
otophorum <i>durable, drought tolerant</i>	☞ ☂	12-18"	18-24"		burgundy stems, frosted gray-green fronds	
FERN CYRTOMIUM						
fortunei (Cold Hardy Fern, Fortune's Holly Fern)						
fortunei	○ ☞ ☂	18-24"	18-24"		gray-green, leaflets resemble holly	
FERN DRYOPTERIS						
affinis (Golden Scaled Male Fern)						
affinis	☞ ☂	30-36"	30-36"		leathery, deep green	
'The King'	☞ ☂	18-24"	24-30"		deep green fronds, crested frilly leaflets	
affinis (Narrow Crested Fern)						
'Angustata Crispa'	☞ ☂	12-18"	12-18"		medium green fronds, crested frilly leaflets, compact	
atrata (Black Wood Fern)						
atrata <i>stems are covered in coarse black hairs</i>	☞ ☂	18-24"	24-30"		medium green with hints of gold, leathery	
crassirhizoma (Thick-stemmed Wood Fern)						
crassirhizoma	☞ ☂	30-36"	36-42"		medium green, upright, sturdy	
dilatata (Crisp Broad Buckler)						
'Crispa Whiteside'	☞ ☂	12-18"	18-24"		chartreuse maturing to medium green, soft, lacy	
erythrosora (Autumn Fern, Japanese Sword Fern)						
'Brilliance' <i>excellent fall color</i>	○ ☞ ☂	18-24"	24-30"		golden-orange fronds mature to medium green, reddish-orange in fall	
erythrosora <i>excellent fall color</i>	○ ☞ ☂	18-24"	24-30"		durable, copper fronds mature to medium green, bronze in fall	
filix-mas (Male Fern)						
'Parsley' <i>fluffy and ruffled appearance resembles parsley</i>	☞ ☂	12-18"	18-24"		ruffled, deep green	
'Undulata-robusta'	☞ ☂	24-30"	30-36"		sturdy, upright, medium green	
intermedia (Fancy Fern)						
intermedia <i>durable, drought tolerant</i>	○ ☞ ☂	12-18"	18-24"		leathery, medium to deep green	
labordei						
New! 'Golden Mist' <i>durable, drought tolerant</i>	☞ ☂	18-24"	24-30"		golden-yellow maturing to medium green, golden-yellow fall color	
FERN MATTEUCCIA						
struthiopteris (Ostrich Fern)						
pennsylvanica <i>fronds resemble ostrich feathers</i>	☞ ☂	42-48"	42-48"		vase-shaped, large, medium green	
'The King' <i>fronds are broad and wide</i>	☞ ☂	42-48"	42-48"		vase-shaped, large, medium green	
FERN ONOCLEA						
sensibilis (Sensitive Fern, Bead Fern)						
sensibilis	○ ☞ ☂	18-24"	36-42"		deeply lobed, light green, spreading	
FERN OSMUNDA						
cinnamomea (Cinnamon Fern)						
cinnamomea	☞ ☂	42-48"	42-48"		stately, medium green, cinnamon-brown fronds	

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
claytoniana (Interrupted Fern)						
claytoniana	☉ ☁	24-30"	24-30"		medium green	
<i>fertile leaflets disappear after dropping spores to leave an "interruption" in the frond</i>						
regalis (Royal Fern)						
regalis	☁	36-42"	42-48"		light green with hints of red	
<i>prefers a consistently moist area</i>						
FERN POLYSTICHUM						
acrostichoides (Christmas Fern)						
acrostichoides	☁	18-24"	24-30"		medium green with silver highlights, leathery	
aculeatum (Hard Shield Fern)						
aculeatum	☁	18-24"	18-24"		medium green, glossy, leathery	
<i>clump-forming, great as an accent plant</i>						
polyblepharum (Japanese Tassel Fern)						
polyblepharum	☁	18-24"	24-30"		tan stems, deep green leaflets	
<i>durable and easy to grow</i>						
New!						
'Shiny Holly'	☉ ☁	18-24"	18-24"		reddish stems, vase-shaped, shiny leaflets with coarse texture	
<i>closely related to the polyblepharum species but still not entirely classified, aka 'Spiny Holly'</i>						
FERN THELYPTERIS						
decursive-pinnata (Japanese Beech Fern)						
decursive-pinnata	☁	12-18"	18-24"		upright habit, wispy medium green fronds	
FRUIT : Many varieties of potted fruit plants are available, including varieties of blackberry, blueberry, grape, raspberry, strawberry, and more. Please call or email us for availability.						
FUCHSIA (Hardy Fuchsia)						
<i>Yes, you read that correctly, hardy fuchsia! This is a species that could still use some winter protection, but has been reportedly winter hardy in our area.</i>						
magellanica						
magellanica	☉ ☁	12-18"	12-18"	nodding, brilliant pinkish-red	deep green	early to late summer (Jun-Aug)
<i>grows much larger in southern climates, but stays compact here in Michigan</i>						
GAILLARDIA (Blanket Flower)						
<i>Prune foliage after blooming to promote new growth and repeat blooms. Heat tolerant. Try not to plant in heavy clay soil.</i>						
aristata						
'Arizona Sun'	☉ ☁	6-12"	12-18"	daisy-like with orange-red petals tipped in yellow	medium green	early summer to early fall (Jun-Sep)
New!						
'Sunburst Burgundy Silk'	☉ ☁	12-18"	12-18"	deep burgundy-red	compact, medium to light gray-green	early to late summer (Jun-Aug)
New!						
'Sunburst Scarlet Halo'	☉ ☁	12-18"	12-18"	golden-yellow with orange-red halo	compact, medium to light gray-green	early to late summer (Jun-Aug)
x grandiflora						
'Burgundy'	☉ ☁	24-30"	18-24"	daisy-like, dusty wine-red	medium green	mid to late summer (Jul-Aug)
'Fanfare' PP15892	☉ ☁	18-24"	18-24"	scarlet-orange trumpet-shaped petals tipped in bright yellow	medium green	early summer to early fall (Jun-Sep)
'Frenzy' PPAF	☉ ☁	12-18"	12-18"	deep red-orange trumpet-shaped petals tipped in bright yellow	medium green	early summer to early fall (Jun-Sep)
<i>part of the Commotion Series</i>						
New!						
'Gallo Yellow'	☉ ☁	6-12"	12-18"	large, bright yellow	compact, medium green	early to late summer (Jun-Aug)
'Tizzy' PPAF	☉ ☁	12-18"	12-18"	terra-cotta to rust-red trumpet-shaped petals tipped in bright yellow	medium green	early summer to early fall (Jun-Sep)
<i>part of the Commotion Series</i>						
GALIUM (Sweet Woodruff)						
<i>Galium does best in some shade with a well-drained soil.</i>						
odoratum						
odoratum	☁	6" or less	18-24"	star-shaped, white, fragrant	light green	late spring to mid summer (May-Jul)
GENTIANA (Gentian)						
dahurica						
dahurica	☉ ☁	6-12"	6-12"	deep blue to purple	medium green, mounding	mid to late summer (Jul-Aug)
GERANIUM (Cranesbill)						
<i>Foliage may be cut back any time to promote a more bushy habit. Common name is from the beaked fruits' resemblance to a Crane's bill.</i>						
cinereum (Grayleaf Cranesbill)						
'Ballerina'	☉ ☁	6" or less	12-18"	lilac-pink with deep pink-purple veins and centers	gray-green, compact, fragrant	early to late summer (Jun-Aug)
'Purple Pillow' PP12829	☉ ☁	6" or less	12-18"	deep fuchsia-purple	gray-green, compact, fragrant	early to late summer (Jun-Aug)
Hybrid						
'Orkney Cherry' PP18263	☉ ☁	12-18"	30-36"	bright pink	fragrant, medium green and bronze	early to late summer (Jun-Aug)
'Rozanne' PP12175	☉ ☁	18-24"	30-36"	violet-blue with a white eye, large	deep green, mounding, fragrant	early summer to early fall (Jun-Sep)
<i>2008 PPA Perennial of the Year</i>						
'Sandrine' PPAF	☉ ☁	18-24"	24-30"	magenta-purple with blackish-purple eye and veining	deep green, mounding, fragrant	early summer to early fall (Jun-Sep)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
<i>pratense</i>						
New! 'Dark Reiter'	○ ☞ ☰	6-12"	12-18"	lilac-purple	chocolate-purple, compact	early to late summer (Jun-Aug)
GEUM (Avens)						
<i>Planting in moist but well-drained soil will aid in overwintering.</i>						
<i>flora plena</i>						
'Blazing Sunset' ('Double Bloody Mary')	○ ☞	18-24"	12-18"	double, bright scarlet-red	fuzzy, light green	late spring to mid summer (May-Jul)
<i>Hybrid</i>						
New! 'Mai Tai' PPAF	○ ☞	12-18"	12-18"	semi-double, ruffled, apricot with a rose blush	compact, medium green, purple stems	late spring to early summer (May-Jun)
GRASS ACORUS (Variegated Sweet Flag)						
<i>Acorus does well in any light, but needs to be kept moist for best results.</i>						
<i>calamus</i>						
'Variegatus'	○ ☞	18-24"	24-30"	greenish-yellow, insignificant	leathery, iris-like, medium green striped with white	mid to late summer (Jul-Aug)
GRASS ALOPECURUS (Foxtail Grass)						
<i>pratensis</i>						
'Aurea'	○ ☞	6-12"	6-12"	tan	compact, clumping, gold with some green stripes, narrow leaves	early to late fall (Sep-Oct)
<i>bamboo-like in appearance</i>						
GRASS BUCHLOE ECO-TURF (Buffalo Grass)						
<i>An assortment of Eco-Turf lawn alternatives requiring less mowing, watering, and maintenance. Plant on 8-12" centers, usually fills in within one season.</i>						
<i>dactyloides</i>						
New! 'Legacy'	○ ☞	6" or less	6-12"		deep green	
New! 'Prestige'	○ ☞	6" or less	6-12"		deep green	
GRASS CALAMAGROSTIS (Reed Grass)						
<i>acutiflora</i>						
'Avalanche'	○ ☞	30-36"	24-30"	plumes are tan, wheat-like	deep green with gold to white center stripes, narrow leaves	mid summer to early fall (Jul-Sep)
'Karl Foerster'	○ ☞	36-42"	30-36"	plumes are tan, wheat-like	deep green	mid summer to early fall (Jul-Sep)
<i>2001 PPA Perennial of the Year</i>						
'Overdam'	○ ☞	30-36"	24-30"	plumes are tan, wheat-like	deep green with thin white margins, narrow leaves	mid summer to early fall (Jul-Sep)
<i>arundinacea</i>						
var. <i>brachytricha</i>	○ ☞	30-36"	30-36"	plumes open pinkish maturing to silvery-tan	medium green, turns yellow in fall, medium wide leaves	late summer to early fall (Aug-Sep)
GRASS CAREX (Sedge Grass)						
<i>Carex is an ideal choice for semi-shade to shady places where a compact and season-long attractive plant is needed.</i>						
<i>buchananii (Leather-leaf Sedge)</i>						
<i>buchananii</i>	○ ☞ ☰	18-24"	18-24"	insignificant	reddish-bronze, narrow leaves	late spring (May)
New! <i>forma viridis</i> 'Green Twist'	○ ☞ ☰	12-18"	12-18"	insignificant	vase-shaped, olive-green, narrow leaves twist at tip	late spring (May)
<i>conica</i>						
'Snowline'	☞ ☰	6-12"	6-12"	insignificant	deep green edged in white, mounding, compact, narrow leaves	late spring (May)
<i>elata (Gold Sedge)</i>						
'Bowles Golden'	☞ ☰	24-30"	24-30"	plumes are tan, insignificant	bright gold with green margins, narrow leaves	late spring (May)
<i>taller than many Carex varieties</i>						
<i>glauca</i>						
'Blue Zinger'	☞ ☰	6-12"	12-18"	insignificant	frosty blue, compact, medium wide leaves	early summer (Jun)
<i>hachijoensis (Variegated Japanese Sedge)</i>						
'Evergold'	☞ ☰	6-12"	18-24"	plumes are tan, insignificant	creamy yellow with green margins, mounding, narrow leaves	late spring (May)
<i>morowii (Variegated Sedge)</i>						
'Ice Dance'	○ ☞ ☰	12-18"	24-30"	plumes are tan, insignificant	bright green with white margins, medium wide leaves	late spring (May)
<i>will spread if given room, makes a nice groundcover</i>						
<i>pennsylvanica (Pennsylvania Sedge)</i>						
<i>pennsylvanica</i>	○ ☞ ☰	6-12"	18-24"	plumes are reddish-tan, insignificant	bright green, mounding, narrow leaves	early to late spring (Apr-May)
<i>tolerates some foot traffic</i>						
GRASS ERIANTHUS (Hardy Pampas Grass, Ravenna Grass)						
<i>Not the true Pampas Grass, but much hardier and similar in appearance.</i>						
<i>ravennae</i>						
<i>ravennae</i>	○ ☞	8-10'	6-7'	plumes are large, silver turning to tan, wheat-like	medium green to gray, wide leaves	early to late fall (Sep-Oct)
GRASS FESTUCA (Blue Fescue, Sheeps Fescue)						
<i>On Festuca, plumes are usually produced every other season.</i>						
<i>glauca</i>						
'Elijah Blue'	○ ☞	6-12"	12-18"	plumes are tan, wheat-like	powdery blue, narrow leaves	early to late summer (Jun-Aug)

GRASS FESTUCA ECO-TURF (Bella Bluegrass)

An Eco-Turf lawn alternatives requiring less mowing, watering, and maintenance. Plant on 8-12" centers, usually fills in within one season.

Hybrid

New! 'Bella Bluegrass'	○ ☞	6" or less	6-12"		deep green, wider leaf blades	
<i>perfect alternative for a typical Michigan lawn</i>						

GRASS HAKONECHLOA (Forest Grass, Hakone Grass)

Hakone or Forest Grass offers bamboo-like foliage and maintenance-free traits.

macra

'All Gold'	☞ ☀	12-18"	18-24"	plumes are light tan, insignificant	lemon-yellow, arching appearance, medium wide leaves	mid to late summer (Jul-Aug)
'Aureola'	○ ☞	12-18"	18-24"	plumes are light tan, insignificant	yellow with green margins, arching appearance, medium wide leaves	mid to late summer (Jul-Aug)
<i>2009 PPA Perennial of the Year</i>						

GRASS IMPERATA (Japanese Blood Grass)

Rarely plumes. Best foliage color will occur in full sun.

cylindrica

'Red Baron'	○ ☞	12-18"	30-36"		medium green with red tips, turns bronze-burgundy in fall	
-------------	-----	--------	--------	--	-----------------------------------------------------------	--

GRASS JUNCUS (Rush)

Most varieties are not invasive, but allow more room if given moist conditions.

effusus

'Frenzy'	○ ☞	6-12"	12-18"	brown, insignificant	corkscrew-shaped, variegated green and yellow	late summer to early fall (Aug-Sep)
----------	-----	-------	--------	----------------------	-----------------------------------------------	-------------------------------------

GRASS MISCANTHUS (Eulalia Grass, Maiden Grass)

sinensis

'Adagio'	○ ☞	42-48"	36-42"	plumes are pink maturing to white	gray-green, narrow leaves	early to late fall (Sep-Oct)
<i>a little more compact than most Miscanthus varieties</i>						
'Bitsy Ben'	○ ☞	48-54"	36-42"	plumes are silver	medium green, narrow leaves	late summer to late fall (Aug-Oct)
<i>plumes held high above foliage</i>						
'Cabaret'	○ ☞	5-6'	5-6'	plumes are silver maturing to tan	medium green with wide center white stripe, wide leaves	late fall (Oct)
<i>late to plume if at all</i>						
'Dixieland'	○ ☞	42-48"	42-48"	plumes open burgundy maturing to silver-tan	variegated white and green striped, wide leaves	early to late fall (Sep-Oct)
<i>dwarf version of M. 'Silver Arrow'</i>						
'Ferner Osten'	○ ☞	4-5'	4-5'	plumes open burgundy maturing to silver-tan, airy	medium to deep green, narrow leaves	late summer to early fall (Aug-Sep)
'Gaa'	○ ☞	5-6'	4-5'	plumes open burgundy maturing to silver-tan, airy	medium green, narrow leaves	late summer to late fall (Aug-Oct)
<i>very columnar in form (top is not much wider than base)</i>						
'Gold Bar' PP15193	○ ☞	42-48"	36-42"	plumes open burgundy maturing to silver-tan, airy	numerous horizontal markings of yellow against bright green, wide leaves, compact	late summer to late fall (Aug-Oct)
'Gracillimus'	○ ☞	5-6'	4-5'	plumes are silver maturing to tan	deep green, narrow leaves	late fall (Oct)
<i>one of the most common ornamental grasses, late to plume if at all</i>						
'Graziella'	○ ☞	5-6'	4-5'	plumes are silver-white	deep green, narrow leaves	late summer to early fall (Aug-Sep)
'Kaskade'	○ ☞	5-6'	5-6'	cascading plumes are pinkish maturing to silver-tan	deep green, narrow leaves	late summer to early fall (Aug-Sep)
'Little Kitten'	○ ☞	30-36"	30-36"	plumes are silver maturing to tan	medium green, compact, narrow leaves	early to late fall (Sep-Oct)
'Little Zebra' PP13008	○ ☞	42-48"	42-48"	plumes are pinkish maturing to tan	horizontal markings of yellow against bright green, compact, medium wide leaves	late summer to late fall (Aug-Oct)
'Malepartus'	○ ☞	5-6'	5-6'	plumes are pinkish-purple maturing to silver and tan	medium green, leaves extend perpendicular to stems, medium wide leaves	early to late fall (Sep-Oct)
'Mysterious Maiden' PP16197	○ ☞	5-6'	42-48"	plumes are silvery-pink	medium green with horizontal bands of creamy yellow, narrow leaves	late summer to early fall (Aug-Sep)
<i>horizontal banding is unique for a narrow-bladed grass</i>						
'Purpurascens' (Flame Grass)	○ ☞	4-5'	4-5'	plumes open magenta then mature to white	medium green turning rust-red in fall, medium wide leaves	late summer to late fall (Aug-Oct)
'Silberfeder' ('Silver Feather')	○ ☞	6-7'	5-6'	plumes are pinkish-silver maturing to tan	deep green, arching, narrow leaves	late summer to late fall (Aug-Oct)
'Silver Shadows'	○ ☞	5-7'	5-6'	plumes are pinkish-silver maturing to tan	mostly white with stripes of bright green, wide leaves	late summer to late fall (Aug-Oct)
'Strictus'	○ ☞	5-6'	4-5'	plumes are copper-silver maturing to tan	horizontal markings of yellow against bright green, wide leaves	early to late fall (Sep-Oct)
<i>a little more upright and compact than M. 'Zebrinus'</i>						
'Variegatus'	○ ☞	6-7'	5-6'	plumes are reddish-silver maturing to tan	white and green striped leaves, wide leaves	early to late fall (Sep-Oct)
'Weathervane'	○ ☞	5-7'	4-5'	plumes open pink maturing to silver-tan	medium green, wide leaves	mid summer to early fall (Jul-Sep)
<i>earlier to plume than most Miscanthus</i>						
'Zebrinus'	○ ☞	6-7'	5-6'	plumes are copper-silver maturing to tan	horizontal markings of yellow against bright green, arching appearance, wide leaves	early to late fall (Sep-Oct)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
GRASS PANICUM (Switch Grass)						
<i>virgatum</i>						
'Heavy Metal'	○ ☞	42-48"	30-36"	plumes open reddish maturing to tan	blue-green, turns yellow in fall, medium wide leaves	late summer to late fall (Aug-Oct)
'Northwind'	○ ☞	5-6'	4-5'	plumes are tan, airy	blue-green, vase-shaped, medium wide leaves	late summer to late fall (Aug-Oct)
'Rotstrahlbush'	○ ☞	42-48"	36-42"	plumes are tan, airy	gray-green, turns bright red in fall, medium wide leaves	early to late fall (Sep-Oct)
'Shenandoah' <i>a larger substitute for I. Red Baron'</i>	○ ☞	30-36"	30-36"	plumes are pinkish maturing to tan, airy	medium green with red tips, medium wide leaves	late summer to early fall (Aug-Sep)
GRASS PENNISETUM (Fountain Grass)						
<i>Long-favored for its maintenance-free traits and attractive appearance even when not in flower.</i>						
<i>alopecuroides</i>						
'Desert Plains' PPAF <i>an improved form of 'Cassian'</i>	○ ☞	42-48"	42-48"	fuzzy, bottle-brush-shaped, tan	medium to light green, vase-shaped, narrow leaves	mid summer to late fall (Jul-Oct)
'Hameln' <i>a popular choice for a compact grass</i>	○ ☞	24-30"	24-30"	fuzzy, bottle-brush-shaped, tan	medium green, compact and mounding, narrow leaves	mid summer to early fall (Jul-Sep)
'Little Bunny'	○ ☞	6-12"	6-12"	fuzzy, bottle-brush-shaped, tan	medium green, compact, narrow leaves	late summer to late fall (Aug-Oct)
'Little Honey'	○ ☞	6-12"	6-12"	fuzzy, bottle-brush-shaped, tan	medium green with thin silver margins, compact, narrow leaves	late summer to late fall (Aug-Oct)
'Moudry'	○ ☞	30-36"	30-36"	fuzzy, bottle-brush-shaped, black-brown maturing to tan	deep green, glossy, medium wide leaves	early to late fall (Sep-Oct)
'Piglet' PPAF	○ ☞	18-24"	18-24"	fuzzy, bottle-brush-shaped, tan with a pink tint	compact, medium to light green, vase-shaped, narrow leaves	mid summer to late fall (Jul-Oct)
'Red Head'	○ ☞	36-42"	36-42"	fuzzy, bottle-brush-shaped, smoky-purple maturing to tan	medium green, compact and mounding, narrow leaves	late summer to late fall (Aug-Oct)
<i>orientale</i>						
'Karley Rose' PPAF	○ ☞	30-36"	30-36"	fuzzy, bottle-brush-shaped, drooping, pink maturing to tan	medium green, compact and mounding, narrow leaves	mid to late summer (Jul-Aug)
<i>setaceum</i>						
'Fireworks' PP18192 <i>we are listing this due to the many requests for this grass, but it is NOT HARDY for our area</i>	○ ☞	24-30"	24-30"	plumes are pink maturing to tan	variegated, burgundy mid-vein, bright pink outer margins, some green and white highlights	early summer to late fall (Jun-Oct)
'Rubrum' <i>we are listing this due to the many requests for this grass, but it is NOT HARDY for our area</i>	○ ☞	18-24"	18-24"	plumes are pink maturing to tan	burgundy-red, narrow leaves	early summer to late fall (Jun-Oct)
GRASS PLEIOBLASTUS (Dwarf Bamboo)						
<i>Pleioblastus can be contained with deep edging or by planting in containers.</i>						
<i>auricoma / viridistriata</i>						
'auricoma'	○ ☞ ☀	30-36"	42-48"		medium to light green striped with creamy-yellow, spreading	
'Chrysophyllus' <i>perfect as a larger accent plant</i>	○ ☞ ☀	30-36"	42-48"		bright golden-yellow, spreading	
<i>fortunei</i>						
'Variegata'	○ ☞ ☀	18-24"	42-48"		striped with green and white, spreading	
GRASS SCHIZACHYRIUM (Little Bluestem)						
<i>scoparium</i>						
'Prairie Blues'	○ ☞	24-30"	24-30"	plumes are silvery-tan	bright blue-gray, turns yellow and burgundy in fall, narrow leaves	late summer to early fall (Aug-Sep)
GRASS SESLERIA (Blue Moor Grass)						
<i>autumnalis (Autumn Moor Grass)</i>						
'autumnalis'	○ ☞	12-18"	12-18"	plumes are purplish-black maturing to brown	medium to light green, narrow leaves	early to late summer (Jun-Aug)
GRASS SPOROBOLUS (Prairie Dropseed)						
<i>heterolepis</i>						
'heterolepis'	○ ☞	30-36"	30-36"	plumes are pinkish maturing to silver-tan, airy	deep green, turns copper-orange in fall, narrow leaves	late summer to late fall (Aug-Oct)
'Tara'	○ ☞	18-24"	24-30"	plumes are pinkish maturing to silver-tan, airy	deep green, turns copper-orange in fall, narrow leaves, compact	late summer to late fall (Aug-Oct)
GYP SOPHILA (Baby's Breath)						
<i>An excellent choice for filling in those spaces left by spring blooming plants that have gone dormant or have become unattractive. Always popular for cutting or dried arrangements.</i>						
<i>paniculata</i>						
'Compacta Plena'	○ ☞	18-24"	18-24"	sprays are white, double	gray-green, compact	early to mid summer (Jun-Jul)
'Perfecta'	○ ☞	30-36"	30-36"	large, double, sprays are white	gray-green	early to mid summer (Jun-Jul)
'Pink Fairy'	○ ☞	24-30"	24-30"	sprays are light pink to white, double	gray-green	early to mid summer (Jun-Jul)
<i>repens</i>						
'rosea'	○ ☞	6-12"	12-18"	dainty, light pink	compact, gray-green	early to late summer (Jun-Aug)

HEDERA (English Ivy)

A popular choice for a maintenance-free groundcover, but also makes a nice accent plant in containers.

helix

helix	○ ☞	6" or less	42-48"		deep green, glossy	
-------	-----	------------	--------	--	--------------------	--

will climb if given support

HELIOPSIS (False Sunflower)

Powdery mildew can be a problem, but usually only after it has bloomed. Trim back to alleviate any problem.

helianthoides

'Summer Nights'	○ ☞	36-42"	36-42"	daisy-like, golden-yellow	medium green tinged with purple, purple-red stems	mid summer to early fall (Jul-Sep)
-----------------	-----	--------	--------	---------------------------	---------------------------------------------------	------------------------------------

Hybrid

'Lorraine Sunshine' PP10690	○ ☞	12-18"	12-18"	daisy-like, bright yellow	consistent variegation, creamy white with medium green veins	mid summer to early fall (Jul-Sep)
-----------------------------	-----	--------	--------	---------------------------	--------------------------------------------------------------	------------------------------------

HELLEBORUS (Christmas Rose, Hellebore, Lenten Rose)

Helleborus is one of the earliest perennials to bloom in our area. May go dormant during summer months. 2005 PPA Plant of the Year.

Hybrid

'Ivory Prince' PP16199 ('Walhelivor')	☞ ☞	12-18"	12-18"	ivory-white with burgundy, chartreuse, and pink highlights	blue-green	early to late spring (Apr-May)
---------------------------------------	-----	--------	--------	------------------------------------------------------------	------------	--------------------------------

Hybrid (Lady Series)

'Blue Lady'	☞ ☞	12-18"	12-18"	nodding, blue-purple blend	deep green	early to late spring (Apr-May)
'Pink Lady'	☞ ☞	12-18"	12-18"	nodding, light pink and rose blend	deep green	early to late spring (Apr-May)
'Red Lady'	☞ ☞	12-18"	12-18"	nodding, deep red with darker center	deep green	early to late spring (Apr-May)

Hybrid (Winter Jewels Series)

New!

'Painted Strain'	☞ ☞	18-24"	18-24"	large, cream to white speckled with maroon and purple	deep green	early to late spring (Apr-May)
------------------	-----	--------	--------	-------------------------------------------------------	------------	--------------------------------

orientalis

'Royal Heritage Hybrids'	☞ ☞	18-24"	12-18"	mixed (one color per plant) purple, white, light green, pink, or light yellow	leathery, deep green	early spring (Apr)
--------------------------	-----	--------	--------	-------------------------------------------------------------------------------	----------------------	--------------------

HEMEROCALLIS (Daylily)

Without a doubt the most popular perennial due to its easy maintenance and summertime beauty. Hemerocallis in Greek means beautiful for a day.

Designer Series : These varieties are a cut above the rest, with many superior qualities compared to "normal" daylilies. These qualities include higher bud count, vigorous and healthy performance, richer colors, heavier textures, and highly adaptable.

'Bela Lugosi'	○ ☞	30-36"	30-36"	true purple, lime-green throat	medium green	mid to late summer (Jul-Aug)
---------------	-----	--------	--------	--------------------------------	--------------	------------------------------

one of the best purple varieties

'Custard Candy'	○ ☞	24-30"	18-24"	creamy-yellow with maroon eye and thin gold edge, repeat bloomer, tetraploid	medium green	early to late summer (Jun-Aug)
-----------------	-----	--------	--------	------------------------------------------------------------------------------	--------------	--------------------------------

'El Desperado'	○ ☞	24-30"	24-30"	mustard to butter-yellow, wine-purple eye and petal edges, tetraploid	medium green	early to late summer (Jun-Aug)
----------------	-----	--------	--------	-----------------------------------------------------------------------	--------------	--------------------------------

'Fire King'	○ ☞	24-30"	24-30"	ruffled, red-orange blend, tetraploid	medium green	early to late summer (Jun-Aug)
-------------	-----	--------	--------	---------------------------------------	--------------	--------------------------------

'Fooled Me'	○ ☞	18-24"	18-24"	large, golden-yellow with deep red eye and petal edges, tetraploid	medium green	early to late summer (Jun-Aug)
-------------	-----	--------	--------	--------------------------------------------------------------------	--------------	--------------------------------

New!

'Just Plum Happy' PP14841	○ ☞	18-24"	18-24"	ruffled, mauve-pink with plum-purple eye and edged in plum-purple, repeat bloomer, tetraploid	medium green	early to late summer (Jun-Aug)
---------------------------	-----	--------	--------	-----------------------------------------------------------------------------------------------	--------------	--------------------------------

'Lavender Stardust'	○ ☞	24-30"	24-30"	lavender-pink, light pink midribs, green throat, repeat bloomer	medium green	early to late summer (Jun-Aug)
---------------------	-----	--------	--------	-----------------------------------------------------------------	--------------	--------------------------------

'Omomuki'	○ ☞	24-30"	24-30"	ruffled, clear yellow, bright green throat, repeat bloomer, tetraploid	medium green	early to late summer (Jun-Aug)
-----------	-----	--------	--------	------------------------------------------------------------------------	--------------	--------------------------------

'Siloam Amazing Grace'	○ ☞	24-30"	18-24"	ruffled, primrose-yellow with lighter midribs and edges, repeat bloomer	medium green	early to late summer (Jun-Aug)
------------------------	-----	--------	--------	-------------------------------------------------------------------------	--------------	--------------------------------

'South Seas'	○ ☞	24-30"	24-30"	coral-tangerine, yellow throat, repeat bloomer, tetraploid	medium green	early to late summer (Jun-Aug)
--------------	-----	--------	--------	------------------------------------------------------------	--------------	--------------------------------

'Spanish Glow'	○ ☞	24-30"	24-30"	ruffled, peach, gold throat, repeat bloomer, tetraploid	medium green	early to late summer (Jun-Aug)
----------------	-----	--------	--------	---------------------------------------------------------	--------------	--------------------------------

'Spiritual Corridor'	○ ☞	24-30"	24-30"	lavender-pink with creamy-yellow eye/edges, repeat bloomer, tetraploid	medium green	early to late summer (Jun-Aug)
----------------------	-----	--------	--------	------------------------------------------------------------------------	--------------	--------------------------------

'Strutter's Ball'	○ ☞	24-30"	24-30"	deep black-purple with silver-white halo, lemon-green throat, tetraploid	medium green	late spring to late summer (May-Aug)
-------------------	-----	--------	--------	--------------------------------------------------------------------------	--------------	--------------------------------------

'Wineberry Candy'	○ ☞	18-24"	18-24"	orchid-pink with wine-purple eye, purple veining, tetraploid, repeat bloomer	medium green	early to late summer (Jun-Aug)
-------------------	-----	--------	--------	------------------------------------------------------------------------------	--------------	--------------------------------

Hybrid

'Barbara Mitchell'	○ ☞	18-24"	18-24"	ruffled, soft pink, rounded petals, repeat bloomer	medium green	mid to late summer (Jul-Aug)
--------------------	-----	--------	--------	----------------------------------------------------	--------------	------------------------------

'Buttered Popcorn'	○ ☞	30-36"	30-36"	large, butter-yellow, tetraploid, repeat bloomer	medium green	early to late summer (Jun-Aug)
--------------------	-----	--------	--------	--------------------------------------------------	--------------	--------------------------------

'Chicago Apache'	○ ☞	24-30"	24-30"	large, ruffled, scarlet red, tetraploid	medium green	early to late summer (Jun-Aug)
------------------	-----	--------	--------	-----------------------------------------	--------------	--------------------------------

		LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME	
New!	'Elegant Explosion'	○ ☞	18-24"	18-24"	orange-gold, ruffled, repeat bloomer	medium green	early to late summer (Jun-Aug)	
	'Fairy Tale Pink'	○ ☞	18-24"	18-24"	ruffled, large, pale pink, tetraploid, repeat bloomer	medium green	mid to late summer (Jul-Aug)	
New!	'Forty Second Street'	○ ☞	18-24"	18-24"	large, double, soft pink with deep rose eye	medium green	mid to late summer (Jul-Aug)	
	'Going Bananas' PP17164	○ ☞	18-24"	18-24"	canary-yellow, repeat bloomer	medium green	mid to late summer (Jul-Aug)	
	<i>an improved 'Happy Returns' variety with larger flowers and more consistent blooming</i>							
	'Happy Returns'	○ ☞	12-18"	12-18"	lemon-yellow, repeat bloomer	medium green, compact	late spring to early fall (May-Sep)	
	<i>same habit and long-blooming qualities as the famous 'Stella de Oro'</i>							
	'Joan Senior'	○ ☞	24-30"	24-30"	creamy white with pale yellow-green throat, repeat bloomer	medium green	early to mid summer (Jun-Jul)	
	'Jolyene Nichole'	○ ☞	18-24"	18-24"	ruffled, pink with rose-pink veining	medium green	early to late summer (Jun-Aug)	
	'Mary Todd'	○ ☞	30-36"	30-36"	large, bright golden-yellow, tetraploid	medium green	early to mid summer (Jun-Jul)	
	'Pardon Me'	○ ☞	12-18"	12-18"	cranberry-red, green throat, repeat bloomer	medium green, compact	mid to late summer (Jul-Aug)	
	'Purple d'Oro'	○ ☞	18-24"	18-24"	large, reddish-purple	medium green	early to late summer (Jun-Aug)	
	'Siloam Double Classic'	○ ☞	24-30"	24-30"	ruffled, double, peach-pink, repeat bloomer	medium green	early to late summer (Jun-Aug)	
'Stella de Oro'	○ ☞	12-18"	12-18"	golden-yellow, repeat bloomer	medium green, compact	late spring to early fall (May-Sep)		
<i>the most popular daylily, long-blooming</i>								
'Strawberry Candy'	○ ☞	24-30"	24-30"	ruffled, pink with raspberry-red eye, green throat, repeat bloomer, tetraploid	medium green	late spring to late summer (May-Aug)		
New!	'Wedding Band'	○ ☞	24-30"	24-30"	fragrant, cream-white edged in lemon-yellow, ruffled, tetraploid	medium green	early to mid summer (Jun-Jul)	

HEPATICA (Liverleaf, Mayflower)

<i>nobilis</i>							
	<i>nobilis</i>	☞ ☰	6" or less	6-12"	mixed (one color per plant) blue, pink, or white	deep green	early to late spring (Apr-May)

HERBS : As always, we carry an expansive variety of herbs, too many to list in this space. Please call or email for availability.

HEUCHERA (Alumroot, Coral Bells)

Few plants offer as much outstanding foliage color and contrast possibilities, and butterflies and hummingbirds can't resist them either! Plant in a well-drained area. Height listed includes flower, foliage usually stays about half as tall.

<i>Hybrid</i>								
	'Dolce Crème Brulee'	○ ☞ ☰	12-18"	12-18"	clusters are creamy-white	amber-gold, peach undersides	late spring to mid summer (May-Jul)	
New!	'Dolce Key Lime Pie'	○ ☞ ☰	12-18"	12-18"	clusters are creamy-white	chartreuse-green, yellow to green undersides	late spring to mid summer (May-Jul)	
New!	'Dolce Licorice'	○ ☞ ☰	12-18"	12-18"	clusters are creamy-white	deep purple with silver marbling, pink-purple undersides	late spring to mid summer (May-Jul)	
	'Dolce Peach Melba'	○ ☞ ☰	12-18"	12-18"	clusters are creamy-white	amber-gold with silver overlay, peach undersides	late spring to mid summer (May-Jul)	
	'Hercules'	○ ☞ ☰	12-18"	12-18"	clusters are deep scarlet-red	variegated marbled light green and cream	late spring to mid summer (May-Jul)	
	'Lime Rickey' PP16210	○ ☞ ☰	18-24"	18-24"	clusters are white	lime-green, ruffled, lime-green undersides	late spring to mid summer (May-Jul)	
	'Midnight Rose' PP18551	○ ☞ ☰	18-24"	18-24"	clusters are creamy-white	deep blackish-purple with pink flecks, flecks mature to white	late spring to mid summer (May-Jul)	
	<i>sport of 'Obsidian'</i>							
	'Peach Flambe' PP17195	○ ☞ ☰	12-18"	12-18"	clusters are white	ruffled, bright peach with red highlights, pink undersides	late spring to mid summer (May-Jul)	
	'Plum Pudding'	○ ☞ ☰	18-24"	18-24"	clusters are creamy-white	plum-purple with deep purple veins, deep purple undersides	late spring to mid summer (May-Jul)	
New!	'Plum Royale' PPAF	○ ☞ ☰	12-18"	6-12"	clusters are pinkish-white	burgundy-purple with rose-pink undersides	late spring to mid summer (May-Jul)	
	<i>consistent foliage color all season</i>							
	'Southern Comfort' PP20364	○ ☞ ☰	18-24"	18-24"	clusters are creamy white	cinnamon-peach maturing to copper and amber	late spring to mid summer (May-Jul)	
<i>reportedly more tolerant of heat and humidity</i>								
New!	'Tara' PPAF	○ ☞ ☰	12-18"	12-18"	clusters are white	golden-yellow with reddish center maturing to all golden-yellow	late spring to mid summer (May-Jul)	
<i>micrantha</i>								
	'Palace Purple'	○ ☞ ☰	12-18"	18-24"	clusters are cream-white	leaves range from olive-green, bronze, and burgundy, purple undersides	late spring to mid summer (May-Jul)	
<i>1991 PPA Perennial of the Year</i>								
<i>sanguinea / x brizoides</i>								
	'Snow Angel'	○ ☞ ☰	6-12"	6-12"	clusters are bright rose-pink	mint-green and white marbled variegation, compact	late spring to mid summer (May-Jul)	

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME	
<i>villosa</i>							
New!	'Berry Smoothie' PPAF	○ ☞ ☰	12-18"	12-18"	clusters are white	hairy, raspberry-pink with slight silver overlay and hot pink undersides	late spring to mid summer (May-Jul)
	'Caramel' PP16560	○ ☞ ☰	6-12"	6-12"	clusters are creamy-white	compact, hairy, orange-yellow	late spring to mid summer (May-Jul)
	'Christa' PPAF	○ ☞ ☰	6-12"	6-12"	clusters are white to light pink	compact, hairy, rose-purple during spring maturing to peach shades with silver accents	late spring to mid summer (May-Jul)
New!	'Electric Lime' PPAF	○ ☞ ☰	12-18"	12-18"	clusters are white	hairy, lime-green with reddish veining in cooler temps	late spring to mid summer (May-Jul)
	'Georgia Peach' PP19375	○ ☞ ☰	12-18"	12-18"	clusters are cream-white	hairy, bright peach leaves with silver accents	late spring to mid summer (May-Jul)
	'Mocha' PP18386 <i>one of the darkest Heuchera available</i>	○ ☞ ☰	12-18"	12-18"	clusters are creamy-white	hairy, large leaves, deep bronze-purple, purple undersides	late spring to mid summer (May-Jul)
	'Pinot Gris' PPAF	○ ☞ ☰	12-18"	12-18"	clusters are white	hairy, ginger to smoky-rose with silver overlays and deep purple undersides	late spring to mid summer (May-Jul)
	'Pinot Noir' PPAF	○ ☞ ☰	12-18"	12-18"	clusters are white	hairy, deep purple in spring maturing to silver with black-purple veining and purple undersides	late spring to mid summer (May-Jul)

HEUCHERELLA (Foamy Bells)

Heucherella is a cross between Heuchera and Tiarella. (Flowers like Heuchera, foliage like Tiarella.)

<i>Hybrid</i>							
New!	'Alabama Sunrise' PP19611 <i>the first villosa-type Heucherella, heat and drought tolerant</i>	○ ☞ ☰	6-12"	18-24"	clusters are white	bright gold with red veining	late spring to early summer (May-Jun)
New!	'Golden Zebra' PPAF	○ ☞ ☰	6-12"	18-24"	clusters are white	hairy, leaves are chartreuse to yellow with burgundy-red center blotches	late spring to early summer (May-Jun)
	'Stoplight' PP16835 <i>an improved variety over H. 'Sunspot'</i>	○ ☞ ☰	6-12"	18-24"	clusters are white	chartreuse to yellow leaves with rust-red center splotch	late spring to early summer (May-Jun)
New!	'Sweet Tea' PPAF	○ ☞ ☰	6-12"	18-24"	clusters are white	hairy, leaves are tea-orange with deeper cinnamon-orange veining	late spring to early summer (May-Jun)

HIBISCUS (Rose Mallow)

Very late to break dormancy, so don't worry if you don't see signs of life until June or even July.

<i>Hybrid</i>							
	'Blue River II'	○ ☞	54-60"	54-60"	large, pure white	deep green	mid summer to early fall (Jul-Sep)
New!	'Cranberry Crush' PPAF <i>an unusually compact habit</i>	○ ☞	36-42"	36-42"	large, deep scarlet-red	compact, leathery, maple leaf shape, deep green tinged with purple	mid summer to early fall (Jul-Sep)
	'Fireball' PP13631	○ ☞	54-60"	54-60"	large, fire red	deep green with tinted with purple	mid summer to early fall (Jul-Sep)
	'Jazzberry Jam' PPAF	○ ☞	54-60"	54-60"	large, deep magenta-red, deep red eye, ruffled	medium to deep green	mid summer to early fall (Jul-Sep)
	'Kopper King' PP10793	○ ☞	54-60"	54-60"	large, white with veined red eye	copper-red	mid summer to early fall (Jul-Sep)
	'Old Yella' PP13630	○ ☞	42-48"	36-42"	large, light yellow to cream-white, red center eye	compact, medium green	mid summer to early fall (Jul-Sep)

<i>moscheutos</i>							
	'Pink Elephant' PPAF <i>featuring extremely large flowers, sometimes 12" across</i>	○ ☞	54-60"	48-54"	large, ruffled, pink with deep red center eye	medium to light green	mid to late summer (Jul-Aug)

HOSTA (Funkia, Plantain Lily)

Requiring little care, Hosta can make any planting classy and attractive. If flowers are not desired, simply prune out the flower stalks as they appear. Height listed includes flower, foliage usually stays about half or two-thirds as tall.

<i>fluctuans</i>							
	'Variegated' ('Sagae') <i>2000 Hosta of the Year</i>	○ ☞ ☰	36-42"	36-42"	lavender	large leaves, blue-green with yellow to creamy white margins, leathery	mid to late summer (Jul-Aug)
<i>fortunei</i>							
	'Aureo-marginata' <i>a popular yellow and gold variety</i>	○ ☞ ☰	18-24"	18-24"	lavender	medium green with golden-yellow margins	mid to late summer (Jul-Aug)
	'Francee'	○ ☞ ☰	12-18"	18-24"	lavender	semi-glossy, medium to deep green with thin white margin	mid to late summer (Jul-Aug)
	'Gold Standard'	○ ☞ ☰	18-24"	24-30"	pale lavender	light green maturing to gold with deep green irregular margins	mid to late summer (Jul-Aug)
	'Patriot'	○ ☞ ☰	24-30"	24-30"	lavender	deep green with wide white margins	mid to late summer (Jul-Aug)
	'Paul's Glory' <i>1999 Hosta of the Year</i>	○ ☞ ☰	36-42"	36-42"	pale lavender	large leaves, blue-green with large chartreuse center	mid to late summer (Jul-Aug)
<i>Hybrid</i>							
	'Abiqua Drinking Gourd' <i>good slug resistance</i>	○ ☞ ☰	18-24"	18-24"	white	large, cup-shaped, blue-green	early to mid summer (Jun-Jul)
	'Arctic Blast'	○ ☞ ☰	24-30"	24-30"	lavender	wavy, frosted blue-green, white undersides	mid to late summer (Jul-Aug)
	'August Moon'	○ ☞ ☰	18-24"	24-30"	pale lavender	gold to chartreuse, puckered	mid to late summer (Jul-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Big Daddy'	○ ☞ ☀	36-42"	36-42"	lavender	large leaves, blue-green, puckered	late summer to early fall (Aug-Sep)
'Blue Angel'	○ ☞ ☀	36-42"	36-42"	white	large leaves, blue-green, leathery	mid to late summer (Jul-Aug)
'Blue Mouse Ears' <i>2008 Hosta of the Year</i>	○ ☞ ☀	6-12"	6-12"	lavender	compact, leathery, blue to gray-green with heavy substance	mid to late summer (Jul-Aug)
'Brother Stephan'	○ ☞ ☀	18-24"	18-24"	creamy-white	eavy-textured, puckered, chartreuse with blue margins maturing to gold with green margins	early to mid summer (Jun-Jul)
'Dancing in the Rain' PP15977 <i>sport of 'Blue Umbrellas'</i>	○ ☞ ☀	36-42"	36-42"	pale lavender	large, white centers with blue-green margins	early to mid summer (Jun-Jul)
New! 'Dream Queen' <i>sport of 'Great Expectations'</i>	○ ☞ ☀	18-24"	36-42"	white	large leaves, blue-green with narrow creamy white irregular center, puckered	mid to late summer (Jul-Aug)
'Dream Weaver' <i>sport of 'Great Expectations'</i>	○ ☞ ☀	18-24"	36-42"	white	large leaves, blue-green margins and creamy white irregular center, puckered	mid to late summer (Jul-Aug)
'Earth Angel' <i>sport of 'Blue Angel'</i>	○ ☞ ☀	30-36"	30-36"	pale lavender	large leaves, blue green with wide creamy-yellow margins	mid to late summer (Jul-Aug)
'Fire and Ice' <i>sport of 'Patriot'</i>	○ ☞ ☀	18-24"	24-30"	lavender-pink	large white centers with wide medium to deep green irregular margins	mid to late summer (Jul-Aug)
'Fragrant Bouquet' <i>1998 Hosta of the Year</i>	○ ☞ ☀	18-24"	24-30"	pale lavender, fragrant	bright medium green with thin yellow to white margins	mid to late summer (Jul-Aug)
'Ginko Craig'	○ ☞ ☀	6-12"	12-18"	light purple	compact, bright green with white irregular margins	late summer to early fall (Aug-Sep)
'Great Expectations'	○ ☞ ☀	24-30"	36-42"	white	large leaves, blue-green margin and creamy yellow to white irregular center, puckered	early to mid summer (Jun-Jul)
'Guacamole' <i>2002 Hosta of the Year</i>	○ ☞ ☀	30-36"	36-42"	white, fragrant	large leaves, apple-green with deep green margins, centers mature to gold	mid to late summer (Jul-Aug)
New! 'Independance' PP17044	○ ☞ ☀	18-24"	18-24"	light lavender	deep green with cream-white margins, margins speckled with green	mid to late summer (Jul-Aug)
'June' <i>2001 Hosta of the Year, sport of 'Halcyon'</i>	○ ☞ ☀	18-24"	24-30"	pale lavender	blue-green margins with chartreuse centers that turn gold in summer	mid to late summer (Jul-Aug)
'June Fever' PP15340	○ ☞ ☀	18-24"	24-30"	lavender-blue	nearly all yellow maturing to chartreuse, narrow blue margin	mid to late summer (Jul-Aug)
New! 'Little Treasure' PPAF <i>sport of 'Little Jay'</i>	○ ☞ ☀	6-12"	6-12"	lavender	compact, cream-white centers and blue-green margins	early to mid summer (Jun-Jul)
'Loyalist' <i>sport of 'Patriot'</i>	○ ☞ ☀	18-24"	18-24"	pale lavender	deep green margin and near white center	mid to late summer (Jul-Aug)
New! 'My Child Insook' <i>sport of 'Outrageous'</i>	○ ☞ ☀	30-36"	30-36"	pale lavender	shiny, ivory-white with irregular deep green margin	mid to late summer (Jul-Aug)
'Night Before Christmas' <i>sport of 'White Christmas'</i>	○ ☞ ☀	24-30"	24-30"	pale lavender	large leaves, deep green with streaking white centers	mid to late summer (Jul-Aug)
'Northern Exposure'	○ ☞ ☀	30-36"	30-36"	white	large leaves, deep blue-green with wide yellow streaked margins	mid to late summer (Jul-Aug)
New! 'Olive Bailey Langdon'	○ ☞ ☀	30-36"	30-36"	pale lavender	large round leaves, blue-green with wide yellow margins, puckered	mid to late summer (Jul-Aug)
New! 'Orange Marmalade' PP16742 <i>sport of 'Paul's Glory'</i>	○ ☞ ☀	30-36"	30-36"	pale lavender	yellow with irregular blue-green margins, puckered	mid to late summer (Jul-Aug)
'Regal Splendor' <i>2003 Hosta of the Year, sport of 'Krossa Regal'</i>	○ ☞ ☀	30-36"	24-30"	lavender on tall stems	frosted blue-green to gray with creamy white to yellow margins	late summer to early fall (Aug-Sep)
'Remember Me' <i>a percentage of proceeds to benefit the Susan G. Komen Breast Cancer Foundation, sport of 'June'</i>	○ ☞ ☀	18-24"	18-24"	lavender	yellow centers brightening to white with blue-green margin	mid to late summer (Jul-Aug)
'Royal Standard'	○ ☞ ☀	30-36"	30-36"	white, fragrant	wavy, medium to light green	late summer to early fall (Aug-Sep)
'Satisfaction' <i>sport of 'Piedmont Gold'</i>	○ ☞ ☀	36-42"	36-42"	white	large leaves, deep green with wavy yellow margins	mid to late summer (Jul-Aug)
'Stained Glass' <i>2006 Hosta of the Year, sport of 'Guacamole'</i>	○ ☞ ☀	30-36"	36-42"	pale lavender, fragrant	large leaves, brilliant gold with wide deep green margins	mid to late summer (Jul-Aug)
'Sum and Substance' <i>2004 Hosta of the Year</i>	○ ☞ ☀	36-42"	42-48"	pale lavender	large leaves, leathery, light green in shade, chartreuse to gold in sunny areas	mid to late summer (Jul-Aug)
sieboldiana						
'Elegans'	○ ☞ ☀	36-42"	36-42"	white	large puckered leaves, blue-gray to blue-green	late summer to early fall (Aug-Sep)
'Frances Williams'	○ ☞ ☀	30-36"	46-42"	white	leathery, large, puckered, blue-green with wide chartreuse margins	mid to late summer (Jul-Aug)
tardiana						
'Hadspen Blue' <i>one of the nicer blue Hosta available</i>	○ ☞ ☀	18-24"	18-24"	lavender	blue-gray, semi-compact	mid to late summer (Jul-Aug)

HOULTUYNIA (Chameleon Plant)

Very adaptable to any soil condition. Houltuynia breaks dormancy late in the spring. It will spread, so allow room.

cordata

'Chameleon'	○ ☞ ☰	6-12"	42-48"	white	variegated green, yellow, pink, and red, spreading	early to mid summer (Jun-Jul)
-------------	-------	-------	--------	-------	----------------------------------------------------	-------------------------------

allow plenty of room as it will spread

HYDRANGEA (Climbing Hydrangea)

Climbing Hydrangea can tolerate sun, but does better in semi-shady areas. Be patient, it takes times to mature. Always an attractive plant, even when not in bloom.

anomala

'Mirranda'	○ ☞ ☰	60" or more	42-48"	clusters are white	variegated deep green with yellow margins, climbing	early to mid summer (Jun-Jul)
petiolaris	○ ☞ ☰	60" or more	42-48"	clusters are white	deep green, climbing	early to mid summer (Jun-Jul)

IBERIS (Candytuft)

Some trimming after flowering is beneficial to promote healthy center growth and an attractive appearance for the remainder of the season.

sempervirens

'Snowflake'	○ ☞	6-12"	30-36"	pure white	deep green, spreading, drought tolerant	early to late spring (Apr-May)
-------------	-----	-------	--------	------------	-----------------------------------------	--------------------------------

newer variety with a slightly more uniform growth than the species

'Tahoe'	○ ☞	6-12"	30-36"	pure white	deep green, spreading, drought tolerant	early to late spring (Apr-May)
---------	-----	-------	--------	------------	-----------------------------------------	--------------------------------

improved uniform growth, slightly earlier to flower than 'Snowflake'

INCARVILLEA (Hardy Gloxinia)

Prefers well-drained soil, but keep from extended dry spells. May rebloom later in season.

delavayi

delavayi	○ ☞	12-18"	12-18"	deep rose-pink, trumpet-shaped	medium green, glossy	early to late spring (Apr-May)
----------	-----	--------	--------	--------------------------------	----------------------	--------------------------------

IRIS

Trim out flower stems when flowering is complete, and divide the root clumps every few years to help maintain healthy growth.

cristata (Dwarf Crested Iris)

'Alba'	○ ☞	6-12"	12-18"	white with white crests	medium green, compact	early to late spring (Apr-May)
cristata	○ ☞	6-12"	12-18"	soft blue-lilac with yellow or white crests	medium green, compact	early to late spring (Apr-May)

ensata (Japanese Iris)

New! 'Crystal Halo'	○ ☞	30-36"	30-36"	large, purple with white edges, deep purple veining	medium to deep green	mid to late summer (Jul-Aug)
'Henry's White'	○ ☞	30-36"	36-42"	bright white	medium to deep green	mid to late summer (Jul-Aug)
'Imperial Magic'	○ ☞	30-36"	24-30"	white with purple veining	medium green	mid to late summer (Jul-Aug)
New! 'Lion King'	○ ☞	30-36"	30-36"	large, white with rich purple edges	medium to deep green	mid to late summer (Jul-Aug)
'Mixed'	○ ☞	30-36"	24-30"	large, mixed (one color per plant) blue, burgundy, or purple	medium green	mid to late summer (Jul-Aug)
'Pink Lady'	○ ☞	30-36"	24-30"	light coral-pink with deeper pink veining	medium to deep green	mid to late summer (Jul-Aug)

Hybrid Bearded Iris (German Iris) : More varieties will become available later in the season.

'Autumn Circus'	○ ☞	30-36"	24-30"	white standards with blue-violet streaks, repeat bloomer	gray-green	late spring to mid summer (May-Jul)
New! 'Baltic Star'	○ ☞	30-36"	24-30"	deep purple-black, falls are deep purple-black with violet to white centers	gray-green	late spring to early summer (May-Jun)
'Before the Storm' ('Rosalie Figg')	○ ☞	30-36"	24-30"	black-purple, falls are black-purple	gray-green	early to mid summer (Jun-Jul)

hard-winner with its near-black color

'Beverly Sills'	○ ☞	30-36"	24-30"	coral-pink, falls are light coral-pink, frilled edges	gray-green	late spring to early summer (May-Jun)
'Dusky Challenger'	○ ☞	36-42"	24-30"	large, rich deep purple, falls are deep purple, ruffled	gray-green	early to mid summer (Jun-Jul)
'Edith Wolford'	○ ☞	30-36"	24-30"	light canary-yellow, falls are blue-violet, heavily ruffled	gray-green	late spring to early summer (May-Jun)
'Immortality'	○ ☞	30-36"	30-36"	fragrant, white, falls are white, repeat bloomer	gray-green	late spring to mid summer (May-Jul)

one of the most consistent of repeat bloomers

New! 'Picasso Moon'	○ ☞	36-42"	24-30"	bright yellow, falls are bright yellow, ruffled	gray-green	late spring to early summer (May-Jun)
New! 'Tennison Ridge'	○ ☞	30-36"	24-30"	berry-red to fuchsia-purple, falls are fuchsia-purple with white sprinkled centers, repeat bloomer	gray-green	late spring to mid summer (May-Jul)

louisiana

New! 'Bold Pretender'	○ ☞	24-30"	30-36"	deep cherry-red with pink and yellow-orange accents	deep blue-green	early to mid summer (Jun-Jul)
------------------------------	-----	--------	--------	-----------------------------------------------------	-----------------	-------------------------------

tolerates wet or boggy areas

pseudacorus (Yellow Flag Iris)

'Variegatus'	○ ☞	18-24"	24-30"	lemon-yellow to gold	striped yellow and green	late spring to early summer (May-Jun)
--------------	-----	--------	--------	----------------------	--------------------------	---------------------------------------

pumila (Dwarf Bearded Iris)

New! 'Boo'	○ ☞	6-12"	6-12"	white with some blue-lavender veining, falls are purple with whiter edges	gray-green, compact	early to late spring (Apr-May)
-------------------	-----	-------	-------	---------------------------------------------------------------------------	---------------------	--------------------------------

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Fireplace Embers'	○ ☞	6-12"	6-12"	yellow, falls are yellow with wide maroon center blotch	gray-green, compact	early to late spring (Apr-May)
'Smart'	○ ☞	6-12"	6-12"	violet-purple, falls are violet-purple with wide deep purple center blotch	gray-green, compact	early to late spring (Apr-May)
'What Again'	○ ☞	6-12"	6-12"	light lavender-blue, falls are apricot to yellow, repeat bloomer	gray-green, compact	early spring to early summer (Apr-Jun)
sibirica (Siberian Iris)						
'Baby Sister'	○ ☞	18-24"	24-30"	violet-blue with white highlights	medium green, compact	early to mid summer (Jun-Jul)
'Butter and Sugar'	○ ☞	24-30"	24-30"	white standards, butter-yellow falls, greenish-yellow veins	medium green	early to mid summer (Jun-Jul)
'Caesar's Brother'	○ ☞	36-42"	30-36"	deep purple with yellow and white highlights, black veins	medium green	early to mid summer (Jun-Jul)
'Pink Haze'	○ ☞	24-30"	24-30"	lavender-pink with faint white edges	medium green	early to mid summer (Jun-Jul)
'Ruffled Velvet'	○ ☞	24-30"	24-30"	red-purple standards, darker purple falls, black and gold highlights	medium green	early to mid summer (Jun-Jul)
'Strawberry Fair'	○ ☞	24-30"	24-30"	ruffled, light pink standards, strawberry-pink falls, white highlights, tetraploid	medium green	early to mid summer (Jun-Jul)
'White Swirl'	○ ☞	24-30"	24-30"	ivory-white with gold throat and highlights	medium green	early to mid summer (Jun-Jul)
ISOTOMA (Blue-star Creeper)						
<i>Also known as Laurentia fluviatilis or Pratia pedunculata.</i>						
fluviatilis						
fluviatilis	○ ☞	6" or less	6-12"	dainty, lilac with purple veining	mat-like, spreading, medium green	late spring to late summer (May-Aug)
<i>part of the Stepables collection</i>						
KNAUTIA						
<i>Another must-have for butterfly gardens!</i>						
macedonica						
'Mars Midget'	○ ☞	12-18"	12-18"	ruby-red, globular	medium green	early to late summer (Jun-Aug)
KNIPHOFIA (Poker Plant, Torch Lily, Tritoma)						
<i>Very unique flowers and mature plants in bloom can be an incredible sight. Does best in mostly sunny areas.</i>						
Hybrid						
'Flamenco Mix'	○ ☞	30-36"	24-30"	spikes are mixed (one color per plant) orange, orange-red, yellow, or orange and yellow bicolor	Daylily-like, medium green	early to late summer (Jun-Aug)
LAMIASTRUM (Yellow Archangel)						
<i>'Herman's Pride' stays quite contained, but allow plenty of room for the rest of the genus.</i>						
galeobdolan						
'Herman's Pride'	○ ☞ ☀	6" or less	12-18"	yellow, insignificant	variegated and marbled deep green and silver-white, vigorous, compact	early to late spring (Apr-May)
LAMIUM (Dead or Spotted Nettle)						
<i>Lamium will tolerate some sun, but all varieties will do best if they get a break from the sun during some part of the day.</i>						
maculatum						
'Beacon Silver'	○ ☞ ☀	6-12"	30-36"	clusters are lavender-pink to purple	silver leaves with narrow green margins, spreading	late spring to mid summer (May-Jul)
'Purple Dragon' PP15890	○ ☞ ☀	6-12"	30-36"	cluster are large, fuchsia-purple	silver with deep green margins, spreading	late spring to mid summer (May-Jul)
'White Nancy'	○ ☞ ☀	6-12"	30-36"	clusters are pure white	silver leaves with narrow green margins, spreading	late spring to mid summer (May-Jul)
LATHYRUS (Sweet Pea)						
<i>An old-fashioned vine, and still worth their space in any garden. Mildew can be a problem, but pruning infected foliage is a quick fix.</i>						
latifolius						
'Mix'	○ ☞	54-60"	30-36"	mixed (one color per plant) rose, pink, or white	light gray-green, twining and climbing	mid to late summer (Jul-Aug)
<i>makes a nice groundcover if not given support to climbing</i>						
LAVANDULA (Lavender)						
<i>Pruning foliage half-way back every year after blooming will promote more lush growth and a less "woody" appearance.</i>						
angustifolia						
'Baby Blue'	○ ☞	6-12"	12-18"	bluish-purple	gray-green, fragrant, compact	early to late summer (Jun-Aug)
'Blue Cushion' PP9119	○ ☞	12-18"	12-18"	lavender-blue	blue-green, fragrant	early to late summer (Jun-Aug)
'Ellagance Purple'	○ ☞	6-12"	12-18"	deep purple-blue	silver gray-green, fragrant	mid summer to early fall (Jul-Sep)
<i>improved habit compared to most Lavandula</i>						
'Ellagance Sky'	○ ☞	6-12"	12-18"	light violet-blue blend	silver gray-green, fragrant	mid summer to early fall (Jul-Sep)
<i>improved habit compared to most Lavandula</i>						
'Hidcote'	○ ☞	12-18"	12-18"	deep violet-blue	tidy, silver gray-green, fragrant	mid summer to early fall (Jul-Sep)
'Jean Davis'	○ ☞	12-18"	12-18"	ivory-white to light pink	blue-green, fragrant	mid summer to early fall (Jul-Sep)
'Munstead'	○ ☞	12-18"	18-24"	lavender to purple	silver gray-green, fragrant	early to late summer (Jun-Aug)
<i>the traditional English Lavender</i>						
x intermedia						
'Grosso'	○ ☞	24-30"	24-30"	violet-blue	gray-green, fragrant, upright	mid summer to early fall (Jul-Sep)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Silver Edge' PP13091	○ ☞	24-30"	24-30"	violet-blue	variegated gray-green with creamy white margins	mid summer to early fall (Jul-Sep)
'Violet Intrigue' PP15344 <i>extremely long-blooming</i>	○ ☞	18-24"	18-24"	rich violet	medium green to gray-green, fragrant, upright	early summer to early fall (Jun-Sep)
LEPTINELLA (Brass Buttons)						
<i>Leptinella prefers a well-drained soil. If planting in clay or heavier soil, add some lighter potting soil or peat moss to the area and work it in. Tolerates foot traffic, and also good in rockery, brickwork, or between stepping stones.</i>						
<i>squalida</i>						
'Platt's Black'	○ ☞	6" or less	18-24"	yellow, insignificant	mat-like, blackish-purple tipped in green, spreading	early to mid summer (Jun-Jul)
LEUCANTHEMUM (Shasta Daisy)						
<i>Common name comes from Luther Burbank's extensive work with daisies near Mt. Shasta. Keep in well-drained areas. Prune foliage back after blooming to promote new growth and repeat blooms.</i>						
<i>vulgare</i>						
'May Queen'	○ ☞	24-30"	30-36"	white flowers with yellow centers	deep green	late spring to early summer (May-Jun)
<i>x superbum</i>						
'Aglaiia'	○ ☞	24-30"	24-30"	large, fringed, white	deep green	early to late summer (Jun-Aug)
<i>flower petals are reminiscent of shaved coconut</i>						
'Alaska'	○ ☞	24-30"	24-30"	single, white with yellow centers	deep green	early to late summer (Jun-Aug)
New! 'Banana Cream' PPAF	○ ☞	12-18"	12-18"	large, semi-double, lemon-yellow maturing to light yellow with a yellow center	compact, deep green	early to late summer (Jun-Aug)
'Becky'	○ ☞	30-36"	42-48"	large, white with yellow centers	deep green, sturdy	mid summer to early fall (Jul-Sep)
<i>2003 PPA Perennial of the Year</i>						
'Gold Rush' PP15204	○ ☞	18-24"	18-24"	frilled, light creamy-yellow outer petals and deeper yellow inner petals	deep green, compact	early to late summer (Jun-Aug)
'Old Court'	○ ☞	30-36"	18-24"	frilled, white, yellow-centered	deep green	early to late summer (Jun-Aug)
New! 'Paladin' PPAF	○ ☞	12-18"	12-18"	ruffled, semi-double, white with yellow center	deep green	early to late summer (Jun-Aug)
'Snow Lady'	○ ☞	18-24"	12-18"	white flowers with yellow centers	deep green, compact	early to late summer (Jun-Aug)
'Snowcap'	○ ☞	12-18"	12-18"	white flowers with yellow centers	deep green, compact	early to late summer (Jun-Aug)
'Thomas Killen'	○ ☞	24-30"	24-30"	semi-double, white, fluffy center of white and yellow	deep green	mid summer to early fall (Jul-Sep)
LIATRIS (Blazing Star, Gayfeather)						
<i>spicata</i>						
'Floristan Violet'	○ ☞	24-30"	18-24"	spikes are violet-purple to lavender	deep green	mid summer to early fall (Jul-Sep)
'Floristan White'	○ ☞	24-30"	18-24"	spikes are white	deep green	mid summer to early fall (Jul-Sep)
'Kobold'	○ ☞	12-18"	18-24"	spikes are purple to lavender	deep green, compact	mid summer to early fall (Jul-Sep)
<i>seed strain</i>						
LIGULARIA (Goldenray, Ragwort)						
<i>Ligularia loves wet and boggy soils. Few plants can match its imposing and attractive foliage.</i>						
<i>dentata</i>						
'Britt Marie Crawford' PP16113	☞ ☀	36-42"	30-36"	daisy-like, golden-orange	glossy, large leaves, chocolate-purple, purple undersides	mid to late summer (Jul-Aug)
'Desdemona'	☞ ☀	36-42"	30-36"	daisy-like, golden-yellow	glossy, deep purple-red, purple undersides, matures to bronze-green	mid to late summer (Jul-Aug)
<i>stenocephala</i>						
'Little Rocket' PP14621	☞ ☀	30-36"	30-36"	spikes are bright yellow	compact, deep green, glossy, serrated	mid to late summer (Jul-Aug)
New! 'Osiris Café Noir' PPAF	☞ ☀	18-24"	18-24"	spikes are yellow	purple-black maturing to bronze and olive-green, leathery, glossy, serrated	mid to late summer (Jul-Aug)
LILIUM (Garden Lily)						
<i>Cut back half-way after blooming to force new bulb production and to tidy up the plant.</i>						
<i>Hybrid Asiatic</i>						
New! 'Double Sensation'	○ ☞	30-36"	18-24"	double, ruby-red with white blotch towards center	deep green	early to mid summer (Jun-Jul)
New! 'Elodie'	○ ☞	30-36"	18-24"	double, shell-pink with some dark pink freckling	deep green	early to mid summer (Jun-Jul)
New! 'Fata Morgana'	○ ☞	30-36"	18-24"	double, cream-yellow with some dark freckling	deep green	early to mid summer (Jun-Jul)
New! 'Sphinx'	○ ☞	30-36"	18-24"	double, red-orange with center petals having a thin white stripe	deep green	early to mid summer (Jun-Jul)
New! 'Tango Dot Com'	○ ☞	36-42"	18-24"	large, pink with centers sprayed with maroon	deep green	early to mid summer (Jun-Jul)
<i>Hybrid Asiatic (Lily Looks Series)</i>						
'Tiny Athlete'	○ ☞	12-18"	6-12"	light pink, deeper pink midrib	deep green, compact	early to mid summer (Jun-Jul)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Tiny Bee'	○ ☞	12-18"	6-12"	bright yellow, black spots near center	deep green, compact	early to mid summer (Jun-Jul)
New! 'Tiny Bell'	○ ☞	12-18"	6-12"	coral-pink, yellow center	deep green, compact	early to mid summer (Jun-Jul)
'Tiny Dino'	○ ☞	12-18"	6-12"	bright orange	deep green, compact	early to mid summer (Jun-Jul)
'Tiny Hope'	○ ☞	12-18"	6-12"	bright red	deep green, compact	early to mid summer (Jun-Jul)
New! 'Tiny Padye'	○ ☞	12-18"	6-12"	rich royal-purple with petal ends sprayed in white	deep green, compact	early to mid summer (Jun-Jul)
Hybrid Oriental						
'After Eight'	○ ☞	12-18"	12-18"	fragrant, rose-pink center fading to lighter pink edges	deep gray-green, compact	early to mid summer (Jun-Jul)
<i>a miniature version of 'Stargazer'</i>						
'Casa Blanca'	○ ☞	30-36"	18-24"	fragrant, large, white	deep gray-green	early to mid summer (Jun-Jul)
New! 'Dizzy'	○ ☞	30-36"	18-24"	fragrant, large, white with red center stripe, some freckling	deep gray-green	early to mid summer (Jun-Jul)
New! 'Golden Splendour'	○ ☞	36-42"	18-24"	fragrant, trumpet-shaped, golden-yellow to orange	deep gray-green	early to mid summer (Jun-Jul)
New! 'Miss Lucy'	○ ☞	30-36"	18-24"	fragrant, large, double, soft pink, no stamens	deep gray-green	early to mid summer (Jun-Jul)
<i>the first double oriental lily</i>						
'Mona Lisa'	○ ☞	18-24"	18-24"	light pink with deep rose-pink center bars, rose-pink spots, fragrant	deep gray-green	early to mid summer (Jun-Jul)
New! 'Muscadet'	○ ☞	24-30"	18-24"	fragrant, large, white with centers blushed in pink, maroon freckling	deep gray-green	early to mid summer (Jun-Jul)
New! 'Pink Perfection'	○ ☞	36-42"	18-24"	fragrant, trumpet-shaped, deep rose-pink with some deeper freckling	deep gray-green	early to mid summer (Jun-Jul)
New! 'Salmon Star'	○ ☞	24-30"	18-24"	fragrant, white with orange centers and freckling	deep gray-green	early to mid summer (Jun-Jul)
'Stargazer'	○ ☞	24-30"	18-24"	large, rich rose-pink center fading to lighter pink edges	deep gray-green	early to mid summer (Jun-Jul)
New! 'Tom Pouce'	○ ☞	24-30"	18-24"	fragrant, large, lavender-pink with soft yellow center stripe	deep gray-green	early to mid summer (Jun-Jul)
New! 'Triumphator'	○ ☞	30-36"	18-24"	fragrant, white with wide burgundy-purple center	deep gray-green	early to mid summer (Jun-Jul)

LINUM (Flax)

Due to its foliage having an airy nature, *Linum* can be cut back to produce growth at the base and a more bushy habit.

perenne

perenne	○ ☞	12-18"	12-18"	deep to light sky-blue	light green, airy	early to late summer (Jun-Aug)
---------	-----	--------	--------	------------------------	-------------------	--------------------------------

prune foliage back after blooming to promote new growth and repeat blooms

LIRIOPE (Lilyturf)

Liriope are very hardy in our area of Western Michigan, but in zones 5 and lower, they do benefit from some protection.

muscaria

'Big Blue'	○ ☞ ☀	12-18"	30-36"	lilac-purple	grass-like, deep green, spreading	mid to late summer (Jul-Aug)
------------	-------	--------	--------	--------------	-----------------------------------	------------------------------

spicata

'Silver Dragon'	○ ☞ ☀	6-12"	30-36"	violet, seldom flowers	striped white and green, spreading	mid to late summer (Jul-Aug)
-----------------	-------	-------	--------	------------------------	------------------------------------	------------------------------

spicata	○ ☞ ☀	6-12"	30-36"	violet	grass-like, deep green, spreading	late summer to early fall (Aug-Sep)
---------	-------	-------	--------	--------	-----------------------------------	-------------------------------------

often overlooked but a very nice groundcover

LOBELIA (Cardinal Flower)

Lobelia does well in a moist soil. It will break dormancy later than most plants, so be patient in the spring and early summer.

fulgens

'Queen Victoria'	○ ☞ ☀	36-42"	30-36"	spikes are bright red	attractive bronzed burgundy	late summer to late fall (Aug-Oct)
------------------	-------	--------	--------	-----------------------	-----------------------------	------------------------------------

speciosa

'Fan Blue'	○ ☞ ☀	24-30"	24-30"	spikes are lavender to blue	deep green with bronze highlights	late summer to late fall (Aug-Oct)
------------	-------	--------	--------	-----------------------------	-----------------------------------	------------------------------------

part of the 'Fan' series with a more compact habit

New! 'Fan Deep Rose'	○ ☞ ☀	24-30"	24-30"	spikes are deep rose-pink	deep green with bronze highlights	late summer to late fall (Aug-Oct)
-----------------------------	-------	--------	--------	---------------------------	-----------------------------------	------------------------------------

part of the 'Fan' series with a more compact habit

'Fan Salmon'	○ ☞ ☀	24-30"	24-30"	spikes are salmon-pink	deep green with bronze highlights	late summer to late fall (Aug-Oct)
--------------	-------	--------	--------	------------------------	-----------------------------------	------------------------------------

part of the 'Fan' series with a more compact habit

'Fan Scarlet'	○ ☞ ☀	24-30"	24-30"	spikes are bright red	deep green with bronze highlights	mid summer to late fall (Jul-Oct)
---------------	-------	--------	--------	-----------------------	-----------------------------------	-----------------------------------

part of the 'Fan' series with a more compact habit

LONICERA (Honeysuckle)

Honeysuckle can be used as a fragrant and ornamental vine when given a place to climb, or let go as a groundcover. Hummingbirds love them, too!

japonica

'Hall's Prolific'	○ ☞ ☀	60" or more	54-60"	white to soft yellow, fragrant	medium to deep green, climbing	early summer to early fall (Jun-Sep)
-------------------	-------	-------------	--------	--------------------------------	--------------------------------	--------------------------------------

'Mandarin' PP11083	○ ☞ ☀	60" or more	54-60"	bright orange and yellow, fragrant	deep green with copper highlights, climbing	early to late summer (Jun-Aug)
--------------------	-------	-------------	--------	------------------------------------	---------------------------------------------	--------------------------------

x brownii

'Dropmore Scarlet'	○ ☞ ☀	60" or more	54-60"	orange-scarlet, trumpet-shaped, fragrant	gray-green, climbing	late spring to mid summer (May-Jul)
--------------------	-------	-------------	--------	------------------------------------------	----------------------	-------------------------------------

x heckrottii

heckrottii	○ ☞ ☀	60" or more	54-60"	carmine buds open to cream-yellow, fragrant	gray-green, climbing	late spring to late summer (May-Aug)
------------	-------	-------------	--------	---------------------------------------------	----------------------	--------------------------------------

LUPINUS (Lupine)

Normally, Lupines will go nearly dormant after flowering and foliage will deteriorate. Winter mulching/protection is beneficial.

Hybrid

'Gallery Mix'	○ ☞	18-24"	24-30"	spikes are mixed (one color per plant) violet-blue, pink, red, white, or yellow	medium to light green	late spring to early summer (May-Jun)
---------------	-----	--------	--------	---------------------------------------------------------------------------------	-----------------------	---------------------------------------

LYSIMACHIA (Creeping Jenny, Gooseneck Loosestrife, Moneywort)

clethroides (Gooseneck Loosestrife)

clethroides	○ ☞ ☀	30-36"	42-48"	spikes are white, gooseneck-shaped	deep green, reddish color in fall, spreading	mid to late summer (Jul-Aug)
--------------------	-------	--------	--------	------------------------------------	----------------------------------------------	------------------------------

tolerant of many soil conditions, easy to grow

nummularia (Creeping Jenny, Moneywort)

'Aurea'	☞ ☀	6" or less	42-48"	yellow	chartreuse-green, spreading	early to late summer (Jun-Aug)
---------	-----	------------	--------	--------	-----------------------------	--------------------------------

part of the Stepables collection, great for containers

'Green'	☞ ☀	6" or less	42-48"	yellow	light to medium green, spreading	early to late summer (Jun-Aug)
---------	-----	------------	--------	--------	----------------------------------	--------------------------------

part of the Stepables collection, great for containers

MALVA (Mallow)

Can seed and spread rapidly. Keep under control with periodic "weeding." Foliage may be pruned back after blooming to promote new growth and blooms.

sylvestris (Cheeses)

'Zebrinus'	○ ☞	30-36"	42-48"	lavender with deeper purple stripes	deep green	mid summer to early fall (Jul-Sep)
------------	-----	--------	--------	-------------------------------------	------------	------------------------------------

will reseed if allowed, prune foliage back after blooming to promote new growth and repeat blooms

MAZUS

reptans

reptans	○ ☞	6" or less	24-30"	purplish-blue	mat-like, medium green, spreading	late spring to early summer (May-Jun)
----------------	-----	------------	--------	---------------	-----------------------------------	---------------------------------------

part of the Stepables collection

MERTENSIA (Bluebells)

virginica

virginica	☞ ☀	12-18"	12-18"	blue, nodding	gray-green	early to late spring (Apr-May)
------------------	-----	--------	--------	---------------	------------	--------------------------------

may go dormant soon after flowering

MONARDA (Bee Balm, Oswego Tea)

Do not worry when foliage deteriorates during and after blooming... it is normal, just prune back. Butterflies love Monarda's pincushion-like flowers!

didyma

New! 'Fireball' PP14235	○ ☞	12-18"	12-18"	bright scarlet-red	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
New! 'Pardon My Purple' PPAF	○ ☞	6-12"	12-18"	dark purple	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)

the most compact large-flowered Monarda to date

'Petite Delight' PP10784	○ ☞	12-18"	24-30"	lavender-rose	mildew-resistant, fragrant, medium green, compact	mid to late summer (Jul-Aug)
'Pink Lace' PP18367	○ ☞	12-18"	24-30"	light pink with purple center	fragrant, medium green, purplish stems, compact	mid to late summer (Jul-Aug)

MYOSOTIS (Woodland Forget-Me-Not)

Myosotis will seed itself, but does not usually become a problem.

sylvatica

'Royal Blue' ('Bluesylva')	○ ☞ ☀	6-12"	24-30"	light baby-blue	medium green, compact	early to late spring (Apr-May)
----------------------------	-------	-------	--------	-----------------	-----------------------	--------------------------------

NEPETA (Catmint)

faassenii

'Walker's Low'	○ ☞	24-30"	30-36"	spikes are lavender-blue	gray-green, fragrant	late spring to late summer (May-Aug)
----------------	-----	--------	--------	--------------------------	----------------------	--------------------------------------

2007 PPA Perennial of the Year, prune foliage back after blooming to promote new growth and repeat blooms

OENOTHERA (Evening Primrose, Sundrops)

Many varieties of Oenothera benefit from some shade, as some blooms will not completely open during daytime hours or in full sun.

kunthiana

'Glowing Magenta'	○ ☞	6-12"	24-30"	deep pink	deep green, compact but does spread	early to late summer (Jun-Aug)
-------------------	-----	-------	--------	-----------	-------------------------------------	--------------------------------

OPHIPOGON (Black Lilyturf, Mondo Grass)

Ophiopogon benefits from a winter mulch if possible. Outstanding as an accent plant or groundcover.

planiscapus

'Nigrescens'	○ ☞ ☀	6-12"	12-18"	bell-shaped, pinkish-white	grass-like, deep purple	mid to late summer (Jul-Aug)
--------------	-------	-------	--------	----------------------------	-------------------------	------------------------------

slow to spread, tolerates some foot traffic

OXALIS (Wood Sorrel)

The type of Oxalis listed here is the hardy type for outdoor use in our area.

crassipes

'Rosea'	☞ ☀	6-12"	24-30"	bright pink	clover-shaped leaves, light green, spreading	early spring to early summer (Apr-Jun)
---------	-----	-------	--------	-------------	----------------------------------------------	----------------------------------------

will keep flowering if kept moist throughout the summer

PACHYSANDRA (Japanese Spurge)

A very nice lush groundcover, but allow some time for it to get established. Keep moist if planted in sunny areas.

terminalis

terminalis	○ ☞ ☀	6-12"	24-30"	small, white	dense, medium to deep green, spreading	early to late spring (Apr-May)
-------------------	-------	-------	--------	--------------	----------------------------------------	--------------------------------

PAEONIA (Garden Peony, Tree Peony)

Foliage support is welcome for the garden type of Peony as their huge flowers cause stems to bend. Tree type Peonies are slower-growing, have patience.

lactiflora (Garden Peony)

'Double Pink'	○ ☞	36-42"	36-42"	fluffy, light pink to salmon-pink, fragrant	glossy, deep green	late spring to early summer (May-Jun)
'Double Red'	○ ☞	36-42"	36-42"	fluffy, bright red to rose-red, fragrant	glossy, deep green	late spring to early summer (May-Jun)
'Double White'	○ ☞	36-42"	36-42"	fluffy, pure white, fragrant	glossy, deep green	late spring to early summer (May-Jun)
'Duchess de Nemours' <i>double type</i>	○ ☞	30-36"	30-36"	double, white	glossy, deep green	late spring to early summer (May-Jun)
'Karl Rosenfield'	○ ☞	30-36"	30-36"	double, fragrant, fuchsia-red	glossy, deep green	early to mid summer (Jun-Jul)
'Raspberry Sundae' <i>double type</i>	○ ☞	24-30"	30-36"	double, pale pink with deeper pink center, fragrant	glossy, deep green	late spring to early summer (May-Jun)
'Sarah Bernhardt' <i>double type</i>	○ ☞	24-30"	30-36"	double, rose-pink and light pink blend, fragrant	glossy, deep green	late spring to early summer (May-Jun)

suffruticosa (Tree Peony)

'Hanakiso Pink'	○ ☞	48-54"	48-54"	semi-double, apricot-pink	medium green, woody	late spring to early summer (May-Jun)
'Hoki Red'	○ ☞	48-54"	48-54"	semi-double, lipstick red	medium green, woody	late spring to early summer (May-Jun)
'Kinkaku Orange'	○ ☞	48-54"	48-54"	double, golden-yellow edged in orange	medium green, woody	late spring to early summer (May-Jun)
'Kinshi Yellow'	○ ☞	48-54"	48-54"	semi-double, lemon-yellow	medium green, woody	late spring to early summer (May-Jun)
'Sahohime White'	○ ☞	48-54"	48-54"	semi-double, white with reddish-pink center blush	medium green, woody	late spring to early summer (May-Jun)
New! 'Shimadaijin Purple'	○ ☞	48-54"	48-54"	double, royal purple	medium green, woody	late spring to early summer (May-Jun)
'Shimanishiki Bicolor'	○ ☞	48-54"	48-54"	semi-double, reddish-purple striped with white	medium green, woody	late spring to early summer (May-Jun)
'Yagumo Purple'	○ ☞	48-54"	48-54"	semi-double, wine-red to purple	medium green, woody	late spring to early summer (May-Jun)

PAPAVER (Poppy)

Foliage will disappear and plant will go dormant after blooming. Needs well-drained soil.

nudicaule (Iceland Poppy)

'Champagne Bubbles Mix'	○ ☞	6-12"	12-18"	mixed (one color per plant) orange, pink, red, salmon, white, or yellow	hairy, light green	early to late summer (Jun-Aug)
New! 'Champagne Bubbles Yellow'	○ ☞	6-12"	12-18"	bright yellow	hairy, light green	early to late summer (Jun-Aug)
'Solar Fire Orange'	○ ☞	6-12"	12-18"	single, paper-like, orange to scarlet-orange	light green, hairy	early to late summer (Jun-Aug)
'Summer Breeze Orange'	○ ☞	12-18"	6-12"	single, paper-like, orange with small yellow center	compact, light green	late spring to mid summer (May-Jul)
'Summer Breeze Yellow'	○ ☞	12-18"	6-12"	single, paper-like, bright yellow	compact, light green	late spring to mid summer (May-Jul)

orientale

New! 'Casino' PPAF	○ ☞	12-18"	18-24"	white with a large black center	medium green, hairy, compact	late spring to early summer (May-Jun)
'Crimson Red'	○ ☞	24-30"	24-30"	rich crimson-red with a large black center	medium green, hairy	late spring to early summer (May-Jun)
New! 'Fancy Feathers' PP17348	○ ☞	24-30"	24-30"	semi-double, flamingo-pink, fringed petals	medium green, hairy	late spring to early summer (May-Jun)
'Flamenco Dancer' PP20123	○ ☞	24-30"	24-30"	double, frilled, red, black center	light green, hairy	late spring to early summer (May-Jun)
'Picotee'	○ ☞	24-30"	24-30"	white with orange edges	light green, hairy	late spring to early summer (May-Jun)
'Pink Ruffles' PP12712	○ ☞	18-24"	18-24"	frilled, salmon-pink, black center	light green, hairy	late spring to early summer (May-Jun)
'Princess Victoria Louise'	○ ☞	24-30"	24-30"	salmon-pink with a large black center	light green, hairy	late spring to early summer (May-Jun)
New! 'Scarlet O'Hara' PP17333	○ ☞	12-18"	18-24"	large, crinkled, scarlet red with large black center	medium green, hairy, compact	late spring to early summer (May-Jun)
'Turkenlouis'	○ ☞	24-30"	24-30"	fringed petals, orange-red, black centers	light green, hairy	late spring to early summer (May-Jun)

PARDANCANDA (Candy Lily)

norrisii

norrisii	○ ☞ ☝	30-36"	30-36"	varying shades and patterns of yellow and wine-purple	iris-like, medium to light green	mid to late summer (Jul-Aug)
----------	-------	--------	--------	-------------------------------------------------------	----------------------------------	------------------------------

PARTHENOCISSUS (Boston Ivy)

A popular, attractive, and hardy climber or groundcover. Foliage turns crimson-red in fall. Tolerates shade but fall color will be diminished.

quinquefolia

'Engelmanii'	○ ☞ ☝					
--------------	-------	--	--	--	--	--

quinquefolia (Virginia Creeper)

quinquefolia	○ ☞ ☝	60" or more	60" or more	yellow, insignificant	deep green, turning red in fall, climbing	mid summer (Jul)
--------------	-------	-------------	-------------	-----------------------	-------------------------------------------	------------------

tricuspidata

tricuspidata	○ ☞ ☝	60" or more	60" or more	white, insignificant	deep green, turning red in fall, climbing	mid summer (Jul)
--------------	-------	-------------	-------------	----------------------	-------------------------------------------	------------------

grape-like fruit that follows the flowers attract songbirds

PENSTEMON (Beardtongue)

Penstemon comes from the words "pente" (five), and "stemon" (stamen), meaning "five stamens." Prune foliage back after blooming to promote new growth and repeat blooms. Many varieties attract hummingbirds.

barbatus

New!	'Pinacolada Blue'	○ ☞	6-12"	6-12"	spikes are varying shades of blue	compact, glossy, medium green	late spring to mid summer (May-Jul)
	'Pinacolada Violet'	○ ☞	6-12"	6-12"	spikes are violet-purple	compact, glossy, medium green	late spring to mid summer (May-Jul)
	'Prairie Dusk'	○ ☞	24-30"	24-30"	spikes are rose-purple	glossy, medium green	early to mid summer (Jun-Jul)
	'Rondo Mix'	○ ☞	12-18"	12-18"	spikes are mixed (one color per plant) lavender, pink, purple, rose, or white	glossy, medium green	early to mid summer (Jun-Jul)

digitalis

	'Husker Red'	○ ☞	30-36"	24-30"	spikes are white tinged with pink	deep green and maroon-red	early to late summer (Jun-Aug)
--	--------------	-----	--------	--------	-----------------------------------	---------------------------	--------------------------------

1996 PPA Perennial of the Year

PEROVSKIA (Russian Sage)

Water well while Perovskia flowers to extend its blooming season. Allow room for growth as it will spread a bit.

atriplicifolia

	'atriplicifolia'	○ ☞	36-42"	48-54"	spikes are comflower to lavender-blue, airy	gray-green, finely dissected	mid summer to early fall (Jul-Sep)
--	------------------	-----	--------	--------	---------------------------------------------	------------------------------	------------------------------------

1995 PPA Perennial of the Year

	'Little Spire' PP11643	○ ☞	18-24"	24-30"	spikes are comflower to lavender-blue, airy	gray-green, finely dissected, compact	mid summer to early fall (Jul-Sep)
--	------------------------	-----	--------	--------	---------------------------------------------	---------------------------------------	------------------------------------

a more compact grower than other Perovskia

PERSICARIA / POLYGONUM (Fleece Flower)

Can be aggressive, so allow room.

microcephala

	'Red Dragon' PPAF	○ ☞ ☞	24-30"	48-54"	cream-white	variegated burgundy-red with silver markings, spreading	mid summer to early fall (Jul-Sep)
--	-------------------	-------	--------	--------	-------------	---------------------------------------------------------	------------------------------------

PHLOX (Phlox)

Tall varieties will get some mildew, which is normal. Pruning foliage back after blooming will promote new growth and blooms. Yes, most Phlox can tolerate shadier areas. Butterflies and hummingbirds love them!

paniculata (Tall Phlox)

	'Becky Towe' PP12908	○ ☞ ☞	24-30"	24-30"	fragrant, carmine-pink to salmon	variegated medium green with gold margins	mid summer to early fall (Jul-Sep)
	'Bright Eyes'	○ ☞ ☞	30-36"	30-36"	pale pink with hot pink eye	deep green	mid summer to early fall (Jul-Sep)
	'David'	○ ☞ ☞	36-42"	36-42"	pure white, fragrant	medium to deep green, mildew resistant	mid summer to early fall (Jul-Sep)

2002 PPA Perennial of the Year

New!	'Flame Coral' PPAF	○ ☞ ☞	6-12"	6-12"	coral-red	deep green, compact	mid summer to early fall (Jul-Sep)
	'Flame Pink' PP11804	○ ☞ ☞	6-12"	6-12"	pink with red eye	deep green, compact	mid summer to early fall (Jul-Sep)
	'Flame Purple' PPAF	○ ☞ ☞	6-12"	6-12"	purple	deep green, compact	mid summer to early fall (Jul-Sep)
New!	'Flame Violet' PPAF	○ ☞ ☞	6-12"	6-12"	violet-blue with small white eye	deep green, compact	mid summer to early fall (Jul-Sep)
New!	'Flame White with Red Eye' PPAF	○ ☞ ☞	6-12"	6-12"	white with purple-red eye	deep green, compact	mid summer to early fall (Jul-Sep)
	'Junior Dance' PP16059	○ ☞ ☞	12-18"	12-18"	hot coral-pink, fragrant	deep green, mildew resistant	mid summer to early fall (Jul-Sep)
	'Junior Dream' PP16104	○ ☞ ☞	12-18"	12-18"	bright purple, fragrant	deep green, mildew resistant	mid summer to early fall (Jul-Sep)
	'Laura'	○ ☞ ☞	24-30"	30-36"	fragrant, fuchsia-purple with a white center	medium to deep green, mildew resistant	mid summer to early fall (Jul-Sep)

one of our favorite Phlox varieties

	'Nicky'	○ ☞ ☞	30-36"	30-36"	magenta-pink	medium to deep green, mildew resistant	mid summer to early fall (Jul-Sep)
	'Orange Perfection'	○ ☞ ☞	30-36"	30-36"	salmon-orange, fragrant	medium to deep green	mid summer to early fall (Jul-Sep)
New!	'Peppermint Twist' PP18196	○ ☞ ☞	18-24"	18-24"	striped pink and white, fragrant	compact, medium to deep green	mid summer to early fall (Jul-Sep)
	'Spinners' PP17380	○ ☞ ☞	24-30"	24-30"	light pink to purplish pink with starred white stripes	medium to deep green, mildew resistant	mid summer to early fall (Jul-Sep)
New!	'Swizzle' PP19813	○ ☞ ☞	18-24"	18-24"	light pink overlapping petals, fuchsia-pink center, fragrant	compact, medium to deep green	mid summer to early fall (Jul-Sep)
	'Tenor'	○ ☞ ☞	18-24"	18-24"	bright red, fragrant	deep green	mid summer to early fall (Jul-Sep)

subulata (Moss Creeping Phlox)

	'Atropurpurea'	○ ☞	6" or less	12-18"	bright fuchsia-red	mat-like, light green, spreading	early to late spring (Apr-May)
	'Candy Stripe'	○ ☞	6" or less	12-18"	striped pink and white	mat-like, light green, spreading	early to late spring (Apr-May)
	'Emerald Blue'	○ ☞	6" or less	12-18"	light lavender-blue	mat-like, light green, spreading	early to late spring (Apr-May)
	'Emerald Pink'	○ ☞	6" or less	12-18"	pink to rose-pink	mat-like, light green, spreading	early to late spring (Apr-May)
New!	'Snowflake'	○ ☞	6" or less	12-18"	star-shaped, pure white	mat-like, light green, spreading	early to late spring (Apr-May)

an improved white variety of creeping phlox

PLATYCODON (Balloon Flower)

Balloon Flower gets its name from its bud and flower shape. Platycodon will sometimes go dormant after flowering, and it breaks dormancy quite late in the spring.

grandiflorus

	'Astra Double Blue'	○ ☞	6-12"	6-12"	double, star-shaped, periwinkle-blue	compact, medium green	early to late summer (Jun-Aug)
	'Astra Pink'	○ ☞	6-12"	6-12"	star-shaped, pink	compact, medium green	early to late summer (Jun-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
New! 'Fairy Snow'	○ ☞	12-18"	12-18"	bell-shaped, white with blue-purple veining	medium green	mid to late summer (Jul-Aug)
'Sentimental Blue'	○ ☞	6-12"	6-12"	round "balloons" open to star-shaped violet-blue flowers	medium green, compact	mid summer to early fall (Jul-Sep)
POLEMONIUM (Jacob's Ladder)						
<i>Common name comes from its ladder-like formation of leaves. Prune foliage back after blooming to promote new growth and repeat blooms.</i>						
caeruleum						
'Brise d'Anjou' PP9781	○ ☞ ☀	12-18"	18-24"	clusters are violet-blue	lacy, cream-white and light green variegation	late spring to early summer (May-Jun)
caeruleum	○ ☞ ☀	18-24"	18-24"	clusters are light blue	medium to light green, lacy	late spring to early summer (May-Jun)
Hybrid						
'Touch of Class' PP19768 <i>sport of 'Stairway to Heaven'</i>	○ ☞ ☀	12-18"	12-18"	pink buds mature to pale blue	medium to light green with narrow white margin, lacy, compact	early spring to early summer (Apr-Jun)
reptans						
'Stairway to Heaven' PP15187	○ ☞ ☀	12-18"	12-18"	clusters are pale lavender-blue	lacy, variegated green and white leaves tinged with pink	early spring to early summer (Apr-Jun)
POLYGONATUM (Solomon's Seal)						
odoratum						
'Variegatum'	☞ ☀	18-24"	24-30"	white, nodding	green with white margins, arching stems	late spring to early summer (May-Jun)
PRIMULA (Primrose)						
<i>Try to keep moist or plant in a shadier area. Prune foliage back after blooming to promote new growth and repeat blooms.</i>						
Hybrid						
'Green Lace'	☞ ☀	6-12"	6-12"	frilled, green with yellow center eye	crinkled, compact, light green	early spring to early summer (Apr-Jun)
veris (Cowslip)						
New! 'Cabrillo'	☞ ☀	6-12"	6-12"	bright yellow	light to medium green	early to late spring (Apr-May)
x bullesiana						
New! bullesiana	☞ ☀	6-12"	6-12"	candalabra-type, mixed (one color per plant) orange, yellow, pink, or purple	light green	early to late spring (Apr-May)
x polyantha (English Primrose)						
'Pacific Giant Mix'	☞ ☀	6-12"	6-12"	mixed (one color per plant) lavender, pink, red, violet-blue, white, or yellow, all with yellow centers	foliage is crinkled, compact, light green	early to late spring (Apr-May)
PULMONARIA (Bethlehem Sage, Lungwort)						
<i>Pulmonaria is reported to have lung healing properties, hence the common name Lungwort.</i>						
Hybrid						
'Excalibur' PP8958 <i>mildew-resistant</i>	☞ ☀	6-12"	6-12"	purplish-blue	hairy, leathery, silver-powdered leaves with deep green edges	early to late spring (Apr-May)
'Raspberry Splash' PP12138	☞ ☀	6-12"	6-12"	raspberry-pink	leathery, deep green with silver spots	early to late spring (Apr-May)
longifolia						
'Bertram Anderson'	☞ ☀	6-12"	6-12"	fuchsia buds open to gentian-blue	leathery, medium green with silver spots	early to late spring (Apr-May)
saccharata						
'Mrs. Moon'	☞ ☀	6-12"	6-12"	magenta-pink buds open to bright blue	leathery, deep green with silver spots	early to late spring (Apr-May)
PULSATILLA (Pasque Flower)						
vulgaris (Anemone pulsatilla)						
vulgaris	○ ☞ ☀	12-18"	12-18"	five-petaled, colors of burgundy, lavender, purple, or white	soft and fuzzy, medium green	early to late spring (Apr-May)
ROSE (Bud & Bloom)						
<i>Assorted colors in 1 gallon containers.</i>						
<i>Miniature Roses : Perfect for smaller areas or containers, with lots of blooms and a compact habit.</i>						
Assorted Colors	○ ☞	18-24"	18-24"	semi-double, mixed (one color per plant) colors	glossy, deep green	late spring to early fall (May-Sep)
ROSE (Flower Carpet Series)						
<i>Flower Carpet varieties are known for their low maintenance and long bloom time.</i>						
<i>Groundcover Roses : Popular for their rugged character, lower-growing habit, and continuous blooming.</i>						
'Flower Carpet Amber'	○ ☞	18-24"	30-36"	semi-double, soft amber-yellow	deep green, glossy	late spring to late fall (May-Oct)
'Flower Carpet Coral'	○ ☞	18-24"	30-36"	semi-double, coral-pink with light pink center	deep green, glossy	late spring to late fall (May-Oct)
'Flower Carpet Pink Supreme'	○ ☞	18-24"	30-36"	semi-double, rose-pink	deep green, glossy	late spring to late fall (May-Oct)
'Flower Carpet Red'	○ ☞	18-24"	30-36"	single, red with yellow center	deep green, glossy	late spring to late fall (May-Oct)
'Flower Carpet Scarlet'	○ ☞	18-24"	30-36"	semi-double, red	deep green, glossy	late spring to late fall (May-Oct)

ROSE (J&P Boxed or Various Potted Varieties)

2-3 year old, mature plants. Waxed and boxed or potted.

David Austin's English Roses : From British hybridizer David Austin, these roses are loved for the heavily-petaled cup-shaped blooms and strong fragrance.

'Bishop's Castle'	☉ ☞	42-48"	48-54"	pink, strong scent	deep green	early summer to early fall (Jun-Sep)
'Janet'	☉ ☞	42-48"	48-54"	pale and deep pink with hints of copper and yellow	semi-glossy, medium green	early summer to early fall (Jun-Sep)
'Windermere'	☉ ☞	28-36"	28-36"	cream-white, strong citrus scent	deep green	early summer to early fall (Jun-Sep)

Non-Patented Climbing Roses : Perfect for a backdrop to gardens, camouflaging fences, or screening unwanted views.

'Blaze Improved'	☉ ☞	60" or more	54-60"	brilliant red	medium green	mid summer to early fall (Jul-Sep)
<i>one of the most popular climbing varieties</i>						
'Don Juan'	☉ ☞	60" or more	54-60"	bright red	medium green	mid summer to early fall (Jul-Sep)
'Golden Showers'	☉ ☞	60" or more	54-60"	sunny yellow	glossy, deep green	mid summer to early fall (Jul-Sep)
'Joseph's Coat'	☉ ☞	60" or more	54-60"	red-yellow blend	glossy, deep green	mid summer to early fall (Jul-Sep)
New! 'Pinata'	☉ ☞	60" or more	54-60"	orange, coral, and pink blend with yellow reverse	glossy, deep green	mid summer to early fall (Jul-Sep)

Non-Patented Shrub Roses : Easy to care for and versatile, shrub roses are some of the most hardy and maintenance-free roses available.

'Nearly Wild'	☉ ☞	30-36"	36-42"	rose-pink, sweet scent	rugosa type, deep green	early summer to early fall (Jun-Sep)
'Yellow Jacket'	☉ ☞	30-36"	36-42"	yellow	deep green, vigorous	early summer to early fall (Jun-Sep)

Patented Climbing Roses : Perfect for a backdrop to gardens, camouflaging fences, or screening unwanted views.

'Blaze of Glory'	☉ ☞	60" or more	54-60"	coral-orange, light scent	glossy, deep green	mid summer to early fall (Jul-Sep)
New! 'Chocolate Sundae'	☉ ☞	60" or more	54-60"	burgundy to deep with chocolate-brown tints	glossy, deep green	mid summer to early fall (Jul-Sep)
New! 'Crimson Sky'	☉ ☞	60" or more	54-60"	large, fire engine red	glossy, deep green	mid summer to early fall (Jul-Sep)
'Dream Weaver'	☉ ☞	60" or more	54-60"	coral-pink	glossy, deep green	mid summer to early fall (Jul-Sep)
'Eden Pink'	☉ ☞	60" or more	54-60"	large, deep pink inner petals, lighter pink outer petals	semi-glossy, deep green, vigorous	mid summer to early fall (Jul-Sep)
'Eden Red'	☉ ☞	60" or more	54-60"	large, straight to deep red blend	semi-glossy, deep green, vigorous	mid summer to early fall (Jul-Sep)
New! 'Garden Sun'	☉ ☞	60" or more	54-60"	large, yellow with slight pink highlight, citrus scent	glossy, deep green	mid summer to early fall (Jul-Sep)
'High Society'	☉ ☞	60" or more	54-60"	deep pink	glossy, deep green	mid summer to early fall (Jul-Sep)
New! 'Polka'	☉ ☞	60" or more	54-60"	apricot-orange blend	glossy, deep green	mid summer to early fall (Jul-Sep)
'Scent from Above'	☉ ☞	60" or more	54-60"	golden-yellow, licorice scent	semi-glossy, deep green	mid summer to early fall (Jul-Sep)
'Social Climber'	☉ ☞	60" or more	54-60"	deep pink, spicy scent	glossy, deep green	mid summer to early fall (Jul-Sep)
'Stairway to Heaven'	☉ ☞	60" or more	54-60"	red, light scent	glossy, deep green	mid summer to early fall (Jul-Sep)

Patented Floribunda Roses : No other rose type offers as much color, with countless clusters of flowers.

'About Face'	☉ ☞	48-54"	42-48"	soft golden-yellow with bronze-orange reverse	deep green	early summer to early fall (Jun-Sep)
<i>award-winning, low maintenance</i>						
'Black Cherry'	☉ ☞	36-42"	36-42"	dark red, light scent	glossy, medium green	early summer to early fall (Jun-Sep)
<i>2006 Floribunda of the Year</i>						
New! 'Burgundy Iceberg'	☉ ☞	30-36"	36-42"	semi-double, maroon to purple	glossy, light green	early summer to early fall (Jun-Sep)
<i>sport of Brilliant Pink Iceberg</i>						
New! 'Chihuly'	☉ ☞	36-42"	42-48"	orange outer petals, yellow inner petals	glossy, deep green	early summer to early fall (Jun-Sep)
New! 'Cinco de Mayo'	☉ ☞	36-42"	42-48"	orange maturing to coral	deep green, red highlights	early summer to early fall (Jun-Sep)
New! 'Drop Dead Red'	☉ ☞	30-36"	36-42"	large, deep velvet red	glossy, deep green	early summer to early fall (Jun-Sep)
New! 'Easy Does It'	☉ ☞	36-42"	42-48"	peach-pink with honey-yellow accents, fruity scent	glossy, medium green	early summer to early fall (Jun-Sep)
<i>long-blooming, award-winning</i>						
'Enchanted Evening'	☉ ☞	36-42"	36-42"	ruffled, lavender, strong citrus scent	medium green	early summer to early fall (Jun-Sep)
<i>one of the best lavenders available</i>						
'Hot Cocoa'	☉ ☞	42-48"	42-48"	chocolate-orange, light fruity scent	glossy, deep green	early summer to early fall (Jun-Sep)
New! 'Julia Child'	☉ ☞	42-48"	42-48"	butter yellow, strong licorice scent	glossy, medium green	early summer to early fall (Jun-Sep)
'Livin' Easy'	☉ ☞	36-42"	36-42"	apricot and orange blend, citrus scent	medium green	early summer to early fall (Jun-Sep)
New! 'Monkey Business'	☉ ☞	36-42"	36-42"	banana-yellow, mild licorice scent	glossy, deep green	early summer to early fall (Jun-Sep)
<i>2010 Floribunda of the Year</i>						
'Our Lady of Guadalupe'	☉ ☞	30-36"	36-42"	dark pink maturing to silver-pink, light sweet scent	glossy, deep green	early summer to early fall (Jun-Sep)
<i>a percentage of proceeds to benefit the Hispanic College Fund</i>						
New! 'Pumpkin Patch'	☉ ☞	36-42"	42-48"	semi-double, pumpkin-orange and gold blend	glossy, medium green	early summer to early fall (Jun-Sep)
New! 'Rock & Roll'	☉ ☞	42-48"	42-48"	red and white splashed bicolor	glossy, deep green	early summer to early fall (Jun-Sep)
New! 'Sweet Intoxication'	☉ ☞	42-48"	42-48"	deep magenta with light lavender reverse, strong clove scent	glossy, medium green	early summer to early fall (Jun-Sep)

Patented Hybrid Tea/Grandiflora Roses : Still the most popular rose type with classic bloom form, longer stems, and unmistakable fragrance.

'Aromatherapy'	☉ ☞	54-60"	48-54"	pink, strong fruit scent	semi-glossy, deep green	early to late summer (Jun-Aug)
'Barbara Bush'	☉ ☞	48-54"	42-48"	large, coral-pink and ivory-white, light scent	deep green	early to late summer (Jun-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
	○ ☞	54-60"	48-54"	bright red	glossy, deep green	early to late summer (Jun-Aug)
	○ ☞	36-42"	36-42"	yellow with ruby-red edges	deep green	early to late summer (Jun-Aug)
New!	○ ☞	48-54"	48-54"	light pink with cream reverse, fruity scent	deep green	early to late summer (Jun-Aug)
New!	○ ☞	54-60"	48-54"	large, deep red with a lighter reverse, strong musk scent	glossy, deep green	early to late summer (Jun-Aug)
New!	○ ☞	48-54"	42-48"	large, hot pink	medium to light green	early to late summer (Jun-Aug)
New!	○ ☞	30-36"	30-36"	red with rose-red, strong fruity scent	glossy, deep green	early to late summer (Jun-Aug)
	○ ☞	42-48"	42-48"	large, dusty-pink outer petals, creamy-yellow inner petals	semi-glossy, medium green	early to late summer (Jun-Aug)
	○ ☞	60" or more	54-60"	large, lavender-pink	medium green	early to late summer (Jun-Aug)
New!	○ ☞	42-48"	42-48"	large, near white petals edged in light pink <i>some repeat blooms late in the season</i>	glossy, deep green	early to late summer (Jun-Aug)
New!	○ ☞	48-54"	48-54"	mauve-pink petals slightly edged in purple, strong sweet scent <i>fragrance is "out of this world"</i>	medium to deep green	early to late summer (Jun-Aug)
	○ ☞	42-48"	36-42"	bright deep red, light fruity scent	semi-glossy, deep green	early to late summer (Jun-Aug)
New!	○ ☞	48-54"	48-54"	large, apricot and light yellow blend, fruity scent	medium green	early to late summer (Jun-Aug)
	○ ☞	54-60"	48-54"	shades of soft light pink, light fruit scent <i>official rose of the National Breast Cancer Foundation</i>	deep green	early to late summer (Jun-Aug)
	○ ☞	48-54"	42-48"	white, strong citrus scent <i>one of the finest white varieties available</i>	glossy, deep green	early to late summer (Jun-Aug)
	○ ☞	54-60"	48-54"	deep yellow, strong citrus scent	glossy, deep green	early to late summer (Jun-Aug)
	○ ☞	42-48"	36-42"	large, red with white reverse	glossy, deep green	early to late summer (Jun-Aug)
New!	○ ☞	54-60"	48-54"	blend of coral, coral-pink, orange, and red, strong pear scent <i>2010 Rose of the Year</i>	deep green	early to late summer (Jun-Aug)
	○ ☞	60" or more	54-60"	large, deep golden-yellow with faint red swirls	semi-glossy, deep green	early to late summer (Jun-Aug)
New!	○ ☞	48-54"	42-48"	clear medium yellow	medium green	early to late summer (Jun-Aug)
	○ ☞	30-36"	30-36"	large, apricot and peach blend	deep green	early to late summer (Jun-Aug)
	○ ☞	54-60"	48-54"	lavender, strong sweet lemon scent <i>2009 Rose of the Year</i>	glossy, deep green	early to late summer (Jun-Aug)
	○ ☞	48-54"	42-48"	red-purple with lavender highlights, light scent	glossy, medium green	early to late summer (Jun-Aug)
Patented Shrub Roses : Easy to care for and versatile, shrub roses are some of the most hardy and maintenance-free roses available.						
New!	○ ☞	24-30"	36-42"	single, light creamy-pink <i>part of the Garden Treats collection</i>	glossy, deep green	early summer to early fall (Jun-Sep)
	○ ☞	30-36"	30-36"	double, rose-pink, light scent	deep green	early summer to late fall (Jun-Oct)
	○ ☞	30-36"	30-36"	double, cherry-red, light scent PP16202	deep green	early summer to late fall (Jun-Oct)
	○ ☞	36-42"	36-42"	semi-double, rose-pink, light scent	deep green	early summer to late fall (Jun-Oct)
	○ ☞	36-42"	36-42"	semi-double, cherry-red, light scent	deep green	early summer to late fall (Jun-Oct)
New!	○ ☞	36-42"	36-42"	bright yellow to cream	deep green	early summer to late fall (Jun-Oct)
New!	○ ☞	30-36"	36-42"	semi-double, coral-pink	semi-glossy, deep green	early summer to early fall (Jun-Sep)
	○ ☞	30-36"	36-42"	single, hot pink, light scent	rugosa type, deep green	early summer to early fall (Jun-Sep)
RUDBECKIA (Black-Eyed Susan, Coneflower, Orange Coneflower)						
<i>Rudbeckia is a classic, and any garden can benefit from its late summer color and presence. Hirta species prefers some winter protection/mulching.</i>						
fulgida						
	○ ☞	18-24"	18-24"	golden-yellow, brown center cone <i>a sport of R. 'Goldsturm', earlier to bloom</i>	deep green	early summer to early fall (Jun-Sep)
	○ ☞	24-30"	30-36"	golden-yellow, brown center cone <i>1999 PPA Perennial of the Year</i>	deep green	mid summer to early fall (Jul-Sep)
hirta						
New!	○ ☞	12-18"	12-18"	burgundy-red to wine-red with a deep maroon center and blackish center cone	medium to light green, slightly hairy	mid summer to early fall (Jul-Sep)
	○ ☞	12-18"	12-18"	golden-yellow, olive-green center cone	medium to light green, slightly hairy	mid summer to early fall (Jul-Sep)
	○ ☞	30-36"	24-30"	bright golden-yellow drooping petals with a green center	fuzzy, medium to light green	mid summer to early fall (Jul-Sep)
	○ ☞	12-18"	12-18"	mixed and varied, combinations mostly of rust-red, copper-orange, and burgundy	fuzzy, medium to light green, compact	mid summer to early fall (Jul-Sep)
subtomentosa (Quilled Sweet Coneflower)						
	○ ☞	42-48"	36-42"	golden-yellow, brown centers, quilled petals	deep green	mid summer to early fall (Jul-Sep)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
RUMEX (Dock)						
<i>sanguineus (Bloody Dock)</i>						
sanguineus	○ ☞	6-12"	12-18"	insignificant, creamy white	deep green with red veining	mid to late summer (Jul-Aug)
SAGINA (Corsican Pearlwort)						
<i>A nice choice for in between rockery, brickwork, or pavers. Prefers extra moisture if planted in full sun.</i>						
<i>subulata</i>						
subulata	○ ☞ ☐	6" or less	6-12"	white, dainty	moss-like, light green	early to mid summer (Jun-Jul)
SALVIA (Sage)						
<i>Cutting back foliage after flowering will take care of unattractive foliage and promote repeat blooming.</i>						
<i>argentea</i>						
argentea	○ ☞	24-30"	24-30"	spikes are white	soft and fuzzy, silvery-white hairs on top of gray-green leaves	early to mid summer (Jun-Jul)
<i>makes a nice accent plant with its silver foliage</i>						
<i>nemorosa</i>						
'Blue Hill'	○ ☞	12-18"	24-30"	spikes are light lavender-blue	fragrant, medium green	early to late summer (Jun-Aug)
<i>closest to true blue of any hardy Salvia</i>						
'Caradonna'	○ ☞	24-30"	24-30"	spikes are light purple with purple stems	fragrant, medium green	early to late summer (Jun-Aug)
<i>a more upright habit than most Salvia</i>						
'East Friesland'	○ ☞	18-24"	24-30"	spikes are violet-purple	fragrant, medium green, mounding	early to late summer (Jun-Aug)
'May Night'	○ ☞	18-24"	24-30"	spikes are deep violet-blue to purple	fragrant, medium green	early to late summer (Jun-Aug)
<i>1997 PPA Perennial of the Year</i>						
SAPONARIA (Bouncing Bet, Soapwort)						
<i>Saponaria comes from the Latin sapo, meaning soap. Many species contain root sap that lathers when mixed with water.</i>						
<i>ocymoides (Soapwort)</i>						
ocymoides	○ ☞	6-12"	18-24"	light pink	medium green, spreading	late spring to early summer (May-Jun)
SAXIFRAGA (Rockfoil, Saxifrage)						
<i>x arendsii</i>						
'Purple Robe'	○ ☞ ☐	6" or less	6-12"	burgundy-purple, some white	moss-like, compact, light green	late spring to early summer (May-Jun)
<i>keep moist if planted in full sun</i>						
SCABIOSA (Pincushion Flower)						
<i>Reliability can be improved with winter mulching. Prune foliage back after blooming to promote new growth and repeat blooms. An absolute must-have if you want to attract butterflies!</i>						
<i>columbaria</i>						
'Butterfly Blue'	○ ☞	12-18"	6-12"	pincushion-like, lavender-blue	medium green, compact	early summer to early fall (Jun-Sep)
<i>2000 PPA Perennial of the Year</i>						
'Pink Mist' PP8957	○ ☞	12-18"	6-12"	pincushion-like, lavender-pink	medium green, compact	early summer to early fall (Jun-Sep)
<i>japonica</i>						
'Blue Diamonds'	○ ☞	6-12"	12-18"	pincushion-like, cornflower-blue to lavender	medium green, compact	early to late summer (Jun-Aug)
SCHIZOPHRAGMA (Japanese Hydrangea Vine)						
<i>hydrangeoides</i>						
'Moonlight'	○ ☞	60" or more	42-48"	clusters are silver-white	blue-green dusted with silver, climbing	mid to late summer (Jul-Aug)
<i>flowers are similar to a climbing Hydrangea</i>						
SEDUM (Live-Forever, Stonecrop)						
<i>Stonecrop comes from the manner by which many species seem to flourish on rockery. Sedum is one of the easiest perennials to grow and maintain with excellent drought resistant qualities.</i>						
<i>acre (Goldmoss Sedum)</i>						
'Oktoberfest'	○ ☞	6" or less	36-42"	clusters are light yellow	light green, succulent, mat-forming, spreading	early to mid summer (Jun-Jul)
<i>tolerates some foot traffic</i>						
New! 'Yellow Queen'	○ ☞	6" or less	36-42"	clusters are lemon-yellow	light green, yellowish fall color, succulent, mat-forming, spreading	early to mid summer (Jun-Jul)
<i>tolerates some foot traffic</i>						
<i>album (White Flowered Sedum)</i>						
'Athoum'	○ ☞	6" or less	36-42"	clusters are light pink	medium green tipped in purplish-red, succulent, spreading	early to mid summer (Jun-Jul)
<i>tolerates some foot traffic</i>						
'Coral Carpet'	○ ☞	6" or less	30-36"	clusters are ivory-white	gray-green maturing to red, spreading, succulent	early to mid summer (Jun-Jul)
<i>part of the Stepables collection</i>						
'Faro Island'	○ ☞	6" or less	36-42"	clusters are white	moss-like, medium green, succulent, spreading	early to mid summer (Jun-Jul)
<i>tolerates some foot traffic</i>						
'Green Ice'	○ ☞	6" or less	36-42"	clusters are white	evergreen, moss-like, medium green, succulent	early to mid summer (Jun-Jul)
<i>tolerates some foot traffic</i>						
'Orange Ice'	○ ☞	6" or less	36-42"	clusters are white	medium green maturing to orange in fall and winter, succulent	early to mid summer (Jun-Jul)
<i>tolerates some foot traffic</i>						
'Red Ice'	○ ☞	6" or less	36-42"	clusters are white	blue-green maturing to burgundy-red in fall and winter, succulent	early to mid summer (Jun-Jul)
<i>tolerates some foot traffic</i>						
<i>cauticola</i>						
'Sunset Cloud'	○ ☞	6" or less	36-42"	clusters are pinkish-red	blue-green maturing to purplish-red in fall and winter, succulent, spreading	early to late fall (Sep-Oct)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
divergens (Cascade Sedum)						
divergens <i>tolerates some foot traffic</i>	○ ☞	6" or less	24-30"	clusters are bright yellow	glossy, medium green tinted with red, succulent	early to mid summer (Jun-Jul)
hispanicum (Baby Tears, Blue Carpet Sedum)						
'Pinkie' <i>tolerates some foot traffic</i>	○ ☞	6" or less	18-24"	clusters are pinkish-white	mat-like, succulent, blue-gray with a rose tint, spreading	early to mid summer (Jun-Jul)
Hybrid						
'Abbeydore'	○ ☞	12-18"	18-24"	heads are pink to pinkish-red	succulent, blue-green, compact	late summer to late fall (Aug-Oct)
'Autumn Delight' PP18398 ('Beka') <i>sport of the popular 'Autumn Joy'</i>	○ ☞	18-24"	24-30"	heads are light pink maturing to bronze red	succulent, chartreuse-green with blue-green irregular margins	late summer to late fall (Aug-Oct)
'Autumn Fire'	○ ☞	24-30"	24-30"	heads are rose-red maturing to copper-red	succulent, light green	late summer to late fall (Aug-Oct)
Autumn Joy' ('Herbstfreude')	○ ☞	30-36"	30-36"	heads are dusty rose-red maturing to copper-red	succulent, light green	late summer to late fall (Aug-Oct)
'Carl'	○ ☞	12-18"	12-18"	heads are pinkish-red	succulent, blue-green	late summer to late fall (Aug-Oct)
New! 'Chocolate Drop' PPAF	○ ☞	12-18"	18-24"	heads are rose-pink	succulent, chocolate-brown to burgundy	late summer to late fall (Aug-Oct)
New! 'Joyce Henderson'	○ ☞	24-30"	24-30"	heads are pink	succulent, purple stems, purplish tinted leaves with purple veining	late summer to late fall (Aug-Oct)
'Matrona'	○ ☞	18-24"	24-30"	heads are mauve-pink	succulent, gray-green with rose-pink highlights, purple stems	mid summer to early fall (Jul-Sep)
'Mr. Goodbud' PP17671	○ ☞	12-18"	18-24"	heads are large, purple-pink	succulent, toothed, blue-green, purple-red stems	late summer to late fall (Aug-Oct)
'Postman's Pride' PP16831	○ ☞	18-24"	24-30"	heads are reddish-pink	succulent, deep purple-blue	late summer to late fall (Aug-Oct)
'Xenox' PP16888	○ ☞	12-18"	12-18"	heads are rose-pink	succulent, gray-green maturing to bronze-red then to smoky purple	late summer to early fall (Aug-Sep)
kamtschaticum (Russian Stonecrop)						
'Variegatum'	○ ☞	6-12"	30-36"	clusters are lemon-yellow to golden-orange	succulent, spreading, medium green edged in creamy white	early to mid summer (Jun-Jul)
pluricaule						
'Ezawe'	○ ☞	6" or less	18-24"	clusters are dusty pink	blue-green with showy reddish-purple highlights, succulent	early to mid summer (Jun-Jul)
'Rose Carpet'	○ ☞	6" or less	18-24"	clusters are pink	powder-blue with some rose-pink tints, succulent	early to mid summer (Jun-Jul)
repestre						
'Angelina'	○ ☞	6" or less	24-30"	clusters are yellow	needle-like, chartreuse to yellow turning reddish-orange in fall and winter, spreading	early to late summer (Jun-Aug)
rubrotinctum						
New! 'Jelly Bean' <i>leaves shaped like jelly beans, benefits from some winter protection/mulching</i>	○ ☞	6" or less	18-24"		moss-like, succulent, medium to light green tipped in red, spreading	early to mid summer (Jun-Jul)
ruprechtii						
New! 'Hab Gray'	○ ☞	12-18"	18-24"	clusters are cream-yellow	compact, gray-green, arching stems	mid to late summer (Jul-Aug)
sieboldii (October Daphne)						
'Nana' <i>a little more compact than the species</i>	○ ☞	6" or less	12-18"	clusters are pink	succulent, powdery-blue edged in burgundy, spreading	late summer to early fall (Aug-Sep)
sieboldii	○ ☞	6" or less	18-24"	clusters are pink	succulent, powdery-blue edged in burgundy, spreading	late summer to early fall (Aug-Sep)
spectabile						
'Neon' <i>slightly brighter color and consistency than S. 'Brilliant'</i>	○ ☞	18-24"	18-24"	heads are bright rose-pink to magenta	succulent, light green	late summer to early fall (Aug-Sep)
'Star Dust'	○ ☞	18-24"	18-24"	heads are white to light pink	succulent, light green to blue-green	late summer to early fall (Aug-Sep)
spurium (Two-Row Sedum)						
'Dragon's Blood' <i>best foliage color comes with full sunlight and mature plants</i>	○ ☞	6" or less	30-36"	clusters are hot-pink	succulent, spreading, medium green with burgundy-red highlights	early to late summer (Jun-Aug)
'Fulda Glut' <i>best foliage color comes with full sunlight and mature plants</i>	○ ☞	6" or less	30-36"	clusters are hot-pink	succulent, spreading, bronze to burgundy-red	early to late summer (Jun-Aug)
'Green Mantle'	○ ☞	6" or less	30-36"	clusters are soft pink	succulent, spreading, medium green	early to late summer (Jun-Aug)
New! 'Red Carpet'	○ ☞	6" or less	30-36"	clusters are reddish-pink	succulent, spreading, olive-green maturing to bronze and burgundy-red	early to late summer (Jun-Aug)
'Schorbuser Blut' <i>similar to S. 'Dragon's Blood' but with slightly larger leaves</i>	○ ☞	6" or less	30-36"	clusters are reddish-pink	succulent, spreading, medium green with bronze-red highlights	early to late summer (Jun-Aug)
'Tricolor'	○ ☞	6" or less	30-36"	clusters are pale pink	succulent, variegated white and green with pink highlights, spreading	early to late summer (Jun-Aug)
'Voodoo'	○ ☞	6" or less	30-36"	clusters are deep red	succulent, olive-green with red margins maturing to mahogany-red, spreading	early to late summer (Jun-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
takesimensis						
'Gold Carpet' <i> durable and easy to grow</i>	○ ☞	6" or less	12-18"	clusters are yellow	succulent, deep green, glossy, semi-evergreen	mid to late summer (Jul-Aug)
SEMPERVIVUM (Hens and Chicks, Houseleek, Live-Forever) <i>An excellent plant for the poorest of soils. Superstitions abound for its ability to repel lightning and fire.</i>						
tectorum						
'Mixed'	○ ☞	6" or less	6-12"	clusters are mixed (one color per plant) light pink, rose-pink, or white	succulent, mixed varieties with various shades of green and burgundy-red	early to mid summer (Jun-Jul)
SHRUB BUDDLEIA (Butterfly Bush) : Many varieties available, see regular Buddleia section listed earlier.						
SHRUB BUXUS (Boxwood) <i>Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.</i>						
Hybrid						
New! 'Green Mountain'	○ ☞ ☀	36-42"	24-30"		deep green, glossy, pyramidal growth	
New! 'Winter Gem'	○ ☞ ☀	24-30"	24-30"		medium green, glossy, compact, round growth	
SHRUB DAPHNE <i>Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.</i>						
x transatlantica						
New! 'Summer Ice'	○ ☞ ☀	24-30"	30-36"	pinkish-white, fragrant	variegated light green with white leaf edges	late spring to mid summer (May-Jul)
SHRUB HYDRANGEA (Hydrangea) <i>Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.</i>						
arborescens : Can be pruned each fall.						
New! 'Invincibelle Spirit' PPAF <i>first ever pink-flowered Annabelle-type hydrangea, a percentage of proceeds to benefit breast cancer research</i>	○ ☞ ☀	42-48"	42-48"	large, round, deep pink maturing to white	woody, medium to light green, semi-glossy	late spring to mid summer (May-Jul)
macrophylla (Bigleaf Hydrangea) : Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue. Pruning usually not needed, prune only for shaping.						
New! 'Cityline Mars' PPAF	○ ☞ ☀	30-36"	30-36"	mophead-shaped, white with pink centers (alkaline) or light lavender with light pink centers (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
New! 'Cityline Paris' PP10906	○ ☞ ☀	30-36"	30-36"	mophead-shaped, rose-red (alkaline) or lavender (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
New! 'Cityline Venice' PP10928	○ ☞ ☀	30-36"	30-36"	mophead-shaped, deep pink (alkaline) or blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
New! 'Cityline Vienna' PP10930	○ ☞ ☀	30-36"	30-36"	mophead-shaped, fuchsia-pink (alkaline) or violet-blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
'Endless Summer' ('Bailmer' PP15298) <i>newer variety, blooms appear on new growth/wood giving extended bloom time</i>	○ ☞ ☀	42-48"	42-48"	pink (alkaline) or blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
'Forever & Ever' ('Early Sensation' PPAF)	○ ☞ ☀	30-36"	30-36"	mophead-shaped, pink (alkaline) or blue (acidic)	woody, deep green, pruning only needed for shaping	early summer to early fall (Jun-Sep)
'Forever & Ever Blue Heaven' PPAF	○ ☞ ☀	30-36"	30-36"	large, mophead-shaped, pink (alkaline) or blue (acidic)	woody, deep green, pruning only needed for shaping	early summer to early fall (Jun-Sep)
'Forever & Ever Peppermint' (REI14' PPAF)	○ ☞ ☀	30-36"	30-36"	mophead-shaped, white with pink (alkaline) or blue (acidic) stripes in center of each petal	woody, deep green, pruning only needed for shaping	early summer to early fall (Jun-Sep)
'Forever & Ever Red' ('Red Sensation' PPAF)	○ ☞ ☀	30-36"	30-36"	mophead-shaped, rose-red maturing to shades of purple, richness of color depends on soil pH	woody, deep green, pruning only needed for shaping	early summer to early fall (Jun-Sep)
New! 'Forever & Ever Summer Lace' PPAF	○ ☞ ☀	36-42"	36-42"	lacecap-type, lavender-pink (alkaline) or blue (acidic)	woody, medium green, pruning only needed for shaping	early summer to early fall (Jun-Sep)
'Forever & Ever Together' ('REI05' PPAF)	○ ☞ ☀	30-36"	30-36"	double, mophead-shaped, light green maturing to rich pink (alkaline) or vivid blue (acidic)	woody, deep green, pruning only needed for shaping	early summer to early fall (Jun-Sep)
'Forever & Ever White Out' ('White Ball' PPAF)	○ ☞ ☀	30-36"	30-36"	mophead-shaped, pure white	woody, deep green, pruning only needed for shaping	early summer to early fall (Jun-Sep)
macrophylla (Bigleaf Hydrangea, Let's Dance Series) : Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue. Pruning usually not needed, prune only for shaping.						
'Moonlight' PP20020 <i>foliage turns bronze in fall, repeat bloomer</i>	○ ☞ ☀	30-36"	30-36"	mophead-shaped, deep rose-pink (alkaline) or lavender-blue (acidic)	woody, deep green, strong stems, pruning only needed for shaping	early to late summer (Jun-Aug)
'Starlight' ('Lynn' PP20019) <i>repeat bloomer</i>	○ ☞ ☀	30-36"	30-36"	lacecap-shaped, rich pink (alkaline) or bright blue (acidic)	woody, deep green, strong stems, pruning only needed for shaping	early to late summer (Jun-Aug)
paniculata (Hardy Hydrangea) : Prune in fall if necessary.						
'Limelight' ('Zwijenburg' PP12874)	○ ☞ ☀	60" or more	60" or more	conical-shaped, white to lime-green maturing with pinkish tones	woody, medium green	mid summer to early fall (Jul-Sep)

SHRUB RHODODENDRON (Rhododendron)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

Hybrid (Large-Leaf Rhododendron) : keep protected during winter months from cold and drying wind

New!	'Hardy Pink'	☞ ☀	54-60"	48-54"	clusters are medium pink, large	glossy, deep green	mid to late summer (Jul-Aug)
New!	'Hardy Purple'	☞ ☀	54-60"	48-54"	clusters are rich royal-purple, large	glossy, deep green	mid to late summer (Jul-Aug)
New!	'Hardy Red'	☞ ☀	54-60"	48-54"	clusters are pinkish-red, large	glossy, deep green	mid to late summer (Jul-Aug)
New!	'Hardy White'	☞ ☀	54-60"	48-54"	clusters are white, large	glossy, deep green	mid to late summer (Jul-Aug)

SHRUB SYRINGA (Lilac)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

Hybrid

New!	'Bloomerang' PP20575	○ ☞	42-48"	36-42"	purple to lavender, fragrant	medium to deep green	late spring to early fall (May-Sep)
	<i>repeat bloomer with spring color repeating in summer and fall</i>						
New!	'Josee'	○ ☞	42-48"	36-42"	lavender to lavender-pink, fragrant	medium to deep green	late spring to early fall (May-Sep)
	<i>repeat bloomer</i>						

meyeri (Dwarf Korean Lilac)

	'Palibin'	○ ☞	42-48"	30-36"	light lavender to pink, fragrant	medium to deep green	early to late spring (Apr-May)
--	-----------	-----	--------	--------	----------------------------------	----------------------	--------------------------------

patula (Manchurian Lilac)

	'Miss Kim'	○ ☞	54-60"	48-54"	pink to lavender-purple, fragrant	medium to deep green	early to late spring (Apr-May)
--	------------	-----	--------	--------	-----------------------------------	----------------------	--------------------------------

SHRUB WEIGELA (Weigela)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

florida

	'My Monet' PP16824	○ ☞ ☀	12-18"	18-24"	lavender-pink	variegated white and green with pink tinges, compact	late spring to mid summer (May-Jul)
--	--------------------	-------	--------	--------	---------------	------------------------------------------------------	-------------------------------------

SILENE (Campion, Catchfly)

Hybrid

New!	'Rolly's Favorite' PP17392	○ ☞	18-24"	18-24"	magenta-pink	medium green, mounding	early spring to early summer (Apr-Jun)
-------------	----------------------------	-----	--------	--------	--------------	------------------------	----------------------------------------

SISYRINCHIUM (Blue-eyed Grass)

Sisyrinchium is often overlooked and under-used, try it as an edging plant or small-scale groundcover. Long-blooming and looks nice even when not in bloom.

californicum (Yellow-Eyed Grass)

	'Yellowstone'	○ ☞	6-12"	6-12"	star-shaped, bright yellow	grass-like, medium to deep green	late spring to mid summer (May-Jul)
--	---------------	-----	-------	-------	----------------------------	----------------------------------	-------------------------------------

Hybrid

	'Lucerne'	○ ☞	6-12"	6-12"	bright blue with gold centers	grass-like, medium to deep green	late spring to mid summer (May-Jul)
	<i>formerly listed as S. bermudianum</i>						

SPIGELIA (Indian Pink)

A native not often seen in the wild, with unique flowers.

marilandica

	'marilandica'	○ ☞	12-18"	12-18"	bright red with star-like white center protrusion	medium green, upright	late spring to early summer (May-Jun)
--	---------------	-----	--------	--------	---------------------------------------------------	-----------------------	---------------------------------------

STACHYS (Lamb's Ears, Woolly Betony)

Best results will be appreciated if planted in well-drained soil.

monnieri (Common Betony)

	'Hummelo'	○ ☞	18-24"	18-24"	spikes are lavender-rose	medium green	early to late summer (Jun-Aug)
--	-----------	-----	--------	--------	--------------------------	--------------	--------------------------------

officinalis (Common Betony)

New!	'Pink Cotton Candy' PPAF	○ ☞	18-24"	18-24"	spikes are light pink	medium green	early to late summer (Jun-Aug)
-------------	--------------------------	-----	--------	--------	-----------------------	--------------	--------------------------------

STOKESIA (Stokes' Aster)

laevis

	'Honeysong Purple'	○ ☞ ☀	12-18"	12-18"	starburst-shaped, deep purple	deep green, leathery	mid to late summer (Jul-Aug)
--	--------------------	-------	--------	--------	-------------------------------	----------------------	------------------------------

TANACETUM (Painted Daisy)

Tanacetum make excellent cut flowers. Prune foliage back after blooming to promote new growth and repeat blooms.

coccineum

	'Robinson Red'	○ ☞	18-24"	18-24"	hot pinkish-red	fern, deep green	early to mid summer (Jun-Jul)
--	----------------	-----	--------	--------	-----------------	------------------	-------------------------------

THALICTRUM (Meadow Rue)

rochebrunianum

	'Lavender Mist'	○ ☞ ☀	54-60"	42-48"	sprays are lavender-pink	medium to gray-green, purple-tinted stems	mid to late summer (Jul-Aug)
--	-----------------	-------	--------	--------	--------------------------	-------------------------------------------	------------------------------

THYMUS (Thyme)

Many varieties of Thyme are good choices for in-between pavers or brickwork.

lanuginosus (Woolly Thyme)

	'lanuginosus'	○ ☞	6" or less	30-36"	purplish-pink	medium green covered with silvery-gray hair, spreading, fragrant	late spring to early summer (May-Jun)
--	---------------	-----	------------	--------	---------------	------------------------------------------------------------------	---------------------------------------

praecox (Mother-of-Thyme)

	'Coccineum'	○ ☞	6" or less	30-36"	magenta-red	fragrant, deep green, turns bronze in fall, spreading	late spring to mid summer (May-Jul)
--	-------------	-----	------------	--------	-------------	-------------------------------------------------------	-------------------------------------

serpyllum

	'Elfin'	○ ☞	6" or less	18-24"	pink	medium green, spreading, fragrant, semi-compact	late spring to early summer (May-Jun)
--	---------	-----	------------	--------	------	-------------------------------------------------	---------------------------------------

part of the Stepables collection, not as spreading as most Thymus

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Pink Chintz' <i>part of the Stepables collection</i>	○ ☞	6" or less	18-24"	salmon-pink	fuzzy, gray-green, spreading, fragrant, compact	late spring to early summer (May-Jun)
x citriodorus (Lemon Thyme)						
'Variegatus' <i>great for culinary or ornamental purposes, strong lemon scent</i>	○ ☞	6" or less	24-30"	lavender	deep green and yellow variegation, fragrant, spreading	mid to late summer (Jul-Aug)
TIARELLA (False Miterwort, Foam Flower)						
<i>Tiarella is from the Greek word tiara, a small crown, which refers to its flowers.</i>						
Hybrid						
'Candy Striper' PP15528	☞ ☞	6-12"	6-12"	spikes are pink maturing to white, fragrant	medium green narrow leaflets with deep purple-red center veining, deeply dissected	late spring to mid summer (May-Jul)
'Sugar & Spice' PP16738	☞ ☞	6-12"	6-12"	spikes are light pink, fragrant	medium green leaves with burgundy-red centers, deeply dissected	late spring to mid summer (May-Jul)
TRADESCANTIA (Spiderwort, Widow's Tears)						
<i>Flowers will close during the daytime hours if planted in full sunlight.</i>						
x andersoniana / virginiana						
'Blackberry Ice'	○ ☞ ☞	12-18"	18-24"	triangular-shaped, white with lavender-splashed centers	grass-like, medium green, compact	early summer to early fall (Jun-Sep)
'Zwanenberg Blue'	○ ☞ ☞	18-24"	24-30"	violet-purple	medium green, vigorous	early summer to early fall (Jun-Sep)
TRICYRTIS (Orchid Flower, Toad Lily)						
<i>Tricyrtis is best used if it can be seen up close, as the flowers are unique but not showy from a distance.</i>						
formosana						
'Gilt Edge'	○ ☞ ☞	18-24"	18-24"	orchid-like, white with purple streaks and spots	soft, olive-green with creamy yellow margins, arching stems	mid summer to early fall (Jul-Sep)
hirta						
'Moonlight'	☞ ☞	12-18"	12-18"	orchid-like, white with purple flecks	soft, chartreuse-green, arching stems	late summer to early fall (Aug-Sep)
New! 'Sinonome'	☞ ☞	12-18"	12-18"	orchid-like, light pink spotted with purple-magenta, fragrant	soft, light to medium green, upright stems	late summer to early fall (Aug-Sep)
TRILLIUM (Wake-Robin)						
<i>Trillium found in the wild has been on the decline due to consumer demand... try to obtain Trillium from a garden center, not the forest.</i>						
grandiflorum (Snowy Trillium)						
grandiflorum	☞ ☞	6" or less	12-18"	pure white	medium to light green	early to late spring (Apr-May)
viride (Wood Trillium)						
luteum	☞ ☞	6" or less	12-18"	yellow-green	medium to light green	early to late spring (Apr-May)
TROLLIUS (Globeflower)						
<i>Moisture is absolutely necessary for Trollius, especially if in sunny areas.</i>						
chinensis						
'Golden Queen' <i>moisture-loving</i>	○ ☞ ☞	24-30"	18-24"	cup-shaped, golden-orange	deep green, glossy	late spring to mid summer (May-Jul)
VERBENA (Vervain)						
<i>We like the naturalizing effect this type of Verbena gives. But it will reseed readily, so a quick weeding out of seedlings in the spring should keep it contained to your desired area.</i>						
bonariensis						
bonariensis <i>a must-have for any butterfly garden</i>	○ ☞	42-48"	60" or more	purple to lavender	semi-woody, strong stems, medium green	early to late summer (Jun-Aug)
VERONICA (Speedwell)						
<i>Blackening and deteriorating foliage is normal throughout the season, but pruning regularly will alleviate these problems.</i>						
longifolia						
New! 'First Love' PPAF	○ ☞	12-18"	18-24"	spikes are hot pink	somewhat spreading, medium green	early to mid summer (Jun-Jul)
'Waterperry Blue' <i>part of the Stepables collection</i>	○ ☞	6" or less	18-24"	spikes are sky-blue to lavender with some deeper veining	spreading, medium green, turns bronze in fall	early to mid summer (Jun-Jul)
repens						
'Sunshine'	○ ☞	6" or less	24-30"	spikes are blue	mat-like, chartreuse-gold	early to mid summer (Jun-Jul)
spicata						
'Red Fox'	○ ☞	12-18"	18-24"	spikes are hot rose-pink	medium to light green	early to mid summer (Jun-Jul)
'Royal Candles' PP18432 <i>an improved variety over V. 'Sunny Border Blue'</i>	○ ☞	12-18"	18-24"	spikes are violet-blue	deep green, crinkled	early to late summer (Jun-Aug)
VINCA (Myrtle, Periwinkle)						
<i>A venerable and popular groundcover. Keep moist if planted in sunny locations, and allow a year or two to get established. Once established, it is maintenance-free.</i>						
minor						
'Bowles'	○ ☞ ☞	6" or less	24-30"	large, violet-blue	glossy, deep green, spreading	early spring to early summer (Apr-Jun)
minor	○ ☞ ☞	6" or less	24-30"	lilac-blue	glossy, deep green, spreading	early spring to early summer (Apr-Jun)
'Ralph Shugert'	○ ☞ ☞	6" or less	24-30"	lilac-blue to violet	glossy, deep green with white margins, spreading	early spring to early summer (Apr-Jun)

VIOLA (Hardy Violet)

Dead-heading and trimming of most varieties will keep plants blooming. Plant in partial shade for best summer color as Viola prefer cooler temps. Also keep moist if in full sun.

<i>cornuta</i>							
'Black Magic'	○ ☞ ☰	6-12"	12-18"	deep blackish-purple	medium to deep green, may reseed	early spring to early summer (Apr-Jun)	
'Columbine'	○ ☞ ☰	6-12"	12-18"	fragrant, white flowers streaked with lilac and lavender	medium to deep green, reseeds readily	early spring to mid summer (Apr-Jul)	
'Purple Showers'	○ ☞ ☰	6-12"	12-18"	rich royal purple	medium to deep green	late spring to early fall (May-Sep)	
<i>one of our longest bloomers, especially if given some shade for those summer months</i>							
'Rebecca'	○ ☞ ☰	6-12"	12-18"	fragrant, pale creamy yellow and white with purple flecks	medium to deep green, reseeds readily	early spring to early summer (Apr-Jun)	
<i>Hybrid</i>							
'Angel Amber Kiss'	○ ☞ ☰	6-12"	12-18"	yellow with black whiskers and rust-orange to red margins	medium to deep green	early spring to mid summer (Apr-Jul)	
<i>large flowers and improved winter hardiness</i>							
'Angel Tiger Eye'	○ ☞ ☰	6-12"	12-18"	golden-yellow with black to purple etched veins	medium to deep green	early spring to mid summer (Apr-Jul)	
<i>large flowers and improved winter hardiness</i>							
'Heartthrob' PP19996	○ ☞ ☰	6-12"	12-18"	lavender	medium to light green with burgundy center splash	early to late spring (Apr-May)	

WALDSTEINIA (Barren Strawberry)

<i>ternata</i>							
ternata	○ ☞ ☰	6" or less	30-36"	yellow	deep green, reddish tint in fall, spreading	late spring to early summer (May-Jun)	
<i>an extremely easy-to-grow groundcover for areas where nothing else will grow</i>							

WISTERIA

Be patient! Wisteria, unless bought at a very mature age, takes at least 4-5 years to significantly flower. Try not to fertilize for best flowering results.

<i>frutescens (American Wisteria)</i>							
'Amethyst Falls'	○ ☞	60" or more	60" or more	lavender-blue, fragrant	medium green, climbing	early to late summer (Jun-Aug)	
<i>does not take as long to flower as other Wisteria; sometimes blooms the first or second year</i>							

YUCCA (Adam's Needle, Needle Palm)

Yucca, once established, will probably flower every other season.

<i>filamentosa</i>							
'Color Guard'	○ ☞	30-36"	30-36"	creamy white	gray-green with golden-yellow to creamy white stripes	mid to late summer (Jul-Aug)	