

PERENNIAL VARIETIES FOR 2018 (revised 5/5)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
ACHILLEA (Milfoil, Yarrow)						
<i>The Greek hero Achilles is said to have used Achillea for its wound-healing properties. Prune foliage back to promote new growth and repeat blooms.</i>						
<i>Hybrid</i>						
	☉ ☞	18-24"	30-36"	clusters are sulphur-yellow	fragrant, silver-green	early summer to early fall (Jun-Sep)
<i>millefolium</i>						
	☉ ☞	18-24"	24-30"	flower heads are fuchsia-pink maturing to light pink	fragrant, compact, gray-green	early to late summer (Jun-Aug)
	☉ ☞	18-24"	24-30"	flower heads are strawberry-red with golden centers, matures to mostly yellow	fragrant, compact, gray-green	early to late summer (Jun-Aug)
	☉ ☞	18-24"	24-30"	flower heads are lemon-yellow maturing to pastel yellow	fragrant, compact, gray-green	early to late summer (Jun-Aug)
<i>a much-improved variety over 'Moonshine'</i>						
AEGOPODIUM (Bishop's Weed, Ground Elder, Goutweed, Snow-on-the-Mountain)						
<i>Spreads quickly, so allow plenty of room for growth. Once thought to cure gout.</i>						
<i>podagraria</i>						
	☉ ☞ ☝	6-12"	60" or more	clusters are white	light green edged in white, spreading	late spring to early summer (May-Jun)
<i>allow plenty of room to grow as it will spread</i>						
AGASTACHE (Anise Hyssop)						
<i>Butterflies and hummingbirds love the blooms on Agastache, and they are attractive to bees as well!</i>						
<i>Hybrid</i>						
	☉ ☞	42-48"	42-48"	spikes are cornflower-blue to violet	grayish-green, spicy fragrance	mid summer to early fall (Jul-Sep)
NEW	☉ ☞	18-24"	18-24"	spikes are rose-purple	bronze-green, spicy fragrance	mid summer to late fall (Jul-Oct)
<i>benefits from some winter protection/mulching</i>						
NEW	☉ ☞	12-18"	12-18"	spikes are blackish-purple	medium green, spicy fragrance, compact	mid summer to late fall (Jul-Oct)
<i>a compact version of 'Black Adder'</i>						
	☉ ☞	18-24"	18-24"	spikes are mango-orange with rose-pink	medium green, spicy fragrance	mid summer to late fall (Jul-Oct)
<i>benefits from some winter protection/mulching</i>						
	☉ ☞	18-24"	18-24"	spikes are apricot-peach blend	compact, bright green, fragrant	mid summer to early fall (Jul-Sep)
<i>benefits from some winter protection/mulching</i>						
	☉ ☞	18-24"	18-24"	spikes are hot pink and purple	compact, bright green, fragrant	mid summer to early fall (Jul-Sep)
<i>benefits from some winter protection/mulching</i>						
AJUGA (Bugleweed)						
<i>An easy-to-grow and adaptable groundcover or container plant. Try to plant Ajuga in moist but very well-drained soil to prevent crown rot and wilt.</i>						
<i>reptans</i>						
	☉ ☞ ☝	6" or less	12-18"	spikes are deep blue	compact, crinkled, near black, not as spreading as most Ajuga	late spring to early summer (May-Jun)
	☉ ☞ ☝	6" or less	24-30"	spikes are violet-blue	spreading, crinkled, variegated cream, gray-green, and shades of burgundy-purple	late spring to early summer (May-Jun)
ALCEA (Hollyhock)						
<i>Alcea is from the word altheo, which means to cure, due to many species' medicinal properties. Taller varieties benefit from staking. Rust often appears on leaves during/after blooming, foliage may be pruned if appearance becomes undesirable.</i>						
<i>ficifolia (Fig-leaved Hollyhock)</i>						
	☉ ☞	54-60"	42-48"	single spike clusters are mixed (one color per plant) pink, red, white, or yellow	fig-leaf shape leaves, medium green	early to mid summer (Jun-Jul)
<i>rosea</i>						
	☉ ☞	54-60"	42-48"	rose-pink, double	medium green	mid to late summer (Jul-Aug)
	☉ ☞	54-60"	42-48"	bright red, double	medium green	mid to late summer (Jul-Aug)
	☉ ☞	48-54"	42-48"	single, fuchsia-pink with lighter pink edges	medium to deep green	mid to late summer (Jul-Aug)
	☉ ☞	30-36"	24-30"	spike clusters are cerise-pink, semi-double	medium to deep green, compact	mid to late summer (Jul-Aug)
NEW	☉ ☞	54-60"	36-42"	spike clusters of lavender-pink, deep purple halo, single	medium to deep green	mid to late summer (Jul-Aug)
	☉ ☞	54-60"	36-42"	spike clusters of cerise-pink flowers, deep purple halo, single	medium to deep green	mid to late summer (Jul-Aug)
	☉ ☞	54-60"	36-42"	spike clusters of dark lavender, pink halo, single	medium to deep green	mid to late summer (Jul-Aug)
	☉ ☞	54-60"	42-48"	single, large, spike clusters are mixed shades (one color per plant) deep rose, pink, salmon-pink, and white	medium green	mid summer to early fall (Jul-Sep)
	☉ ☞	54-60"	42-48"	single, chocolate-maroon	medium to deep green	mid to late summer (Jul-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Powderpuffs Mix'	○ ☞	48-54"	42-48"	spikes are mixed (one color per plant) pink, red, white, or yellow, double flowers	medium green	mid to late summer (Jul-Aug)
'Queeny Purple'	○ ☞	30-36"	24-30"	spike clusters are burgundy-purple, semi-double	medium to deep green, compact	mid to late summer (Jul-Aug)
rosea (Spotlight Series)						
'Mars Magic'	○ ☞	54-60"	42-48"	single, bright red	medium green	mid to late summer (Jul-Aug)
'Radiant Rose'	○ ☞	54-60"	42-48"	single, salmon-pink, deep rose veining and edges	medium green	mid to late summer (Jul-Aug)
ALCHEMILLA (Lady's Mantle)						
<i>Keep moist if planted in sunny areas, otherwise foliage has a tendency to scorch.</i>						
mollis						
'Thriller'	○ ☞ ☀	12-18"	12-18"	clusters are yellow	medium green to gray-green	late spring to early summer (May-Jun)
<i>slightly larger and more robust than A. mollis</i>						
ALLIUM (Ornamental Chives/Onion)						
<i>Easy to grow and deer-resistant. The schoenoprasum and senescens species is especially hardy and drought-resistant.</i>						
Hybrid						
'Globemaster'	○ ☞	24-30"	18-24"	large, lilac-pink, globular	deep green, glossy	late spring to early summer (May-Jun)
NEW 'Medusa'	○ ☞	18-24"	12-18"	large, amethyst-purple, globular	grass-like, twisting, mounding, medium to light green	mid summer to early fall (Jul-Sep)
'Millenium'	○ ☞	6-12"	6-12"	purple-pink, globular	grass-like, mounding, medium to light green	mid summer to early fall (Jul-Sep)
<i>2018 PPA Perennial of the Year</i>						
schoenoprasum						
'Pink Giant'	○ ☞	12-18"	12-18"	pink with lighter centers, globular	grass-like, mounding, medium to light green, blue-gray flower stems	late spring to early summer (May-Jun)
schoenoprasum	○ ☞	6-12"	6-12"	light pink to lavender, globular	grass-like, mounding, medium to light green	late spring to early summer (May-Jun)
senescens (Curly Onion, Mountain Garlic)						
'Blue Eddy'	○ ☞	6-12"	6-12"	clear light pink, globular	leathery, twisted narrow leaves, mounding, medium green to blue-green	mid summer to early fall (Jul-Sep)
NEW 'Blue Twister'	○ ☞	6-12"	6-12"	lavender-pink, globular	twisted narrow leaves, mounding, bright blue-green	mid summer to early fall (Jul-Sep)
tanguticum						
'Noneuq' PPAF ('Ballon Bouquet')	○ ☞	6-12"	12-18"	dark pink, globular	grass-like, mounding, medium to deep green	mid to late summer (Jul-Aug)
<i>a seedling of A. t. 'Summer Beauty'</i>						
'Summer Beauty'	○ ☞	18-24"	18-24"	pink, globular	grass-like, mounding, medium to light green	mid to late summer (Jul-Aug)
ALSTROEMERIA (Inca Lily, Peruvian Lily)						
<i>Alstroemeria benefit from winter mulching/protection in our area. Inca varieties are more winter-hardy for our area.</i>						
Hybrid						
'Inca Ice' ('Koice')	○ ☞	24-30"	24-30"	apricot-pink and cream-yellow blend, dark spots and light yellow throat	medium to light green	early to late summer (Jun-Aug)
'Inca Jolie' ('Koncajolie' PP22267)	○ ☞	18-24"	18-24"	orange-red, gold throat	medium to light green	early to late summer (Jun-Aug)
AMSONIA (Bluestar, Blue Dogbane)						
ciliata / filifolia (Creeping Bluestar)						
NEW 'Georgia Pancake'	○ ☞	6" or less	12-18"	pale blue	chartreuse-green, yellow fall color	late spring to early summer (May-Jun)
Hybrid						
'Blue Ice'	○ ☞	12-18"	12-18"	deep blue	deep green	early to mid summer (Jun-Jul)
<i>drought-resistant</i>						
tabernaemontana						
'Storm Cloud'	○ ☞	24-30"	24-30"	clusters are light periwinkle-blue	black maturing to deep green	late spring to early summer (May-Jun)
ANCHUSA (Bugloss, Forget-Me-Not)						
<i>Keep moist but well-drained to prevent crown rot.</i>						
capensis						
'Blue Angel'	○ ☞	12-18"	12-18"	electric blue	medium green	mid to late summer (Jul-Aug)
<i>benefits from winter mulching/protection</i>						
ANEMONE (Windflower)						
<i>Anemone is often overlooked, but is an excellent choice for late summer and fall color (some are spring-bloomers, too). Keep moist.</i>						
Hybrid						
'Cinderella' PPAF	○ ☞ ☀	12-18"	12-18"	single, bright pink with gold center	compact, medium green	mid summer to early fall (Jul-Sep)
NEW 'Curtain Call Deep Rose' PPAF	○ ☞ ☀	12-18"	12-18"	semi-double, deep rose-pink, gold center	compact, medium green	late summer to late fall (Aug-Oct)
NEW 'Curtain Call Pink' PPAF	○ ☞ ☀	12-18"	12-18"	semi-double, rose-pink, gold center	compact, medium green	late summer to late fall (Aug-Oct)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Honorine Jobert' <i>2016 PPA Perennial of the Year</i>	○ ☞ ☱	24-30"	24-30"	white with yellow center	medium to deep green	early to late fall (Sep-Oct)
'Pamina'	○ ☞ ☱	30-36"	30-36"	double, rose-pink	medium to deep green	late summer to late fall (Aug-Oct)
NEW 'Pocahontas' PP25352	○ ☞ ☱	12-18"	12-18"	semi-double, bubblegum-pink with gold center	compact, medium green	mid summer to late fall (Jul-Oct)
'Whirlwind' <i>usually only available in late summer-fall</i>	○ ☞ ☱	30-36"	36-42"	semi-double, white	medium to deep green	late summer to late fall (Aug-Oct)
'Wild Swan' PP23132 <i>earlier and longer to bloom than most</i>	○ ☞ ☱	18-24"	18-24"	semi-double, white, yellow center	medium green	early summer to early fall (Jun-Sep)

ANTHEMIS (Golden Chamomile, Golden Marguerite)

Keep moist if planted in sunny areas, and trim back often to force repeat blooming.

tinctoria

'Charme' PP15200 <i>compact and drought tolerant variety</i>	○ ☞	12-18"	18-24"	golden-yellow	compact, medium green	early summer to early fall (Jun-Sep)
---	-----	--------	--------	---------------	-----------------------	--------------------------------------

AQUILEGIA (Columbine)

Aquilegia is derived from aquila, like an eagle, which may refer to the beak-like spurs on the flowers.

Hybrid

'Crimson Star'	○ ☞ ☱	24-30"	24-30"	crimson-red sepals, white petals	light green to gray-green	early to mid summer (Jun-Jul)
----------------	-------	--------	--------	----------------------------------	---------------------------	-------------------------------

Hybrid (Songbird Series)

'Blue Jay'	○ ☞ ☱	18-24"	18-24"	clear blue with white center	gray-green	late spring to mid summer (May-Jul)
'Gold Finch'	○ ☞ ☱	18-24"	18-24"	cream-yellow with bright yellow center	gray-green	late spring to mid summer (May-Jul)

ARABIS (Rock Cress)

The caucasica species is one of the earliest plants to bloom in the spring.

alpina

'Compinkie'	○ ☞	6" or less	6-12"	rose-pink to purple	gray-green, carpet-like, attractive even when not in bloom	early to late spring (Apr-May)
-------------	-----	------------	-------	---------------------	--	--------------------------------

caucasica

'Lotti Deep Rose'	○ ☞	6" or less	6-12"	magenta-pink	bright green, carpet-like, attractive even when not in bloom	early to late spring (Apr-May)
'Snow Cap'	○ ☞	6" or less	12-18"	bright white	gray-green, carpet-like, attractive even when not in bloom	early to late spring (Apr-May)

ARALIA (Golden Japanese Spikenard)

Its bold foliage brightens up any shady area.

cordata

'Sun King'	☞ ☱	30-36"	30-36"	white, purple-black berries	bright gold to chartreuse, greener in shade	early to mid summer (Jun-Jul)
------------	-----	--------	--------	-----------------------------	---	-------------------------------

ARMERIA (Sea Pink, Sea Thrift)

Often reblooms in the fall months. Divide every few years to keep the clump centers from dying out.

maritima

'Bloodstone'	○ ☞	6-12"	6-12"	rose-red to pink, globular shape	grass-like, mounding, medium to light green	late spring to mid summer (May-Jul)
--------------	-----	-------	-------	----------------------------------	---	-------------------------------------

ARTEMISIA (Mugwort, Wormwood)

Good as a filler for cut bouquets, or as an accent plant in the garden.

schmidtiana

'Silver Mound' <i>makes a perfect accent to other surrounding plants</i>	○ ☞	6-12"	6-12"	clusters are yellow, insignificant	soft silvery leaves, mounding	mid to late summer (Jul-Aug)
---	-----	-------	-------	------------------------------------	-------------------------------	------------------------------

stelleriana

'Silver Brocade' <i>similar to the annual "Dusty Miller"</i>	○ ☞	6-12"	12-18"		velvety, silver-white	
---	-----	-------	--------	--	-----------------------	--

ARUNCUS (Goat's Beard)

Similar to Astilbe, Aruncus needs a good amount of moisture if planted in sunny areas.

aethusifolius

aethusifolius	☞ ☱	12-18"	12-18"	feathery, spikes are creamy white	compact, medium green	late spring to early summer (May-Jun)
---------------	-----	--------	--------	-----------------------------------	-----------------------	---------------------------------------

dioicus

dioicus	☞ ☱	42-48"	42-48"	feathery, spikes are creamy white	medium green	early to mid summer (Jun-Jul)
---------	-----	--------	--------	-----------------------------------	--------------	-------------------------------

Hybrid

'Misty Lace' PP15798 <i>more heat-tolerant than other Aruncus</i>	○ ☞ ☱	18-24"	18-24"	feathery, spikes are creamy white	compact, medium green with red stems	early to mid summer (Jun-Jul)
--	-------	--------	--------	-----------------------------------	--------------------------------------	-------------------------------

ASARUM (Wild Ginger)

Relatively slow-growing, but if you are patient and keep it moist, few groundcovers are as attractive.

europeanum (European Wild Ginger)

europeanum <i>slow to spread</i>	☞ ☱	6-12"	30-36"	burgundy-purple, insignificant	deep green, glossy, spreading	late spring to early summer (May-Jun)
-------------------------------------	-----	-------	--------	--------------------------------	-------------------------------	---------------------------------------

splendens (Chinese Wild Ginger)

'Quick Silver' <i>perfect for accenting shady areas or in containers</i>	☞ ☱	6-12"	18-24"	insignificant	deep green mottled with silver, slow-spreading	
---	-----	-------	--------	---------------	--	--

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
ASCLEPIAS (Butterfly Weed, Milkweed)						
<i>Slow to break dormancy in the spring, so be patient. Butterflies love them! (The incarnata species is an important food source for the larval stage of Monarchs.)</i>						
<i>incarnata (Swamp Milkweed)</i>						
	○ ☞	36-42"	24-30"	flower heads are soft pink	medium to light green	early to late summer (Jun-Aug)
<i>tuberosa</i>						
NEW	○ ☞	18-24"	18-24"	heads are yellow	medium to light green	mid to late summer (Jul-Aug)
				<i>yellow form of A. tuberosa</i>		
	○ ☞	18-24"	18-24"	heads are copper-orange	medium to light green	mid to late summer (Jul-Aug)
				<i>2017 PPA Perennial of the Year</i>		
ASTER (Hardy Aster, Michaelmas Daisy)						
<i>A blackened appearance on most Asters after blooming or planting is normal. Just trim back the undesirable foliage.</i>						
<i>dumosus (Bushy Aster)</i>						
	○ ☞	12-18"	24-30"	daisy-like, light lavender-blue with yellow centers	deep green, mildew resistant	early to late fall (Sep-Oct)
	○ ☞	12-18"	24-30"	daisy-like, pink with yellow centers	deep green, mildew resistant	early to late fall (Sep-Oct)
	○ ☞	12-18"	24-30"	daisy-like, royal purple with yellow centers	deep green, mildew resistant	early to late fall (Sep-Oct)
<i>Hybrid (Kickin Series)</i>						
NEW	○ ☞	12-18"	12-18"	starburst-shaped, magenta-red, gold center	deep green, compact	late summer to late fall (Aug-Oct)
	○ ☞	12-18"	12-18"	starburst-shaped, lavender-blue, gold center	deep green, compact	late summer to late fall (Aug-Oct)
	○ ☞	12-18"	12-18"	starburst-shaped, pastel pink, gold center	deep green, compact	late summer to late fall (Aug-Oct)
ASTILBE (False Spirea, Feather Flower)						
<i>Keep moist. If Astilbe is forced to withstand a stressful dry period, it will go dormant. (It isn't dead so don't worry. It will grow back.)</i>						
<i>arendsii</i>						
	○ ☞ ☀	12-18"	12-18"	plumes are lavender-purple	deep green	early to mid summer (Jun-Jul)
	○ ☞ ☀	30-36"	24-30"	plumes are dusty salmon-rose, drooping tips	medium green	mid to late summer (Jul-Aug)
	○ ☞ ☀	24-30"	24-30"	plumes are white, drooping tips	glossy, deep green	early to mid summer (Jun-Jul)
	○ ☞ ☀					mid to late summer (Jul-Aug)
NEW	○ ☞ ☀	18-24"	18-24"	plumes are bright pink	chocolate-brown leaves, red stems	early to mid summer (Jun-Jul)
	○ ☞ ☀	18-24"	18-24"	plumes are blood-red	deep green with deep red highlights	early to mid summer (Jun-Jul)
	○ ☞ ☀	18-24"	18-24"	plumes are white	medium to deep green, glossy	mid to late summer (Jul-Aug)
	○ ☞ ☀	24-30"	24-30"	feathery, plumes are pure white	medium to deep green, glossy	mid to late summer (Jul-Aug)
<i>chinensis (Chinese Astilbe)</i>						
	○ ☞ ☀	30-36"	24-30"	plumes are rose-pink	chartreuse-yellow maturing to light green, red stems	mid to late summer (Jul-Aug)
	○ ☞ ☀	24-30"	24-30"	plumes are peach pink	deep green to blue-green, waxy overlay	mid to late summer (Jul-Aug)
	○ ☞ ☀	12-18"	12-18"	plumes are pale pink, fluffy	deep green to blue-green	mid to late summer (Jul-Aug)
	○ ☞ ☀	12-18"	12-18"	plumes are raspberry-red to pink, fluffy	deep green to blue-green	mid to late summer (Jul-Aug)
	○ ☞ ☀	48-54"	30-36"	plumes are light pink to rose-pink	medium to deep green	early to mid summer (Jun-Jul)
				<i>one of the tallest Astilbe available</i>		
	○ ☞ ☀	48-54"	30-36"	plumes are red	medium to deep green	early to mid summer (Jun-Jul)
				<i>one of the tallest Astilbe available</i>		
	○ ☞ ☀	24-30"	24-30"	plumes are white maturing to light pink	medium to deep green with silver highlights	mid to late summer (Jul-Aug)
				<i>drought-tolerant variety</i>		
	○ ☞ ☀	36-42"	24-30"	plumes are violet-red maturing to lavender	deep green	mid to late summer (Jul-Aug)
	○ ☞ ☀	24-30"	24-30"	large, plumes are hot pink	medium to deep green	mid to late summer (Jul-Aug)
				<i>drought-tolerant variety</i>		
	○ ☞ ☀	18-24"	18-24"	plumes are rose to light red, fluffy	deep green to blue-green	mid to late summer (Jul-Aug)
<i>japonica</i>						
	○ ☞ ☀	12-18"	12-18"	plumes are white	compact, medium green	early to mid summer (Jun-Jul)
	○ ☞ ☀	18-24"	18-24"	plumes are dark red	deep green with bronze highlights	mid to late summer (Jul-Aug)
	○ ☞ ☀	18-24"	18-24"	plumes are light peach-pink	glossy, deep green	early to mid summer (Jun-Jul)
	○ ☞ ☀	18-24"	18-24"	plumes are scarlet-red	deep green with dark red highlights	early to mid summer (Jun-Jul)
	○ ☞ ☀	18-24"	18-24"	plumes are rose-pink maturing to light pink	medium green	early to mid summer (Jun-Jul)
<i>simplicifolia</i>						
	○ ☞ ☀	6-12"	6-12"	plumes are light pink	deep green, compact	mid to late summer (Jul-Aug)

BAPTISIA (Blue Indigo, False Indigo)

Some varieties become quite large after a few years, so allow enough room. Prune spent blooms and stems to promote continued flowering.

Hybrid							
	'Brownie Points' PP26624	○ ☞	30-36"	30-36"	caramel-brown and yellow	medium green, vase-shaped habit	late spring to mid summer (May-Jul)
Hybrid (Decadence Series)							
	'Blueberry Sundae' PP23891	○ ☞	30-36"	30-36"	indigo-blue	blue-green, vase-shaped habit	late spring to early summer (May-Jun)
	'Lemon Meringue' PPAF	○ ☞	30-36"	30-36"	lemon-yellow, brown-black buds	blue-green, compact, vase-shaped habit	late spring to early summer (May-Jun)
NEW	'Pink Lemonade' PPAF	○ ☞	30-36"	30-36"	bicolor, soft yellow and dusty purple	blue-green, vase-shaped habit	late spring to early summer (May-Jun)
	'Pink Truffles' PPAF	○ ☞	30-36"	30-36"	pale pink	blue-green, compact, vase-shaped habit	late spring to early summer (May-Jun)

BELAMCANDA (Blackberry Lily, Leopard Flower)

chinensis							
	'Hello Yellow'	○ ☞ ☀	18-24"	24-30"	star-shaped, bright yellow	Iris-like, medium to light green	mid to late summer (Jul-Aug)

BELLIS (English Daisy)

Bellis is from the Latin word bellus which means pretty. Most times Bellis will repeat its bloom again in fall with cooler temps. Prefers extra moisture if in full sun.

perennis							
	'Pompenette'	○ ☞ ☀					late spring to early summer (May-Jun)

BERGENIA (Pigsqueak, Saxifraga)

The common name Pigsqueak comes from the sound made by the leaves when quickly rubbed.

Hybrid							
	'Sakura'	○ ☞ ☀	12-18"	12-18"	large, rose-pink shades, nodding	shiny rounded leaves, attractive even when not in bloom, medium green, burgundy-red tints	early to late spring (Apr-May)

BLETILLA (Hardy Orchid)

Benefits from some extra winter protection/mulching.

striata							
	striata	☞ ☀	6-12"	6-12"	deep pink, nodding	medium to light green	late spring to early summer (May-Jun)

BRUNNERA (Alkanet, Siberian Bugloss)

Prefers moist soil. Expect some burnt leaf edges during the latter part of the season if planted in sun.

macrophylla							
	'Jack Frost' PP13859	☞ ☀	12-18"	18-24"	clusters are baby-blue	bright silver with marbled green veining	late spring to early summer (May-Jun)
	<i>2012 PPA Perennial of the Year, excellent contrast plant, great for brightening up shady areas</i>						
	'Looking Glass' PP17829	☞ ☀	12-18"	24-30"	clusters are baby-blue	solid bright silver with thin green veining	late spring to early summer (May-Jun)
	<i>sport of 'Jack Frost'</i>						
	'Variegata'	☞ ☀	12-18"	18-24"	clusters are baby-blue	deep green with irregular creamy-white margins	late spring to early summer (May-Jun)

BUDDLEIA (Butterfly Bush)

Hard to beat for their butterfly and hummingbird attraction. A slight pruning in early summer will usually keep plants shorter and more compact. In the fall, try to prune no more than 2/3 of the foliage back otherwise overwintering may be a problem.

davidii							
	'Black Knight'	○ ☞	60" or more	60" or more	spikes are deep purple-violet	woody, medium green	mid summer to early fall (Jul-Sep)
	'Pink Delight'	○ ☞	60" or more	60" or more	spikes are light pink to rose-pink	woody, medium green	mid summer to early fall (Jul-Sep)
	'Royal Red'	○ ☞	60" or more	60" or more	spikes are bright purple-red	woody, medium green	mid summer to early fall (Jul-Sep)
	'White Profusion'	○ ☞	60" or more	60" or more	spikes are white	woody, medium green	mid summer to early fall (Jul-Sep)
Hybrid							
	'Prince Charming' PPAF	○ ☞	48-54"	48-54"	fragrant, spikes are cerise-pink	semi-compact, woody, medium green	mid summer to early fall (Jul-Sep)
Hybrid (Humdinger Series) : Earlier to bloom than most, and also compact in habit.							
	'Little Angel' PPAF	○ ☞	30-36"	30-36"	fragrant, spikes are white	woody, medium green	early summer to early fall (Jun-Sep)
	'Magenta Munchkin' PPAF	○ ☞	30-36"	30-36"	fragrant, spikes are magenta-red	woody, medium green	early summer to early fall (Jun-Sep)
Hybrid (Monarch Series) : Another series bred for compact habit while still retaining larger flowers.							
	'Blue Knight' PPAF	○ ☞	42-48"	42-48"	fragrant, spikes are light lavender maturing to blue-purple	woody, blue-green	mid summer to early fall (Jul-Sep)
	'Dark Dynasty' PPAF	○ ☞	36-42"	36-42"	fragrant, spikes are royal purple	woody, deep green	mid summer to early fall (Jul-Sep)
nanhoensis							
	'Nanho Blue'	○ ☞	48-54"	48-54"	spikes are soft lavender-blue	woody, medium green to gray-green	mid summer to early fall (Jul-Sep)

CALTHA (Marsh Marigold)

Prefers moist soil conditions.

palustris							
	palustris	○ ☞	12-18"	18-24"	sunny yellow	deep green, glossy	early to late spring (Apr-May)

CAMPANULA (Bellflower, Harebell)

Most varieties can be repeatedly trimmed back to force continued growth and new blooms.

carpatica (Carpathian Bellflower)

'Rapido Blue'	○ ☞	6-12"	6-12"	star-shaped, violet-blue	medium green, crinkled leaves	late spring to late summer (May-Aug)
'Rapido White'	○ ☞	6-12"	6-12"	star-shaped, white	medium green, crinkled leaves	late spring to late summer (May-Aug)

glomerata (Clustered Bellflower)

'Freya' PPAF	○ ☞	12-18"	18-24"	star-shaped, clusters are deep purple	slightly hairy, medium green	late spring to early summer (May-Jun)
'Superba'	○ ☞	12-18"	24-30"	clusters are violet to purple	slightly hairy, medium green	late spring to early summer (May-Jun)

medium (Canterbury Bells, Cup and Saucers)

medium <i>biennial</i>	○ ☞	18-24"	12-18"	bell-shaped, mixed (one color per plant) blue, pink, or white	medium to light green	early to mid summer (Jun-Jul)
---------------------------	-----	--------	--------	---	-----------------------	-------------------------------

persicifolia (Peach-Leaved Bellflower)

'Takion Blue' <i>an improved blue variety</i>	○ ☞	12-18"	6-12"	bell-shaped, clusters are lavender-blue, upward-facing	deep green, compact	early to mid summer (Jun-Jul)
'Takion White' <i>an improved white variety</i>	○ ☞	12-18"	6-12"	bell-shaped, clusters are true white, upward-facing	deep green, compact	early to mid summer (Jun-Jul)

punctata

'Cherry Bells'	○ ☞					early to mid summer (Jun-Jul)
----------------	-----	--	--	--	--	-------------------------------

CAMPSIS (Trumpet Creeper)

Campsis will need 3-5 years before it will begin to flower. It is worth the wait, but patience is essential. Butterflies and hummingbirds love them too!

radicans

'Flava'	○ ☞	60" or more	60" or more	trumpet-shaped, bright yellow	woody, climbing, deep green	mid summer to early fall (Jul-Sep)
<i>radicans</i>	○ ☞	60" or more	60" or more	trumpet-shaped, scarlet to orange	woody, climbing, deep green	mid summer to early fall (Jul-Sep)

CARYOPTERIS (Bluebeard, Blue Mist, Blue Spirea)

incana

'Sunshine Blue' ('Jason')	○ ☞	24-30"	30-36"	clusters are amethyst-blue to purple	woody, sunny yellow	mid summer to early fall (Jul-Sep)
---------------------------	-----	--------	--------	--------------------------------------	---------------------	------------------------------------

CENTAUREA (Cornflower, Knapweed, Bachelor Button)

Any undesirable foliage that may follow blooming can be pruned back for new growth and repeat blooms.

montana

'Blue'	○ ☞	18-24"	18-24"	starburst-shaped, cornflower-blue	gray-green	early to mid summer (Jun-Jul)
--------	-----	--------	--------	-----------------------------------	------------	-------------------------------

CENTRANTHUS (Jupiter's Beard, Valerian)

Prune back after blooming to promote new growth and repeat flowers.

ruber

'Coccineus'	○ ☞	18-24"	24-30"	clusters are crimson-red	glossy, light green	early to late summer (Jun-Aug)
-------------	-----	--------	--------	--------------------------	---------------------	--------------------------------

CERASTIUM (Snow in Summer)

Cerastium will spread rapidly, but is controlled easily by simply ripping back unwanted growth.

tomentosum

'Yo-Yo'	○ ☞	6" or less	36-42"	bright white	silver-gray, spreading, attractive even when not in bloom	late spring to mid summer (May-Jul)
---------	-----	------------	--------	--------------	---	-------------------------------------

CERATOSTIGMA (Leadwort)

plumbaginoides

<i>plumbaginoides</i>	○ ☞ ☂	6-12"	24-30"	deep lavender-blue	medium green, turns bronze-red in fall, spreading	mid summer to early fall (Jul-Sep)
-----------------------	-------	-------	--------	--------------------	---	------------------------------------

CHELONE (Turtlehead)

Common name comes from the individual flower's resemblance of a turtle with its mouth open.

lyonii

'Tiny Tortuga' PPAF	○ ☞ ☂	12-18"	18-24"	hot pink	compact, red stems, deep green, glossy	late summer to early fall (Aug-Sep)
---------------------	-------	--------	--------	----------	--	-------------------------------------

CHRYSANTHEMUM (formerly Dendranthema, Garden Mum, Hardy Mum)

Mums benefit from winter protection and mulching. They can also be pinched during the summer to promote a more bushy habit.

Hybrid

'Mammoth Lavender'	○ ☞	30-36"	42-48"	daisy-like, lavender-pink, yellow center	large, hardy, medium green, mounding	late summer to late fall (Aug-Oct)
'Mammoth Red'	○ ☞	30-36"	42-48"	daisy-like, red, yellow center	large, hardy, medium green, mounding	late summer to late fall (Aug-Oct)
'Mammoth Yellow Quill' PP15027	○ ☞	24-30"	30-36"	daisy-like, spoon-shaped petals, bright yellow	large, hardy, medium green, mounding	late summer to late fall (Aug-Oct)

morifolium (Garden Mums)

Assorted Colors <i>also visit us in the fall for our famous field-grown premium quality mums</i>	○ ☞	18-24"	24-30"	mixed (one color per plant) bronze, pink, purple, red, white, or yellow	medium green	late summer to late fall (Aug-Oct)
---	-----	--------	--------	---	--------------	------------------------------------

CHRYSOGONUM (Goldenstar, Green and Gold)

Chrysogonum is a nice alternative groundcover.

virginianum

virginianum	○ ☞ ☹	6" or less	12-18"	golden-yellow	semi-glossy, medium green, semi-evergreen	late spring to early summer (May-Jun)
-------------	-------	------------	--------	---------------	---	---------------------------------------

can tolerate some foot traffic

CIMICIFUGA (Black Cohosh, Black Snakeroot, Bugbane)

Cimicifuga is reported to repel insects, hence the name Bugbane. It benefits from moist, well-drained soil.

ramosa

'Chocoholic' PPAF	☞ ☹	30-36"	24-30"	fragrant, mauve-pink maturing to white	compact, purplish-black	mid to late summer (Jul-Aug)
-------------------	-----	--------	--------	--	-------------------------	------------------------------

CLEMATIS

See the CLEMATIS PRUNING GROUPS and GUIDELINES section for additional info.

Hybrid

NEW	'Abilene' ('Eviso027') 2	○ ☞	48-54"	30-36"	large, lavender-pink	compact, deep green, climbing	early to mid summer (Jun-Jul)
NEW	'Alaina' ('Eviso056') 2	○ ☞	54-60"	30-36"	deep pink fading to light pink, deeper center bar	semi-compact, deep green, climbing	early to mid summer (Jun-Jul)
	'Andromeda' 2	○ ☞	60" or more	30-36"	semi-double, white to light pink, rose-pink bars	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in early fall</i>						
	'Avant-Garde' 2	○ ☞	60" or more	30-36"	fuchsia-red with pink center stamens	deep green, climbing	mid summer to early fall (Jul-Sep)
	'Bernadine' 3	○ ☞	48-54"	24-30"	mauve to silver-blue	compact, deep green, climbing	early to late summer (Jun-Aug)
	<i>compact grower</i>						
	'Blue Explosion' 2	○ ☞	60" or more	30-36"	large, blue with a hint of pink, semi-double first round of blooms, single second round	deep green, climbing	late spring to mid summer (May-Jul)
	<i>repeats bloom in fall</i>						
	'Blue Ravine' 3	○ ☞	60" or more	30-36"	lilac-blue with mauve highlights, pointed petals	deep green, climbing	early to late summer (Jun-Aug)
	'Bourbon' 2	○ ☞	48-54"	24-30"	large, bright rose-red with pink highlights	compact, deep green, climbing	early to late summer (Jun-Aug)
	<i>compact grower, ideal for containers</i>						
NEW	'Cezanne' ('Eviso023') 1	○ ☞	48-54"	24-30"	sky-blue, yellow center	compact, deep green, climbing	early to late summer (Jun-Aug)
	<i>ideal for containers</i>						
NEW	'Chelsea' ('Eviso100') 2	○ ☞	48-54"	24-30"	silver-blue, yellow center	compact, deep green, climbing	late spring to mid summer (May-Jul)
	<i>ideal for containers</i>						
	'Comtesse de Bouchaud' 3	○ ☞	60" or more	30-36"	large, rose-pink	deep green, climbing	early to late summer (Jun-Aug)
NEW	'Copernicus' 2	○ ☞	60" or more	30-36"	semi-double, violet-blue, long bloomer	deep green, climbing	late spring to late summer (May-Aug)
	'Corrine' 3	○ ☞	48-54"	30-36"	pale pink to white, light pink stripe	compact, deep green, climbing	mid summer to early fall (Jul-Sep)
	'Diamantina' ('Eviso039') 2	○ ☞	60" or more	30-36"	double, deep purple	deep green, climbing	late spring to mid summer (May-Jul)
	<i>repeats bloom in early fall</i>						
	'Duchess of Edinburgh' 2	○ ☞	60" or more	30-36"	double, white with yellow center	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in early fall</i>						
	'Ernest Markham' 3	○ ☞	60" or more	30-36"	magenta-red with gold anthers	deep green, climbing	early to mid summer (Jun-Jul)
	<i>considered one of the best red varieties</i>						
	'Fireworks' 2	○ ☞	60" or more	30-36"	very large, blue-purple with red bar	deep green, climbing	early to mid summer (Jun-Jul)
	<i>repeats bloom in late summer</i>						
	'Franziska Maria' 2	○ ☞	48-54"	24-30"	double, purple-blue	compact, deep green, climbing	early summer to early fall (Jun-Sep)
	<i>compact grower, ideal for containers</i>						
	'General Sikorski' 2	○ ☞	60" or more	30-36"	large, deep lavender-blue	deep green, climbing	early to late summer (Jun-Aug)
	'Guernsey Cream' 2	○ ☞	60" or more	30-36"	large, cream-white, blushed with light yellow center bars	deep green, climbing	early to late summer (Jun-Aug)
	'Hagley Hybrids' 3	○ ☞	60" or more	30-36"	large, light pink, ruffled	deep green, climbing	early to late summer (Jun-Aug)
	<i>repeats bloom in early fall</i>						
	'Henry' 2	○ ☞	60" or more	30-36"	large, white with brown anthers	deep green, climbing	early to mid summer (Jun-Jul)
	<i>repeats bloom in early fall</i>						
	'Huldine' 3	○ ☞	60" or more	30-36"	white	deep green, climbing	mid to late summer (Jul-Aug)
	'Jackmanii' 3	○ ☞	60" or more	30-36"	rich purple, creamy-yellow center	deep green, climbing	early to late summer (Jun-Aug)
	<i>the most popular Clematis</i>						
	'Josephine' 2	○ ☞	60" or more	30-36"	double, lilac-pink with light pink center petals	deep green, climbing	early to late summer (Jun-Aug)
	'Kilian Donahue' 2	○ ☞	60" or more	30-36"	fuchsia, then mature to lavender with pink bar	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in late summer and early fall</i>						
	'Liberation' ('Evifive') 2	○ ☞	60" or more	30-36"	large, deep rose-pink, deeper pink center bar	deep green, climbing	late spring to early summer (May-Jun)
	<i>repeats bloom in late summer and early fall</i>						
NEW	'Monte Cassino' 2	○ ☞	60" or more	30-36"	crimson-purple	deep green, climbing	early to late summer (Jun-Aug)
	'Nelly Moser' 2	○ ☞	60" or more	30-36"	pale pink with deep rose-red center bar	deep green, climbing	early to mid summer (Jun-Jul)
	<i>repeats bloom in early fall</i>						

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
Hybrid (Sizzle & Spice Series) : newer threadleaf varieties offering a compact and rounded habit.						
	'Curry Up' PPAF	☉ ☞	12-18"	12-18"	golden-yellow, dark red eye	ferny, deep green, compact early to late summer (Jun-Aug)
Hybrid (Uptick Series) : large flowers, compact habit, mildew resistant!						
NEW	'Cream & Bronze' PPAF	☉ ☞	12-18"	12-18"	cream-yellow with dark red center eye	deep green, compact early to late summer (Jun-Aug)
NEW	'Gold & Bronze' PPAF	☉ ☞	12-18"	12-18"	gold with bronze center eye	deep green, compact early to late summer (Jun-Aug)
NEW	'Yellow & Red' PPAF	☉ ☞	12-18"	12-18"	soft yellow with deep red eye	deep green, compact early to late summer (Jun-Aug)
verticillata						
	'Moonbeam' <i>1992 PPA Perennial of the Year</i>	☉ ☞	12-18"	24-30"	light lemon-yellow	ferny, medium green early to late summer (Jun-Aug)
	'Route 66' PP20609	☉ ☞	24-30"	24-30"	yellow with blood-red eye, matures to mostly burgundy red in cooler temps	ferny, medium green early to late summer (Jun-Aug)
	'Zagreb'	☉ ☞	12-18"	18-24"	golden-yellow	ferny, medium green, compact early to late summer (Jun-Aug)
CORYDALIS						
<i>Corydalis requires a well-drained but moist soil, and does best in at least some shade. Avoid heavy or clay-like soil. May go dormant during heat and summer months.</i>						
lutea						
	lutea	☉ ☞ ☝	12-18"	12-18"	clusters are yellow	ferny, medium green to gray-green late spring to mid summer (May-Jul)
CROCOSMIA (Crocoshmia, Montbretia)						
<i>Crocoshmia makes a great cut flower; also attracts butterflies and hummingbirds.</i>						
Hybrid						
	'Lucifer' <i>perfect for brilliant red summer color</i>	☉ ☞	36-42"	42-48"	bright flame red	medium to light green, arching stems mid to late summer (Jul-Aug)
	'Prince of Orange' <i>perfect for brilliant red summer color</i>	☉ ☞	30-36"	30-36"	bright orange-red, burgundy flecks	medium to light green, arching stems mid to late summer (Jul-Aug)
	'Walberton Yellow'	☉ ☞	24-30"	30-36"	yellow tinged with orange	medium to light green, arching stems mid to late summer (Jul-Aug)
DELOSPERMA (Hardy Ice Plant)						
<i>Delosperma is a perfect choice for poor or dry soil conditions. Benefits from some winter protection/mulching.</i>						
cooperi						
	cooperi <i>one of our top performers in our display gardens, does well in poor soil</i>	☉ ☞	6" or less	36-42"	starburst-shaped, fuchsia-purple	succulent, spreading, medium to light green late spring to early fall (May-Sep)
Hybrid						
	'Fire Spinner' PPAF	☉ ☞	6" or less	24-30"	starburst-shaped, orange and yellow petals, purple-pink and white centers	succulent, spreading, medium to light green late spring to early fall (May-Sep)
Hybrid (Jewel of the Desert Series)						
NEW	'Garnet'	☉ ☞	6" or less	12-18"	starburst-shaped, garnet-red, white to pink centers	succulent, spreading, medium to light green late spring to early fall (May-Sep)
NEW	'Moonstone'	☉ ☞	6" or less	12-18"	starburst-shaped, white, yellow centers	succulent, spreading, medium to light green late spring to early fall (May-Sep)
NEW	'Peridot'	☉ ☞	6" or less	12-18"	starburst-shaped, bright yellow, white center eye	succulent, spreading, medium to light green late spring to early fall (May-Sep)
Hybrid (WOW Series)						
NEW	'Fire Wonder' PP25645	☉ ☞	6" or less	12-18"	starburst-shaped, coral-red, yellow center eye	succulent, spreading, medium to light green late spring to early fall (May-Sep)
NEW	'Hot Pink Wonder' PP26157	☉ ☞	6" or less	12-18"	starburst-shaped, hot pink and purple blend, white and yellow center eye	succulent, spreading, medium to light green late spring to early fall (May-Sep)
DELPHINIUM (Larkspur)						
<i>Some taller varieties might need staking, but keeping plants trimmed back after blooming will help to keep them sturdy and robust. Most varieties benefit from winter protection/mulching.</i>						
grandiflorum						
	'Summer Blues'	☉ ☞	6-12"	6-12"	sky blue with white center	compact, lacy, medium to light green early to late summer (Jun-Aug)
	'Summer Cloud'	☉ ☞	6-12"	6-12"	deep blue with white center	compact, lacy, medium to light green early to late summer (Jun-Aug)
	'Summer Nights'	☉ ☞	12-18"	12-18"	clear blue to midnight-blue	lacy, light green early to late summer (Jun-Aug)
Hybrid						
	'Million Dollar Blue'	☉ ☞	24-30"	12-18"	large, semi-double, spikes are true blue, white bee	medium green, strong stems, compact early to mid summer (Jun-Jul)
	'Million Dollar Blush'	☉ ☞	24-30"	12-18"	large, semi-double, spikes are light rose, white bee	medium green, strong stems, compact early to mid summer (Jun-Jul)
NEW	'Million Dollar Sky'	☉ ☞	24-30"	12-18"	large, semi-double, spikes are light blue, white bee	medium green, strong stems, compact early to mid summer (Jun-Jul)
x elatum (Fountains Series)						
	'Dark Blue/Dark Bee'	☉ ☞	30-36"	18-24"	spikes are deep violet-blue, violet-blue center/bee	medium green early to mid summer (Jun-Jul)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
x elatum (New Millenium Hybrids)						
'Blue Lace'	○ ☞	42-48"	30-36"	spikes are sky blue, some lavender tints	medium to light green	early to mid summer (Jun-Jul)
'Cobalt Dreams' <i>an improved version of 'Royal Aspirations'</i>	○ ☞	48-54"	30-36"	spikes are deep cobalt-blue, white center/bee	medium to light green	early to mid summer (Jun-Jul)
'Dwarf Stars' <i>the quality look of tall Delphinium in a shorter package</i>	○ ☞	24-30"	24-30"	spikes are mixed (one color per plant) blue, mauve, pink, or purple	medium to light green	early to mid summer (Jun-Jul)
'New Millenium Stars'	○ ☞	42-48"	30-36"	spikes are mixed (one color per plant) pink, blue, purple, or white	medium to light green	early to mid summer (Jun-Jul)
'Pagan Purples'	○ ☞	54-60"	30-36"	spikes are bluish-purple, with white or brown center/bee	medium to light green	early to mid summer (Jun-Jul)
'Pink Punch' <i>one of the darkest pink Delphinium varieties</i>	○ ☞	54-60"	30-36"	spikes are mulberry-pink	medium to light green	early to mid summer (Jun-Jul)
'Purple Passion'	○ ☞	48-54"	30-36"	spikes are purple, white center/bee	medium to light green	early to mid summer (Jun-Jul)
x elatum (Pacific Hybrids)						
'Black Knight'	○ ☞	54-60"	30-36"	spikes are purple, black center/bee	medium to light green	early to mid summer (Jun-Jul)
DIANTHUS (Pinks)						
<i>Like many plants, Dianthus can be cut back after blooming to force new blooms and healthier growth. Many varieties will repeat bloom again in fall.</i>						
Hybrid						
NEW 'Double Bubble' PPAF <i>part of the Pretty Popper series</i>	○ ☞	6-12"	6-12"	double, medium pink	blue-green	late spring to mid summer (May-Jul)
NEW 'Electric Red' PPAF <i>part of the Pretty Popper series</i>	○ ☞	6-12"	6-12"	double, rich red	blue-green	late spring to mid summer (May-Jul)
NEW 'Kahori Pink'	○ ☞	6-12"	12-18"	medium pink, fragrant	gray-green	late spring to late summer (May-Aug)
NEW 'Kahori Scarlet'	○ ☞	6-12"	12-18"	rose-red to scarlet, fragrant	gray-green	late spring to late summer (May-Aug)
'Paint the Town Fuchsia' PPAF <i>heat-tolerant</i>	○ ☞	6-12"	6-12"	fuchsia-lavender, fragrant	blue-green	late spring to mid summer (May-Jul)
'Paint the Town Magenta' PPAF <i>heat-tolerant</i>	○ ☞	6-12"	6-12"	magenta-pink, fragrant	blue-green	late spring to mid summer (May-Jul)
Hybrid (Fruit Punch Series) : from the Proven Winner collection.						
'Apple Slice' PPAF	○ ☞	6-12"	6-12"	double, fragrant, pale-pink to white with wide velvet-red edges	gray-green, compact	late spring to mid summer (May-Jul)
NEW 'Cherry Vanilla' PPAF	○ ☞	6-12"	6-12"	double, fragrant, wine-red, thin light pink edges	blue-green, compact	late spring to mid summer (May-Jul)
NEW 'Classic Coral' PPAF	○ ☞	6-12"	6-12"	double, fragrant, coral-pink	blue-green, compact	late spring to mid summer (May-Jul)
'Coconut Punch' PPAF	○ ☞	6-12"	6-12"	double, fragrant, deep burgundy-red with white center blotches	gray-green, compact	late spring to mid summer (May-Jul)
'Cranberry Cocktail' PPAF	○ ☞	6-12"	6-12"	double, fragrant, magenta-pink	gray-green, compact	late spring to mid summer (May-Jul)
'Maraschino' PPAF	○ ☞	6-12"	6-12"	double, fragrant, hot cherry-red, burgundy eye	silver-blue, compact	late spring to mid summer (May-Jul)
NEW 'Raspberry Ruffles' PPAF	○ ☞	6-12"	6-12"	double, fragrant, raspberry-pink, thin white edges	blue-green, compact	late spring to mid summer (May-Jul)
'Sweetie Pie' PPAF	○ ☞	6-12"	6-12"	fragrant, semi-double, true pink with slightly darker pink eye	gray-green, compact	late spring to mid summer (May-Jul)
Hybrid (Star Series)						
'Neon Star' PP14549	○ ☞	6-12"	6-12"	bright pink, fragrant	blue-green, compact	late spring to mid summer (May-Jul)
DICENTRA (Bleeding Heart)						
<i>Needs a well-drained but moist soil. It is normal for the spectabilis species to go dormant after blooming.</i>						
eximia (Fringed Bleeding Heart)						
'Snowdrift' <i>will keep blooming if given enough moisture throughout the summer</i>	○ ☞ ☂	12-18"	12-18"	heart-shaped, pure white, nodding	gray-green, ferny, compact	late spring to late summer (May-Aug)
Hybrid						
'Luxuriant'	○ ☞ ☂	12-18"	12-18"	heart-shaped, cherry-red, nodding	medium green, ferny, compact	early to late summer (Jun-Aug)
spectabilis (Old-fashioned Bleeding Heart)						
'Alba'	○ ☞ ☂	30-36"	36-42"	heart-shaped, white, nodding	medium to light green, arching stems	late spring to early summer (May-Jun)
'Gold Heart' <i>foliage color is best in sunny locations, turns greenish in shadier locations</i>	☞ ☂	18-24"	24-30"	heart-shaped, rose-pink with white tips, nodding	golden-yellow, arching peach stems	late spring to early summer (May-Jun)
spectabilis	○ ☞ ☂	30-36"	36-42"	heart-shaped, rose-pink with white tips, nodding	medium to light green, arching stems	late spring to early summer (May-Jun)
DIGITALIS (Finger Flower, Foxglove)						
<i>Digitalis in Latin means finger of a glove, referring to the shape of the flower.</i>						
Hybrid						
'Polkadot Princess'	○ ☞	30-36"	24-30"	spikes are bright pink	medium to deep green	early to late summer (Jun-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
<i>purpurea</i> : Biennial type. The <i>purpurea</i> species of <i>Digitalis</i> benefits from winter protection/mulching.						
	○ ☞	42-48"	24-30"	upright-facing, spikes are rose-pink with splotches of white	large leaves, medium green	early to mid summer (Jun-Jul)
	○ ☞	30-36"	24-30"	spikes are deep lavender, splotched with burgundy-purple	large leaves, medium green	early to mid summer (Jun-Jul)
NEW	○ ☞	30-36"	24-30"	spikes are rose-pink and lavender, splotched with burgundy-purple	large leaves, medium green	early to mid summer (Jun-Jul)

ECHINACEA (Coneflower)

Truly one of the easiest perennials to grow, and worthwhile in any garden. Prune foliage back after blooming to promote new growth and repeat blooms. *Echinacea* comes from the Greek word "echinos" which means "hedgehog," referring to its spiny center cone.

<i>Hybrid</i>						
	○ ☞	24-30"	18-24"	daisy-like, mixed shades of orange, peach, red, white, or yellow, brown center cone	medium green	early to late summer (Jun-Aug)
	○ ☞	24-30"	24-30"	large, double, bright orange, lime green and orange center	deep green	mid summer to early fall (Jul-Sep)
	○ ☞	18-24"	18-24"	double, daisy-like, fuchsia-pink	deep green	early to late summer (Jun-Aug)
	○ ☞	18-24"	18-24"	double, daisy-like, cranberry-red	deep green	early to late summer (Jun-Aug)
NEW	○ ☞	24-30"	18-24"	double, daisy-like, bright orange-red fading to rose-pink	deep green	early to late summer (Jun-Aug)
NEW	○ ☞	24-30"	18-24"	double, daisy-like, raspberry-rose	deep green	early to late summer (Jun-Aug)
	○ ☞	24-30"	18-24"	daisy-like, yellow-apricot and rose bicolor upright petals with orange-brown center cone	medium green	early to late summer (Jun-Aug)
	○ ☞	18-24"	24-30"	daisy-like, watermelon-coral, dark orange center cone	medium to deep green	mid to late summer (Jul-Aug)
	○ ☞	24-30"	24-30"	double, daisy-like, red-orange, papaya-orange center tinge	deep green, some purplish stems	early to late summer (Jun-Aug)
NEW	○ ☞	12-18"	12-18"	daisy-like, tangerine-orange, copper center cone	deep green	early to late summer (Jun-Aug)
	○ ☞	12-18"	12-18"	daisy-like, magenta-purple, deep orange center cone	deep green, compact	early to late summer (Jun-Aug)
NEW	○ ☞	12-18"	12-18"	daisy-like, red-orange to pink-red shades, bronze center cone	medium green, compact	early to late summer (Jun-Aug)
	○ ☞	24-30"	18-24"	large, double, muskmelon-orange with a brown-orange center cone	deep green	mid summer to early fall (Jul-Sep)
<i>purpurea</i>						
	○ ☞	18-24"	18-24"	large, double, deep mauve-pink center, lavender-pink petals	deep green	mid to late summer (Jul-Aug)
	○ ☞	30-36"	24-30"	pale green maturing to chartreuse with a magenta blush, green center cone maturing to purple	medium green	early to late summer (Jun-Aug)
	○ ☞	18-24"	18-24"	double, large, bright yellow	medium green	early to late summer (Jun-Aug)
	○ ☞	18-24"	18-24"	large, rose-pink, petals tipped in white, orange-red center cone	medium green	early to late summer (Jun-Aug)
	○ ☞	18-24"	12-18"	daisy-like, white, bronze-orange center cone	medium green, compact	early to late summer (Jun-Aug)
	○ ☞	18-24"	12-18"	daisy-like, deep pink to magenta-pink, bronze-orange center cone	medium green, compact	early to late summer (Jun-Aug)
	○ ☞	12-18"	12-18"	drooping petals, intense orange, bronze-orange center cone	compact, deep green	mid to late summer (Jul-Aug)
	○ ☞	18-24"	12-18"	drooping petals, bright yellow, copper center cone	compact, medium green	mid to late summer (Jul-Aug)
	○ ☞	12-18"	12-18"	drooping petals, rich red, bronze-red center cone	compact, medium green	mid to late summer (Jul-Aug)
	○ ☞	18-24"	18-24"	fragrant, white, green center cone	deep green	mid summer to early fall (Jul-Sep)

ECHINOPS (Globe Thistle)

Foliage will disappear or begin to look unattractive later in the season, which is normal. Great for cutting or dried arrangements.

<i>bannaticus</i>						
	○ ☞	36-42"	30-36"	heads are spiny and deep blue	gray-green	mid to late summer (Jul-Aug)
<i>ERYNGIUM (Sea Holly, Snakeroot)</i>						
<i>planum</i>						
	○ ☞	30-36"	24-30"	heads are spiny and steel-blue	metallic blue-gray	mid to late summer (Jul-Aug)

EUONYMOUS (Wintercreeper)

An all-purpose semi-evergreen plant that can be trained to climb, be kept in shrub form, or allowed to creep as a groundcover.

fortunei

NEW	'Gold Splash'	○ ☞ ☀	18-24"	24-30"		leathery, deep green with gold-yellow edges, spreading	
------------	---------------	-------	--------	--------	--	--	--

EUPATORIUM (Hardy Ageratum, Joe-Pye Weed, Mist Flower, Boneset)

Some powdery mildew might appear after flowering, so simply trim undesirable foliage.

rugosum

	'Chocolate'	○ ☞	30-36"	36-42"	clusters are white	chocolate-burgundy	mid to late summer (Jul-Aug)
--	-------------	-----	--------	--------	--------------------	--------------------	------------------------------

EUPHORBIA (Spurge)

The sap from *Euphorbia* may cause skin irritation when pruning or handling. Gloves might be useful.

epithymoides / polychroma (Cushion Spurge)

	<i>epithymoides (polychroma)</i>	○ ☞	18-24"	18-24"	clusters are sulphur-yellow	gray-green, turns red in fall, mounding	late spring to early summer (May-Jun)
--	----------------------------------	-----	--------	--------	-----------------------------	---	---------------------------------------

x martinii

	'Ascot Rainbow' PPAF	○ ☞	18-24"	18-24"	bracts are variegated green and yellow with a burgundy center	variegated green and yellow maturing with shades of pink and orange in cooler temps, mounding habit	late spring to early summer (May-Jun)
--	----------------------	-----	--------	--------	---	---	---------------------------------------

FALLOPIA (Fleece Flower)

aubertii (Silver Lace Vine)

	<i>aubertii</i>	○ ☞	60" or more	60" or more	sprays are cream-white, fragrant	climbing, medium green, vigorous	mid summer to early fall (Jul-Sep)
--	-----------------	-----	-------------	-------------	----------------------------------	----------------------------------	------------------------------------

puts on a spectacular fall display

FERN ADIANTUM

pedatum (Maidenhair Fern)

	<i>pedatum</i>	☞ ☀	18-24"	24-30"		soft, medium to light green, turning gold in fall	
--	----------------	-----	--------	--------	--	---	--

venustum

	var. <i>himalayense</i>	☞ ☀	6-12"	12-18"		lacy, medium to light green, black stems	
--	-------------------------	-----	-------	--------	--	--	--

FERN ATHYRIUM

felix-femina (Dwarf Lady Fern)

	'Minutissima'	☞ ☀	12-18"	12-18"		medium green, compact	
--	---------------	-----	--------	--------	--	-----------------------	--

felix-femina (Ghost Lady Fern)

	'Ghost'	☞ ☀	24-30"	24-30"		neat and tidy, silver-gray, upright	
--	---------	-----	--------	--------	--	-------------------------------------	--

felix-femina (Lady Fern)

	<i>felix-femina</i>	☞ ☀	18-24"	24-30"		medium green	<i>tolerates dryer soils</i>
--	---------------------	-----	--------	--------	--	--------------	------------------------------

felix-forma (Lady Fern)

	'Lady in Red'	☞ ☀	24-30"	30-36"		burgundy-red stems, medium green leaves, lacy	
--	---------------	-----	--------	--------	--	---	--

Hybrid

	'Branford Beauty'	☞ ☀	18-24"	24-30"		silver-green, upright	
--	-------------------	-----	--------	--------	--	-----------------------	--

nipponicum (Japanese Painted Fern)

	'Godzilla'	☞ ☀	24-30"	18-24"		large, burgundy stems, silver-green fronds	
--	------------	-----	--------	--------	--	--	--

	'Pictum'	☞ ☀	12-18"	12-18"		burgundy stems, silver-green fronds with burgundy tints	<i>2004 PPA Perennial of the Year</i>
--	----------	-----	--------	--------	--	---	---------------------------------------

FERN DRYOPTERIS

affinis (Golden Scaled Male Fern)

	<i>affinis</i>	☞ ☀	30-36"	30-36"		leathery, deep green	
--	----------------	-----	--------	--------	--	----------------------	--

	'The King'	☞ ☀	18-24"	24-30"		deep green fronds, crested frilly leaflets	
--	------------	-----	--------	--------	--	--	--

crassirhizoma (Thick-stemmed Wood Fern)

	<i>crassirhizoma</i>	☞ ☀	30-36"	36-42"		medium green, upright, sturdy	
--	----------------------	-----	--------	--------	--	-------------------------------	--

dilatata (Crisp Broad Buckler)

	'Crispa Whiteside'	☞ ☀	12-18"	18-24"		chartreuse maturing to medium green, soft, lacy	
--	--------------------	-----	--------	--------	--	---	--

erythrosora (Autumn Fern, Japanese Sword Fern)

	'Brilliance'	○ ☞ ☀	18-24"	24-30"		golden-orange fronds mature to medium green, reddish-orange in fall	<i>excellent fall color</i>
--	--------------	-------	--------	--------	--	---	-----------------------------

	<i>erythrosora</i>	○ ☞ ☀	18-24"	24-30"		durable, copper fronds mature to medium green, bronze in fall	<i>excellent fall color</i>
--	--------------------	-------	--------	--------	--	---	-----------------------------

filix-mas (Male Fern)

	'Undulata-robusta'	☞ ☀	24-30"	30-36"		sturdy, upright, medium green	
--	--------------------	-----	--------	--------	--	-------------------------------	--

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
intermedia (Fancy Fern)						
intermedia <i>durable, drought tolerant</i>	○ ☞ ☰	12-18"	18-24"		leathery, medium to deep green	
FERN MATTEUCCIA						
struthiopteris (Ostrich Fern)						
'Jumbo'	☞ ☰					
struthiopteris <i>fronds resemble ostrich feathers</i>	☞ ☰	42-48"	42-48"		vase-shaped, large, medium green	
FERN ONOCLEA						
sensibilis (Sensitive Fern, Bead Fern)						
sensibilis	○ ☞ ☰	18-24"	36-42"		deeply lobed, light green, spreading	
FERN OSMUNDA						
cinnamomea (Cinnamon Fern)						
cinnamomea	☞ ☰	42-48"	42-48"		stately, medium green, cinnamon-brown fronds	
claytoniana (Interrupted Fern)						
claytoniana <i>fertile leaflets disappear after dropping spores to leave an "interruption" in the frond</i>	○ ☞ ☰	24-30"	24-30"		medium green	
regalis (Royal Fern)						
regalis <i>prefers a consistently moist area</i>	☞ ☰	36-42"	42-48"		light green with hints of red	
FERN POLYSTICHUM						
acrostichoides (Christmas Fern)						
acrostichoides	☞ ☰	18-24"	24-30"		medium green with silver highlights, leathery	
polyblepharum (Japanese Tassel Fern)						
polyblepharum <i>durable and easy to grow</i>	☞ ☰	18-24"	24-30"		tan stems, deep green leaflets	
retrosopaleaceum (Japanese Sword Fern)						
retrosopaleaceum	☞ ☰	30-36"	24-30"		large broad fronds, bright green leaflets	
FILIPENDULA (Dropwort, Meadowsweet, Queen of the Prairie)						
<i>Hybrid</i>						
NEW 'Red Umbrellas' PP23129	○ ☞ ☰	30-36"	30-36"	rose-pink	medium green, red veining	mid to late summer (Jul-Aug)
FRUIT : Many varieties of potted fruit plants are available, including varieties of blackberry, blueberry, elderberry, grape, raspberry, strawberry, and more. Please call or email us for availability.						
GAILLARDIA (Blanket Flower)						
<i>Prune foliage after blooming to promote new growth and repeat blooms. Heat-tolerant. Try not to plant in heavy clay soil.</i>						
aristata						
'Arizona Apricot'	○ ☞	6-12"	12-18"	daisy-like with mostly soft yellow petals with apricot-orange centers	medium green, heat-tolerant, compact	early summer to early fall (Jun-Sep)
'Arizona Red Shades'	○ ☞	6-12"	12-18"	daisy-like with crimson to rust-red petals tipped in yellow	medium green, heat-tolerant, compact	early summer to early fall (Jun-Sep)
'Arizona Sun'	○ ☞	6-12"	12-18"	daisy-like with orange-red petals tipped in yellow	medium green, heat-tolerant, compact	early summer to early fall (Jun-Sep)
Hybrid						
'Fanfare Blaze' PP23494	○ ☞	18-24"	18-24"	trumpet-shaped, bright orange-red, deeper orange-red center cone	medium green	early summer to early fall (Jun-Sep)
'Sundevil' PP23645	○ ☞	12-18"	12-18"	trumpet-shaped, bright orange-red, petals tipped in bright yellow, orange-red center cone	compact, medium green	late spring to late summer (May-Aug)
x grandiflora						
'Goblin' <i>one of the best Gaillardia varieties, popular</i>	○ ☞	6-12"	12-18"	daisy-like, scarlet/rust-red with yellow petal tips	medium green	early summer to early fall (Jun-Sep)
'Mesa Bright Bicolor' <i>part of the Mesa series with sturdy non-flopping foliage</i>	○ ☞	12-18"	12-18"	bright yellow, burgundy-red center and halo	medium green, compact	early to late summer (Jun-Aug)
'Mesa Peach' <i>part of the Mesa series with sturdy non-flopping foliage</i>	○ ☞	12-18"	12-18"	bright yellow, peach-orange center and halo	medium green, compact	early to late summer (Jun-Aug)
'Mesa Yellow' <i>part of the Mesa series with sturdy non-flopping foliage</i>	○ ☞	12-18"	12-18"	bright yellow	medium green, compact	early to late summer (Jun-Aug)
NEW 'Sunset Celebration'	○ ☞	12-18"	12-18"	daisy-like, red to brick red	medium green	early to late summer (Jun-Aug)
'Sunset Mexican' PPAF	○ ☞	12-18"	12-18"	daisy-like, watermelon-pink, petals tipped in light yellow	medium green	early to late summer (Jun-Aug)

GALIUM (Sweet Woodruff)

Galium does best in some shade with a well-drained soil.

odoratum

odoratum	☉ ☁	6" or less	18-24"	star-shaped, white, fragrant	light green	late spring to early summer (May-Jun)
----------	-----	------------	--------	------------------------------	-------------	---------------------------------------

GAURA (Wand Flower, Whirling Butterflies)

Gaura is derived from gauros, which means superb. Flowers resemble small butterflies.

lindheimeri

'Siskiyou Pink'	☉ ☁	18-24"	24-30"	rose-pink and white	medium green	mid summer to early fall (Jul-Sep)
'Sparkle White'	☉ ☁	18-24"	18-24"	white	medium green	early summer to early fall (Jun-Sep)

a more compact variety than most

GENTIANA (Gentian)

Keep moist if planted in mostly sunny areas.

Hybrid

'True Blue' PP20433	☉ ☁	24-30"	24-30"	large, tubular, blue	medium green, glossy	mid summer to early fall (Jul-Sep)
---------------------	-----	--------	--------	----------------------	----------------------	------------------------------------

GERANIUM (Cranesbill)

Foliage may be cut back any time to promote a more bushy habit. Common name is from the beaked fruits' resemblance to a Crane's bill.

Hybrid

'Rozanne' PP12175	☉ ☁ ☁	18-24"	30-36"	violet-blue with a white eye, large	deep green, mounding, fragrant	early summer to early fall (Jun-Sep)
-------------------	-------	--------	--------	-------------------------------------	--------------------------------	--------------------------------------

2008 PPA Perennial of the Year

sanguineum (Bloody Cranesbill)

'Alpenglow'	☉ ☁ ☁	12-18"	18-24"	lavender-pink, cup-shaped	medium green, red fall color	late spring to mid summer (May-Jul)
-------------	-------	--------	--------	---------------------------	------------------------------	-------------------------------------

GEUM (Avens)

Planting in moist but well-drained soil will aid in overwintering.

chiloense

'Red Dragon'	☉ ☁	18-24"	12-18"	double, deep scarlet-red	light green	early to late summer (Jun-Aug)
'Totally Tangerine' PP22041	☉ ☁	24-30"	12-18"	golden-orange shades	light green	late spring to late summer (May-Aug)

flora plena

'Blazing Sunset' ('Double Bloody Mary')	☉ ☁	18-24"	12-18"	double, bright scarlet-red	fuzzy, light green	late spring to mid summer (May-Jul)
'Sunrise'	☉ ☁	18-24"	12-18"	double, bright yellow	fuzzy, light green	late spring to mid summer (May-Jul)

GRASS ACORUS (Variegated Sweet Flag)

Acorus does well in any light, but needs to be kept moist for best results.

calamus

'Variegatus'	☉ ☁	18-24"	24-30"	greenish-yellow, insignificant	leathery, iris-like, medium green striped with white	mid to late summer (Jul-Aug)
--------------	-----	--------	--------	--------------------------------	--	------------------------------

gramineus

'Ogon'	☉ ☁	6-12"	6-12"	tan, insignificant	variegated, yellow and deep green	late spring (May)
--------	-----	-------	-------	--------------------	-----------------------------------	-------------------

GRASS CALAMAGROSTIS (Reed Grass)

acutiflora

'Avalanche'	☉ ☁	30-36"	24-30"	plumes are tan, wheat-like	deep green with gold to white center stripes, narrow leaves	mid summer to early fall (Jul-Sep)
'Karl Foerster'	☉ ☁	36-42"	30-36"	plumes are tan, wheat-like	deep green	mid summer to early fall (Jul-Sep)

2001 PPA Perennial of the Year

'Overdam'	☉ ☁	30-36"	24-30"	plumes are tan, wheat-like	deep green with thin white margins, narrow leaves	mid summer to early fall (Jul-Sep)
-----------	-----	--------	--------	----------------------------	---	------------------------------------

arundinacea

var. brachytricha	☉ ☁	30-36"	30-36"	plumes open pinkish maturing to silvery-tan	medium green, turns yellow in fall, medium wide leaves	late summer to early fall (Aug-Sep)
-------------------	-----	--------	--------	---	--	-------------------------------------

GRASS CAREX (Sedge Grass)

Carex is an ideal choice for semi-shade to shady places where a compact and season-long attractive plant is needed.

elata (Gold Sedge)

'Bowles Golden'	☁ ☁	24-30"	24-30"	plumes are tan, insignificant	bright gold with green margins, narrow leaves	late spring (May)
-----------------	-----	--------	--------	-------------------------------	---	-------------------

taller than many Carex varieties

glauca

'Blue Zinger'	☁ ☁	6-12"	12-18"	insignificant	frosty blue, compact, medium wide leaves	early summer (Jun)
---------------	-----	-------	--------	---------------	--	--------------------

hachijoensis (Variegated Japanese Sedge)

'Evergold'	☁ ☁	6-12"	18-24"	plumes are tan, insignificant	creamy yellow with green margins, mounding, narrow leaves	late spring (May)
------------	-----	-------	--------	-------------------------------	---	-------------------

morowii (Variegated Sedge)

'Ice Dance'	☉ ☁ ☁	12-18"	24-30"	plumes are tan, insignificant	bright green with white margins, medium wide leaves	late spring (May)
-------------	-------	--------	--------	-------------------------------	---	-------------------

will spread if given room, makes a nice groundcover

oshimensis

NEW 'Everillo' PP21002	☁ ☁	6-12"	12-18"	insignificant	gold to gold-green	late spring (May)
-------------------------------	-----	-------	--------	---------------	--------------------	-------------------

sport of 'Evergold'

		LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
NEW	'Everlime' PPAF	☞ ☞	12-18"	18-24"	insignificant	variegated, striped deep green and lime-green	late spring (May)
siderosticha (Creeping Variegated Broad Leaf Sedge)							
	'Banana Boat'	☞ ☞	6-12"	12-18"	plumes are tan, insignificant	variegated banana-yellow and green, mounding, wide leaves	late spring (May)
	<i>tolerant of any soil, great for wet areas</i>						
	'Snow Cap'	☞ ☞	6-12"	12-18"	plumes are tan, insignificant	variegated white and green, mounding, wide leaves	late spring (May)
GRASS CHASMANTHIUM (Northern Sea Oats, Spangle Grass)							
<i>latifolium</i>							
	latifolium	○ ☞ ☞	12-18"	12-18"	drooping, tan with reddish highlights	medium green, medium wide leaves	early to late fall (Sep-Oct)
GRASS ERIANTHUS (Hardy Pampas Grass, Ravenna Grass)							
<i>Not the true Pampas Grass, but much hardier and similar in appearance.</i>							
<i>ravennae</i>							
	ravennae	○ ☞	8-10'	6-7'	plumes are large, silver turning to tan, wheat-like	medium green to gray, wide leaves	early to late fall (Sep-Oct)
GRASS FESTUCA (Blue Fescue, Sheeps Fescue)							
<i>On Festuca, plumes are usually produced every other season.</i>							
<i>glauca</i>							
	'Beyond Blue' PP23307	○ ☞	6-12"	6-12"	plumes are tan, wheat-like	gray-blue, narrow leaves	early to late summer (Jun-Aug)
	'Blue Whiskers' PPAF	○ ☞	12-18"	12-18"	plumes are tan, wheat-like	silvery-blue, narrow leaves	early to late summer (Jun-Aug)
	<i>similar to 'Elijah Blue' but with larger habit</i>						
	'Elijah Blue'	○ ☞	6-12"	6-12"	plumes are tan, wheat-like	powdery blue, narrow leaves	early to late summer (Jun-Aug)
GRASS HAKONECHLOA (Forest Grass, Hakone Grass)							
<i>Hakone or Forest Grass offers bamboo-like foliage and maintenance-free traits.</i>							
<i>macra</i>							
	'All Gold'	☞ ☞	12-18"	18-24"	plumes are light tan, insignificant	lemon-yellow, arching appearance, medium wide leaves	mid to late summer (Jul-Aug)
	'Aureola'	☞ ☞	12-18"	18-24"	plumes are light tan, insignificant	yellow with green margins, arching appearance, medium wide leaves	mid to late summer (Jul-Aug)
	<i>2009 PPA Perennial of the Year</i>						
GRASS HELICTOTRICHON (Blue Oat Grass)							
<i>sempervirens</i>							
	sempervirens	○ ☞	18-24"	18-24"	plumes are tan, wheat-like	vase-shaped, gray to green, narrow leaves	mid to late summer (Jul-Aug)
GRASS IMPERATA (Japanese Blood)							
<i>Rarely plumes. Best foliage color will occur in full sun.</i>							
<i>cylindrica</i>							
	'Red Baron'	○ ☞	12-18"	30-36"		medium green with red tips, turns bronze-burgundy in fall	
GRASS JUNCUS (Rush)							
<i>Most varieties are not invasive, but allow more room if given moist conditions. Some winter protection is recommended.</i>							
<i>effusus</i>							
	'Curly Wurlly' ('Spiralis' or 'Big Twister')	○ ☞	6-12"	6-12"	brown, insignificant	corkscrew-shaped, medium green, compact	late summer to early fall (Aug-Sep)
GRASS LEYMUS (Blue Lyme Grass, Blue Wild Rye, Dune Grass)							
<i>arenarius</i>							
	'Blue Dune'	○ ☞	24-30"	42-48"	brown, insignificant	spreading, blue to blue-gray	mid to late summer (Jul-Aug)
GRASS MISCANTHUS (Eulalia Grass, Maiden Grass)							
<i>sinensis</i>							
	'Adagio'	○ ☞	42-48"	36-42"	plumes are pink maturing to white	gray-green, narrow leaves	early to late fall (Sep-Oct)
	<i>a little more compact than most Miscanthus varieties</i>						
	'Autumn Anthem' PPAF	○ ☞	5-6'	5-6'	plumes are cream maturing to tan	rounded habit, deep green, turns yellow in fall, narrow leaves	early fall (Sep)
	'Cabaret'	○ ☞	5-6'	5-6'	plumes are silver maturing to tan	medium green with wide center white stripe, wide leaves	late fall (Oct)
	<i>late to plume if at all</i>						
	'Cosmopolitan'	○ ☞	6-7'	5-7'	plumes are silver maturing to tan	variegated medium green and white, wide leaves	early to late fall (Sep-Oct)
	'Dixieland'	○ ☞	42-48"	42-48"	plumes open burgundy maturing to silver-tan	variegated white and green striped, wide leaves	early to late fall (Sep-Oct)
	<i>dwarf version of M. 'Silver Arrow'</i>						
	'Gaa'	○ ☞	5-6'	4-5'	plumes open burgundy maturing to silver-tan, airy	medium green, narrow leaves	late summer to late fall (Aug-Oct)
	<i>very columnar in form (top is not much wider than base)</i>						
	'Gold Bar' PP15193	○ ☞	42-48"	36-42"	plumes open burgundy maturing to silver-tan, airy	numerous horizontal markings of yellow against bright green, wide leaves, compact	late summer to late fall (Aug-Oct)
	'Gold Breeze' PP22311	○ ☞	5-6'	5-6'	plumes are copper-silver maturing to tan	horizontal markings of yellow against bright green, arching appearance, wide leaves	late summer to late fall (Aug-Oct)
	<i>an improved M. 'Zebrinus'</i>						

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Gracillimus' <i>one of the most common ornamental grasses, late to plume if at all</i>	○ ☞	5-6'	4-5'	plumes are silver maturing to tan	deep green, narrow leaves	late fall (Oct)
'Little Kitten'	○ ☞	30-36"	30-36"	plumes are silver maturing to tan	medium green, compact, narrow leaves	early to late fall (Sep-Oct)
'Little Zebra' PP13008	○ ☞	42-48"	42-48"	plumes are pinkish maturing to tan	horizontal markings of yellow against bright green, compact, medium wide leaves	late summer to late fall (Aug-Oct)
'Morning Light'	○ ☞	48-54"	42-48"	plumes are silver with purplish tint	slight variegation of cream and medium green, narrow leaves	early to late fall (Sep-Oct)
'Purpurascens' (Flame Grass)	○ ☞	4-5'	4-5'	plumes open magenta then mature to white	medium green turning rust-red in fall, medium wide leaves	late summer to late fall (Aug-Oct)
'Strictus' <i>a little more upright and compact than M. 'Zebrinus'</i>	○ ☞	5-6'	4-5'	plumes are copper-silver maturing to tan	horizontal markings of yellow against bright green, wide leaves	early to late fall (Sep-Oct)
'Variegatus'	○ ☞	6-7'	5-6'	plumes are reddish-silver maturing to tan	white and green striped leaves, wide leaves	early to late fall (Sep-Oct)
GRASS PANICUM (Switch Grass)						
<i>virgatum</i>						
'Cape Breeze'	○ ☞	30-36"	30-36"	airy, small tan plumes	compact, medium green, narrow leaves, vase-shaped habit	mid summer to early fall (Jul-Sep)
'Cheyenne Sky' PPAF <i>great for containers</i>	○ ☞	30-36"	30-36"	airy, small plumes open purple maturing to tan	compact, blue-green tipped in wine-red, narrow leaves, vase-shaped habit	late summer to late fall (Aug-Oct)
'Heavy Metal'	○ ☞	42-48"	30-36"	plumes open reddish maturing to tan	blue-green, turns yellow in fall, medium wide leaves	late summer to late fall (Aug-Oct)
'Northwind' <i>2014 PPA Perennial of the Year</i>	○ ☞	5-6'	4-5'	plumes are tan, airy	blue-green, vase-shaped, medium wide leaves	late summer to late fall (Aug-Oct)
'Shenandoah'	○ ☞	30-36"	30-36"	plumes are pinkish maturing to tan, airy	medium green with red tips, medium wide leaves	late summer to early fall (Aug-Sep)
NEW 'Totem Pole' PPAF	○ ☞	54-60"	42-48"	airy, small plumes of gold	steel blue, narrow leaves, upright vase-shaped habit	late summer to late fall (Aug-Oct)
GRASS PENNISETUM (Fountain Grass)						
<i>Long-favored for its maintenance-free traits and attractive appearance even when not in flower.</i>						
<i>alopecuroides</i>						
'Burgundy Bunny' PP21917	○ ☞	30-36"	30-36"	fuzzy, bottle-brush-shaped, tan	medium green with red tints, turns all red in fall, narrow leaves	mid summer to early fall (Jul-Sep)
'Ginger Love' PPAF	○ ☞	24-30"	30-36"	fuzzy, bottle-brush-shaped, ginger-red maturing to tan	medium green, narrow leaves	late summer to late fall (Aug-Oct)
'Hameln' <i>a popular choice for a compact grass</i>	○ ☞	24-30"	24-30"	fuzzy, bottle-brush-shaped, tan	medium green, compact and mounding, narrow leaves	mid summer to early fall (Jul-Sep)
'Little Bunny'	○ ☞	6-12"	6-12"	fuzzy, bottle-brush-shaped, tan	medium green, compact, narrow leaves	late summer to late fall (Aug-Oct)
'Moudry'	○ ☞	30-36"	30-36"	fuzzy, bottle-brush-shaped, black-brown maturing to tan	deep green, glossy, medium wide leaves	early to late fall (Sep-Oct)
<i>orientale</i>						
'Karley Rose' PP12909	○ ☞	30-36"	30-36"	fuzzy, bottle-brush-shaped, drooping, pink maturing to tan	medium green, compact and mounding, narrow leaves	mid to late summer (Jul-Aug)
<i>setaceum (all P. setaceum varieties listed below ARE NOT WINTER HARDY for our area)</i>						
'Fireworks' PP18192	○ ☞	24-30"	24-30"	plumes are pink maturing to tan	variegated, burgundy mid-vein, bright pink outer margins, some green and white highlights, narrow leaves	early summer to late fall (Jun-Oct)
'Rubrum'	○ ☞	18-24"	18-24"	plumes are pink maturing to tan	burgundy-red, narrow leaves	early summer to late fall (Jun-Oct)
GRASS SCHIZACHYRIUM (Little Bluestem)						
<i>scoparium</i>						
'Little Arrow' PPAF	○ ☞	18-24"	18-24"	seed heads are silver-tan	vase-shaped, green-bronze, narrow leaves	late summer to early fall (Aug-Sep)
'Smoke Signal' PPAF	○ ☞	36-42"	30-36"	seed heads are silver-tan	vase-shaped, blue-gray, matures to scarlet-red and red-purple later in season, narrow leaves	late summer to early fall (Aug-Sep)
GYPHOPHILA (Baby's Breath)						
<i>An excellent choice for filling in those spaces left by spring-blooming plants that have gone dormant or have become unattractive. Always popular for cutting or dried arrangements.</i>						
<i>cerastoides</i>						
<i>cerastoides</i>	○ ☞	6" or less	30-36"	white with lilac veins	gray-green, spreading	late spring to mid summer (May-Jul)
<i>paniculata</i>						
'Summer Sparkles' PP19318	○ ☞	24-30"	24-30"	semi-double, sprays are bright white	gray-green	early summer to early fall (Jun-Sep)

HEDERA (English Ivy)

A popular choice for a maintenance-free groundcover, but also makes a nice accent plant in containers.

helix

helix	○ ☞ ☛	6" or less	42-48"		deep green, glossy	
<i>will climb if given support</i>						

HELENIUM (Sneezeweed)

Helenium, named for Helen of Troy. Taller stems may need to be staked. Prune foliage back after blooming to promote new growth and repeat blooms. Great for cutting.

Hybrid

'Red Jewel'	○ ☞	30-36"	30-36"	dusky-red	medium to deep green	mid to late summer (Jul-Aug)
-------------	-----	--------	--------	-----------	----------------------	------------------------------

HELIOPSIS (False Sunflower)

Powdery mildew can be a problem, but usually only after it has bloomed. Trim back to alleviate any problem.

helianthoides

'Sunstruck' PP25524	○ ☞	12-18"	12-18"	daisy-like, golden-yellow	compact, variegated cream-white with medium green veins	early to late summer (Jun-Aug)
NEW 'Tuscan Gold' PPAF	○ ☞	30-36"	30-36"	daisy-like, bright yellow	deep green, compact, mildew resistant	mid to late summer (Jul-Aug)
<i>proven winner selection, an improved native cultivar, disease-resistant</i>						
'Tuscan Sun' PP18763	○ ☞	30-36"	30-36"	daisy-like, golden yellow	deep green, compact, mildew resistant	mid to late summer (Jul-Aug)
<i>proven winner selection, an improved native cultivar, disease-resistant</i>						

HELLEBORUS (Christmas Rose, Hellebore, Lenten Rose)

Deer-resistant! Helleborus is one of the earliest perennials to bloom in our area. May go dormant during summer months. *H. orientalis* was 2005 PPA Plant of the Year.

Hybrid

NEW 'Anna's Red' PP24720	☞ ☛	18-24"	12-18"	single, wine-red, yellow center	deep bronze-green, red stems	early to late spring (Apr-May)
'Ivory Prince' PP16199 ('Walhelivor')	☞ ☛	12-18"	12-18"	nodding, blue-purple blend	deep green	early to late spring (Apr-May)
'Penny's Pink' PPAF	☞ ☛	12-18"	12-18"	bright mauve-pink	deep green, bronze tints	early to late spring (Apr-May)
'Pink Parachutes'	☞ ☛	12-18"	12-18"	bright pink sprayed with deeper wine-pink, blush-pink to white reverse	deep green to blue-green	early to late spring (Apr-May)

Hybrid (Honeymoon Series)

'French Kiss'	☞ ☛	18-24"	18-24"	single, nodding, white, raspberry-pink edges and veining	deep green	early to late spring (Apr-May)
NEW 'New York Night'	☞ ☛	18-24"	18-24"	single, grey-purple to purple-black	deep green	early to late spring (Apr-May)
'Paris in Pink'	☞ ☛	18-24"	18-24"	single, nodding, light to medium pink shades	deep green	early to late spring (Apr-May)
'Rome in Red'	☞ ☛	18-24"	18-24"	single, nodding, rich maroon-red	deep green	early to late spring (Apr-May)
'Sandy Shores'	☞ ☛	18-24"	18-24"	single, nodding, pale apricot, rose-pink backside	deep green	early to late spring (Apr-May)
'Spanish Flare'	☞ ☛	18-24"	18-24"	single, nodding, light yellow, maroon-red centers	deep green	early to late spring (Apr-May)

Hybrid (Wedding Party Series)

NEW 'Blushing Bridemaid'	☞ ☛	18-24"	18-24"	double, nodding, white, raspberry-pink veining and edges	deep green	early to late spring (Apr-May)
'Confetti Cake'	☞ ☛	18-24"	18-24"	double, nodding, white, burgundy speckling	deep green	early to late spring (Apr-May)
'Wedding Bells'	☞ ☛	18-24"	18-24"	double, nodding, white	deep green	early to late spring (Apr-May)

HEMEROCALLIS (Daylily)

Without a doubt the most popular perennial due to its easy maintenance and summertime beauty. Hemerocallis in Greek means beautiful for a day.

Hybrid

'Early Bird Cardinal' ('Endless Heart' PP16515)	○ ☞	18-24"	18-24"	watermelon-red, chartreuse throat, repeat bloomer	medium green	late spring to late summer (May-Aug)
<i>earlier to bloom than most daylilies</i>						
'Elegant Explosion'	○ ☞	18-24"	18-24"	orange-gold, ruffled, repeat bloomer	medium green	early to late summer (Jun-Aug)
'Excellent'	○ ☞	12-18"	18-24"	large, fragrant, ruffled, purple-burgundy, gold edges, tetraploid, repeat bloomer	medium green	mid to late summer (Jul-Aug)
'Fairy Tale Pink'	○ ☞	18-24"	18-24"	ruffled, large, pale pink, tetraploid, repeat bloomer	medium green	mid to late summer (Jul-Aug)
NEW 'Garden Show'	○ ☞	24-30"	18-24"	large, lavender-purple, citron throat, rebloomer	medium green	early to late summer (Jun-Aug)
'Going Bananas' PP17164	○ ☞	18-24"	18-24"	canary-yellow, repeat bloomer	medium green	mid to late summer (Jul-Aug)
<i>an improved 'Happy Returns' variety with larger flowers and more consistent blooming</i>						
'Little Grapette'	○ ☞	12-18"	12-18"	grape-purple, green throat, repeat bloomer	medium green, compact	early to mid summer (Jun-Jul)
NEW 'New Lavender Triumph'	○ ☞	18-24"	18-24"	lavender-purple, small mauve eyezone, thin cream edge, tetraploid	medium green	early to late summer (Jun-Aug)
<i>color holds up better than most in sun or rain</i>						
NEW 'New Tangerine Twist'	○ ☞	24-30"	24-30"	ruffled, tangerine-orange with lighter apricot highlights, tetraploid	medium green	early to late summer (Jun-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Purple de Oro'	○ ☞	18-24"	18-24"	large, reddish-purple	medium green	early to late summer (Jun-Aug)
'Stella de Oro' <i>the most popular daylily, long-blooming</i>	○ ☞	12-18"	12-18"	golden-yellow, repeat bloomer	medium green, compact	late spring to early fall (May-Sep)
'Stella Supreme' <i>similar to 'Going Bananas' but with a smaller flower/habit</i>	○ ☞	12-18"	12-18"	lemon-yellow, repeat bloomer	medium green, compact	late spring to early fall (May-Sep)
Premium Series : These varieties are a cut above the rest, with many superior qualities compared to "normal" daylilies. These qualities include higher bud count, vigorous and healthy performance, richer colors, heavier textures, and highly adaptable.						
'Adorable Tiger'	○ ☞	24-30"	24-30"	large, fragrant, golden-orange, deep orange-red eye, tetraploid	medium green	early to mid summer (Jun-Jul)
'Blackthorne'	○ ☞	24-30"	24-30"	light cream-yellow, wine-purple eye and petal edges, tetraploid, repeat bloomer	medium green	early to late summer (Jun-Aug)
'Collier'	○ ☞	24-30"	18-24"	pink, gold, and cream blend, yellow center, ruffled, repeat bloomer, tetraploid	medium green	early to late summer (Jun-Aug)
'Fooled Me'	○ ☞	18-24"	18-24"	large, golden-yellow with deep red eye and petal edges, tetraploid	medium green	early to late summer (Jun-Aug)
'Holiday Song'	○ ☞	24-30"	24-30"	coral-orange, scarlet-red eye, tetraploid	medium green	early to late summer (Jun-Aug)
'Judy Judy'	○ ☞	24-30"	18-24"	fragrant, ruffled, large, lavender, yellow edges, yellow throat, tetraploid	medium green	early to late summer (Jun-Aug)
'Marque Moon'	○ ☞	24-30"	24-30"	heavily ruffled, fragrant, cream-white, yellow throat and edges, tetraploid	medium green	early to late summer (Jun-Aug)
'Monterrey Jack'	○ ☞	18-24"	18-24"	ruffled, light yellow, raspberry-red eye, tetraploid	medium green	early to late summer (Jun-Aug)
NEW 'Orange Smoothie'	○ ☞	24-30"	18-24"	heavily ruffled, orange-mango, light rose eyezone, light pink midrib, tetraploid, repeat bloomer	medium green	early to late summer (Jun-Aug)
'Passionate Returns' PP20002	○ ☞	12-18"	18-24"	ruffled, rosy-red, green throat, repeat bloomer	medium green	early summer to early fall (Jun-Sep)
'Primal Scream' <i>proven winner selection</i>	○ ☞	30-36"	30-36"	large, ruffled, tangerine-orange, tetraploid	medium green	early to late summer (Jun-Aug)
NEW 'Romantic Returns' PP13481	○ ☞	18-24"	18-24"	large, ruffled, deep rose-pink, green throat, repeat bloomer	medium green	early summer to early fall (Jun-Sep)
NEW 'Storm Shelter'	○ ☞	18-24"	18-24"	ruffled, mauve-pink, large deep purple eyezone, green throat, tetraploid, repeat bloomer	medium green	early to late summer (Jun-Aug)
'Tiger Swirl' <i>proven winner selection</i>	○ ☞	24-30"	18-24"	large, golden-yellow, raspberry-red eye, tetraploid	medium green	early to late summer (Jun-Aug)

HERBS : As always, we carry an expansive variety of herbs, too many to list in this space. Please call or email for availability.

HEUCHERA (Alumroot, Coral Bells)

Few plants offer as much outstanding foliage color and contrast possibilities, and butterflies and hummingbirds can't resist them either! Plant in a well-drained area. Height listed includes flower, foliage usually stays about half as tall.

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
Hybrid						
'Dolce Appletini' PPAF <i>proven winner selection</i>	○ ☞ ☀	12-18"	12-18"	clusters are bright ruby-red	lime-green, silver overlay	late spring to mid summer (May-Jul)
'Dolce Brazen Raisin' PPAF <i>proven winner selection</i>	○ ☞ ☀	6-12"	6-12"	clusters are pink to pale pink	near black, pink undersides	late spring to mid summer (May-Jul)
'Dolce Cinnamon Curls' PPAF <i>proven winner selection</i>	○ ☞ ☀	6-12"	6-12"	clusters are creamy-white	ruffled, copper-orange and rust-red blend, bright pink undersides, compact	late spring to mid summer (May-Jul)
NEW 'Dolce Silver Gumdrop' PPAF <i>proven winner selection</i>	○ ☞ ☀	12-18"	12-18"	clusters are vibrant pink	silver, pink overlays	late spring to mid summer (May-Jul)
'Fire Alarm' PPAF	○ ☞ ☀	6-12"	6-12"	clusters are white	bright rust-red to burgundy-red, cinnamon-red highlights	late spring to mid summer (May-Jul)
'Forever Purple' PP26358	○ ☞ ☀	12-18"	18-24"	clusters are purple-pink	glossy, bright purple, deep purple veining, pink highlights	late spring to mid summer (May-Jul)
'Northern Exposure Amber' PPAF <i>more cold-tolerant than many Heuchera</i>	○ ☞ ☀	12-18"	12-18"	clusters are off-white	copper maturing to amber-green	late spring to early summer (May-Jun)
'Primo Black Pearl' PPAF <i>proven winner selection, the new standard in black Heuchera</i>	○ ☞ ☀	12-18"	12-18"	clusters are white	jet-black, rose-purple undersides	late spring to mid summer (May-Jul)
NEW 'Primo Wild Rose' PPAF <i>proven winner selection</i>	○ ☞ ☀	12-18"	12-18"	clusters are rose-pink	bright rose-purple, deep purple-gray veining, pink undersides	late spring to mid summer (May-Jul)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
micrantha						
'Palace Purple' <i>1991 PPA Perennial of the Year</i>	○ ☞ ☛	12-18"	18-24"	clusters are cream-white	leaves range from olive-green, bronze, and burgundy, purple undersides	late spring to mid summer (May-Jul)
villosa						
'Berry Timeless' PPAF <i>longer blooming than most varieties</i>	○ ☞ ☛	12-18"	12-18"	clusters are rose to deep rose	mint-green with silver overlays	late spring to late summer (May-Aug)
'Caramel' PP16560	○ ☞ ☛	6-12"	6-12"	clusters are creamy-white	compact, caramel-tan to gold	late spring to mid summer (May-Jul)
'Citronelle' PP17934 <i>sport of 'Caramel'</i>	○ ☞ ☛	6-12"	6-12"	clusters are creamy-white	lemon to lime-yellow, will be chartreuse in shady areas	late spring to mid summer (May-Jul)
'Georgia Peach' PP19375	○ ☞ ☛	12-18"	12-18"	clusters are cream-white	bright peach leaves with silver accents	late spring to mid summer (May-Jul)
NEW 'Twist of Lime' PPAF <i>best foliage color if given a little filtered sunlight</i>	○ ☞ ☛	12-18"	12-18"	clusters are creamy-white	ruffled, chartreuse-yellow	late spring to mid summer (May-Jul)

HEUCHERELLA (Foamy Bells)

Heucherella is a cross between Heuchera and Tiarella. (Flowers like Heuchera, foliage like Tiarella.)

Hybrid						
'Pink Fizz' PP26947	○ ☞ ☛	6-12"	12-18"	clusters are pink	lobed, silver-green, purple veining	late spring to early summer (May-Jun)
NEW 'Red Rover' PPAF	○ ☞ ☛	12-18"	18-24"	clusters are cream-white	lobed, copper-red with burgundy-red centers, red fall color	late spring to early summer (May-Jun)

HIBISCUS (Rose Mallow)

Very late to break dormancy, so don't worry if you don't see signs of life until June or even July.

Hybrid						
'Airbrush Effect' PPAF	○ ☞	48-54"	54-60"	large, bright pink, salmon tints, faint white halo, small red eye	deep green	mid summer to early fall (Jul-Sep)
'Ballet Slippers' PPAF	○ ☞	48-54"	54-60"	large, ruffled, white blushed with pink, small red eye	deep green	mid summer to early fall (Jul-Sep)
NEW 'Cherry Choco Latte' PPAF	○ ☞	48-54"	48-54"	large, white, deep pink veining, large red eye	compact, deep olive-green	mid summer to early fall (Jul-Sep)
'Mars Madness' PP27838	○ ☞	48-54"	48-54"	large, magenta-red	maple-like, deep olive-green, copper highlights	mid summer to early fall (Jul-Sep)
'Midnight Marvel' PP24079	○ ☞	48-54"	48-54"	large, deep scarlet-red	wine-purple, maple-like	mid summer to early fall (Jul-Sep)
NEW 'Summer in Paradise' PP28730	○ ☞	42-48"	42-48"	large, cerise-red	maple-like, deep to medium green	mid summer to early fall (Jul-Sep)

HOSTA (Funkia, Plantain Lily)

Requiring little care, Hosta can make any planting classy and attractive. If flowers are not desired, simply prune out the flower stalks as they appear. Height listed includes flower, foliage usually stays about half or two-thirds as tall.

fluctuans						
'Variegated' ('Sagee') <i>2000 Hosta of the Year</i>	○ ☞ ☛	36-42"	36-42"	lavender	large leaves, blue-green with yellow to creamy white margins, leathery	mid to late summer (Jul-Aug)
fortunei						
'Aureo-marginata' <i>a popular yellow and gold variety</i>	○ ☞ ☛	18-24"	18-24"	lavender	medium green with golden-yellow margins	mid to late summer (Jul-Aug)
'Francee'	○ ☞ ☛	12-18"	18-24"	lavender	semi-glossy, medium to deep green with thin white margin	mid to late summer (Jul-Aug)
'Patriot' <i>1997 Hosta of the Year</i>	○ ☞ ☛	24-30"	24-30"	lavender	deep green with wide white margins	mid to late summer (Jul-Aug)
Hybrid						
'Autumn Frost' PPAF <i>proven winner selection, sport of 'First Frost'</i>	○ ☞ ☛	12-18"	12-18"	light lavender	wide yellow margins maturing to white, frosted blue centers	mid to late summer (Jul-Aug)
NEW 'Blue Lollipop'	○ ☞ ☛	6-12"	6-12"	lavender	compact, leathery, powder-blue	mid to late summer (Jul-Aug)
'Blue Mouse Ears' <i>2008 Hosta of the Year</i>	○ ☞ ☛	6-12"	6-12"	lavender	compact, leathery, blue to gray-green with heavy substance	mid to late summer (Jul-Aug)
'Brother Stephan' <i>2017 Hosta of the Year</i>	○ ☞ ☛	18-24"	18-24"	creamy-white	heavy-textured, puckered, chartreuse with blue margins maturing to gold with green margins	early to mid summer (Jun-Jul)
'Cherry Berry'	○ ☞ ☛	12-18"	12-18"	lavender, reddish buds	white centers, deep green margins	mid to late summer (Jul-Aug)
'Coast to Coast' PPAF <i>proven winner selection</i>	○ ☞ ☛	36-42"	36-42"	pale violet	large, chartreuse-yellow maturing to gold, large puckered leaves	mid to late summer (Jul-Aug)
'Cool as a Cucumber' PPAF	○ ☞ ☛	30-36"	30-36"	light lavender	narrow leaves, white centers, bright green margins	mid to late summer (Jul-Aug)
NEW 'Country Mouse'	○ ☞ ☛	6-12"	6-12"	lavender	compact, blue-green, thin white margins	mid to late summer (Jul-Aug)
'Curly Fries' <i>2016 Hosta of the Year</i>	○ ☞ ☛	6-12"	12-18"	lavender	narrow leaves, chartreuse to light green, red speckles	mid to late summer (Jul-Aug)
'Dancing Queen'	○ ☞ ☛	18-24"	24-30"	pale lavender	large leaves, chartreuse to yellow	mid to late summer (Jul-Aug)
'Diana Remembered' <i>named after the late Diana, Princess of Wales, sport of 'Seventh Heaven'</i>	○ ☞ ☛	18-24"	18-24"	white, fragrant	blue-green with creamy-white margins	mid to late summer (Jul-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Dream Weaver' <i>sport of 'Great Expectations'</i>	○ ☞ ☰	18-24"	36-42"	white	large leaves, blue-green margins and creamy white irregular center, puckered	mid to late summer (Jul-Aug)
'Earth Angel' <i>2009 Hosta of the Year, sport of 'Blue Angel'</i>	○ ☞ ☰	30-36"	30-36"	pale lavender	large leaves, blue green with wide creamy-yellow margins	mid to late summer (Jul-Aug)
'Empress Wu' PP20774 <i>proven winner selection, one of the largest Hosta available</i>	○ ☞ ☰	42-48"	48-54"	pale violet	large leaves, deep green, heavy-textured	early to mid summer (Jun-Jul)
'Fire Island'	○ ☞ ☰	18-24"	18-24"	lavender	bright gold to yellow, red-tinted stems	mid to late summer (Jul-Aug)
'Great Expectations'	○ ☞ ☰	24-30"	36-42"	white	large leaves, blue-green margin and creamy yellow to white irregular center, puckered	early to mid summer (Jun-Jul)
'Guacamole' <i>2002 Hosta of the Year</i>	○ ☞ ☰	30-36"	36-42"	white, fragrant	large leaves, apple-green with deep green margins, centers mature to gold	mid to late summer (Jul-Aug)
NEW 'Hans'	○ ☞ ☰	18-24"	18-24"	pale lavender	large leaves, blue-green with white center streaks, puckered	early to mid summer (Jun-Jul)
'Hudson Bay' PPAF <i>proven winner selection</i>	○ ☞ ☰	18-24"	18-24"	near white	wide blue margins, veined apple-green and white centers	mid to late summer (Jul-Aug)
'Humpback Whale'	○ ☞ ☰	36-42"	36-42"	near white	large, blue-green shades, lightly puckered	early to mid summer (Jun-Jul)
'Hush Puppie'	○ ☞ ☰	6-12"	6-12"	lavender	compact, gray-green edged in cream-yellow	early to mid summer (Jun-Jul)
'June' <i>2001 Hosta of the Year, sport of 'Halcyon'</i>	○ ☞ ☰	18-24"	24-30"	pale lavender	blue-green margins with chartreuse centers that turn gold in summer	mid to late summer (Jul-Aug)
'Lakeside Down Sized'	○ ☞ ☰	6-12"	6-12"	near white	compact, narrow leaves, pale green, thin white margin, wavy	mid to late summer (Jul-Aug)
'Liberty' PP12531 <i>2012 Hosta of the Year, sport of 'Sage'</i>	○ ☞ ☰	24-30"	30-36"	lavender	gray-green with very wide yellow to white margins	mid to late summer (Jul-Aug)
'Limey Lisa'	○ ☞ ☰	6-12"	6-12"	lavender	compact, rounded, lime-green	mid to late summer (Jul-Aug)
'Mini Skirt' PPAF	○ ☞ ☰	6-12"	6-12"	pale lavender	compact, wavy, blue-green, cream-yellow margins	early to mid summer (Jun-Jul)
'Moonstruck'	○ ☞ ☰	12-18"	12-18"	lavender-purple	medium narrow leaves, deep blue-green edges, cream-yellow centers maturing to white	mid to late summer (Jul-Aug)
'Munchkin Fire'	○ ☞ ☰	18-12"	6-12"	lavender	narrow leaves, bright yellow	mid to late summer (Jul-Aug)
'Night Before Christmas' <i>sport of 'White Christmas'</i>	○ ☞ ☰	24-30"	24-30"	pale lavender	large leaves, deep green with streaking white centers	mid to late summer (Jul-Aug)
'Northern Exposure'	○ ☞ ☰	30-36"	30-36"	white	large leaves, deep blue-green with wide yellow streaked margins	mid to late summer (Jul-Aug)
'Pandora's Box'	○ ☞ ☰	6-12"	6-12"	lavender	medium green with white margins and lighter green jetting, compact	early to mid summer (Jun-Jul)
'Pocketful of Sunshine' PP23709	○ ☞ ☰	6-12"	6-12"	light lavender	compact, cupped, chartreuse to yellow centers, wide deep green margins	early to mid summer (Jun-Jul)
'Prairie Moon' <i>holds its yellow color well throughout the season</i>	☞ ☰	18-24"	18-24"	pale lavender	wavy, bright yellow	mid to late summer (Jul-Aug)
'Praying Hands' <i>2011 Hosta of the Year</i>	○ ☞ ☰	12-18"	12-18"	lavender	medium green with thin white margin, unique upright-rolled leaves	mid to late summer (Jul-Aug)
'Rainforest Sunrise' <i>2013 Hosta of the Year, sport of 'Maui Buttercups'</i>	○ ☞ ☰	18-24"	18-24"	light lavender	light green maturing to gold with deep green margins, puckered	mid to late summer (Jul-Aug)
NEW 'School Mouse' PPAF <i>sport of 'Church Mouse'</i>	○ ☞ ☰	6-12"	6-12"	lavender	compact, wavy, blue-green to green, wide cream-yellow margins	early to mid summer (Jun-Jul)
'Seducer' PP22413 <i>proven winner selection</i>	○ ☞ ☰	30-36"	30-36"	white	large leaves, white etching in between gold margin and deep green center	mid to late summer (Jul-Aug)
'Stained Glass' <i>2006 Hosta of the Year, sport of 'Guacamole'</i>	○ ☞ ☰	30-36"	36-42"	pale lavender, fragrant	large leaves, brilliant gold with wide deep green margins	mid to late summer (Jul-Aug)
'Sum and Substance' <i>2004 Hosta of the Year</i>	○ ☞ ☰	36-42"	42-48"	pale lavender	large leaves, leathery, light green in shade, chartreuse to gold in sunny areas	mid to late summer (Jul-Aug)
NEW 'Sun Mouse' PPAF	○ ☞ ☰	6-12"	6-12"	lavender	compact, leathery, yellow to yellow-green	early to mid summer (Jun-Jul)
NEW 'Tears of Joy' <i>like a miniature version of H. 'Praying Hands'</i>	○ ☞ ☰	6-12"	6-12"	lavender	compact, narrow leaves, somewhat twisted, medium green	mid to late summer (Jul-Aug)
'Vulcan' <i>sport of 'Captain Kirk'</i>	○ ☞ ☰	18-24"	18-24"	light lavender	white centers, deep green irregular margins	mid to late summer (Jul-Aug)
'Whee!' PP23565 <i>proven winner selection</i>	○ ☞ ☰	12-18"	12-18"	light lavender	ruffled narrow leaves, medium green, cream edges	mid to late summer (Jul-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
plantaginea						
plantaginea	○ ☞ ☀	24-30"	24-30"	white, fragrant	medium to light green	mid to late summer (Jul-Aug)
<i>one of the best Hosta for flower fragrance</i>						
sieboldiana						
'Elegans'	○ ☞ ☀	36-42"	36-42"	white	large puckered leaves, blue-gray to blue-green	late summer to early fall (Aug-Sep)
Frances Williams'	○ ☞ ☀	30-36"	46-42"	white	leathery, large, puckered, blue-green with wide chartreuse margins	mid to late summer (Jul-Aug)
HOULTUYNIA (Chameleon Plant)						
<i>Very adaptable to any soil condition. Houltuynia breaks dormancy late in the spring. It will spread, so allow room.</i>						
cordata						
'Chameleon'	○ ☞ ☀	6-12"	42-48"	white	variegated green, yellow, pink, and red, spreading	early to mid summer (Jun-Jul)
<i>allow plenty of room as it will spread</i>						
HYDRANGEA (Climbing Hydrangea)						
<i>Climbing Hydrangea can tolerate sun, but does better in semi-shady areas. Be patient, it takes times to mature. Always an attractive plant, even when not in bloom.</i>						
anomala						
'Mirranda'	○ ☞ ☀	60" or more	42-48"	clusters are white	variegated deep green with yellow margins, climbing	early to mid summer (Jun-Jul)
petiolaris	○ ☞ ☀	60" or more	42-48"	clusters are white	deep green, climbing	early to mid summer (Jun-Jul)
IBERIS (Candytuft)						
<i>Some trimming after flowering is beneficial to promote healthy center growth and an attractive appearance for the remainder of the season.</i>						
sempervirens						
NEW 'Candy Ice'	○ ☞	6-12"	12-18"	pure white	deep green, semi-spreading but tidy, drought tolerant	early to late spring (Apr-May)
NEW 'Snowball'	○ ☞	6-12"	12-18"	pure white	deep green, spreading but tidy, drought tolerant	early to late spring (Apr-May)
<i>larger flowers than most</i>						
'Snowflake'	○ ☞	6-12"	30-36"	pure white	deep green, spreading, drought tolerant	early to late spring (Apr-May)
INCARVILLEA (Hardy Gloxinia)						
<i>Prefers well-drained soil, but keep from extended dry spells. May rebloom later in season.</i>						
delavayi						
delavayi	○ ☞	12-18"	12-18"	deep rose-pink, trumpet-shaped	medium green, glossy	early to late spring (Apr-May)
IRIS						
<i>Trim out flower stems when flowering is complete, and divide the root clumps every few years to help maintain healthy growth.</i>						
ensata (Japanese Iris)						
NEW 'Harlequinesque'	○ ☞	30-36"	12-18"	white splashed with fuchsia-purple, yellow throat	medium to deep green	mid to late summer (Jul-Aug)
'Lion King'	○ ☞	30-36"	30-36"	large, white with rich purple edges	medium to deep green	mid to late summer (Jul-Aug)
'Pink Lady'	○ ☞	30-36"	24-30"	light coral-pink with deeper pink veining	medium to deep green	mid to late summer (Jul-Aug)
'Variegata'	○ ☞	30-36"	24-30"	light blue	variegated, cream-white and green	mid to late summer (Jul-Aug)
Hybrid Bearded Iris (German Iris) : More varieties will become available later in the season.						
'Armageddon'	○ ☞	30-36"	24-30"	light pink standards, plum-purple falls edged in pink	gray-green	late spring to early summer (May-Jun)
'Before the Storm' ('Rosalie Figg')	○ ☞	30-36"	24-30"	black-purple, falls are black-purple	gray-green	early to mid summer (Jun-Jul)
<i>award-winner with its near-black color</i>						
NEW 'Bernice's Legacy'	○ ☞	30-36"	24-30"	garnet and cinnamon-red blend, rebloomer	gray-green	late spring to early summer (May-Jun)
NEW 'Blatant'	○ ☞	30-36"	24-30"	canary-yellow standards, magenta falls	gray-green	late spring to early summer (May-Jun)
'Concertina'	○ ☞	24-30"	24-30"	light rose, orange beard, violet horns, repeat bloomer	gray-green	late spring to early summer (May-Jun)
<i>intermediate type</i>						
'Earl of Essex'	○ ☞	30-36"	24-30"	white with orchid-violet veining, repeat bloomer	gray-green	late spring to mid summer (May-Jul)
'Feed Back'	○ ☞	30-36"	30-36"	ruffled, blue-violet, repeat bloomer	gray-green	late spring to mid summer (May-Jul)
'Harvest of Memories'	○ ☞	30-36"	24-30"	clear yellow, ruffled, repeat bloomer	gray-green	late spring to early summer (May-Jun)
NEW 'His Royal Highness'	○ ☞	30-36"	24-30"	medium purple, rebloomer	gray-green	late spring to early summer (May-Jun)
'Immortality'	○ ☞	30-36"	30-36"	fragrant, white, falls are white, repeat bloomer	gray-green	late spring to mid summer (May-Jul)
<i>one of the most consistent of repeat bloomers</i>						
NEW 'Millennium Sunrise'	○ ☞	24-30"	24-30"	apricot standards and falls, fragrant	gray-green	late spring to early summer (May-Jun)
'Saturday Night Live'	○ ☞	30-36"	24-30"	velvet-red standards and falls	gray-green	late spring to early summer (May-Jun)
pallida (Sweet Iris)						
'Argentea Variegata'	○ ☞	18-24"	18-24"	lavender-blue	gray-green with white vertical streaks	late spring to early summer (May-Jun)
'Variegata'	○ ☞	18-24"	18-24"	lavender-blue	gray-green with creamy-yellow vertical streaks	late spring to early summer (May-Jun)

		LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
sibirica (Siberian Iris)							
NEW	'Blueberry Fair'	○ ☞	24-30"	24-30"	white standards with purple veining, indigo-purple falls	medium green	early to mid summer (Jun-Jul)
	'Butter and Sugar'	○ ☞	24-30"	24-30"	white standards, butter-yellow falls, greenish-yellow veins	medium green	early to mid summer (Jun-Jul)
	'Caesar's Brother'	○ ☞	36-42"	30-36"	deep purple with yellow and white highlights, black veins	medium green	early to mid summer (Jun-Jul)
	'Contrast in Styles'	○ ☞	24-30"	24-30"	deep wine-red with white center blotches	medium green	early to mid summer (Jun-Jul)
NEW	'How Audacious'	○ ☞	30-36"	24-30"	violet-purple with white veining and yellow throat, thin yellow petal edges	medium green	early to mid summer (Jun-Jul)
	'Over in Gloryland'	○ ☞					early to mid summer (Jun-Jul)
	'Silver Edge'	○ ☞	18-24"	24-30"	ruffled, velvet-blue edged in silver	medium green	early to mid summer (Jun-Jul)
NEW	'Sky Mirror'	○ ☞	30-36"	24-30"	pale blue falls with navy-blue centers, sky-blue standards	medium green	early to mid summer (Jun-Jul)
	'White Swirl'	○ ☞	24-30"	24-30"	ivory-white with gold throat and highlights	medium green	early to mid summer (Jun-Jul)

ISOTOMA (Blue-star Creeper)

Also known as *Laurentia fluviatilis* or *Pratia pedunculata*. Benefits from some winter protection/mulching.

fluviatilis							
	fluviatilis	○ ☞	6" or less	6-12"	dainty, lilac with purple veining	mat-like, spreading, medium green	late spring to late summer (May-Aug)

KNAUTIA

Another must-have for butterfly gardens!

macedonica							
	'Thunder and Lightning' PP21437	○ ☞	12-18"	12-18"	ruby-red, globular	variegated, light green, cream-yellow margins	early to late summer (Jun-Aug)

KNIPHOFIA (Poker Plant, Torch Lily, Tritoma)

Very unique flowers and mature plants in bloom can be an incredible sight. Does best in mostly sunny areas.

hirsuta							
	'Fire Dance' compact variety	○ ☞	12-18"	12-18"	spikes are red-orange with yellow bases	compact, Daylily-like, medium green	early to late summer (Jun-Aug)
Hybrid							
	'First Sunrise' PP16036	○ ☞	30-36"	24-30"	spikes are bright orange	medium green	early to late summer (Jun-Aug)
	'Flamenco Mix'	○ ☞	30-36"	24-30"	spikes are mixed (one color per plant) orange, orange-red, yellow, or orange and yellow bicolor	medium green	early to late summer (Jun-Aug)

LAMIASTRUM (Yellow Archangel)

'Herman's Pride' stays quite contained, but allow plenty of room for the rest of the genus.

galeobdolan							
	'Variegatum'	○ ☞ ☀	6" or less	36-42"	yellow, insignificant	variegated deep green and silver-white, vigorous, spreading	early to late spring (Apr-May)

LAMIUM (Dead or Spotted Nettle)

Lamium will tolerate some sun, but all varieties will do best if they get a break from the sun during some part of the day.

maculatum							
	'Ghost' slightly taller than most Lamium	○ ☞ ☀	6-12"	30-36"	clusters are orchid-purple	mostly silver-white	late spring to mid summer (May-Jul)
	'Purple Dragon' PP15890	○ ☞ ☀	6-12"	30-36"	cluster are large, fuchsia-purple	silver with deep green margins, spreading	early spring to mid summer (Apr-Jul)

LAURENTIA : Please see ISOTOMA.

LAVANDULA (Lavender)

Pruning foliage half-way back every year after blooming will promote more lush growth and a less "woody" appearance.

augustifolia							
	'Ellagance Purple'	○ ☞	6-12"	12-18"	deep purple-blue	silver gray-green, fragrant	mid summer to early fall (Jul-Sep)
	'Ellagance Sky'	○ ☞	6-12"	12-18"	light violet-blue blend	silver gray-green, fragrant	mid summer to early fall (Jul-Sep)
	'Essence Purple' PPAF improved habit compared to most Lavandula	○ ☞	12-18"	12-18"	blueberry-blue	uniform, gray-green, fragrant	early to late summer (Jun-Aug)
	'French Perfume'	○ ☞	12-18"	12-18"	deep purple	mounding, gray-green, fragrant	mid summer to early fall (Jul-Sep)
	'Hidcote'	○ ☞	12-18"	12-18"	deep violet-blue	tidy, silver gray-green, fragrant	mid summer to early fall (Jul-Sep)
	'Silver Mist'	○ ☞	12-18"	18-24"	lavender-purple	silver-white, fragrant	mid summer to early fall (Jul-Sep)
	'Sweet Romance' PP23001 proven winner selection	○ ☞	12-18"	12-18"	rich violet-purple	mounding, gray-green, fragrant	early summer to early fall (Jun-Sep)
x intermedia							
	'Phenomenal' PP24193	○ ☞	24-30"	30-36"	lavender-purple	large, silver-green, fragrant	mid summer to early fall (Jul-Sep)

LEUCANTHEMUM (Shasta Daisy)

Common name comes from Luther Burbank's extensive work with daisies near Mt. Shasta. Keep in well-drained areas. Prune foliage back after blooming to promote new growth and repeat blooms.

x superbum

	'Banana Cream' PP23181 <i>proven winner selection</i>	○ ☞	12-18"	12-18"	large, semi-double, lemon-yellow maturing to light yellow with a yellow center	compact, deep green	early to late summer (Jun-Aug)
	'Becky' <i>2003 PPA Perennial of the Year</i>	○ ☞	30-36"	42-48"	large, white with yellow centers	deep green, sturdy	mid summer to early fall (Jul-Sep)
NEW	'Cream Puff' PPAF	○ ☞	12-18"	12-18"	large, single, cream-white with yellow centers	deep green, compact	mid summer to early fall (Jul-Sep)
	'Daisy May' ('Daisy Duke' PP21914) <i>proven winner selection, 3 times the blooms of most other Shastas</i>	○ ☞	18-24"	18-24"	large, single, pure white with yellow centers, great for cutting	deep green, compact	mid summer to early fall (Jul-Sep)
	'Snowcap'	○ ☞	12-18"	12-18"	white flowers with yellow centers	deep green, compact	early to late summer (Jun-Aug)
	'Spoonful of Sugar' PPAF	○ ☞	12-18"	12-18"	huge, semi-double, white, yellow center	compact, deep green	early to late summer (Jun-Aug)
	'Whoops-a-Daisy' PPAF <i>improved variety of 'Snowcap'</i>	○ ☞	12-18"	12-18"	large, single, pure white with yellow centers, great for cutting	deep green, compact	mid summer to early fall (Jul-Sep)

LEWISIA (Bitterroot)

Lewisia prefers afternoon shade and good drainage. Perfect for rockery or cottage-type gardens.

cotyledon

	'Mix'	○ ☞	6-12"	6-12"	mixed orange, pink, red, or white	succulent, medium green	late spring to mid summer (May-Jul)
--	--------------	-----	-------	-------	-----------------------------------	-------------------------	-------------------------------------

LIATRIS (Blazing Star, Gayfeather)

spicata

	'Floristan Violet'	○ ☞	24-30"	18-24"	spikes are violet-purple to lavender	deep green	mid summer to early fall (Jul-Sep)
	'Floristan White'	○ ☞	24-30"	18-24"	spikes are white	deep green	mid summer to early fall (Jul-Sep)
	'Kobold' <i>seed strain</i>	○ ☞	12-18"	18-24"	spikes are purple to lavender	deep green, compact	mid summer to early fall (Jul-Sep)

LIGULARIA (Goldenray, Ragwort)

Ligularia loves wet and boggy soils. Few plants can match its imposing and attractive foliage.

dentata

	'Britt Marie Crawford' PP16113	☞ ☰	36-42"	30-36"	daisy-like, golden-orange	glossy, large leaves, chocolate-purple, purple undersides	mid to late summer (Jul-Aug)
	'King Kong' PPAF	☞ ☰	36-42"	36-42"	daisy-like, golden-orange	glossy, very large leaves, chocolate-purple, purple undersides	mid to late summer (Jul-Aug)
	'Midnight Lady' <i>a dark foliage seed strain</i>	☞ ☰	36-42"	30-36"	daisy-like, golden-orange	glossy, large leaves, bronze-purple, purple undersides	mid to late summer (Jul-Aug)

stenocephala

	'Bottle Rocket' PPAF <i>sport of 'Little Rocket' and slightly more compact</i>	☞ ☰	24-30"	24-30"	spikes are bright yellow	compact, deep green, chocolate-brown stems, glossy, serrated	mid to late summer (Jul-Aug)
--	--	-----	--------	--------	--------------------------	--	------------------------------

LILIUM (Garden Lily)

Cut back half-way after blooming to force new bulb production and to tidy up the plant.

Hybrid Asiatic

	'Double Sensation'	○ ☞	30-36"	18-24"	double, ruby-red with white blotch towards center	deep green	early to mid summer (Jun-Jul)
NEW	'Tango Strawberry & Cream'	○ ☞	30-36"	18-24"	creamy-white, strawberry-red center	deep green	early to mid summer (Jun-Jul)
	<i>Hybrid Asiatic (Lily Looks Series)</i>						
	'Tiny Bee' PP16255	○ ☞	12-18"	6-12"	bright yellow, black spots near center	deep green, compact	early to mid summer (Jun-Jul)
NEW	'Tiny Crystal' PPAF	○ ☞	12-18"	6-12"	white with a hint of green	deep green, compact	early to mid summer (Jun-Jul)
	'Tiny Dino' PP16307	○ ☞	12-18"	6-12"	bright orange	deep green, compact	early to mid summer (Jun-Jul)
	'Tiny Double You' PPAF	○ ☞	12-18"	6-12"	double, bright pumpkin-orange	deep green, compact	early to mid summer (Jun-Jul)
	'Tiny Hope' PP16239	○ ☞	12-18"	6-12"	bright red	deep green, compact	early to mid summer (Jun-Jul)
NEW	'Tiny Nugget' PPAF	○ ☞	12-18"	6-12"	lemon-yellow speckled with maroon	deep green, compact	early to mid summer (Jun-Jul)
	'Tiny Padye' PP20549	○ ☞	12-18"	6-12"	rich royal-purple with petal ends sprayed in white	deep green, compact	early to mid summer (Jun-Jul)
	'Tiny Shadow' PPAF	○ ☞	12-18"	6-12"	deep maroon, etched and tipped in burnt orange	deep green, compact	early to mid summer (Jun-Jul)
	'Tiny Skyline' PP17643	○ ☞	12-18"	6-12"	large, two-tone orange	deep green, compact	early to mid summer (Jun-Jul)
	<i>Hybrid Oriental</i>						
	'After Eight' <i>a miniature version of 'Stargazer'</i>	○ ☞	12-18"	12-18"	fragrant, rose-pink center fading to lighter pink edges	deep gray-green, compact	early to mid summer (Jun-Jul)
	'Entertainer' PPAF	○ ☞	12-18"	12-18"	pink to pinkish-red, white centers, fragrant	gray-green	early to mid summer (Jun-Jul)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Stargazer'	○ ☞	24-30"	18-24"	large, fragrant, rich rose-pink center fading to lighter pink edges	deep gray-green	early to mid summer (Jun-Jul)
'Sunny Grenada' PPAF	○ ☞	12-18"	12-18"	fragrant, burgundy-red, white edges, deep burgundy spots	medium green to gray-green	early to mid summer (Jun-Jul)
Hybrid Tiger						
'Orange'	○ ☞ ☀	24-30"	12-18"	orange	medium green	early to mid summer (Jun-Jul)
'Yellow'	○ ☞ ☀	24-30"	12-18"	yellow	medium green	early to mid summer (Jun-Jul)
LINUM (Flax)						
<i>Due to its foliage having an airy nature, Linum can be cut back to produce growth at the base and a more bushy habit.</i>						
perenne						
'Sapphire'	○ ☞	12-18"	12-18"	bright sapphire-blue	light green, airy	early to late summer (Jun-Aug)
<i>prune foliage back after blooming to promote new growth and repeat blooms</i>						
LIRIOPE (Lilyturf)						
<i>Liriope are very hardy in our area of Western Michigan, but in zones 5 and lower, they do benefit from some protection.</i>						
muscari						
'Big Blue'	○ ☞ ☀	12-18"	30-36"	lilac-purple	grass-like, deep green, spreading	mid to late summer (Jul-Aug)
'Variegated'	○ ☞ ☀	12-18"	30-36"	lilac-purple	variegated white and green, spreading	mid to late summer (Jul-Aug)
spicata						
'Silver Dragon'	○ ☞ ☀	6-12"	30-36"	violet, seldom flowers	striped white and green, spreading	mid to late summer (Jul-Aug)
spicata	○ ☞ ☀	6-12"	30-36"	violet	grass-like, deep green, spreading	late summer to early fall (Aug-Sep)
<i>often overlooked but a very nice groundcover</i>						
LOBELIA (Cardinal Flower)						
<i>A hummingbird magnet! Lobelia does well in a moist soil. It will break dormancy later than most plants, so be patient in the spring and early summer.</i>						
cardinalis						
cardinalis	○ ☞ ☀	30-36"	24-30"	spikes are red	medium green	mid to late summer (Jul-Aug)
fulgens						
'Queen Victoria'	○ ☞ ☀	36-42"	30-36"	spikes are bright red	attractive bronzed burgundy	late summer to late fall (Aug-Oct)
Hybrid						
NEW 'Black Truffle' PPAF	○ ☞ ☀	36-42"	24-30"	spikes are bright red	chocolate-purple	early to late summer (Jun-Aug)
siphilitica						
'Blue Select'	○ ☞ ☀	24-30"	18-24"	spikes are electric-blue to violet-blue	medium to light green	early to late summer (Jun-Aug)
<i>keep moist if in sunny areas</i>						
speciosa						
'Starship Deep Rose'	○ ☞ ☀	18-24"	18-24"	spikes are rose-pink	medium to deep green	mid summer to early fall (Jul-Sep)
'Starship Scarlet'	○ ☞ ☀	18-24"	18-24"	spikes are scarlet-red	medium to deep green	mid summer to early fall (Jul-Sep)
'Vulcan Red'	○ ☞ ☀	24-30"	24-30"	spikes are bright red	bronze-burgundy	late summer to late fall (Aug-Oct)
<i>alternative to 'Queen Victoria'</i>						
LONICERA (Honeysuckle)						
<i>Honeysuckle can be used as a fragrant and ornamental vine when given a place to climb, or let go as a groundcover. Hummingbirds love them, too!</i>						
japonica						
'Mandarin' PP11083	○ ☞ ☀	60" or more	54-60"	bright orange and yellow, fragrant	deep green with copper highlights, climbing	early to late summer (Jun-Aug)
sempervirens						
'Major Wheeler'	○ ☞ ☀	60" or more	54-60"	deep scarlet, trumpet-shaped, fragrant	blue-green, mildew-resistant, climbing	late spring to mid summer (May-Jul)
x heckrottii						
heckrottii	○ ☞ ☀	60" or more	54-60"	carmine buds open to cream-yellow, fragrant	gray-green, climbing	late spring to late summer (May-Aug)
LUPINUS (Lupine)						
<i>Don't worry, your Lupine may go dormant after flowering and foliage may deteriorate, but they're not dead! Winter mulching/protection is beneficial.</i>						
Hybrid						
'Mini Gallery Blue Bicolor'	○ ☞	12-18"	12-18"	spikes are violet-blue and white	compact, medium to light green	late spring to early summer (May-Jun)
'Mini Gallery Pink Bicolor'	○ ☞	12-18"	12-18"	spikes are shell-pink and white	compact, medium to light green	late spring to early summer (May-Jun)
'Mini Gallery Red'	○ ☞	12-18"	12-18"	spikes are dusty rose-red	compact, medium to light green	late spring to early summer (May-Jun)
'Mini Gallery Yellow'	○ ☞	12-18"	12-18"	spikes are bright lemon-yellow	compact, medium to light green	late spring to early summer (May-Jun)
Hybrid (West Country Series) : Improved disease resistance, stronger stems, larger flowers, and better winter hardiness.						
'Desert Sun' PP23073	○ ☞	30-36"	18-24"	spikes are large, bright clear yellow	medium to light green	late spring to early summer (May-Jun)
'Gladiator' PP23075	○ ☞	30-36"	18-24"	spikes are large, bi-color coral-pink and yellow	medium to light green	late spring to early summer (May-Jun)
'Manhattan Lights' PP18868	○ ☞	30-36"	18-24"	spikes are large, bi-color deep purple and yellow	medium to light green	late spring to early summer (May-Jun)
'Red Rum' PP18709	○ ☞	30-36"	18-24"	spikes are large, rose-red	medium to light green	late spring to early summer (May-Jun)

LYCHNIS (Campion, Catchfly, Maltese Cross)

Lychnis is from a Greek word meaning lamp, which refers to the bright orange-red flowers of many species.

arkwrightii

'Orange Gnome'	○ ☞	6-12"	6-12"	electric orange	medium green, bronze and burgundy tints	early to mid summer (Jun-Jul)
----------------	-----	-------	-------	-----------------	---	-------------------------------

MAZUS

reptans

reptans	○ ☞	6" or less	24-30"	purplish-blue	mat-like, medium green, spreading	late spring to early summer (May-Jun)
---------	-----	------------	--------	---------------	-----------------------------------	---------------------------------------

MERTENSIA (Bluebells)

virginica

virginica	☞ ☀	12-18"	12-18"	blue, nodding	gray-green	early to late spring (Apr-May)
-----------	-----	--------	--------	---------------	------------	--------------------------------

may go dormant soon after flowering

MONARDA (Bee Balm, Oswego Tea)

Do not worry when foliage deteriorates during and after blooming... it is normal, just prune back. Butterflies love Monarda's pincushion-like flowers!

didyma

NEW	'Blue Moon' PPAF	○ ☞	18-24"	18-24"	lavender-blue	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
	<i>part of the 'Sugar Buzz' series, not as spreading</i>						
	'Blue Stocking'	○ ☞	30-36"	36-42"	violet-purple	medium green, fragrant	mid to late summer (Jul-Aug)
	'Bubblegum Blast' PPAF	○ ☞	18-24"	18-24"	hot pink	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
	<i>part of the 'Sugar Buzz' series, not as spreading</i>						
	'Cherry Pops' PPAF	○ ☞	12-18"	12-18"	cherry-red	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
	<i>part of the 'Sugar Buzz' series, not as spreading</i>						
NEW	'Cotton Candy' PPAF	○ ☞	12-18"	12-18"	pale to medium pink	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
	<i>part of the 'Sugar Buzz' series, not as spreading</i>						
	'Grape Gumball' PPAF	○ ☞	12-18"	12-18"	magenta-pink	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
	<i>part of the 'Sugar Buzz' series, not as spreading</i>						
	'Marshall's Delight'	○ ☞	30-36"	36-42"	pink	medium green, mildew-resistant, fragrant	mid to late summer (Jul-Aug)
	'Pardon My Cerise' PPAF	○ ☞	12-18"	12-18"	deep cherry-pink	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
	<i>proven winner selection</i>						
	'Pardon My Lavender' PPAF	○ ☞	12-18"	12-18"	light lavender-pink	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
	<i>proven winner selection</i>						
	'Pardon My Pink' PPAF	○ ☞	12-18"	12-18"	medium pink	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
	<i>proven winner selection</i>						
	'Pardon My Purple' PP22170	○ ☞	12-18"	12-18"	dark purple	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
	<i>proven winner selection</i>						

MYOSOTIS (Woodland Forget-Me-Not)

Myosotis will seed itself, but does not usually become a problem.

sylvatica

'Royal Blue' ('Bluesylva')	○ ☞ ☀	6-12"	24-30"	light baby-blue	medium green, compact	early to late spring (Apr-May)
'Victoria Rose'	○ ☞ ☀	6-12"	24-30"	light pink	medium green, compact	early to late spring (Apr-May)

NEPETA (Catmint)

A standout performer in any garden, and deer-resistant, too.

faassenii

'Cat's Meow' PP24472	○ ☞	12-18"	18-24"	sky-blue to lavender	gray-green, fragrant, compact	late spring to late summer (May-Aug)
<i>proven winner selection</i>						
'Junior Walker' PP23074	○ ☞	12-18"	18-24"	pale lavender	blue-green, fragrant, compact	late spring to late summer (May-Aug)
'Kitten Around' PPAF	○ ☞	6-12"	12-18"	violet-blue	gray-green, fragrant, compact	late spring to late summer (May-Aug)
<i>one of the most compact varieties</i>						
'Purrsian Blue' PP24788	○ ☞	12-18"	18-24"	periwinkle-blue	gray-green, fragrant, compact	late spring to late summer (May-Aug)

Hybrid

'Limelight'	○ ☞	6-12"	18-24"	spikes are lavender to light blue	lime-green, fragrant, compact	early to late summer (Jun-Aug)
-------------	-----	-------	--------	-----------------------------------	-------------------------------	--------------------------------

OENOTHERA (Evening Primrose, Sundrops)

Many varieties of Oenothera benefit from some shade, as some blooms will not completely open during daytime hours or in full sun.

fruticosa / tetragona (Narrow-leaf Evening Primrose, Sundrops)

fruticosa / tetragona	○ ☞	18-24"	24-30"	bright yellow	light green with reddish tints, reddish stems	early to mid summer (Jun-Jul)
-----------------------	-----	--------	--------	---------------	---	-------------------------------

tolerant of full sun and dryer soil

macrocarpa / missouriensis (Missouri Primrose)

macrocarpa / missouriensis	○ ☞	6-12"	30-36"	soft lemon-yellow	light green, sometimes tinged with red	early to late summer (Jun-Aug)
----------------------------	-----	-------	--------	-------------------	--	--------------------------------

OPHIPOGON (Black Lilyturf, Mondo Grass)

Ophiopogon benefits from a winter mulch if possible. Outstanding as an accent plant or groundcover.

planiscapus

'Niger'	○ ☞ ☀	6-12"	12-18"	bell-shaped, pinkish-white, purplish-black berries in fall	grass-like, deep purple-black	early to mid summer (Jun-Jul)
---------	-------	-------	--------	--	-------------------------------	-------------------------------

slow to spread, tolerates some foot traffic

OXALIS (Wood Sorrel)

The type of Oxalis listed here is the hardy type for outdoor use in our area.

crassipes

'Rosea'	☀️	6-12"	24-30"	bright pink	clover-shaped leaves, light green, spreading	early spring to early summer (Apr-Jun)
---------	----	-------	--------	-------------	--	--

will keep flowering if kept moist throughout the summer

PACHYSANDRA (Japanese Spurge)

A very nice lush groundcover, but allow some time for it to get established. Keep moist if planted in sunny areas.

terminalis

'Green Sheen'	☀️	6-12"	18-24"	small, white	glossy, dense, medium to deep green, spreading	early to late spring (Apr-May)
terminalis	☀️	6-12"	24-30"	small, white	dense, medium to deep green, spreading	early to late spring (Apr-May)

PAEONIA (Garden Peony, Tree Peony)

Foliage support is welcome for the garden type of Peony as their huge flowers cause stems to bend. Tree type Peonies are slower-growing; have patience.

Hybrid

'Krinkled White'	☀️	30-36"	30-36"	single, fringed, white	glossy, deep green	late spring to early summer (May-Jun)
------------------	----	--------	--------	------------------------	--------------------	---------------------------------------

slightly later to bloom

Hybrid (Intersectional) : the best of both herbaceous peonies and woody tree peonies, including large flowers, strong stems, and longer bloom time

'Bartzella'	☀️	30-36"	30-36"	semi-double to double, pastel yellow, fragrant	tree-peony-like, deep green	late spring to early summer (May-Jun)
'Joana Marlene'	☀️	30-36"	30-36"	semi-double to double, soft yellow, hints of peach	tree-peony-like, deep green	late spring to early summer (May-Jun)
NEW 'Sequestered Sunshine'	☀️	30-36"	30-36"	single to semi-double, canary-yellow, fragrant	tree-peony-like, deep green	late spring to early summer (May-Jun)

lactiflora (Garden Peony) : for best results, plant with crown 1 1/2-2" below soil surface

'Coral Sunset'	☀️	30-36"	30-36"	double, coral to rose, fragrant	glossy, deep green	late spring to early summer (May-Jun)
----------------	----	--------	--------	---------------------------------	--------------------	---------------------------------------

clean foliage, good habit

'Double Red'	☀️	36-42"	36-42"	fluffy, bright red to rose-red, fragrant	glossy, deep green	late spring to early summer (May-Jun)
'Double White'	☀️	36-42"	36-42"	fluffy, pure white, fragrant	glossy, deep green	late spring to early summer (May-Jun)
'Dr. Alexander Fleming'	☀️	30-36"	30-36"	double, pink to rose-pink, fragrant	glossy, deep green	late spring to early summer (May-Jun)
'Festiva Maxima'	☀️	30-36"	30-36"	double, white with red flashes near center, fragrant	glossy, deep green	late spring to early summer (May-Jun)
'Mons. Jules Elie'	☀️	30-36"	30-36"	double, fragrant, rose-pink	glossy, deep green	early to mid summer (Jun-Jul)
'Paula Fay'	☀️	30-36"	30-36"	semi-double, fragrant, hot pink, gold center stamens	glossy, deep green	late spring to early summer (May-Jun)
'Sarah Bernhardt'	☀️	24-30"	30-36"	double, rose-pink and light pink blend, fragrant	glossy, deep green	early to mid summer (Jun-Jul)

suffruticosa (Tree Peony) : for best results, plant with graft union 4-6" below soil surface

'Hanakiso Pink'	☀️	48-54"	48-54"	semi-double, apricot-pink	medium green, woody	late spring to early summer (May-Jun)
'High Noon'	☀️	48-54"	48-54"	semi-double, bright yellow	medium green, woody	late spring to early summer (May-Jun)

will sometimes repeat bloom in fall

'Hoki Red'	☀️	48-54"	48-54"	semi-double, lipstick red	medium green, woody	late spring to early summer (May-Jun)
NEW 'Kaoukamon Maroon'	☀️	48-54"	48-54"	semi-double, deep maroon to purple	medium green, woody	late spring to early summer (May-Jun)
'Kinshi Yellow'	☀️	48-54"	48-54"	semi-double, lemon-yellow	medium green, woody	late spring to early summer (May-Jun)
'Renkaku White'	☀️	48-54"	48-54"	full, semi-double, white, yellow center	medium green, woody	late spring to early summer (May-Jun)
'Shimadaijin Purple'	☀️	48-54"	48-54"	double, royal purple	medium green, woody	late spring to early summer (May-Jun)
'Shimanishiki Bicolor'	☀️	48-54"	48-54"	semi-double, reddish-purple striped with white	medium green, woody	late spring to early summer (May-Jun)

PAPAVR (Poppy)

Foliage will disappear and plant will go dormant after blooming. Needs well-drained soil.

nudicaule (Iceland Poppy)

'Champagne Bubbles Orange'	☀️	6-12"	12-18"	papery, bright orange	hairy, light green	early to late summer (Jun-Aug)
'Champagne Bubbles Pink'	☀️	6-12"	12-18"	papery, salmon-pink	hairy, light green	early to late summer (Jun-Aug)
'Champagne Bubbles Yellow'	☀️	6-12"	12-18"	papery, bright yellow	hairy, light green	early to late summer (Jun-Aug)

orientale

'Beauty of Livermore'	☀️	24-30"	24-30"	crimson-red with a large black center	light green, hairy	late spring to early summer (May-Jun)
'Brilliant'	☀️	24-30"	24-30"	fire-red with a large black center	light green, hairy	late spring to early summer (May-Jun)
NEW 'Plum Pudding'	☀️	24-30"	24-30"	plum-pink, deep purple-black center	light green, hairy	late spring to early summer (May-Jun)

an improved P. 'Patty's Plum'

'Prince of Orange'	☀️	24-30"	24-30"	bright orange, black center	light green, hairy	late spring to early summer (May-Jun)
'Queen Alexander'	☀️	24-30"	24-30"	salmon to light pink, black center	light green, hairy	late spring to early summer (May-Jun)
'Turkenlouis'	☀️	24-30"	24-30"	fringed petals, orange-red, black centers	light green, hairy	late spring to early summer (May-Jun)

PARTHENOCISSUS (Boston Ivy)

A popular, attractive, and hardy climber or groundcover. Foliage turns crimson-red in fall. Tolerates shade but fall color will be diminished.

tricuspidata

tricuspidata	○ ☞ ☰	60" or more	60" or more	white, insignificant	deep green, turning red in fall, climbing	mid summer (Jul)
---------------------	-------	-------------	-------------	----------------------	---	------------------

grape-like fruit that follows the flowers attract songbirds

PENSTEMON (Beardtongue)

Penstemon comes from the words "pente" (five), and "stemon" (stamen), meaning "five stamens." Prune foliage back after blooming to promote new growth and repeat blooms. Many varieties attract hummingbirds.

Hybrid

'Blackbeard' PPAF	○ ☞	30-36"	30-36"	spikes are lilac-purple	eggplant-purple, dark stems	late spring to late summer (May-Aug)
NEW 'Midnight Masquerade' PPAF <i>habit and flowering is better than most</i>	○ ☞	30-36"	30-36"	spikes are lavender-purple with white highlights	burgundy-purple	late spring to late summer (May-Aug)
NEW 'Rock Candy Blue' PPAF	○ ☞	12-18"	12-18"	spikes are lavender-blue, white throats	compact, medium green	early to late summer (Jun-Aug)
<i>mexicali</i>						
'Pikes Peak Purple'	○ ☞	12-18"	12-18"	violet-purple, tubular-shaped	medium green	early to late summer (Jun-Aug)
'Red Rock'	○ ☞					early to late summer (Jun-Aug)

PEROVSKIA (Russian Sage)

Water well while Perovskia flowers to extend its blooming season. Allow room for growth as it will spread a bit.

atriplicifolia

atriplicifolia <i>1995 PPA Perennial of the Year</i>	○ ☞	36-42"	48-54"	spikes are comflower to lavender-blue	gray-green, finely dissected	mid summer to early fall (Jul-Sep)
NEW 'Blue Steel'	○ ☞	24-30"	30-36"	spikes are lavender-blue	silver-green, finely dissected, sturdy stems	mid summer to early fall (Jul-Sep)
'Denim 'n Lace' PPAF	○ ☞	24-30"	30-36"	spikes are bright sky blue	compact, gray-green, finely dissected	mid summer to early fall (Jul-Sep)
'Little Spire' PP11643	○ ☞	24-30"	30-36"	spikes are comflower to lavender-blue	gray-green, finely dissected	mid summer to early fall (Jul-Sep)

PERSICARIA / POLYGONUM (Fleece Flower)

Can be aggressive, so allow room.

filiformis

'Variegatus'	○ ☞ ☰					mid to late summer (Jul-Aug)
---------------------	-------	--	--	--	--	------------------------------

PHLOX (Phlox)

Tall varieties will get some mildew, which is normal. Pruning foliage back after blooming will promote new growth and blooms. Yes, most Phlox can tolerate shadier areas. Butterflies and hummingbirds love them!

paniculata (Tall Phlox)

'Amethyst'	○ ☞ ☰					mid summer to early fall (Jul-Sep)
'Bambini Candy Crush' PPAF	○ ☞ ☰	6-12"	6-12"	fragrant, pink and white pinwheel pattern	compact, medium green, mildew resistant	mid summer to early fall (Jul-Sep)
'Bambini Desire' PPAF	○ ☞ ☰	6-12"	6-12"	fragrant, rich purple, small white center	compact, medium green, mildew resistant	mid summer to early fall (Jul-Sep)
'Bright Eyes'	○ ☞ ☰	30-36"	30-36"	pale pink with hot-pink eye	deep green	mid summer to early fall (Jul-Sep)
'Bubblegum Pink' PP21171 <i>part of the 'First Editions' series</i>	○ ☞ ☰	18-24"	18-24"	bubblegum-pink, dark pink eye, fragrant	deep green, mildew-resistant	mid summer to early fall (Jul-Sep)
NEW 'Cleopatra' PPAF	○ ☞ ☰	18-24"	18-24"	double, cherry-pink	deep green	mid summer to early fall (Jul-Sep)
NEW 'Cloudburst' PPAF <i>proven winner selection</i>	○ ☞ ☰	24-30"	18-24"	lavender-purple, bright pink eye, fragrant	deep green, mounding habit	mid summer to early fall (Jul-Sep)
'David' <i>2002 PPA Perennial of the Year</i>	○ ☞ ☰	36-42"	36-42"	pure white, fragrant	medium to deep green, mildew-resistant	mid summer to early fall (Jul-Sep)
NEW 'Fashionably Early Crystal' PPAF	○ ☞ ☰	30-36"	30-36"	fragrant, pure white, faint lavender eye	deep green, mildew-resistant	early to late summer (Jun-Aug)
'Fireworks' PPAF	○ ☞ ☰	18-24"	18-24"	fragrant, cherry-red, white starburst etching	deep green, mildew-resistant	mid summer to early fall (Jul-Sep)
'Flame Pink' PP11804	○ ☞ ☰	6-12"	6-12"	fragrant, pink with red eye	deep green, compact, mildew resistant	mid summer to early fall (Jul-Sep)
'Flame Purple' PP12605	○ ☞ ☰	6-12"	6-12"	fragrant, purple	deep green, compact, mildew resistant	mid summer to early fall (Jul-Sep)
'Flame Red' PPAF	○ ☞ ☰	6-12"	6-12"	fragrant, bright red	deep green, compact, mildew resistant	mid summer to early fall (Jul-Sep)
'Flame White Eye' PP22211	○ ☞ ☰	6-12"	6-12"	fragrant, white with magenta eye	deep green, compact, mildew-resistant	mid summer to early fall (Jul-Sep)
'Flamingo'	○ ☞ ☰					mid summer to early fall (Jul-Sep)
'Forever Pink' PPAF	○ ☞ ☰	12-18"	18-24"	fragrant, purple-pink, repeat bloomer	deep green, mildew-resistant	mid summer to early fall (Jul-Sep)
'Glamour Girl' PPAF	○ ☞ ☰	24-30"	24-30"	fragrant, hot coral-pink	bright green, dark stems, mildew-resistant	mid summer to early fall (Jul-Sep)

		LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
NEW	'Kung Fuchsia' PPAF	○ ☞ ☀	12-18"	12-18"	bright fuchsia-pink	mildew resistant, deep green, mounding habit	mid summer to early fall (Jul-Sep)
	'Laura' <i>one of our favorite Phlox varieties</i>	○ ☞ ☀	24-30"	30-36"	fragrant, fuchsia-purple with a white center	medium to deep green, mildew-resistant	mid summer to early fall (Jul-Sep)
	'Minnie Pearl' <i>earlier to bloom than most other tall phlox</i>	○ ☞ ☀	12-18"	18-24"	large, fragrant, pure white	mildew-resistant, medium to deep green	early to late summer (Jun-Aug)
	'Nicky'	○ ☞ ☀	30-36"	30-36"	large, magenta-pink, fragrant	medium to deep green, mildew-resistant	mid summer to early fall (Jul-Sep)
	'Pixie Miracle Grace' PPAF	○ ☞ ☀	12-18"	12-18"	purple with white star-shaped eye	deep green, mildew resistant, compact	mid summer to early fall (Jul-Sep)
	'Red Riding Hood'	○ ☞ ☀	18-24"	18-24"	cherry-red, fragrant	medium to deep green	mid summer to early fall (Jul-Sep)
NEW	'Smokey' PPAF	○ ☞ ☀	24-30"	18-24"	mauve-pink, violet-pink center	deep green, mildew resistant	mid summer to early fall (Jul-Sep)
stolonifera (Creeping Phlox) : 1990 PPA Perennial of the Year.							
	'Home Fires'	○ ☞ ☀	6-12"	12-18"	fragrant, pink	medium green	early spring to early summer (Apr-Jun)
subulata (Moss Creeping Phlox)							
	'Emerald Blue'	○ ☞ ☀	6" or less	12-18"	light lavender-blue	mat-like, light green, spreading	early to late spring (Apr-May)
	'Emerald Pink'	○ ☞ ☀	6" or less	12-18"	pink to rose-pink	mat-like, light green, spreading	early to late spring (Apr-May)
	'Purple Beauty'	○ ☞ ☀	6" or less	12-18"	deep lavender-purple	mat-like, light green, spreading	early to late spring (Apr-May)
	'Red Wing'	○ ☞ ☀	6" or less	12-18"	rose-red	mat-like, light green, spreading	early to late spring (Apr-May)
	'Snowflake' <i>an improved white variety of creeping phlox</i>	○ ☞ ☀	6" or less	12-18"	star-shaped, pure white	mat-like, light green, spreading	early to late spring (Apr-May)

PHYSALIS (Chinese Lantern)

Physalis is derived from physa, which means bladder, and refers to the large calyx or fruit.

alkekengi/francheti

alkekengi/francheti	○ ☞ ☀	24-30"	18-24"	orange	medium to light green	mid to late summer (Jul-Aug)
---------------------	-------	--------	--------	--------	-----------------------	------------------------------

PHYSOSTEGIA (False Dragonhead, Lion's Heart, Obedient Plant)

The common name Obedient Plant comes from its flowers' ability to be twisted on the stem and still remain as they are arranged.

virginiana

'Pink Manners' PPAF	○ ☞ ☀	30-36"	30-36"	spikes are pale lavender	slightly glossy, medium green, tolerates moisture well	early to late summer (Jun-Aug)
---------------------	-------	--------	--------	--------------------------	--	--------------------------------

PLATYCODON (Balloon Flower)

Balloon Flower gets its name from its bud and flower shape. Platycodon will sometimes go dormant after flowering, and it breaks dormancy quite late in the spring.

grandiflorus

'Astra Pink'	○ ☞ ☀	6-12"	6-12"	star-shaped, pink	compact, medium green	early to late summer (Jun-Aug)
'Double Blue'	○ ☞ ☀	18-24"	18-24"	bell-shaped, double, violet-blue	medium green	mid to late summer (Jul-Aug)
'Double White'	○ ☞ ☀	18-24"	18-24"	bell-shaped, double, white	medium green	mid to late summer (Jul-Aug)
'Fuji Blue'	○ ☞ ☀	18-24"	18-24"	bell-shaped, deep blue	medium green	mid to late summer (Jul-Aug)
'Sentimental Blue'	○ ☞ ☀	6-12"	6-12"	round "balloons" open to star-shaped violet-blue flowers	medium green, compact	mid summer to early fall (Jul-Sep)

POLEMONIUM (Jacob's Ladder)

Common name comes from its ladder-like formation of leaves. Prune foliage back after blooming to promote new growth and repeat blooms.

boreale

'Heavenly Habit'	○ ☞ ☀	18-24"	18-24"	clusters are blue with yellow halo and white eye	medium to light green, lacy	late spring to mid summer (May-Jul)
------------------	-------	--------	--------	--	-----------------------------	-------------------------------------

caeruleum

'Brise d'Anjou' PP9781	○ ☞ ☀	12-18"	18-24"	clusters are violet-blue	lacy, cream-white and light green variegation	late spring to early summer (May-Jun)
------------------------	-------	--------	--------	--------------------------	---	---------------------------------------

Hybrid

'Touch of Class' PP19768 <i>sport of 'Stairway to Heaven'</i>	○ ☞ ☀	12-18"	12-18"	pink buds mature to pale blue	medium to light green with narrow white margin, lacy, compact	early spring to early summer (Apr-Jun)
--	-------	--------	--------	-------------------------------	---	--

POTENTILLA (Cinquefoil)

Pruning can help to keep the spreading types of Potentillas in check.

thurberi

'Monarch's Velvet'	○ ☞ ☀	6-12"	36-42"	deep reddish-purple with a burgundy throat	spreading, medium green	early to late summer (Jun-Aug)
--------------------	-------	-------	--------	--	-------------------------	--------------------------------

PRIMULA (Primrose)

Try to keep moist and/or plant in a shadier area. Prune foliage back after blooming to promote new growth and repeat blooms.

Hybrid

NEW	'Romance'	☞ ☀	6-12"	6-12"	double, large, medium pink, thin white edges	light green, crinkled	early spring to early summer (Apr-Jun)
------------	-----------	-----	-------	-------	--	-----------------------	--

Hybrid (Ballerina Series)

NEW	'Amethyst Ice' ('Kerbelpicotee' PPAF)	☞ ☀	6-12"	6-12"	double, large, violet-blue, thin white edges	light green, crinkled	early spring to early summer (Apr-Jun)
	'Buttercup' ('Kerbelbut' PP16373)	☞ ☀	6-12"	6-12"	double, large, sunny-yellow	light green, crinkled	early spring to early summer (Apr-Jun)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Cream' ('Kerbelcrem' PP16205)	☞ ☀	6-12"	6-12"	double, large, cream-white	light green, crinkled	early spring to early summer (Apr-Jun)
'Nectarine' ('Kerbelnec' PP16373)	☞ ☀	6-12"	6-12"	double, large, cream-yellow maturing to apricot-pink	light green, crinkled	early spring to early summer (Apr-Jun)
'Pink Ice' ('Kerbelpice' PP16373)	☞ ☀	6-12"	6-12"	double, large, white maturing to blush pink	light green, crinkled	early spring to early summer (Apr-Jun)
'Valentine' ('Kerbelred' PP24691)	☞ ☀	6-12"	6-12"	double, large, scarlet-red	light green, crinkled	early spring to early summer (Apr-Jun)
x polyantha (English Primrose)						
'Supernova Mix' <i>slightly earlier to bloom</i>	☞ ☀	6-12"	6-12"	mixed (one color per plant) lavender, pink, red, violet-blue, white, or yellow, all with yellow centers	foliage is crinkled, compact, light green	early to late spring (Apr-May)

PULMONARIA (Bethlehem Sage, Lungwort)

Pulmonaria is reported to have lung-healing properties, hence the common name Lungwort.

Hybrid							
NEW	'Little Star'	☞ ☀	6-12"	6-12"	pink buds open to cobalt-blue	leathery, medium green, silver spots	early to late spring (Apr-May)
	'Majeste'	☞ ☀	6-12"	6-12"	light pink buds open to bluish-pink	leathery, silver-gray	early to late spring (Apr-May)
	'Raspberry Splash' PP12138	☞ ☀	6-12"	6-12"	raspberry-pink	leathery, deep green with silver spots	early to late spring (Apr-May)
NEW	'Silver Bouquet' PP20059	☞ ☀	6-12"	6-12"	pink maturing to blue	leathery, silver with green specks	early to late spring (Apr-May)
NEW	'Twinkle Toes' PPAF	☞ ☀	6-12"	6-12"	periwinkle-blue	leathery, compact, sturdy stems, deep green speckled with silver	early to late spring (Apr-May)

saccharata							
	'Mrs. Moon'	☞ ☀	6-12"	6-12"	magenta-pink buds open to bright blue	leathery, deep green with silver spots	early to late spring (Apr-May)

PULSATILLA (Pasque Flower)

vulgaris							
	'Rubra'	○ ☞	12-18"	12-18"	five-petaled, wine-red	soft and fuzzy, medium green	early to late spring (Apr-May)

ROSE (Various Potted Varieties)

2-3 year old, mature plants.

Drift Series : Like the popular Flower Carpets, with extremely long bloom time and low-maintenance.							
	'Drift Coral'	○ ☞	18-24"	30-36"	semi-double, bright coral	deep green, glossy	late spring to late fall (May-Oct)
	'Drift Pink'	○ ☞	18-24"	30-36"	semi-double, bright salmon-pink	deep green, glossy	late spring to late fall (May-Oct)
	'Drift Red'	○ ☞	18-24"	30-36"	semi-double, red to rose-red	deep green, glossy	late spring to late fall (May-Oct)
Knock Out Series : One of the most popular shrub rose lines, with excellent disease-resistance, bloom time, and flower size.							
	'Double Pink' PP18507	○ ☞	30-36"	30-36"	double, rose-pink, light scent	deep green	early summer to late fall (Jun-Oct)
	'Double Red' PP16202	○ ☞	30-36"	30-36"	double, cherry-red, light scent	deep green	early summer to late fall (Jun-Oct)
	'Sunny' PPAF	○ ☞	36-42"	36-42"	bright yellow to cream	deep green	early summer to late fall (Jun-Oct)
Miniature Roses : Perfect for smaller areas or containers, with lots of blooms and a compact habit.							
	'Assorted'	○ ☞	18-24"	18-24"	semi-double, assorted colors	glossy, deep green	late spring to early fall (May-Sep)
Non-Patented Climbing Roses : Perfect for a backdrop to gardens, camouflaging fences, or screening unwanted views.							
NEW	'Altissimo'	○ ☞	60" or more	54-60"	single, scarlet-red, mild scent	deep green	mid summer to early fall (Jul-Sep)
	'America'	○ ☞	60" or more	54-60"	salmon-pink, clove scent	deep green	mid summer to early fall (Jul-Sep)
	'Blaze Improved'	○ ☞	60" or more	54-60"	brilliant red, light scent	medium green	mid summer to early fall (Jul-Sep)
	'Don Juan'	○ ☞	60" or more	54-60"	bright red, strong scent	medium green	mid summer to early fall (Jul-Sep)
	'Golden Showers'	○ ☞	60" or more	54-60"	large, sunny-yellow, sweet honey scent	glossy, deep green	mid summer to early fall (Jul-Sep)
	'Joseph's Coat'	○ ☞	60" or more	54-60"	red-yellow blend, light scent	glossy, medium green	mid summer to early fall (Jul-Sep)
NEW	'New Year'	○ ☞	60" or more	54-60"	apricot-orange and yellow blend, mild scent	glossy, deep green	mid summer to early fall (Jul-Sep)
	'Sally Holmes'	○ ☞	60" or more	54-60"	white, single, sweet fragrance	deep green	mid summer to early fall (Jul-Sep)
Non-Patented Hybrid Tea/Grandiflora Roses : Still the most popular rose type with classic bloom form, longer stems, and unmistakable fragrance.							
NEW	'Camelot'	○ ☞	54-60"	48-54"	deep coral-pink to light pink	glossy, deep green	early to late summer (Jun-Aug)
	'Double Delight'	○ ☞	54-60"	48-54"	cream-yellow center, strawberry-red outer petals, strong spicy scent	deep green	early to late summer (Jun-Aug)
NEW	'Just Joey'	○ ☞	48-54"	42-48"	apricot-orange blend, strong scent	glossy, medium green	early to late summer (Jun-Aug)
	'Mister Lincoln'	○ ☞	48-54"	42-48"	large, deep red, strong scent	deep green	early to late summer (Jun-Aug)
	'New Day'	○ ☞	42-48"	36-42"	butter-yellow	medium green	early to late summer (Jun-Aug)
	'Oklahoma'	○ ☞	48-54"	42-48"	dark red, strong fragrance	deep green	early to late summer (Jun-Aug)
	'Pascali'	○ ☞	48-54"	42-48"	white, light scent	deep green	early to late summer (Jun-Aug)
	'Pink Peace'	○ ☞	54-60"	42-48"	pink, strong scent	medium green	early to late summer (Jun-Aug)

still popular after 50+ years

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Queen Elizabeth' <i>a true classic</i>	○ ☞	54-60"	42-48"	light rose-pink blend, moderate scent	glossy, deep green	early to late summer (Jun-Aug)
'Red Masterpiece'	○ ☞	48-54"	42-48"	large, bright red, strong scent	deep green	early to late summer (Jun-Aug)
Oso Easy Series : Like the Flower Carpet series, but with a slightly more spreading habit, great for mass plantings.						
'Double Red'	○ ☞	30-36"	36-42"	double, bright rose-red	semi-spreading, deep green, disease-resistant	early summer to late fall (Jun-Oct)
'Lemon Zest'	○ ☞	30-36"	36-42"	semi-double, yellow	semi-spreading, deep green, disease-resistant	early summer to late fall (Jun-Oct)
'Mango Salsa'	○ ☞	30-36"	36-42"	double, deep salmon-pink	semi-spreading, deep green, disease-resistant	early summer to late fall (Jun-Oct)
'Paprika'	○ ☞	30-36"	36-42"	single, reddish-orange with yellow center eye	semi-spreading, deep green, disease-resistant	early summer to late fall (Jun-Oct)
Patented Hybrid Tea/Grandiflora Roses : Still the most popular rose type with classic bloom form, longer stems, and unmistakable fragrance.						
'Black Magic'	○ ☞	48-54"	42-48"	deep garnet-red, sweet fragrance	glossy, deep green	early to late summer (Jun-Aug)
NEW 'Blue Girl'	○ ☞	48-54"	42-48"	lilac-lavender, mild scent	glossy, deep green	early to late summer (Jun-Aug)
'Midas Touch'	○ ☞	54-60"	42-48"	deep yellow, strong musk scent	medium green	early to late summer (Jun-Aug)
NEW 'Mon Cheri'	○ ☞	42-48"	36-42"	rose-pink to dark red blend, mild scent	semi-glossy, medium green	early to late summer (Jun-Aug)
'New Year'	○ ☞	42-48"	36-42"	apricot-orange and yellow blend, mild scent	glossy, deep green	early to late summer (Jun-Aug)
'Rio Samba'	○ ☞	42-48"	42-48"	yellow edged in orange	glossy, deep green	early to late summer (Jun-Aug)
Patented Shrub Roses : Easy to care for and versatile, shrub roses are some of the most hardy and maintenance-free roses available.						
'At Last' <i>fragrant like a tea rose, carefree like a shrub rose</i>	○ ☞	30-36"	30-36"	double, fragrant, light orange	deep green	early summer to early fall (Jun-Sep)
RUDBECKIA (Black-Eyed Susan, Coneflower, Orange Coneflower)						
<i>Rudbeckia is a classic, and any garden can benefit from its late summer color and presence. R. hirta species prefers some winter protection/mulching.</i>						
fulgida						
'Goldsturm' <i>1999 PPA Perennial of the Year</i>	○ ☞	24-30"	30-36"	golden-yellow, brown center cone	deep green	mid summer to early fall (Jul-Sep)
hirta						
'Cherry Brandy'	○ ☞	12-18"	12-18"	burgundy-red to wine-red with a deep maroon center and blackish center cone	medium to light green, slightly hairy	mid summer to early fall (Jul-Sep)
'Denver Daisy'	○ ☞	18-24"	12-18"	bright golden-yellow with burgundy-brown centers, brown center cone	medium to light green, slightly hairy	mid summer to early fall (Jul-Sep)
'Indian Summer'	○ ☞	30-36"	24-30"	bright yellow, brown center cone	hairy, medium to light green	mid summer to early fall (Jul-Sep)
'Irish Eyes'	○ ☞	12-18"	12-18"	golden-yellow, olive-green center cone	medium to light green, slightly hairy	mid summer to early fall (Jul-Sep)
'Prairie Sun'	○ ☞	30-36"	24-30"	bright golden-yellow drooping petals with a green center	fuzzy, medium to light green	mid summer to early fall (Jul-Sep)
SAGINA (Corsican Pearlwort)						
<i>A nice choice for in-between rockery, brickwork, or pavers. Prefers extra moisture if planted in full sun.</i>						
subulata						
'Aurea'	○ ☞ ☀	6" or less	6-12"	white, dainty	moss-like, chartreuse to yellow	early to mid summer (Jun-Jul)
subulata	○ ☞ ☀	6" or less	6-12"	white, dainty	moss-like, light green	early to mid summer (Jun-Jul)
SALVIA (Sage)						
<i>Cutting back foliage after flowering will take care of unattractive foliage and promote repeat blooming.</i>						
Hybrid						
NEW 'Azure Snow' PPAF <i>part of the Color Spires series, proven winner selection</i>	○ ☞	18-24"	18-24"	spikes are violet-blue and white bicolor	medium to deep green, compact	early to mid summer (Jun-Jul)
NEW 'Midnight Model' PPAF <i>part of the Fashionista series</i>	○ ☞	18-24"	18-24"	spikes are deep violet-blue	medium to deep green	early to mid summer (Jun-Jul)
NEW 'Pretty in Pink' PPAF <i>part of the Fashionista series</i>	○ ☞	18-24"	18-24"	spikes are lavender-pink	medium to deep green	early to mid summer (Jun-Jul)
'Violet Riot' PPAF <i>part of the Color Spires series, proven winner selection</i>	○ ☞	18-24"	18-24"	spikes are vivid violet-blue	medium to deep green, dark stems, compact	early to mid summer (Jun-Jul)
nemorosa						
'Blue Hill' <i>closest to true blue of any hardy Salvia</i>	○ ☞	12-18"	24-30"	spikes are light lavender-blue	fragrant, medium green	early to late summer (Jun-Aug)
'Caradonna' <i>a more upright habit than most Salvia</i>	○ ☞	24-30"	24-30"	spikes are light purple with purple stems	fragrant, medium green	early to late summer (Jun-Aug)
'May Night' <i>1997 PPA Perennial of the Year</i>	○ ☞	18-24"	24-30"	spikes are deep violet-blue to purple	fragrant, medium green	late spring to mid summer (May-Jul)
'Sallyrosa April Night' PPAF	○ ☞	12-18"	12-18"	spikes are violet-blue	fragrant, medium green	early spring to early summer (Apr-Jun)

SAPONARIA (Bouncing Bet, Soapwort)

Saponaria comes from the Latin sapo, meaning soap. Many species contain root sap that lathers when mixed with water.

ocymoides (Soapwort)

ocymoides	○ ☞	6-12"	18-24"	light pink	medium green, spreading	late spring to early summer (May-Jun)
-----------	-----	-------	--------	------------	-------------------------	---------------------------------------

SAXIFRAGA (Rockfoil, Saxifrage)

Keep moist if planted in full sun.

x arendsii

'Touran Scarlet'	○ ☞ ☝	6" or less	6-12"	magenta-red	moss-like, compact, light green, burgundy stems	late spring to early summer (May-Jun)
------------------	-------	------------	-------	-------------	---	---------------------------------------

SCABIOSA (Pincushion Flower)

Reliability can be improved with winter mulching. Prune foliage back after blooming to promote new growth and repeat blooms. An absolute must-have if you want to attract butterflies!

columbaria

'Pink Mist' PP8957	○ ☞	12-18"	6-12"	pincushion-like, lavender-pink	medium green, compact	early summer to early fall (Jun-Sep)
--------------------	-----	--------	-------	--------------------------------	-----------------------	--------------------------------------

SEDUM (Live-Forever, Stonecrop)

Stonecrop comes from the manner by which many species seem to flourish on rockery. Sedum is one of the easiest perennials to grow and maintain with excellent drought-resistant qualities.

hispanicum (Baby Tears, Blue Carpet Sedum)

'Pinkie'	○ ☞	6" or less	18-24"	clusters are pinkish-white	mat-like, succulent, blue-gray with a rose tint, spreading	early to mid summer (Jun-Jul)
----------	-----	------------	--------	----------------------------	--	-------------------------------

tolerates some foot traffic

Hybrid

'Autumn Delight' ('Beka' PP18398)	○ ☞	18-24"	24-30"	heads are light pink maturing to bronze red	succulent, chartreuse-green with blue-green irregular margins	late summer to late fall (Aug-Oct)
<i>sport of the popular 'Autumn Joy'</i>						
'Autumn Fire'	○ ☞	24-30"	24-30"	heads are rose-red maturing to copper-red	succulent, light green	late summer to late fall (Aug-Oct)
'Carl'	○ ☞	12-18"	12-18"	heads are pinkish-red	succulent, blue-green	late summer to late fall (Aug-Oct)
NEW 'Dynamite' PP24722	○ ☞	6" or less	12-18"	clusters are deep rose-red	succulent, grey-purple	late summer to late fall (Aug-Oct)
'Frosted Fire'	○ ☞	12-18"	12-18"	heads are rose-red maturing to copper-red	succulent, blue-green with thin cream-yellow margins	late summer to late fall (Aug-Oct)
<i>variegated sport of the popular 'Autumn Fire'</i>						
'Frosty Morn'	○ ☞	24-30"	24-30"	heads are white to light pink	succulent, light green with wide white margins	late summer to late fall (Aug-Oct)
'John Creech'	○ ☞	6" or less	30-36"	clusters are purplish-pink	succulent, spreading, medium green	mid to late summer (Jul-Aug)
'Lemonjade' PPAF	○ ☞	12-18"	12-18"	heads are citron-yellow	succulent, light green to gray	late summer to late fall (Aug-Oct)
'Lime Zinger' PPAF	○ ☞	6" or less	12-18"	heads are pink	succulent, light green edged in cherry-red, compact	late summer to late fall (Aug-Oct)
<i>part of the Sunsparkler series</i>						
NEW 'Little Miss Sunshine' PPAF	○ ☞	6" or less	12-18"	clusters are yellow	succulent, glossy, deep green, semi-spreading	late summer to late fall (Aug-Oct)
'Mr. Goodbud' PP17671	○ ☞	12-18"	18-24"	heads are large, purple-pink	succulent, toothed, blue-green, purple-red stems	late summer to late fall (Aug-Oct)
NEW 'Night Embers' PPAF	○ ☞	18-24"	18-24"	heads are mauve-pink	succulent, deep burgundy-purple	late summer to late fall (Aug-Oct)
NEW 'Popstar' PPAF	○ ☞	6-12"	12-18"	heads are salmon-pink	succulent, blue-gray, gray purple stems	late summer to late fall (Aug-Oct)
<i>proven winner selection</i>						
'Pure Joy' PPAF	○ ☞	6-12"	12-18"	heads are light pink to lavender	succulent, toothed, blue-green maturing to green, compact	late summer to early fall (Aug-Sep)
NEW 'Superstar' PPAF	○ ☞	6-12"	12-18"	heads are bright rose-pink	succulent, blue-gray, silver overlay	late summer to late fall (Aug-Oct)
'Vera Jameson'	○ ☞	6-12"	24-30"	heads are light pink to rose	reddish-maroon, spreading	late summer to early fall (Aug-Sep)
<i>kamtschaticum (Russian Stonecrop)</i>						
kamtschaticum	○ ☞	6-12"	30-36"	clusters are lemon-yellow to golden-orange	succulent, spreading, medium green	early to mid summer (Jun-Jul)
<i>reflexum</i>						
'Blue Spruce'	○ ☞	6" or less	24-30"	clusters are yellow	blue-gray, spreading, succulent	mid to late summer (Jul-Aug)
<i>repestre</i>						
'Angelina'	○ ☞	6" or less	24-30"	clusters are yellow	needle-like, chartreuse to yellow turning reddish-orange in fall and winter, spreading	early to late summer (Jun-Aug)
<i>spectabile</i>						
'Neon'	○ ☞	18-24"	18-24"	heads are bright rose-pink to magenta	succulent, light green	late summer to early fall (Aug-Sep)
<i>slightly brighter color and consistency than S. 'Brilliant'</i>						
NEW 'Proud Mary'	○ ☞	12-18"	12-18"	heads are cream to white	succulent, light green, sturdy	late summer to early fall (Aug-Sep)
NEW 'Strawberry Fluff'	○ ☞	6-12"	6-12"	heads are medium pink	succulent, compact, light green	late summer to early fall (Aug-Sep)
<i>sport of S. 'Proud Mary'</i>						
<i>spurium (Two-Row Sedum)</i>						
'Fulda Glut'	○ ☞	6" or less	30-36"	clusters are hot-pink	succulent, spreading, bronze to burgundy-red	early to late summer (Jun-Aug)
<i>best foliage color comes with full sunlight and mature plants</i>						
'Voodoo'	○ ☞	6" or less	30-36"	clusters are deep red	succulent, olive-green with red margins maturing to mahogany-red, spreading	early to late summer (Jun-Aug)

SHRUB ACER (Maple)

Listed as part of our foliar and flowering line of small shrubs, but obviously an ornamental tree.

palmatum /dissectum (Japanese Maple)

'Inabe Shidare'	○ ☞ ☰	60" or more	60" or more		lace-leaf type, burgundy red, slow-growing, semi-upright, cascading branches, grows to 10'
'Tamukeyama'	○ ☞ ☰	60" or more	60" or more		lace-leaf type, burgundy-red, slow-growing, semi-upright, cascading branches, grows 6-8'

SHRUB AZALEA (Azalea) : prefers acidic soil if possible.

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

Rhododendron x

NEW	'Bloom-a-Thon Lavender' PP21476	○ ☞ ☰	30-36"	30-36"	semi-double, lavender-purple	glossy, medium green	late spring (May)
	<i>repeats bloom later in summer</i>						
NEW	'Bloom-a-Thon Pink' PP21477	○ ☞ ☰	30-36"	30-36"	double, pink	glossy, medium green	late spring (May)
	<i>repeats bloom later in summer</i>						
NEW	'Bloom-a-Thon Red' PP21562	○ ☞ ☰	30-36"	30-36"	semi-double, rose-red	glossy, medium green	late spring (May)
	<i>repeats bloom later in summer</i>						

SHRUB BERBERIS (Barberry)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

thunbergii

'Aurea'	☞ ☰	30-36"	24-30"		slow-growing, yellow-gold
<i>can tolerate shade but more sun will yield better color</i>					
'Crimson Pygmy'	○ ☞ ☰	24-30"	24-30"		compact habit, reddish-purple
<i>can tolerate shade but more sun will yield better color</i>					
'Sunjoy Gold Pillar' PP18082	☞ ☰	36-42"	30-36"		reddish maturing to gold-yellow
<i>proven winner selection, sun-tolerant</i>					

SHRUB BUDDLEIA (Butterfly Bush) : Many varieties available, see regular Buddleia section.

SHRUB BUXUS (Boxwood)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

Hybrid

'Green Velvet'	○ ☞ ☰	24-30"	24-30"		deep green, semi-glossy, compact
'Winter Gem'	○ ☞ ☰	24-30"	24-30"		medium green, glossy, compact, round growth habit

SHRUB CARYOPTERIS (Bluebeard) : See regular Caryopteris section.

SHRUB CHAENOMELES (Quince)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

Hybrid

NEW	'Double Take Peach'	○ ☞	48-54"	48-54"	large, double, peach-pink	thornless, deep green, glossy	early to late spring (Apr-May)
	'Double Take Scarlet Storm'	○ ☞	48-54"	48-54"	large, double, deep red	thornless, deep green, glossy	early to late spring (Apr-May)

SHRUB CHAMAECYPARIS (False Cypress)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

pisifera

'King's Gold'	○ ☞	54-60"	48-54"		feathery, soft-textured, yellow to gold
<i>best foliage color in sunny areas</i>					

SHRUB CLETHRA (Summersweet)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

alnifolia

'Hummingbird'	○ ☞	36-42"	36-42"	spikes are white, fragrant	medium green, woody	mid to late summer (Jul-Aug)
'Ruby Spice'	○ ☞	36-42"	42-48"	spikes are reddish-pink, non-fading, fragrant	medium green, woody	mid to late summer (Jul-Aug)

SHRUB CORNUS (Dogwood)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

kousa (Kousa Dogwood)

NEW	'Stellar Pink'	○ ☞	60" or more	60" or more	blush pink, sterile (no fruit)	woody, medium green, grows 20-25'	late spring to early summer (May-Jun)
	<i>sericea (Red Twig Dogwood)</i>						
	'Arctic Fire' PP18523	○ ☞	60" or more	54-60"	white, blue/purple berries	woody, medium green, red stems, burgundy-red fall foliage	mid to late summer (Jul-Aug)

SHRUB DEUTZIA (Deutzia)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

gracilis

'Chardonnay Pearls' PP16098	○ ☞	30-36"	30-36"	white, fragrant	lime-yellow	late spring to early summer (May-Jun)
-----------------------------	-----	--------	--------	-----------------	-------------	---------------------------------------

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
Hybrid						
'Yuki Cherry Blossom' PPAF <i>proven winner selection</i>	○ ☞	18-24"	24-30"	pink, fragrant	medium green	early spring to early summer (Apr-Jun)
'Yuki Snowflake' PP25916 <i>proven winner selection</i>	○ ☞	18-24"	24-30"	white, fragrant	medium green, burgundy fall color	early spring to early summer (Apr-Jun)

SHRUB EUONYMUS (Burning Bush, Wintercreeper)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

alatus (Burning Bush)						
'Compacta'	○ ☞	54-60"	48-54"		deep green, turns red to burgundy-red in fall	
fortunei (Wintercreeper) : mostly for groundcover purposes, but will climb if given support.						
'Blondy'	○ ☞	18-24"	24-30"		green margin, large yellow center, evergreen	
'Emerald and Gold'	○ ☞	18-24"	30-36"		deep green, yellow margins, evergreen	
'Gaiety'	○ ☞	30-36"	36-48"		deep green, white margins, evergreen	

SHRUB FORSYTHIA (Forsythia)

Listed as part of our foliar and flowering line of small shrubs, but obviously an ornamental tree.

x intermedia						
'Show Off' PP19321 <i>more compact with better branching compared to older varieties</i>	○ ☞	54-60"	54-60"	bright yellow	woody, semi-compact, medium green	early to late spring (Apr-May)
NEW 'Show Off Sugar Baby' PP23838 <i>very compact</i>	○ ☞	30-36"	30-36"	bright yellow	woody, compact, medium green	early to late spring (Apr-May)

SHRUB HIBISCUS (Rose of Sharon)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

syriacus : A slight pruning in late spring will usually keep plants shorter and more compact if desired.						
NEW 'Bali' PPAF	○ ☞	60" or more	60" or more	semi-double, white, purple red eye	woody, medium green, semi-glossy	mid summer to early fall (Jul-Sep)
'Purple Pillar' PP25568 <i>proven winner selection</i>	○ ☞	60" or more	36-42"	single, purple, darker eye	woody, medium green, semi-glossy, narrow habit	mid summer to early fall (Jul-Sep)
'Satin Blue' PP12680 (Tree Form) <i>keep pruned for continued tree shape</i>	○ ☞	60" or more	60" or more	single, rich royal blue to violet-blue with a burgundy-purple center	woody, medium green, semi-glossy	mid summer to early fall (Jul-Sep)
NEW 'Satin Blush' (Tree Form) <i>keep pruned for continued tree shape</i>	○ ☞	60" or more	60" or more	single, very light pink, burgundy-red center	woody, medium green, semi-glossy	mid summer to early fall (Jul-Sep)
'Satin Rose' PPAF (Tree Form) <i>keep pruned for continued tree shape</i>	○ ☞	60" or more	60" or more	single, rose-pink with a burgundy center	woody, medium green, semi-glossy	mid summer to early fall (Jul-Sep)
'Satin Violet' PP12196 (Tree Form) <i>keep pruned for continued tree shape</i>	○ ☞	60" or more	60" or more	single, deep violet-pink with a reddish center	woody, medium green, semi-glossy	mid summer to early fall (Jul-Sep)
NEW 'Woodbridge' (Tree Form) <i>keep pruned for continued tree shape</i>	○ ☞	60" or more	60" or more	single, lavender-pink with a reddish center	woody, medium green, semi-glossy	mid summer to early fall (Jul-Sep)

SHRUB HIBISCUS (Rose of Sharon) : See regular Hibiscus section for other perennial varieties.

SHRUB HYDRANGEA (Hydrangea)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

anomala (Climbing Hydrangea) : See regular Hydrangea section listed earlier.						
arborescens : Can be pruned each fall.						
'Annabelle' <i>still a popular choice for a reliable hydrangea</i>	○ ☞ ☔	48-54"	42-48"	large, round, white	woody, medium to light green, semi-glossy	late spring to mid summer (May-Jul)
macrophylla (Bigleaf Hydrangea) : Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue. Pruning usually not needed, prune only for shaping.						
'Endless Summer' ('Bailmer' PP15298) <i>blooms appear on new growth/wood giving extended bloom time</i>	☞	42-48"	42-48"	pink (alkaline) or blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
'Endless Summer Bloomstruck' PPAF <i>newer variety, blooms appear on new growth/wood giving extended bloom time</i>	☞	42-48"	42-48"	pink (alkaline) or violet-blue (acidic)	woody, reddish stems, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
'Endless Summer Twist & Shout' PPAF <i>newer variety, blooms appear on new growth/wood giving extended bloom time</i>	☞	42-48"	42-48"	lacecap-shaped, pink (alkaline) or blue (acidic)	woody, deep green, burgundy tints in fall, pruning only needed for shaping	early to late summer (Jun-Aug)
'LA Dreamin' PP26249 <i>newer variety, blooms appear on new growth/wood giving extended bloom time</i>	☞	36-42"	36-42"	mophead-shaped, pink (alkaline) or blue (acidic), many times both colors at once	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
macrophylla (Bigleaf Hydrangea, Cityline Series) : Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue. Pruning usually not needed, prune only for shaping.						
'Paris' PP10906	☞	30-36"	30-36"	mophead-shaped, rose-red (alkaline) or lavender (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Venice' PP10928	☞	30-36"	30-36"	mophead-shaped, deep pink (alkaline) or blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
'Vienna' PP10930	☞	30-36"	30-36"	mophead-shaped, fuchsia-pink (alkaline) or violet-blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
macrophylla (Bigleaf Hydrangea, Let's Dance Series) : Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue. Pruning usually not needed, prune only for shaping.						
'Big Easy' PP22329 <i>repeat bloomer</i>	☞	30-36"	30-36"	large, mophead-shaped, deep rose-pink (alkaline) or lavender-blue (acidic), chartreuse tints	woody, deep green, strong stems, pruning only needed for shaping	early to late summer (Jun-Aug)
'Blue Jangles' PPAF	☞	30-36"	30-36"	large, mophead-shaped, deep pink (alkaline) or rich blue (acidic), rebloomer	woody, compact, deep green, strong stems, pruning only needed for shaping	early to late summer (Jun-Aug)
macrophylla (Bigleaf Hydrangea, Tuff Stuff Series) : Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue. Pruning usually not needed, prune only for shaping.						
'Tuff Stuff' PP24820	☞	24-30"	30-36"	lacecap-shaped, light pink (alkaline) or blue (acidic), rebloomer	compact, woody, deep green, strong stems, pruning only needed for shaping	early summer to early fall (Jun-Sep)
'Tuff Stuff Red' PPAF	☞	24-30"	30-36"	lacecap-shaped, rose-red to pink (alkaline) or blue (acidic), rebloomer	compact, woody, deep green, strong stems, pruning only needed for shaping	early summer to early fall (Jun-Sep)
paniculata (Hardy Hydrangea) : Prune in fall if necessary. Tolerates shade but does best in half-day sun or more.						
'Bobo' PPAF <i>proven winner selection</i>	○ ☞ ☀	30-36"	30-36"	conical-shaped, large, flower heads are white maturing to blush-pink	compact, woody, deep green	mid summer to early fall (Jul-Sep)
NEW 'Confetti' PP26582	○ ☞ ☀	42-48"	42-48"	conical-shaped, large, flower heads are white to lime-green, maturing to blush-pink	woody, deep green	mid summer to early fall (Jul-Sep)
NEW 'Fire Light'	○ ☞ ☀	54-60"	48-54"	conical-shaped, white maturing to pink to vivid red	woody, medium green, red stems and highlights	mid summer to early fall (Jul-Sep)
'Limelight' ('Zwijenburg' PP12874)	○ ☞ ☀	60" or more	54-60"	conical-shaped, white to lime-green maturing with pinkish tones	woody, medium green	mid summer to early fall (Jul-Sep)
'Limelight' ('Zwijenburg' PP12874) (Tree Form)	○ ☞ ☀	54-60"	54-60"	conical-shaped, white to lime-green maturing with pinkish tones	woody, medium green	mid summer to early fall (Jul-Sep)
'Little Lime' ('Jane' PPAF) <i>proven winner selection</i>	○ ☞ ☀	42-48"	42-48"	conical-shaped, white to lime-green maturing with pinkish tones	compact, woody, medium green	mid summer to early fall (Jul-Sep)
'Little Quick Fire' PPAF	○ ☞ ☀	42-48"	42-48"	semi-conical, large, flower heads are white maturing to light red	woody, compact, medium green, reddish stems	early to late summer (Jun-Aug)
'Pinky Winky' PP16166	○ ☞ ☀	54-60"	54-60"	conical-shaped, large, flower heads are white maturing to pink	woody, deep green	mid summer to early fall (Jul-Sep)
'Vanilla Strawberry' PP20670 (Tree Form) <i>keep pruned for continued tree shape</i>	○ ☞ ☀	54-60"	54-60"	conical-shaped, large, flower heads are white tipped in pink, mature to strawberry-red	woody, deep green	mid summer to early fall (Jul-Sep)
'Zinfin Doll' PP26956 <i>proven winner selection</i>	○ ☞ ☀	54-60"	54-60"	conical-shaped, large, flower heads are white maturing bright pink	woody, deep green	early summer to early fall (Jun-Sep)
SHRUB ILEX (Holly)						
<i>Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.</i>						
crenata						
'Sky Pencil'	○ ☞ ☀	54-60"	24-30"		conical, narrow, deep green, evergreen	
glabra (Inkberry)						
NEW 'Gem Box' PP27554 <i>proven winner selection, the perfect alternative to Boxwood</i>	○ ☞ ☀	24-30"	24-30"		round shape, deep green	
meserveae (Blue Holly)						
'Blue Prince'	○ ☞ ☀	48-54"	48-54"	insignificant flower	glossy, deep green	early to late fall (Sep-Oct)
'Blue Prince & Princess' <i>combination planter of both male and female varieties, no need for separate plants/pollinators</i>	○ ☞ ☀	48-54"	48-54"	insignificant flower, red berries in fall	glossy, deep green	early to late fall (Sep-Oct)
'Blue Princess' <i>requires a male pollinator ('Blue Prince') for berry production</i>	○ ☞ ☀	48-54"	48-54"	insignificant flower, red berries in fall	glossy, deep green	early to late fall (Sep-Oct)
SHRUB ITEA (Sweetspire)						
<i>Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.</i>						
virginica						
'Little Henry' PP10988 <i>attracts butterflies</i>	○ ☞ ☀	24-30"	24-30"	fragrant, white	compact, medium green, red fall color	early to mid summer (Jun-Jul)
SHRUB LIGUSTRUM (Privet)						
<i>Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.</i>						
x vicaryi						
'Golden Ticket' PP27301 <i>non-invasive variety</i>	○ ☞	54-60"	54-60"		bright yellow maturing to chartreuse	

SHRUB PHYSOCARPUS (Ninebark)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

opulifolius

'Summer Wine' PP14821	○ ☞	60" or more	48-54"	clusters are cream-white	wine-purple, woody	early to mid summer (Jun-Jul)
'Tiny Wine Gold' PPAF	○ ☞	42-48"	42-48"	clusters are white	compact, yellow-green, woody	early to mid summer (Jun-Jul)
'Tiny Wine' PP26749	○ ☞	42-48"	42-48"	clusters are pinkish-white	compact, wine-purple, woody	early to mid summer (Jun-Jul)

SHRUB PICEA (Spruce)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

abies

'Nidiformis'	○ ☞ ☰	30-36"	36-42"		deep blue-green	
--------------	-------	--------	--------	--	-----------------	--

better known as Bird's Nest Spruce

glauca (Dwarf Alberta Spruce)

'Conica'	○ ☞ ☰	60" or more	54-60"		slow-growing, medium green	
----------	-------	-------------	--------	--	----------------------------	--

will grow to 10' but very slow-growing, great as an accent plant

SHRUB PIERIS (Japanese Andromeda)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

japonica

'Mountain Fire'	○ ☞ ☰	60" or more	54-60"	clusters are white	reddish new growth maturing to bright green, glossy	late spring to early summer (May-Jun)
-----------------	-------	-------------	--------	--------------------	---	---------------------------------------

prefers acidic soil if possible

SHRUB POTENTILLA (Potentilla)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

fruticosa

'Happy Face Pink Paradise' PP22732	○ ☞	30-36"	30-36"	medium pink	medium green	early summer to early fall (Jun-Sep)
'Happy Face Yellow' PP22176	○ ☞	30-36"	30-36"	bright yellow	medium green	early summer to early fall (Jun-Sep)

SHRUB RHAMNUS (Buckthorn)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

frangula

'Fine Line' PP14791	○ ☞ ☰	60" or more	30-36"		fern-like, columnar habit, medium green	
---------------------	-------	-------------	--------	--	---	--

a nice alternative for a tall accent plant in the garden or container

SHRUB RHODODENDRON (Rhododendron) : benefits from some winter protection to keep from cold and drying wind

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

Hybrid

'Nova Zembla'	☞ ☰	54-60"	48-54"	clusters are raspberry-red	glossy, deep green	late spring to early summer (May-Jun)
'PJM Compacta'	☞ ☰	36-42"	36-42"	clusters are lavender-pink	glossy, deep green, mahogany fall color	late spring to early summer (May-Jun)
NEW 'PJM Olga'	☞ ☰	42-48"	36-42"	clusters are peach-pink	glossy, deep green, reddish fall color	late spring to early summer (May-Jun)
'Ramapo'	☞ ☰	36-42"	42-48"	clusters are light violet	compact, glossy, deep green	late spring to early summer (May-Jun)

SHRUB SALIX (Willow)

Listed as part of our foliar and flowering line of small shrubs, but obviously an ornamental tree.

integra

'Flamingo' PP17490	○ ☞ ☰	36-42"	24-36"		deep pink in spring, retains pink tints throughout season	
--------------------	-------	--------	--------	--	---	--

SHRUB SAMBUCUS (Elderberry)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

nigra

'Black Lace' PP15575	○ ☞	60" or more	54-60"	clusters are pink	woody, lacy, purple-black	early to mid summer (Jun-Jul)
'Lemony Lace' PPAF	○ ☞	60" or more	54-60"	clusters are white	woody, lacy, golden-yellow	early to mid summer (Jun-Jul)

proven winner selection

SHRUB SPIREA (Spirea)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

japonica

'Double Big Bang' PP21588	○ ☞ ☰	24-30"	24-30"	large clusters, pink	deep yellow, golden-orange spring and fall color, compact	early to mid summer (Jun-Jul)
NEW 'Double Candy Corn' PPAF	○ ☞ ☰	18-24"	18-24"	large clusters, purple-pink	reddish maturing to pineapple-yellow with orange tints, compact	early to mid summer (Jun-Jul)
'Double Play Gold' PP21615	○ ☞ ☰	18-24"	18-24"	clusters are hot pink	golden-yellow to lime-green, compact	early to mid summer (Jun-Jul)
'Magic Carpet' PP9363	○ ☞ ☰	18-24"	24-30"	pink-purple	reddish-purple maturing to golden-yellow	early to late summer (Jun-Aug)

can tolerate shade but more sun will yield better color

SHRUB SYRINGA (Lilac)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

Hybrid

'Bloomerang Dark Purple' PPAF	○ ☞	54-60"	48-54"	rounded, bright purple, fragrant	medium to deep green	late spring to early fall (May-Sep)
-------------------------------	-----	--------	--------	----------------------------------	----------------------	-------------------------------------

PPAF: repeat bloomer with spring color repeating in summer and fall

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Blooming Pink Perfume' PP24252 <i>patula</i> (Manchurian Lilac) bloomer with spring color repeating in summer and fall	○ ☞	54-60"	48-54"	rounded, rose-pink, fragrant	medium to deep green	late spring to early fall (May-Sep)
'Miss Kim'	○ ☞	54-60"	48-54"	pink to lavender-purple, fragrant	medium to deep green	early spring to early summer (Apr-Jun)
<i>vulgaris</i> (French Hybrids) : if pruning is needed, try to prune immediately when finished blooming.						
'Yankee Doodle'	○ ☞	60" or more	60" or more	deep purple, fragrant	medium green	early to late spring (Apr-May)

SHRUB THUJA (Arborvitae)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

<i>occidentalis</i>						
'DeGroot's Spire'	○ ☞ ☀	60" or more	48-54"		bright green, columnar habit, fan-like leaves, grows 20-25'	
'Emerald Green' ('Smaragd') <i>one of the nicest arborvitae varieties available, perfect for hedges and privacy screens</i>	○ ☞ ☀	60" or more	48-54"		bright green, columnar habit, grows 10-15'	
'North Pole' PPAF <i>branching and habit is slightly more dense than most Arborvitae and not as tall</i>	○ ☞ ☀	60" or more	48-54"		deep green, columnar habit	
<i>plicatum</i>						
NEW '4ever Goldy' PP19267	○ ☞ ☀	60" or more	48-54"		bright golden-yellow maturing to yellow-green, columnar habit, slow growing but grows 8-12'	

SHRUB VIBURNUM

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

<i>carlesii</i> (Korean Spice Viburnum)						
'carlesii'	○ ☞	60" or more	60" or more	fragrant, red buds open to white	woody, deep green, reddish fall color	early to late spring (Apr-May)
<i>plicatum tomentosum</i> (Doublefile Viburnum)						
NEW 'Wabi-Sabi' <i>lower and wider habit</i>	○ ☞	30-36"	42-48"	lacecap-shape, white	medium to deep green	late spring to early summer (May-Jun)
<i>trilobum</i> (Compact American)						
NEW 'Compactum' <i>compact habit for a Viburnum</i>	○ ☞	54-60"	54-60"	clusters of white, red fruit	medium green, red fall color	late spring to early summer (May-Jun)

SHRUB WEIGELA (Weigela) : a popular choice to attract hummingbirds.

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

<i>florida</i>						
'Midnight Wine' PP12217 <i>a dwarf variety of W. 'Wine & Roses'</i>	○ ☞ ☀	24-30"	30-36"	rose-pink	burgundy-purple, compact	late spring to mid summer (May-Jul)
'My Monet' PP16824	○ ☞ ☀	12-18"	18-24"	lavender-pink	variegated white and green with pink tinges, compact	late spring to mid summer (May-Jul)
'My Monet Sunset' PPAF	○ ☞ ☀	12-18"	18-24"	light pink	variegated yellow and green, tinged with red, pink, and orange, compact	late spring to mid summer (May-Jul)
'Sonic Bloom Red' PP24572 <i>repeat blooming, proven winner selection</i>	○ ☞ ☀	42-48"	48-54"	hot pink to red	medium green	late spring to late summer (May-Aug)
'Wine & Roses' PP10772	○ ☞ ☀	36-42"	42-48"	pink	deep purple to burgundy	late spring to mid summer (May-Jul)

SISYRINCHIUM (Blue-eyed Grass)

Sisyrinchium is often overlooked and under-used, try it as an edging plant or small-scale groundcover. Long-blooming and looks nice even when not in bloom.

Hybrid						
'Lucerne' <i>formerly listed as S. bermudianum</i>	○ ☞	6-12"	6-12"	bright blue with gold centers	grass-like, medium to deep green	late spring to mid summer (May-Jul)

STACHYS (Lamb's Ears, Woolly Betony)

Best results will be appreciated if planted in well-drained soil.

<i>byzantina</i>						
'Helen von Stein'	○ ☞	6-12"	30-36"	lavender-pink, usually non-flowering	gray-green with silver hairs, velvety-soft, large leaves, spreading	

TANACETUM (Painted Daisy)

Tanacetum make excellent cut flowers. Prune foliage back after blooming to promote new growth and repeat blooms.

<i>coccineum</i>						
'Robinson Dark Crimson'	○ ☞	18-24"	18-24"	deep rose-red	ferry, deep green	early to mid summer (Jun-Jul)
'Robinson Hybrids'	○ ☞	18-24"	18-24"	mixed (one color per plant) pink, rose-red, or white (dominant color is rose-red)	ferry, deep green	early to mid summer (Jun-Jul)

THYMUS (Thyme)

Many varieties of Thyme are good choices for in-between pavers or brickwork.

<i>lanuginosus</i> (Woolly Thyme)						
'lanuginosus'	○ ☞	6" or less	30-36"	purplish-pink	medium green covered with silvery-gray hair, spreading, fragrant	late spring to early summer (May-Jun)
<i>praecox</i> (Mother-of-Thyme)						
'Coccineus'	○ ☞	6" or less	30-36"	magenta-red to pink	fragrant, deep green, turns bronze in fall, spreading	late spring to mid summer (May-Jul)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
serpyllum						
'Elfin'	○ ☞	6" or less	18-24"	pink	medium green, spreading, fragrant, semi-compact	late spring to early summer (May-Jun)
<i>not as spreading as most Thymus</i>						
x citriodorus (Lemon Thyme)						
'Variegatus'	○ ☞	6" or less	24-30"	lavender	deep green and yellow variegation, fragrant, spreading	mid to late summer (Jul-Aug)
<i>great for culinary or ornamental purposes, strong lemon scent</i>						
TIARELLA (False Miterwort, Foam Flower)						
<i>Tiarella is from the Greek word tiara, a small crown, which refers to its flowers.</i>						
Hybrid						
NEW 'Cutting Edge' PPAF	☞ ☀	6-12"	6-12"	spikes are cream-white, fragrant	medium green, burgundy centers, deeply dissected, compact	late spring to mid summer (May-Jul)
<i>proven winner selection</i>						
'Spring Symphony' PP12397	☞ ☀	6-12"	12-18"	spikes are pale to deep pink, fragrant	medium green, burgundy-red speckled centers, deeply dissected	late spring to mid summer (May-Jul)
TRADESCANTIA (Spiderwort, Widow's Tears)						
<i>Flowers will close during the daytime hours if planted in full sunlight.</i>						
rosea (Callisia rosea)						
'Morning Grace'	○ ☞ ☀	6-12"	12-18"	triangular-shaped, lavender-pink	grass-like, medium green, compact	early to late summer (Jun-Aug)
<i>native</i>						
x andersoniana / virginiana						
'Charlotte's Web' PPAF	○ ☞ ☀	12-18"	18-24"	triangular-shaped, soft blue	grass-like, chartreuse maturing to gold	early summer to early fall (Jun-Sep)
<i>sun-tolerant</i>						
'Zwanenberg Blue'	○ ☞ ☀	18-24"	24-30"	violet-purple	medium green, vigorous	early summer to early fall (Jun-Sep)
TRICYRTIS (Orchid Flower, Toad Lily)						
<i>Tricyrtis is best used if it can be seen up close, as the flowers are unique but not showy from a distance.</i>						
formosana						
'Gilt Edge'	○ ☞ ☀	18-24"	18-24"	orchid-like, white with purple streaks and spots	soft, olive-green with creamy yellow margins, arching stems	mid summer to early fall (Jul-Sep)
TRIFOLIUM (Clover)						
repens						
'Atropurpureum'	○ ☞ ☀	6" or less	36-42"	white	burgundy-purple with green margins, spreading	early to mid summer (Jun-Jul)
<i>can become invasive, use with care</i>						
TROLLIUS (Globeflower)						
<i>Moisture is absolutely necessary for Trollius, especially if in sunny areas.</i>						
chinensis						
'Golden Queen'	○ ☞ ☀	24-30"	18-24"	cup-shaped, golden-orange	deep green, glossy	late spring to mid summer (May-Jul)
<i>moisture-loving</i>						
x cultorum						
NEW 'New Moon'	○ ☞ ☀	18-24"	12-18"	round and cup-shaped, cream-yellow	deep green	late spring to early summer (May-Jun)
NEW 'Orange Crest'	○ ☞ ☀	18-24"	12-18"	round and cup-shaped, orange with dark orange center	deep green	late spring to early summer (May-Jun)
VERONICA (Speedwell)						
<i>Blackening and deteriorating foliage is normal throughout the season, but pruning regularly will alleviate these problems.</i>						
Hybrid						
NEW 'Blue Skywalker' PPAF	○ ☞	24-30"	18-24"	spikes are lavender-blue	taller habit, deep green	early to late summer (Jun-Aug)
NEW 'Mona Lisa Smile' PPAF	○ ☞	18-24"	18-24"	spikes are rose-purple	medium green	late spring to mid summer (May-Jul)
'Pink Potion' PPAF	○ ☞	18-24"	18-24"	spikes are medium pink	deep green	early to late summer (Jun-Aug)
<i>proven winner selection</i>						
'Royal Rembrandt' PPAF	○ ☞	18-24"	18-24"	spikes are violet-purple	deep green	early to late summer (Jun-Aug)
'Tidal Pool' PPAF	○ ☞	6" or less	18-24"	violet-blue, white centers	medium green, semi-spreading	late spring to early summer (May-Jun)
<i>will tolerate some foot traffic</i>						
'Very Van Gogh' PPAF	○ ☞	18-24"	18-24"	spikes are orchid-purple	bright green	early to late summer (Jun-Aug)
'White Wands' PPAF	○ ☞	12-18"	18-24"	spikes are pure white	deep green, glossy	early to late summer (Jun-Aug)
<i>one of the best white varieties available</i>						
longifolia						
'Waterperry Blue'	○ ☞	6" or less	18-24"	spikes are sky-blue to lavender with some deeper veining	spreading, medium green, turns bronze in fall	early to mid summer (Jun-Jul)
repens (Creeping Speedwell)						
'Sunshine'	○ ☞	6" or less	24-30"	spikes are blue	mat-like, chartreuse-gold	early to mid summer (Jun-Jul)
VINCA (Myrtle, Periwinkle)						
<i>A venerable and popular groundcover. Keep moist if planted in sunny locations; allow a year or two to get established. Once established, it is maintenance-free.</i>						
minor						
'Bowles'	○ ☞ ☀	6" or less	24-30"	large, violet-blue	glossy, deep green, spreading	early spring to early summer (Apr-Jun)
minor	○ ☞ ☀	6" or less	24-30"	lilac-blue	glossy, deep green, spreading	early spring to early summer (Apr-Jun)

VIOLA (Hardy Violet)

Dead-heading and trimming of most varieties will keep plants blooming. Viola prefer cooler temps, so plant in partial shade for best summer color. Also keep moist if in full sun.

cornuta

'Columbine'	○ ☞ ☀	6-12"	12-18"	fragrant, white flowers streaked with lilac and lavender	medium to deep green, reseeds readily	early spring to mid summer (Apr-Jul)
'Etain'	○ ☞ ☀	6-12"	12-18"	fragrant, pale creamy yellow with purple margins	medium to deep green, reseeds readily	early spring to early summer (Apr-Jun)
'Johnny Jump-Up'	○ ☞ ☀	6-12"	12-18"	purple, yellow, and white markings	medium green	late spring to early fall (May-Sep)
'Rebecca'	○ ☞ ☀	6-12"	12-18"	fragrant, pale creamy yellow and white with purple flecks	medium to deep green, reseeds readily	early spring to early summer (Apr-Jun)

WATER/POND PLANTS : An assortment of water-loving plants for your pond or wet area. Call or email for specific availability.

WISTERIA

Be patient! Wisteria, unless bought at a very mature age, takes at least 4-5 years to significantly flower. Try not to fertilize for best flowering results.

frutescens (American Wisteria)

'Amethyst Falls'	○	60" or more	60" or more	lavender-blue, fragrant	medium green, climbing	early to late summer (Jun-Aug)
------------------	---	-------------	-------------	-------------------------	------------------------	--------------------------------

does not take as long to flower as other Wisteria; sometimes blooms the first or second year

YUCCA (Adam's Needle, Needle Palm)

Yucca, once established, will probably flower every other season.

filamentosa

'Color Guard'	○ ☞	30-36"	30-36"	creamy-white	gray-green with golden-yellow to creamy white stripes, some pink highlights	mid to late summer (Jul-Aug)
---------------	-----	--------	--------	--------------	---	------------------------------

ZUASCHNERIA (Hummingbird Flower)

garretti

NEW 'Orange Carpet'	○ ☞	6" or less	6-12"	tubular, orange-scarlet	medium green	mid to late summer (Jul-Aug)
----------------------------	-----	------------	-------	-------------------------	--------------	------------------------------

the hummingbirds will still find this low grower!