

# PERENNIAL/SHRUB VARIETIES FOR 2019 (revised 5/3)

		LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
<b>ACHILLEA (Milfoil, Yarrow)</b>							
<i>The Greek hero Achilles is said to have used Achillea for its wound-healing properties. Prune foliage back to promote new growth and repeat blooms.</i>							
<i>Hybrid</i>							
NEW	'Desert Eve Terracotta' PPAF	○ ☞	12-18"	24-30"	clusters are rust-orange, yellow stripes	fragrant, silver-green, compact	late spring to late summer (May-Aug)
NEW	'Little Moonshine'	○ ☞	12-18"	24-30"	clusters are sulphur-yellow	compact, fragrant, silver-green	early summer to early fall (Jun-Sep)
	'Moonshine'	○ ☞	18-24"	30-36"	clusters are sulphur-yellow	fragrant, silver-green	early summer to early fall (Jun-Sep)
NEW	'New Vintage Red' PPAF	○ ☞	12-18"	12-18"	clusters are carmine-red	fragrant, deep green, compact	early to late summer (Jun-Aug)
NEW	'New Vintage Rose' PPAF	○ ☞	12-18"	12-18"	clusters are rose-pink	fragrant, deep green, compact	early to late summer (Jun-Aug)
NEW	'Sassy Summer Lemon' PPAF	○ ☞	24-30"	30-36"	clusters are bright sulphur-yellow	fragrant, medium green, sturdy stems	late spring to mid summer (May-Jul)
NEW	'Sassy Summer Sangria' PPAF	○ ☞	24-30"	30-36"	clusters are dark red, small white center	fragrant, silver-green, sturdy stems	late spring to mid summer (May-Jul)
NEW	'Sassy Summer Silver' PPAF	○ ☞	24-30"	30-36"	clusters are golden-yellow	fragrant, silver-green, sturdy stems	late spring to mid summer (May-Jul)
NEW	'Sassy Summer Sunset' PPAF	○ ☞	24-30"	30-36"	clusters are dark orange, small yellow center	fragrant, medium green, sturdy stems	late spring to mid summer (May-Jul)
NEW	'Sassy Summer Taffy' PPAF	○ ☞	24-30"	30-36"	clusters are salmon-pink maturing to light peach	fragrant, medium green, sturdy stems	late spring to mid summer (May-Jul)
<i>millefolium</i>							
	'Red Velvet'	○ ☞	18-24"	30-36"	clusters are deep red	fragrant, medium green	mid to late summer (Jul-Aug)
<i>ptarmica</i>							
NEW	'Peter Cottontail' PPAF	○ ☞	18-24"	24-30"	double, ivory-white	medium green	early to mid summer (Jun-Jul)
<i>flowers resemble Baby's Breath</i>							
<b>ACTINIDIA (Kiwi Vine)</b>							
<i>argutus</i>							
	'Isaai'	○ ☞	60" or more	42-48"	fragrant, white	medium to light green, climbing	late spring to early summer (May-Jun)
<i>self-fertile, no need for male and female</i>							
<b>AEGOPODIUM (Bishop's Weed, Ground Elder, Goutweed, Snow-on-the-Mountain)</b>							
<i>Spreads quickly, so allow plenty of room for growth. Once thought to cure gout.</i>							
<i>podagaria</i>							
	'Variegatum'	○ ☞ ☀	6-12"	60" or more	clusters are white	light green edged in white, spreading	late spring to early summer (May-Jun)
<i>allow plenty of room to grow as it will spread</i>							
<b>AGAPANTHUS (African Lily, Hardy Agapanthus, Lily of the Nile)</b>							
<i>Hybrid</i>							
NEW	'Blue Yonder'	○ ☞ ☀	24-30"	24-30"	large, heads are cobalt-blue	deep green	mid summer to early fall (Jul-Sep)
NEW	'Galaxy Blue'	○ ☞ ☀	24-30"	24-30"	large, heads are light blue, deep blue edges and center stripes	deep green	mid summer to early fall (Jul-Sep)
NEW	'Galaxy White'	○ ☞ ☀	24-30"	24-30"	large, heads are white	deep green	mid summer to early fall (Jul-Sep)
<b>AGASTACHE (Anise Hyssop)</b>							
<i>Loved by all pollinators (butterflies/hummingbirds/bees). Benefits from winter mulching/protection.</i>							
<i>Hybrid</i>							
NEW	'Acapulco Deluxe Peach' PPAF	○ ☞	12-18"	12-18"	spikes are peach-pink	medium green, spicy fragrance, compact	mid summer to early fall (Jul-Sep)
NEW	'Acapulco Deluxe Red' PPAF	○ ☞	12-18"	12-18"	spikes are carmine-red to rose	medium green, spicy fragrance, compact	mid summer to early fall (Jul-Sep)
	'Blue Fortune'	○ ☞	42-48"	42-48"	spikes are cornflower-blue to violet	grayish-green, spicy fragrance	mid summer to early fall (Jul-Sep)
	'Mango Tango' PPAF	○ ☞	18-24"	18-24"	spikes are mango-orange with rose-pink	medium green, spicy fragrance	mid summer to late fall (Jul-Oct)
	'Peachie Keen' PPAF	○ ☞	18-24"	18-24"	spikes are apricot-peach blend	compact, bright green, fragrant	mid summer to early fall (Jul-Sep)
	'Rosie Posie' PP25857	○ ☞	18-24"	18-24"	spikes are hot pink and purple	compact, bright green, fragrant	mid summer to early fall (Jul-Sep)
<b>AJUGA (Bugleweed)</b>							
<i>An easy-to-grow and adaptable groundcover or container plant. Try to plant Ajuga in moist but very well-drained soil to prevent crown rot and wilt.</i>							
<i>Hybrid</i>							
	'Chocolate Chip'	○ ☞ ☀	6" or less	12-18"	spikes are lavender to sky-blue	small leaves, chocolate-bronze, compact	early spring to early summer (Apr-Jun)
<i>more compact than most Ajuga varieties</i>							
<i>reptans</i>							
	'Black Scallop' PP15815	○ ☞ ☀	6" or less	12-18"	spikes are deep blue	compact, crinkled, near black, not as spreading as most Ajuga	late spring to early summer (May-Jun)
	'Burgundy Glow'	○ ☞ ☀	6" or less	24-30"	spikes are violet-blue	spreading, crinkled, variegated cream, gray-green, and shades of burgundy-purple	late spring to early summer (May-Jun)

		LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
<i>tenorii</i>							
NEW	'Princess Nadia'	○ ☞ ☹	6" or less	18-24"	spikes are purple-blue	semi-spreading, variegated cream, gray-green, and shades of pink	late spring to early summer (May-Jun)
<b>AKEBIA (Chocolate Vine, Fiveleaf)</b>							
<i>quinata</i>							
	<i>quinata</i>	○ ☞	60" or more	60" or more	burgundy-purple	medium green, climbing	early to late spring (Apr-May)
<i>A. quinata will flower, but requires two different varieties planted in close proximity to cross-pollinate and produce fruit</i>							
<b>ALCEA (Hollyhock)</b>							
<i>Alcea is from the word altheo, which means to cure, due to many species' medicinal properties. Taller varieties benefit from staking. Rust often appears on leaves during/after blooming, foliage may be pruned if appearance becomes undesirable.</i>							
<i>ficifolia (Fig-leaved Hollyhock)</i>							
	'Las Vegas'	○ ☞	54-60"	42-48"	single spike clusters are mixed (one color per plant) pink, red, white, or yellow	fig-leaf shape leaves, medium green	early to mid summer (Jun-Jul)
<i>rosea</i>							
	'Chater's Pink'	○ ☞	54-60"	42-48"	rose-pink, double	medium green	mid to late summer (Jul-Aug)
NEW	'Chater's Purple'	○ ☞	54-60"	42-48"	lavender-pink to purple, double	medium green	mid to late summer (Jul-Aug)
	'Chater's Scarlet'	○ ☞	54-60"	42-48"	bright red, double	medium green	mid to late summer (Jul-Aug)
	'Chater's Yellow'	○ ☞	54-60"	42-48"	bright lemon-yellow, double	medium green	mid to late summer (Jul-Aug)
	'Fiesta Time'	○ ☞	30-36"	24-30"	spike clusters are cerise-pink, semi-double	medium to deep green, compact	mid to late summer (Jul-Aug)
	'Halo Cerise'	○ ☞	54-60"	36-42"	spike clusters of cerise-pink flowers, deep purple halo, single	medium to deep green	mid to late summer (Jul-Aug)
	'Indian Springs'	○ ☞	54-60"	42-48"	single, large, spike clusters are mixed shades (one color per plant) deep rose, pink, salmon-pink, and white	medium green	mid summer to early fall (Jul-Sep)
	'Powderpuffs Mix'	○ ☞	48-54"	42-48"	spikes are mixed (one color per plant) pink, red, white, or yellow, double flowers	medium green	mid to late summer (Jul-Aug)
	'Queeny Purple'	○ ☞	30-36"	24-30"	spike clusters are burgundy-purple, semi-double	medium to deep green, compact	mid to late summer (Jul-Aug)
<i>rosea (Spotlight Series)</i>							
	'Blacknight'	○ ☞	54-60"	42-48"	single, deep black-purple	medium green	mid to late summer (Jul-Aug)
	'Mars Magic'	○ ☞	54-60"	42-48"	single, bright red	medium green	mid to late summer (Jul-Aug)
<b>ALLIUM (Ornamental Chives/Onion)</b>							
<i>Easy to grow and deer-resistant. The schoenoprasum and senescens species is especially hardy and drought-resistant.</i>							
<i>giganteum</i>							
	<i>giganteum</i>	○ ☞					early to mid summer (Jun-Jul)
<i>Hybrid</i>							
	'Millenium'	○ ☞	6-12"	6-12"	purple-pink, globular	grass-like, mounding, medium to light green	mid summer to early fall (Jul-Sep)
<i>2018 PPA Perennial of the Year</i>							
<b>ALSTROEMERIA (Inca Lily, Peruvian Lily)</b>							
<i>Alstroemeria benefit from winter mulching/protection in our area. Inca varieties are more winter-hardy for our area.</i>							
<i>Hybrid</i>							
	'Inca Ice' ('Koice')	○ ☞	24-30"	24-30"	apricot-pink and cream-yellow blend, dark spots and light yellow throat	medium to light green	early to late summer (Jun-Aug)
	'Inca Jolie' ('Koncajolie' PP22267)	○ ☞	18-24"	18-24"	orange-red, gold throat	medium to light green	early to late summer (Jun-Aug)
<b>AMSONIA (Bluestar, Blue Dogbane)</b>							
<i>tabernaemontana</i>							
	'Storm Cloud'	○ ☞	24-30"	24-30"	clusters are light periwinkle-blue	black maturing to deep green	late spring to early summer (May-Jun)
<b>ANEMONE (Windflower)</b>							
<i>Anemone is often overlooked, but is an excellent choice for late summer and fall color (some are spring-bloomers, too). Keep moist.</i>							
<i>Hybrid</i>							
	'Cinderella' PPAF	○ ☞ ☹	12-18"	12-18"	single, bright pink with gold center	compact, medium green	mid summer to early fall (Jul-Sep)
NEW	'Dreaming Swan' PPAF	○ ☞ ☹	18-24"	18-24"	semi-double, white, lavender-purple reverse	medium green	early summer to early fall (Jun-Sep)
NEW	'Fall in Love Sweetly' PPAF <i>proven winner selection</i>	○ ☞ ☹	24-30"	24-30"	semi-double, rose-pink, yellow center	deep green	late summer to early fall (Aug-Sep)
NEW	'Lucky Charm' PPAF	○ ☞ ☹	18-24"	18-24"	semi-double, fuchsia-pink	medium green, violet tints	mid to late summer (Jul-Aug)
	'Pocahontas' PP25352	○ ☞ ☹	12-18"	12-18"	semi-double, bubblegum-pink with gold center	compact, medium green	mid summer to late fall (Jul-Oct)
	'Wild Swan' PP23132 <i>earlier and longer to bloom than most</i>	○ ☞ ☹	18-24"	18-24"	semi-double, white, yellow center	medium green	early summer to early fall (Jun-Sep)

**ANTHEMIS (Golden Chamomile, Golden Marguerite)**

Keep moist if planted in sunny areas, and trim back often to force repeat blooming.

*tinctoria*

'Charme' PP15200	○ ☞	12-18"	18-24"	golden-yellow	compact, medium green	early summer to early fall (Jun-Sep)
------------------	-----	--------	--------	---------------	-----------------------	--------------------------------------

*compact and drought tolerant variety*

**AQUILEGIA (Columbine)**

Aquilegia is derived from aquila, like an eagle, which may refer to the beak-like spurs on the flowers.

*Hybrid*

'Biedermeier'	○ ☞ ☰	18-24"	18-24"	mixed (one color per plant) shades of pink, purple, or white		early to mid summer (Jun-Jul)
'Crimson Star'	○ ☞ ☰	24-30"	24-30"	crimson-red sepals, white petals	light green to gray-green	early to mid summer (Jun-Jul)

*Hybrid (Origami Series) : larger flowers and longer-blooming than most Aquilegia*

'Mix'	○ ☞ ☰	12-18"	12-18"	mixed (one color per plant) blue, pink, red, white, or yellow	compact, gray-green	early spring to mid summer (Apr-Jul)
-------	-------	--------	--------	---	---------------------	--------------------------------------

*Hybrid (Songbird Series)*

'Blue Jay'	○ ☞ ☰	18-24"	18-24"	clear blue with white center	gray-green	late spring to mid summer (May-Jul)
'Gold Finch'	○ ☞ ☰	18-24"	18-24"	cream-yellow with bright yellow center	gray-green	late spring to mid summer (May-Jul)

*vulgaris*

<b>NEW</b> 'Clementine Blue'	○ ☞ ☰	18-24"	18-24"	double, violet-blue	gray-green	late spring to early summer (May-Jun)
'Clementine Red'	○ ☞ ☰	18-24"	18-24"	double, fuchsia-red	gray-green	late spring to early summer (May-Jun)

**ARABIS (Rock Cress)**

The caucasica species is one of the earliest plants to bloom in the spring.

*caucasica*

'Snow Cap'	○ ☞	6" or less	12-18"	bright white	gray-green, carpet-like, attractive even when not in bloom	early to late spring (Apr-May)
------------	-----	------------	--------	--------------	--	--------------------------------

**ARTEMISIA (Mugwort, Wormwood)**

Good as a filler for cut bouquets, or as an accent plant in the garden.

*schmidtiana*

'Silver Mound'	○ ☞	6-12"	6-12"	clusters are yellow, insignificant	soft silvery leaves, mounding	mid to late summer (Jul-Aug)
----------------	-----	-------	-------	------------------------------------	-------------------------------	------------------------------

*makes a perfect accent to other surrounding plants*

*stelleriana*

'Silver Brocade'	○ ☞	6-12"	12-18"		velvety, silver-white	
------------------	-----	-------	--------	--	-----------------------	--

*similar to the annual "Dusty Miller"*

**ARUNCUS (Goat's Beard)**

Similar to Astilbe, Aruncus needs a good amount of moisture if planted in sunny areas.

*dioicus*

<b>dioicus</b>	☞ ☰	42-48"	42-48"	feathery, spikes are creamy white	medium green	early to mid summer (Jun-Jul)
----------------	-----	--------	--------	-----------------------------------	--------------	-------------------------------

*Hybrid*

'Chantilly Lace' PPAF	○ ☞ ☰	24-30"	30-36"	feathery, spikes are creamy white	medium green	early to mid summer (Jun-Jul)
-----------------------	-------	--------	--------	-----------------------------------	--------------	-------------------------------

*proven winner selection*

'Misty Lace' PP15798	○ ☞ ☰	18-24"	18-24"	feathery, spikes are creamy white	compact, medium green with red stems	early to mid summer (Jun-Jul)
----------------------	-------	--------	--------	-----------------------------------	--------------------------------------	-------------------------------

*more heat-tolerant than other Aruncus*

**ASARUM (Wild Ginger)**

Relatively slow-growing, but if you are patient and keep it moist, few groundcovers are as attractive.

*europeum (European Wild Ginger)*

<b>europeum</b>	☞ ☰	6-12"	30-36"	burgundy-purple, insignificant	deep green, glossy, spreading	late spring to early summer (May-Jun)
-----------------	-----	-------	--------	--------------------------------	-------------------------------	---------------------------------------

*slow to spread*

*splendens (Chinese Wild Ginger)*

<b>splendens</b>	☞ ☰	6-12"	30-36"	dark purple	spreading, deep green, mottled silver	early to late spring (Apr-May)
------------------	-----	-------	--------	-------------	---------------------------------------	--------------------------------

*flowers appear below foliage*

**ASCLEPIAS (Butterfly Weed, Milkweed)**

Slow to break dormancy in the spring, so be patient. Butterflies love them! (The incamata species is an important food source for the larval stage of Monarchs.)

*tuberosa*

<b>tuberosa</b>	○ ☞	18-24"	18-24"	heads are copper-orange	medium to light green	mid to late summer (Jul-Aug)
-----------------	-----	--------	--------	-------------------------	-----------------------	------------------------------

*2017 PPA Perennial of the Year*

**ASTER (Hardy Aster, Michaelmas Daisy)**

A blackened appearance on most Asters after blooming or planting is normal. Just trim back the undesirable foliage.

*dumosus (Bushy Aster)*

'Wood's Light Blue'	○ ☞	12-18"	24-30"	daisy-like, light lavender-blue with yellow centers	deep green, mildew resistant	early to late fall (Sep-Oct)
'Wood's Pink'	○ ☞	12-18"	24-30"	daisy-like, pink with yellow centers	deep green, mildew resistant	early to late fall (Sep-Oct)
'Wood's Purple'	○ ☞	12-18"	24-30"	daisy-like, royal purple with yellow centers	deep green, mildew resistant	early to late fall (Sep-Oct)

**ASTILBE (False Spirea, Feather Flower)**

Keep moist. If Astilbe is forced to withstand a stressful dry period, it will go dormant. (It isn't dead so don't worry. It will grow back.)

*arendsii*

'Bridal Veil'	○ ☞ ☀	24-30"	24-30"	plumes are white, drooping tips	glossy, deep green	early to mid summer (Jun-Jul)
'Fanal'	○ ☞ ☀	18-24"	18-24"	plumes are blood-red	deep green with deep red highlights	early to mid summer (Jun-Jul)
'Snow Drift'	○ ☞ ☀	18-24"	18-24"	plumes are white	medium to deep green, glossy	mid to late summer (Jul-Aug)

*chinensis (Chinese Astilbe)*

'Little Vision in Pink' PP21886	○ ☞ ☀	12-18"	12-18"	plumes are pale pink, fluffy	deep green to blue-green	mid to late summer (Jul-Aug)
'Little Vision in Purple' PP21855	○ ☞ ☀	12-18"	12-18"	plumes are raspberry-red to pink, fluffy	deep green to blue-green	mid to late summer (Jul-Aug)
'Vision in Red' PP11965	○ ☞ ☀	18-24"	18-24"	plumes are rose to light red, fluffy	deep green to blue-green	mid to late summer (Jul-Aug)

*Hybrid (Mighty Series) : as name suggests, larger and taller habit.*

<b>NEW</b> 'Chocolate Cherry' PPAF	○ ☞ ☀	42-48"	24-30"	plumes are cherry-red	deep green, burgundy tints, red stems	early to mid summer (Jun-Jul)
------------------------------------	-------	--------	--------	-----------------------	---------------------------------------	-------------------------------

*japonica*

'Red Sentinal'	○ ☞ ☀	18-24"	18-24"	plumes are scarlet-red	deep green with dark red highlights	early to mid summer (Jun-Jul)
'Rheinland'	○ ☞ ☀	18-24"	18-24"	plumes are rose-pink maturing to light pink	medium green	early to mid summer (Jun-Jul)

**BAPTISIA (Blue Indigo, False Indigo)**

Some varieties become quite large after a few years, so allow enough room. Prune spent blooms and stems to promote continued flowering.

*Hybrid*

'Grape Taffy' PPAF	○ ☞	24-30"	24-30"	reddish-purple	compact, medium green, vase-shaped habit	late spring to early summer (May-Jun)
--------------------	-----	--------	--------	----------------	--	---------------------------------------

*Hybrid (Decadence Series)*

'Blueberry Sundae' PP23891	○ ☞	30-36"	30-36"	indigo-blue	blue-green, vase-shaped habit	late spring to early summer (May-Jun)
'Lemon Meringue' PPAF	○ ☞	30-36"	30-36"	lemon-yellow, brown-black buds	blue-green, compact, vase-shaped habit	late spring to early summer (May-Jun)
'Pink Lemonade' PPAF	○ ☞	30-36"	30-36"	bicolor, soft yellow and dusty purple	blue-green, vase-shaped habit	late spring to early summer (May-Jun)
'Pink Truffles' PPAF	○ ☞	30-36"	30-36"	pale pink	blue-green, compact, vase-shaped habit	late spring to early summer (May-Jun)

**BELAMCANDA (Blackberry Lily, Leopard Flower)**

*chinensis*

'Hello Yellow'	○ ☞ ☀	18-24"	24-30"	star-shaped, bright yellow	Iris-like, medium to light green	mid to late summer (Jul-Aug)
----------------	-------	--------	--------	----------------------------	----------------------------------	------------------------------

**BELLIS (English Daisy)**

Bellis is from the Latin word bellus which means pretty. Most times Bellis will repeat its bloom again in fall with cooler temps. Prefers extra moisture if in full sun.

*perennis*

'Habanera Mix'	○ ☞ ☀	6-12"	6-12"	globe-shaped, mixed shades of pink, red, or white	medium green, glossy	late spring to early summer (May-Jun)
----------------	-------	-------	-------	---	----------------------	---------------------------------------

**BRUNNERA (Alkanet, Siberian Bugloss)**

Prefers moist soil. Expect some burnt leaf edges during the latter part of the season if planted in sun.

*macrophylla*

'Jack Frost' PP13859	☞ ☀	12-18"	18-24"	clusters are baby-blue	bright silver with marbled green veining	late spring to early summer (May-Jun)
<i>2012 PPA Perennial of the Year, excellent contrast plant, great for brightening up shady areas</i>						
<b>NEW</b> 'Sterling Silver' PPAF	☞ ☀	12-18"	18-24"	clusters are baby-blue	large leaves, bright silver with marbled green veining	late spring to early summer (May-Jun)
<i>an improvement over B. 'Looking Glass'</i>						

**BUDDLEIA (Butterfly Bush)**

Hard to beat for their butterfly and hummingbird attraction. A slight pruning in early summer will usually keep plants shorter and more compact. In the fall, try to prune no more than 2/3 of the foliage back otherwise overwintering may be a problem.

*Hybrid*

'Prince Charming' PPAF	○ ☞	48-54"	48-54"	fragrant, spikes are cerise-pink	semi-compact, woody, medium green	mid summer to early fall (Jul-Sep)
------------------------	-----	--------	--------	----------------------------------	-----------------------------------	------------------------------------

*Hybrid (Cascade Series) : newer series with a more arching/weeping habit and large flowers.*

<b>NEW</b> 'Grand Cascade' PPAF	○ ☞	54-60"	60" or more	large, arching, fragrant, spikes are light lavender-purple	woody, gray-green	mid summer to early fall (Jul-Sep)
<b>NEW</b> 'Lavender Cascade' PPAF	○ ☞	54-60"	60" or more	large, arching, fragrant, spikes are wisteria-blue	woody, gray-green	mid summer to early fall (Jul-Sep)
<i>a bit smaller in habit than the rest of the series</i>						
<b>NEW</b> 'Pink Cascade' PPAF	○ ☞	54-60"	60" or more	large, arching, fragrant, spikes are light to rose-pink	woody, gray-green	mid summer to early fall (Jul-Sep)

*Hybrid (Humdinger Series) : earlier to bloom than most, and also compact in habit.*

'Lavender Cupcake' PPAF	○ ☞	30-36"	30-36"	fragrant, spikes are light lavender-purple	woody, medium green	early summer to early fall (Jun-Sep)
'Little Angel' PPAF	○ ☞	30-36"	30-36"	fragrant, spikes are white	woody, medium green	early summer to early fall (Jun-Sep)

*Hybrid (Pugster Series) : newer Proven Winner series with compact, even larger flowers than most, and longer blooming.*

<b>NEW</b> 'Pugster Amethyst' PPAF	○ ☞	24-30"	30-36"	large, fragrant, spikes are light lavender to periwinkle-blue	woody, gray-green	early summer to early fall (Jun-Sep)
------------------------------------	-----	--------	--------	---	-------------------	--------------------------------------

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Pugster Blue' PPAF	○ ☞	24-30"	30-36"	large, fragrant, spikes are blue to violet-blue	woody, gray-green	early summer to early fall (Jun-Sep)
<b>NEW</b> 'Pugster Periwinkle' PPAF	○ ☞	24-30"	30-36"	large, fragrant, spikes are purple-pink	woody, gray-green	early summer to early fall (Jun-Sep)
<b>NEW</b> 'Pugster Pink' PPAF	○ ☞	24-30"	30-36"	large, fragrant, spikes are taffy-pink	woody, gray-green	early summer to early fall (Jun-Sep)
'Pugster White' PPAF	○ ☞	24-30"	30-36"	large, fragrant, spikes are white	woody, gray-green	early summer to early fall (Jun-Sep)

### CAMPANULA (Bellflower, Harebell)

Most varieties can be repeatedly trimmed back to force continued growth and new blooms.

<i>carpatica</i> (Carpathian Bellflower)						
'Rapido Blue'	○ ☞	6-12"	6-12"	star-shaped, violet-blue	medium green	late spring to late summer (May-Aug)
'Rapido White'	○ ☞	6-12"	6-12"	star-shaped, white	medium green	late spring to late summer (May-Aug)
<b>NEW</b> 'Violet Teacups'	○ ☞	6-12"	6-12"	star-shaped, violet-purple	medium green	early to late summer (Jun-Aug)
<i>glomerata</i> (Clustered Bellflower)						
'Freya' PPAF	○ ☞	12-18"	18-24"	star-shaped, clusters are deep purple	slightly hairy, medium green	late spring to early summer (May-Jun)
'Superba'	○ ☞	12-18"	24-30"	clusters are violet to purple	slightly hairy, medium green	late spring to early summer (May-Jun)
<i>medium</i> (Canterbury Bells, Cup and Saucers)						
<b>medium</b> <i>biennial</i>	○ ☞	18-24"	12-18"	bell-shaped, mixed (one color per plant) blue, pink, or white	medium to light green	early to mid summer (Jun-Jul)
<i>persicifolia</i> (Peach-Leaved Bellflower)						
'Takion Blue' <i>an improved blue variety</i>	○ ☞	12-18"	6-12"	bell-shaped, clusters are lavender-blue, upward-facing	deep green, compact	early to mid summer (Jun-Jul)

### CAMPISIS (Trumpet Creeper)

Campsis will need 3-5 years before it will begin to flower. It is worth the wait, but patience is essential. Butterflies and hummingbirds love them too!

<i>radicans</i>						
<b>radicans</b>	○ ☞	60" or more	60" or more	trumpet-shaped, scarlet to orange	woody, climbing, deep green	mid summer to early fall (Jul-Sep)

### CELASTRUS (Bittersweet)

Male and female plants are needed for fruit production, but there are some cultivars (like 'Autumn Revolution') that have "perfect" flowers resulting in no need for separate male and female plants.

<i>scandens</i>						
'Autumn Revolution' PP19811 <i>no need for separate male and female plants</i>	○ ☞	60" or more	54-60"	insignificant green-white flowers, bright orange-yellow berries in fall	glossy, deep green, yellow fall color, climbing	late spring to early summer (May-Jun)

### CERATOSTIGMA (Leadwort)

<i>plumbaginoides</i>						
<b>plumbaginoides</b>	○ ☞ ☀	6-12"	24-30"	deep lavender-blue	medium green, turns bronze-red in fall, spreading	mid summer to early fall (Jul-Sep)

### CHRYSANTHEMUM (formerly Dendranthema, Garden Mum, Hardy Mum)

Mums benefit from winter protection and mulching. They can also be pinched during the summer to promote a more bushy habit.

Hybrid						
'Mammoth Lavender'	○ ☞	30-36"	42-48"	daisy-like, lavender-pink, yellow center	large, hardy, medium green, mounding	late summer to late fall (Aug-Oct)
'Mammoth Red'	○ ☞	30-36"	42-48"	daisy-like, red, yellow center	large, hardy, medium green, mounding	late summer to late fall (Aug-Oct)
'Mammoth Yellow Quill' PP15027	○ ☞	24-30"	30-36"	daisy-like, spoon-shaped petals, bright yellow	large, hardy, medium green, mounding	late summer to late fall (Aug-Oct)
'Matchsticks' <i>petals resemble a matchstick due to its red tip</i>	○ ☞	18-24"	36-42"	daisy-like, spoon-shaped golden-yellow petals tipped in red	hardy, gray-green, mounding	late summer to late fall (Aug-Oct)

### CIMICIFUGA (Black Cohosh, Black Snakeroot, Bugbane)

Cimicifuga is reported to repel insects, hence the name Bugbane. It benefits from moist, well-drained soil.

<i>ramosa</i>						
'Chocoholic' PPAF	☞ ☀	30-36"	24-30"	fragrant, mauve-pink maturing to white	compact, purplish-black	mid to late summer (Jul-Aug)
'Hillside Black Beauty' PP09988	☞ ☀	48-54"	30-36"	fragrant, white with pink blush	purplish-black	late summer to early fall (Aug-Sep)

### CLEMATIS

See the CLEMATIS PRUNING GROUPS and GUIDELINES section for additional info.

Hybrid						
'Alaina' ('Evipo056') 2	○ ☞	54-60"	30-36"	deep pink fading to light pink, deeper center bar	semi-compact, deep green, climbing	early to mid summer (Jun-Jul)
'Avant-Garde' 2	○ ☞	60" or more	30-36"	fuchsia-red with pink center stamens	deep green, climbing	mid summer to early fall (Jul-Sep)
'Barbara Harrington' 3	○ ☞	60" or more	30-36"	cerise-red petals with yellow anthers	deep green, climbing	early to late summer (Jun-Aug)
<b>NEW</b> 'Barbara Jackman' 2	○ ☞	60" or more	30-36"	pale blue petals with deep red center bar, yellow anthers	deep green, climbing	late spring to mid summer (May-Jul)
'Bernadine' 3 <i>compact grower</i>	○ ☞	48-54"	24-30"	mauve to silver-blue	compact, deep green, climbing	early to late summer (Jun-Aug)

	<b>LIGHT</b>	<b>HEIGHT</b>	<b>SPREAD</b>	<b>FLOWER</b>	<b>FOLIAGE</b>	<b>BLOOM TIME</b>
<b>'Blue Explosion' 2</b> <i>repeats bloom in fall</i>	○ ☞	60" or more	30-36"	large, blue with a hint of pink, semi-double first round of blooms, single second round	deep green, climbing	late spring to mid summer (May-Jul)
<b>'Blue Ravine' 3</b>	○ ☞	60" or more	30-36"	lilac-blue with mauve highlights, pointed petals	deep green, climbing	early to late summer (Jun-Aug)
<b>'Bourbon' 2</b> <i>compact grower, ideal for containers</i>	○ ☞	48-54"	24-30"	large, bright rose-red with pink highlights	compact, deep green, climbing	early to late summer (Jun-Aug)
<b>'Candy Stripe' 2</b> <i>repeats bloom in early fall</i>	○ ☞	60" or more	30-36"	lavender with deep pink center stripes	deep green, climbing	late spring to mid summer (May-Jul)
<b>'Cezanne' ('Evipo023') 1</b> <i>ideal for containers</i>	○ ☞	48-54"	24-30"	sky-blue, yellow center	compact, deep green, climbing	early to late summer (Jun-Aug)
<b>NEW 'Charmaine' 2</b>	○ ☞	60" or more	30-36"	semi-double, rich ruby-red, yellow center	deep green, climbing	early to late summer (Jun-Aug)
<b>'Chelsea' ('Evipo100') 2</b> <i>ideal for containers</i>	○ ☞	48-54"	24-30"	silver-blue, yellow center	compact, deep green, climbing	late spring to mid summer (May-Jul)
<b>'Comtesse de Bouchaud' 3</b>	○ ☞	60" or more	30-36"	large, rose-pink	deep green, climbing	early to late summer (Jun-Aug)
<b>NEW 'Cotton Candy' 2</b> <i>repeats bloom in early fall</i>	○ ☞	60" or more	30-36"	large, white, large center bar of raspberry red	deep green, climbing	late spring to mid summer (May-Jul)
<b>NEW 'Countess of Wessex' 3</b>	○ ☞	48-54"	30-36"	white, pink blush center bar	compact, deep green, climbing	early to mid summer (Jun-Jul)
<b>'Crystal Fountain' 1</b> <i>slightly more compact habit than most varieties</i>	○ ☞	54-60"	30-36"	semi-double, lilac-blue with a lavender starburst center	deep green, climbing	early spring to early summer (Apr-Jul)
<b>NEW 'Danielle' 2</b>	○ ☞	54-60"	30-36"	large, violet-blue, red tipped anthers	semi-compact, deep green, climbing	late spring to mid summer (May-Jul)
<b>'Diamantina' ('Evipo039') 2</b> <i>repeats bloom in early fall</i>	○ ☞	60" or more	30-36"	double, deep purple	deep green, climbing	late spring to mid summer (May-Jul)
<b>'Dr. Ruppel' 2</b> <i>repeats bloom in early fall</i>	○ ☞	60" or more	30-36"	orchid-pink with reddish center bar, ruffled	deep green, climbing	late spring to early summer (May-Jun)
<b>'Duchess of Edinburgh' 2</b> <i>repeats bloom in early fall</i>	○ ☞	60" or more	30-36"	double, white with yellow center	deep green, climbing	late spring to early summer (May-Jun)
<b>NEW 'Edda' 3</b>	○ ☞	48-54"	30-36"	purple, red center bar	compact, deep green, climbing	early to mid summer (Jun-Jul)
<b>'Elsa Spath' 2</b>	○ ☞	60" or more	30-36"	lavender, overlapping petals	deep green, climbing	early to late summer (Jun-Aug)
<b>'Empress' 2</b> <i>repeats bloom in late summer</i>	○ ☞	54-60"	30-36"	large, double, pink with deeper pink bar	deep green, climbing	late spring to early summer (May-Jun)
<b>'Ernest Markham' 3</b> <i>considered one of the best red varieties</i>	○ ☞	60" or more	30-36"	magenta-red with gold anthers	deep green, climbing	early to mid summer (Jun-Jul)
<b>NEW 'Fragrant Star' 2</b>	○ ☞	60" or more	30-36"	large, white	deep green, climbing	late spring to mid summer (May-Jul)
<b>NEW 'Giselle' 2</b> <i>repeats bloom in fall</i>	○ ☞	60" or more	30-36"	large, dusty pink, slightly darker petal edges	deep green, climbing	late spring to mid summer (May-Jul)
<b>'Guernsey Cream' 2</b>	○ ☞	60" or more	30-36"	large, creamy-white, blushed with light yellow center bars	deep green, climbing	early to late summer (Jun-Aug)
<b>'Hagley Hybrids' 3</b> <i>repeats bloom in early fall</i>	○ ☞	60" or more	30-36"	large, light pink, ruffled	deep green, climbing	early to late summer (Jun-Aug)
<b>NEW 'Happy Jack' PP20343 3</b> <i>an improved C. 'Jackmanii', larger and more consistent flowers</i>	○ ☞	60" or more	30-36"	plum-purple, creamy-yellow center	deep green, climbing	early to late summer (Jun-Aug)
<b>'HF Young' 2</b>	○ ☞	60" or more	30-36"	large, sky blue with lighter bars, white center	deep green, climbing	early to mid summer (Jun-Jul)
<b>'Huldine' 3</b>	○ ☞	60" or more	30-36"	white	deep green, climbing	mid to late summer (Jul-Aug)
<b>'Jackmanii' 3</b> <i>the most popular Clematis</i>	○ ☞	60" or more	30-36"	rich purple, creamy-yellow center	deep green, climbing	early to late summer (Jun-Aug)
<b>'Kilian Donahue' 2</b> <i>repeats bloom in late summer and early fall</i>	○ ☞	60" or more	30-36"	fuchsia, then mature to lavender with pink bar	deep green, climbing	late spring to early summer (May-Jun)
<b>'Liberation' ('Evifive') 2</b> <i>repeats bloom in late summer and early fall</i>	○ ☞	60" or more	30-36"	large, deep rose-pink, deeper pink center bar	deep green, climbing	late spring to early summer (May-Jun)
<b>NEW 'Manon' 2</b> <i>repeats bloom in early fall</i>	○ ☞	48-54"	30-36"	light lavender-purple, upward curved edges are darker	compact, deep green, climbing	early to mid summer (Jun-Jul)
<b>'Mrs. N. Thompson' 2</b>	○ ☞	60" or more	30-36"	violet-purple with bright red bar	deep green, climbing	late spring to mid summer (May-Jul)
<b>'Multi Blue' 2</b> <i>repeats bloom in early fall</i>	○ ☞	60" or more	30-36"	semi-double, deep purple to blue with silvery bar	deep green, climbing	late spring to early summer (May-Jun)
<b>NEW 'Mystic Gem' 2</b> <i>repeats bloom in early fall</i>	○ ☞	60" or more	30-36"	large, mauve-pink, faint white outer edges	deep green, climbing	late spring to mid summer (May-Jul)
<b>NEW 'Neva' 2</b> <i>repeats bloom in early fall</i>	○ ☞	48-54"	30-36"	dusty rose, lighter center bars	compact, deep green, climbing	early to mid summer (Jun-Jul)
<b>'Niobe' 3</b>	○ ☞	60" or more	30-36"	wine-red tinged with purple	deep green, climbing	early summer to early fall (Jun-Sep)
<b>NEW 'Nubia' 3</b> <i>repeats bloom in early fall</i>	○ ☞	48-54"	30-36"	dark red	compact, deep green, climbing	early to mid summer (Jun-Jul)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
	○ ☞	60" or more	30-36"	fuchsia-purple, hot pink center bar	deep green, climbing	late spring to early summer (May-Jun)
	○ ☞	60" or more	30-36"	large, shades of lavender and pink	deep green, climbing	early summer to early fall (Jun-Sep)
NEW	○ ☞	48-54"	30-36"	bright pink, red anthers	compact, deep green, climbing	early to mid summer (Jun-Jul)
	○ ☞	60" or more	30-36"	large, deep purple with purple anthers	deep green, climbing	early summer to early fall (Jun-Sep)
NEW	○ ☞	48-54"	30-36"	semi-double, pale blue, white center bar and center	semi-compact, deep green, climbing	early to late summer (Jun-Aug)
	○ ☞	60" or more	30-36"	deep red-violet to wine-red, gold center	deep green, climbing	early to mid summer (Jun-Jul)
	○ ☞	60" or more	30-36"	large, deep red to purple	deep green, climbing	early summer to early fall (Jun-Sep)
	○ ☞	60" or more	30-36"	overlapping, true blue	deep green, climbing	early to late summer (Jun-Aug)
<b>Hybrid (Bush Clematis) : non-climbing form, perfect for containers or small areas.</b>						
NEW	○ ☞	36-42"	30-36"	bell-shaped, blue, deep blue veining	medium to deep green, vigorous, non-climbing	early to late summer (Jun-Aug)
<b>terniflora (Sweet Autumn Clematis)</b>						
	○ ☞	60" or more	48-54"	cranberry and violet shades, fragrant	deep green, vigorous, climbing, spreading	late summer to early fall (Aug-Sep)
	○ ☞	60" or more	48-54"	creamy-white, fragrant	deep green, vigorous, climbing, spreading	early to late fall (Sep-Oct)

### CLEMATIS PRUNING GROUPS and GUIDELINES

Pruning a Clematis is usually not necessary, but at times is beneficial for shaping and better flowering. Follow the corresponding number for each variety. These are guidelines only, call/email us with any additional questions.

**Group 1 : Early Flowering (blooms mostly in spring on previous season's growth, usually no pruning necessary but may prune back soon after flowering)**

generally do not need pruning but can be kept in check if needed; prune within one month after blooming, prune back 1-2' for overall appearance

**Group 2 : Mid-Season Flowering (blooms mostly in early summer on previous season's growth, repeats bloom in summer on current season's growth, prune in late winter or early spring back to previous year's wood/growth)**

prune in late winter or early spring; remove dead or weak shoots and prune remaining shoots back about 1-2' for overall appearance

**Group 3 : Late-Season Flowering (blooms mostly in mid-late summer on current season's growth, repeats bloom in fall, prune 1/3 of the stems each year back to previous year's wood/growth)**

prune in late winter or early spring; prune about 1/3 of shoots back about 1-2' each season for overall appearance

**Group 4 : Small-Flowering (varieties that produce small flowers, usually no pruning necessary but may prune to shape at any time of year)**

generally do not need pruning; can be pruned back after blooming if overgrown for the area in which they are located

### CONVALLARIA (Lily of the Valley)

Often goes dormant after flowering. Sometimes orange-red berries will be produced in the fall which can be removed due to their toxicity.

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
NEW	☞ ☰	6-12"	12-18"	small, nodding, fragrant, white	light green, spreading	late spring to early summer (May-Jun)
	☞ ☰	6-12"	12-18"	small, nodding, fragrant, white	light green, spreading	late spring to early summer (May-Jun)

### COREOPSIS (Tickseed)

Keep Coreopsis pruned back after flowering to promote new growth and repeat blooming.

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
	○ ☞	18-24"	18-24"	double golden-yellow	medium green	late spring to late summer (May-Aug)
	○ ☞	6-12"	6-12"	semi-double, bright golden-yellow	medium green, compact	early summer to early fall (Jun-Sep)
	○ ☞	18-24"	18-24"	bright golden-yellow with a burgundy eye	medium green	early summer to early fall (Jun-Sep)
	○ ☞	12-18"	12-18"	bright golden-yellow with a burgundy eye	medium green	early summer to early fall (Jun-Sep)
<b>Hybrid</b>						
	○ ☞	12-18"	12-18"	fluted, golden-yellow to orange	medium green	early to late summer (Jun-Aug)
NEW	○ ☞	12-18"	12-18"	creamy-yellow, dark red center eye	deep green, compact	early to late summer (Jun-Aug)
<b>Hybrid (L'il Bang Series) : same great performance as the Big Bang series, but with a much more compact habit.</b>						
	○ ☞	6-12"	6-12"	orange-red center, yellow leaf tips	deep green, compact	early summer to early fall (Jun-Sep)
	○ ☞	6-12"	6-12"	butter-yellow, small red eye, cooler temps yield more red	deep green, compact	early summer to early fall (Jun-Sep)
<b>Hybrid (Sizzle &amp; Spice Series) : newer threadleaf varieties offering a compact and rounded habit.</b>						
	○ ☞	12-18"	12-18"	red-orange	ferry, deep green, compact	early to late summer (Jun-Aug)
	○ ☞	12-18"	12-18"	golden-yellow, dark red eye	ferry, deep green, compact	early to late summer (Jun-Aug)
	○ ☞	12-18"	12-18"	ivory-white, dark magenta center	ferry, deep green, compact	early to late summer (Jun-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
<i>verticillata</i>						
'Route 66' PP20609	○ ☞	24-30"	24-30"	yellow with blood-red eye, matures to mostly burgundy red in cooler temps	ferry, medium green	early to late summer (Jun-Aug)
'Zagreb'	○ ☞	12-18"	18-24"	golden-yellow	ferry, medium green, compact	early to late summer (Jun-Aug)
<b>CORYDALIS</b>						
<i>Corydalis requires a well-drained but moist soil, and does best in at least some shade. Avoid heavy or clay-like soil. May go dormant during heat and summer months.</i>						
<i>flexuosa</i>						
<b>NEW</b> 'Porcelain Blue' PPAF	○ ☞ ☂	6-12"	6-12"	bright electric-blue	deep green, bronze tints	late spring to early summer (May-Jun)
<i>repeats bloom later in fall, foliage stays consistent in summer unlike many Corydalis</i>						
<i>lutea</i>						
'lutea'	○ ☞ ☂	12-18"	12-18"	clusters are yellow	ferry, medium green to gray-green	late spring to mid summer (May-Jul)
<b>CROCOSMIA (Crocoshia, Montbretia)</b>						
<i>Crocoshia makes a great cut flower; also attracts butterflies and hummingbirds.</i>						
<i>Hybrid</i>						
'Lucifer'	○ ☞	36-42"	42-48"	bright flame red	medium to light green, arching stems	mid to late summer (Jul-Aug)
<i>perfect for brilliant red summer color</i>						
'Prince of Orange'	○ ☞	30-36"	30-36"	bright orange-red, burgundy flecks	medium to light green, arching stems	mid to late summer (Jul-Aug)
<i>perfect for brilliant red summer color</i>						
'Walberton Yellow'	○ ☞	24-30"	30-36"	yellow tinged with orange	medium to light green, arching stems	mid to late summer (Jul-Aug)
<b>DELOSPERMA (Hardy Ice Plant)</b>						
<i>Delosperma is a perfect choice for poor or dry soil conditions. Benefits from some winter protection/mulching.</i>						
<i>cooperi</i>						
'cooperi'	○ ☞	6" or less	36-42"	starburst-shaped, fuchsia-purple	succulent, spreading, medium to light green	late spring to early fall (May-Sep)
<i>one of our top performers in our display gardens, does well in poor soil</i>						
<i>Hybrid</i>						
'Fire Spinner' PPAF	○ ☞	6" or less	24-30"	starburst-shaped, orange and yellow petals, purple-pink and white centers	succulent, spreading, medium to light green	late spring to early fall (May-Sep)
<i>Hybrid (Hotcakes Series)</i>						
<b>NEW</b> 'Banana Blast' PPAF	○ ☞	6" or less	12-18"	starburst-shaped, bright yellow, white centers	succulent, spreading, medium to light green	late spring to early fall (May-Sep)
<b>NEW</b> 'Pumpkin Perfection' PPAF	○ ☞	6" or less	12-18"	starburst-shaped, bright orange, white centers	succulent, spreading, medium to light green	late spring to early fall (May-Sep)
<b>NEW</b> 'Saucy Strawberry' PPAF	○ ☞	6" or less	12-18"	starburst-shaped, cherry-red, hot-pink centers	succulent, spreading, medium to light green	late spring to early fall (May-Sep)
<b>DELPHINIUM (Larkspur)</b>						
<i>Some taller varieties might need staking, but keeping plants trimmed back after blooming will help to keep them sturdy and robust. Most varieties benefit from winter protection/mulching.</i>						
<i>grandiflorum</i>						
'Summer Cloud'	○ ☞	6-12"	6-12"	deep blue with white center	compact, lacy, medium to light green	early to late summer (Jun-Aug)
'Summer Nights'	○ ☞	12-18"	12-18"	clear blue to midnight-blue	lacy, light green	early to late summer (Jun-Aug)
<i>Hybrid</i>						
<b>NEW</b> 'Delphina Light Blue White Bee'	○ ☞	12-18"	12-18"	large, semi-double, spikes are lavender-blue, white center bee	medium green, strong stems, compact	early to mid summer (Jun-Jul)
<b>NEW</b> 'Delphina Rose White Bee'	○ ☞	12-18"	12-18"	large, double, spikes are mauve-pink, white center bee	medium green, strong stems, compact	early to mid summer (Jun-Jul)
'Million Dollar Blue'	○ ☞	24-30"	12-18"	large, semi-double, spikes are true blue, white bee	medium green, strong stems, compact	early to mid summer (Jun-Jul)
<i>x elatum (New Millenium Hybrids)</i>						
'Cobalt Dreams'	○ ☞	48-54"	30-36"	spikes are deep cobalt-blue, white center/bee	medium to light green	early to mid summer (Jun-Jul)
<i>an improved version of 'Royal Aspirations'</i>						
<b>NEW</b> 'New Millenium Mini Stars'	○ ☞	24-30"	18-24"	spikes are mixed (one color per plant) pink, blue, lilac, purple, or white	compact, medium to light green	early to mid summer (Jun-Jul)
'New Millenium Stars'	○ ☞	42-48"	30-36"	spikes are mixed (one color per plant) pink, blue, purple, or white	medium to light green	early to mid summer (Jun-Jul)
'Pagan Purples'	○ ☞	54-60"	30-36"	spikes are bluish-purple, with white or brown center/bee	medium to light green	early to mid summer (Jun-Jul)
'Purple Passion'	○ ☞	48-54"	30-36"	spikes are purple, white center/bee	medium to light green	early to mid summer (Jun-Jul)
<b>DIANTHUS (Pinks)</b>						
<i>Like many plants, Dianthus can be cut back after blooming to force new blooms and healthier growth. Many varieties will repeat bloom again in fall.</i>						
<i>Hybrid</i>						
<b>NEW</b> 'Appleblossom Burst' PPAF	○ ☞	6-12"	6-12"	semi-double, white to light pink blends, burgundy-red eye	blue-green	late spring to mid summer (May-Jul)
<i>part of the Pretty Popper series</i>						
<b>NEW</b> 'Constant Beauty Pink'	○ ☞	6-12"	6-12"	double, rose-pink, pink, white blend	gray-green	late spring to mid summer (May-Jul)



		LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
<b>NEW</b>	'Cute as a Button' PPAF <i>part of the Pretty Popper series</i>	○ ☞	6-12"	6-12"	semi-double, bright pink, deep red eye	blue-green	late spring to mid summer (May-Jul)
<b>NEW</b>	'Razzlepop' PPAF <i>part of the Pretty Popper series</i>	○ ☞	6-12"	6-12"	semi-double, watermelon-pink, deep red center eyes	silver-blue	late spring to mid summer (May-Jul)
<b>Hybrid (Fruit Punch Series) : from the Proven Winner collection.</b>							
	'Cherry Vanilla' PPAF	○ ☞	6-12"	6-12"	double, fragrant, wine-red, thin light pink edges	blue-green, compact	late spring to mid summer (May-Jul)
	'Raspberry Ruffles' PPAF	○ ☞	6-12"	6-12"	double, fragrant, raspberry-pink, thin white edges	blue-green, compact	late spring to mid summer (May-Jul)
	'Spiked Punch' PPAF	○ ☞	6-12"	6-12"	fragrant, double, fuchsia-pink with deep red eye	gray-green, compact	late spring to mid summer (May-Jul)
	'Sweetie Pie' PPAF	○ ☞	6-12"	6-12"	fragrant, semi-double, true pink with slightly darker pink eye	gray-green, compact	late spring to mid summer (May-Jul)

### DICENTRA (Bleeding Heart)

Needs a well-drained but moist soil. It is normal for the *spectabilis* species to go dormant after blooming.

<b>Hybrid</b>							
	'Fire Island' PP22488 <i>improved variety of D. 'Burning Hearts'</i>	○ ☞ ☀	12-18"	12-18"	heart-shaped, magenta-red, nodding	medium green to gray-green, ferny	early to late summer (Jun-Aug)
	'Luxuriant'	○ ☞ ☀	12-18"	12-18"	heart-shaped, cherry-red, nodding	medium green, ferny, compact	early to late summer (Jun-Aug)
<b>spectabilis (Old-fashioned Bleeding Heart)</b>							
	'Alba'	○ ☞ ☀	30-36"	36-42"	heart-shaped, white, nodding	medium to light green, arching stems	late spring to early summer (May-Jun)
	'Gold Heart' <i>foliage color is best in sunny locations, turns greenish in shadier locations</i>	☞ ☀	18-24"	24-30"	heart-shaped, rose-pink with white tips, nodding	golden-yellow, arching peach stems	late spring to early summer (May-Jun)
	<b>spectabilis</b>	○ ☞ ☀	30-36"	36-42"	heart-shaped, rose-pink with white tips, nodding	medium to light green, arching stems	late spring to early summer (May-Jun)

### DIGITALIS (Finger Flower, Foxglove)

*Digitalis* in Latin means finger of a glove, referring to the shape of the flower.

<b>Hybrid</b>							
	'Polkadot Princess'	○ ☞	30-36"	24-30"	spikes are bright pink	medium to deep green	early to late summer (Jun-Aug)
<b>purpurea : Biennial type. The purpurea species of Digitalis benefits from winter protection/mulching.</b>							
	'Candy Mountain'	○ ☞	42-48"	24-30"	upright-facing, spikes are rose-pink with splotches of white	large leaves, medium green	early to mid summer (Jun-Jul)
<b>NEW</b>	'Dalmatian Peach'	○ ☞	30-36"	24-30"	spikes are light peach-pink, some orange speckling	large leaves, medium green	early to mid summer (Jun-Jul)
	'Giant Shirley'	○ ☞	42-48"	24-30"	spikes are mixed (one color per plant) lavender, pink, rose, and white	large leaves, medium green	early to mid summer (Jun-Jul)
<b>x mertonensis</b>							
	<b>mertonensis ('Summer King')</b>	○ ☞	24-30"	24-30"	spikes are dusty-rose to pink	large leaves, deep green	early to mid summer (Jun-Jul)

### ECHINACEA (Coneflower)

Truly one of the easiest perennials to grow, and worthwhile in any garden. Prune foliage back after blooming to promote new growth and repeat blooms. *Echinacea* comes from the Greek word "echinos" which means "hedgehog," referring to its spiny center cone.

<b>Hybrid</b>							
<b>NEW</b>	'Atomic Orange' PPAF <i>part of the Eye-Catcher series</i>	○ ☞	12-18"	12-18"	daisy-like, tangerine-orange, dark orange center cone	medium green	early to late summer (Jun-Aug)
<b>NEW</b>	'Canary' PPAF <i>part of the Eye-Catcher series</i>	○ ☞	12-18"	12-18"	daisy-like, golden-yellow, gold center cone	medium green	early to late summer (Jun-Aug)
	'Cheyenne Spirit'	○ ☞	24-30"	18-24"	daisy-like, mixed shades of orange, peach, red, white, or yellow, brown center cone	medium green	early to late summer (Jun-Aug)
<b>NEW</b>	'Coral Craze' PPAF <i>part of the Eye-Catcher series</i>	○ ☞	18-24"	18-24"	daisy-like, coral-pink to lavender-pink, dark orange center cone	medium green	early to late summer (Jun-Aug)
	'Delicious Candy' PPAF	○ ☞	18-24"	18-24"	double, daisy-like, fuchsia-pink	deep green	early to late summer (Jun-Aug)
<b>NEW</b>	'Fine Feathered Parrot' PPAF	○ ☞	18-24"	18-24"	daisy-like, golden-yellow, reddish center eyezone, dark bronze center cone	deep green	early to late summer (Jun-Aug)
	'Hot Papaya' PP21022	○ ☞	24-30"	24-30"	double, daisy-like, red-orange, papaya-orange center tinge	deep green, some purplish stems	early to late summer (Jun-Aug)
	'Julia' PPAF	○ ☞	12-18"	12-18"	daisy-like, large, tangerine-orange, copper center cone	compact, medium green	mid to late summer (Jul-Aug)
	'Orange Skipper' PPAF	○ ☞	12-18"	12-18"	daisy-like, tangerine-orange, copper center cone	deep green	early to late summer (Jun-Aug)
	'Purple Emperor' PPAF	○ ☞	12-18"	12-18"	daisy-like, magenta-purple, deep orange center cone	deep green, compact	early to late summer (Jun-Aug)
	'Raspberry Truffle' PP22612 <i>part of the Cone-factions series</i>	○ ☞	24-30"	18-24"	double, daisy-like, coral-pink to peach, chocolate-brown center cone	deep green, darker stems	early to late summer (Jun-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Santa Fe' <i>newer seed strain, long bloomer</i>	○ ☞	12-18"	12-18"	daisy-like, red-orange to pink-red shades, bronze center cone	medium green, compact	early to late summer (Jun-Aug)
<b>purpurea</b>						
'Green Jewel' PP18678	○ ☞	24-30"	24-30"	fragrant, light green petals, green center cone	medium green	mid to late summer (Jul-Aug)
<b>NEW</b> 'Green Twister' <i>seed sport of E. 'Magnus'</i>	○ ☞	30-36"	24-30"	light green, light pink to pink inner band, bronze-green center cone	medium green	mid to late summer (Jul-Aug)
'Pow Wow White'	○ ☞	18-24"	12-18"	daisy-like, white, bronze-orange center cone	medium green, compact	early to late summer (Jun-Aug)
'Pow Wow Wildberry'	○ ☞	18-24"	12-18"	daisy-like, deep pink to magenta-pink, bronze-orange center cone	medium green, compact	early to late summer (Jun-Aug)
'Sombbrero Adobe Orange' PPAF	○ ☞	12-18"	12-18"	drooping petals, intense orange, bronze-orange center cone	compact, deep green	mid to late summer (Jul-Aug)
'Sombbrero Hot Coral' PP23097	○ ☞	12-18"	12-18"	drooping petals, bright coral-pink, bronze-orange center cone	compact, medium green	mid to late summer (Jul-Aug)
'Sombbrero Lemon Yellow' PPAF	○ ☞	18-24"	12-18"	drooping petals, bright yellow, copper center cone	compact, medium green	mid to late summer (Jul-Aug)
'Sombbrero Salsa Red' PPAF	○ ☞	12-18"	12-18"	drooping petals, rich red, bronze-red center cone	compact, medium green	mid to late summer (Jul-Aug)
<b>NEW</b> 'Sombbrero Tres Amigos' PPAF	○ ☞	18-24"	18-24"	peach-coral, maturing to rose-pink, then fade to burgundy	semi-compact, medium green	mid to late summer (Jul-Aug)
<b>NEW</b> 'Tweety' PP28952	○ ☞	6-12"	12-18"	daisy-like, canary-yellow, golden center cone	compact, deep green	early to late summer (Jun-Aug)
'Virgin' PP18684	○ ☞	18-24"	18-24"	fragrant, white, green center cone	deep green	mid summer to early fall (Jul-Sep)
<b>NEW</b> 'White Fascinator'	○ ☞	12-18"	12-18"	drooping petals, double, ivory-white, white center cone	medium green	mid to late summer (Jul-Aug)
<b>EUCOMIS (Pineapple Lily)</b>						
<i>Hardy to zone 6, may benefit from some winter mulching/protection.</i>						
<b>Hybrid</b>						
<b>NEW</b> 'African Night' PPAF	○ ☞	30-36"	36-42"	spikes are pink	burgundy maturing to deep green	mid to late summer (Jul-Aug)
<b>NEW</b> 'Safari Adventure' PPAF	○ ☞	30-36"	36-42"	spikes are cream maturing to purple-pink	olive-green, purplish tints	mid to late summer (Jul-Aug)
<b>EUONYMOUS (Wintercreeper)</b>						
<i>An all-purpose semi-evergreen plant that can be trained to climb, be kept in shrub form, or allowed to creep as a groundcover.</i>						
<b>fortunei</b>						
'Coloratus'	○ ☞ ☀	12-18"	42-48"		leathery, deep green, turning reddish-purple in fall, spreading	
'Gold Splash'	○ ☞ ☀	18-24"	24-30"		leathery, deep green with gold-yellow edges, spreading	
<b>EUPATORIUM (Hardy Ageratum, Joe-Pye Weed, Mist Flower, Boneset)</b>						
<i>Some powdery mildew might appear after flowering, so simply trim undesirable foliage.</i>						
<b>rugosum</b>						
'Chocolate'	○ ☞	30-36"	36-42"	clusters are white	chocolate-burgundy	mid to late summer (Jul-Aug)
<b>EUPHORBIA (Spurge)</b>						
<i>The sap from Euphorbia may cause skin irritation when pruning or handling. Gloves might be useful.</i>						
<b>epithymoides / polychroma (Cushion Spurge)</b>						
'Bonfire' PP18585	○ ☞	18-24"	18-24"	clusters are sulphur-yellow	multicolored purple, red, orange, and light green, mounding	late spring to early summer (May-Jun)
<b>epithymoides (polychroma)</b>	○ ☞	18-24"	18-24"	clusters are sulphur-yellow	gray-green, turns red in fall, mounding	late spring to early summer (May-Jun)
<b>FALLOPIA (Fleece Flower)</b>						
<b>aubertii (Silver Lace Vine)</b>						
<b>aubertii</b>	○ ☞	60" or more	60" or more	sprays are creamy-white, fragrant	climbing, medium green, vigorous	mid summer to early fall (Jul-Sep)
<i>puts on a spectacular fall display</i>						
<b>FERN ADIANTUM</b>						
<b>pedatum (Maidenhair Fern)</b>						
<b>pedatum</b>	☞ ☀	18-24"	24-30"		soft, medium to light green, turning gold in fall	
<b>FERN ATHYRIUM</b>						
<b>felix-femina (Lady Fern)</b>						
<b>felix-femina</b>	☞ ☀	18-24"	24-30"		medium green	
<i>tolerates dryer soils</i>						
<b>Hybrid</b>						
'Branford Beauty'	☞ ☀	18-24"	24-30"		silver-green, upright	

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
<b>nipponicum (Japanese Painted Fern)</b>						
<b>Godzilla'</b>	☞ ☀	24-30"	18-24"		large, burgundy stems, silver-green fronds	
<b>'Pictum'</b> <i>2004 PPA Perennial of the Year</i>	☞ ☀	12-18"	12-18"		burgundy stems, silver-green fronds with burgundy tints	

### FERN DRYOPTERIS

<b>affinis (Golden Scaled Male Fern)</b>						
<b>affinis</b>	☞ ☀	30-36"	30-36"		leathery, deep green	
<b>'Stableri'</b>	☞ ☀	24-30"	24-30"		medium to deep green, leathery	
<b>'The King'</b>	☞ ☀	18-24"	24-30"		deep green fronds, crested frilly leaflets	
<b>crassirhizoma (Thick-stemmed Wood Fern)</b>						
<b>crassirhizoma</b>	☞ ☀	30-36"	36-42"		medium green, upright, sturdy	
<b>dilatata (Crisp Broad Buckler)</b>						
<b>'Crispa Whiteside'</b>	☞ ☀	12-18"	18-24"		chartreuse maturing to medium green, soft, lacy	
<b>erythrosora (Autumn Fern, Japanese Sword Fern)</b>						
<b>'Brilliance'</b> <i>excellent fall color</i>	○ ☞ ☀	18-24"	24-30"		golden-orange fronds mature to medium green, reddish-orange in fall	
<b>filix-mas (Male Fern)</b>						
<b>'Undulata-robusta'</b>	☞ ☀	24-30"	30-36"		sturdy, upright, medium green	
<b>intermedia (Fancy Fern)</b>						
<b>intermedia</b> <i>durable, drought tolerant</i>	○ ☞ ☀	12-18"	18-24"		leathery, medium to deep green	

### FERN MATTEUCCIA

<b>struthiopteris (Ostrich Fern)</b>						
<b>struthiopteris</b> <i>fronds resemble ostrich feathers</i>	☞ ☀	42-48"	42-48"		vase-shaped, large, medium green	
<b>'The King'</b> <i>fronds are broad and wide</i>	☞ ☀	42-48"	42-48"		vase-shaped, large, medium green	

### FERN OSMUNDA

<b>claytoniana (Interrupted Fern)</b>						
<b>claytoniana</b> <i>fertile leaflets disappear after dropping spores to leave an "interruption" in the frond</i>	○ ☞ ☀	24-30"	24-30"		medium green	

### FERN POLYSTICHUM

<b>acrostichoides (Christmas Fern)</b>						
<b>acrostichoides</b>	☞ ☀	18-24"	24-30"		medium green with silver highlights, leathery	
<b>polyblepharum (Japanese Tassel Fern)</b>						
<b>polyblepharum</b> <i>durable and easy to grow</i>	☞ ☀	18-24"	24-30"		tan stems, deep green leaflets	
<b>retrosopaleaceum (Japanese Sword Fern)</b>						
<b>retrosopaleaceum</b>	☞ ☀	30-36"	24-30"		large broad fronds, bright green leaflets	

**FRUIT** : Many varieties of potted fruit plants are available, including varieties of blackberry, blueberry, elderberry, grape, raspberry, strawberry, and more. Please call or email us for availability.

### GAILLARDIA (Blanket Flower)

Prune foliage after blooming to promote new growth and repeat blooms. Heat-tolerant. Try not to plant in heavy clay soil.

<b>aristata</b>						
<b>'Arizona Apricot'</b>	○ ☞	6-12"	12-18"	daisy-like with mostly soft yellow petals with apricot-orange centers	medium green, heat-tolerant, compact	early summer to early fall (Jun-Sep)
<b>'Arizona Red Shades'</b>	○ ☞	6-12"	12-18"	daisy-like with crimson to rust-red petals tipped in yellow	medium green, heat-tolerant, compact	early summer to early fall (Jun-Sep)
<b>'Arizona Sun'</b>	○ ☞	6-12"	12-18"	daisy-like with orange-red petals tipped in yellow	medium green, heat-tolerant, compact	early summer to early fall (Jun-Sep)
<b>Hybrid</b>						
<b>'Fanfare Blaze' PP23494</b>	○ ☞	18-24"	18-24"	trumpet-shaped, bright orange-red, deeper orange-red center cone	medium green	early summer to early fall (Jun-Sep)
<b>x grandiflora</b>						
<b>'Goblin'</b> <i>one of the best Gaillardia varieties, popular</i>	○ ☞	6-12"	12-18"	daisy-like, scarlet/rust-red with yellow petal tips	medium green	early summer to early fall (Jun-Sep)

		LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
NEW	'Lunar Two Moons'	○ ☞	6-12"	6-12"	burgundy to red, petals tipped in yellow	medium green, compact	early to late summer (Jun-Aug)
NEW	'Mesa Red' <i>part of the Mesa series with sturdy non-flopping foliage</i>	○ ☞	12-18"	12-18"	brick-red, deeper red center	medium green, compact	early to late summer (Jun-Aug)
	'Mesa Yellow' <i>part of the Mesa series with sturdy non-flopping foliage</i>	○ ☞	12-18"	12-18"	bright yellow	medium green, compact	early to late summer (Jun-Aug)
NEW	'Spintop Copper Sun' PPAF	○ ☞	6-12"	6-12"	trumpet-shaped, copper-orange, petals tipped in gold-yellow, deep orange center cone	medium green, compact	early to late summer (Jun-Aug)
NEW	'Spintop Yellow Touch' PPAF	○ ☞	6-12"	6-12"	orange-red, petals thinly tipped in yellow, burgundy center cone	medium green, compact	early to late summer (Jun-Aug)
	'Sunset Celebration'	○ ☞	12-18"	12-18"	daisy-like, red to brick red	medium green	early to late summer (Jun-Aug)

### GALIUM (Sweet Woodruff)

*Galium does best in some shade with a well-drained soil.*

#### odoratum

odoratum	☞ ☀	6" or less	18-24"	star-shaped, white, fragrant	light green	late spring to early summer (May-Jun)
----------	-----	------------	--------	------------------------------	-------------	---------------------------------------

### GAURA (Wand Flower, Whirling Butterflies)

*Gaura is derived from gauros, which means superb. Flowers resemble small butterflies.*

#### lindheimeri

'Crimson Butterflies'	○ ☞	12-18"	18-24"	rose-pink	deep green to burgundy	mid to late summer (Jul-Aug)
-----------------------	-----	--------	--------	-----------	------------------------	------------------------------

### GERANIUM (Cranesbill)

*Foliage may be cut back any time to promote a more bushy habit. Common name is from the beaked fruits' resemblance to a Crane's bill.*

#### Hybrid

NEW	'Boom Chocolatta' PPAF	○ ☞ ☀	24-30"	24-30"	purple-blue	chocolate-bronze	early to late summer (Jun-Aug)
	'Rozanne' PP12175 <i>2008 PPA Perennial of the Year</i>	○ ☞ ☀	18-24"	30-36"	violet-blue with a white eye, large	deep green, mounding, fragrant	early summer to early fall (Jun-Sep)

#### maculatum

NEW	'Crane Dance' PPAF	○ ☞ ☀	24-30"	24-30"	vibrant blue	medium green, bright red fall color	early to late summer (Jun-Aug)
-----	--------------------	-------	--------	--------	--------------	-------------------------------------	--------------------------------

#### pratense

'Dark Reiter'	○ ☞ ☀	6-12"	12-18"	lilac-purple	chocolate-purple, compact	early to late summer (Jun-Aug)
---------------	-------	-------	--------	--------------	---------------------------	--------------------------------

#### sanguineum (Bloody Cranesbill)

'Alpenglow'	○ ☞ ☀	12-18"	18-24"	lavender-pink, cup-shaped	medium green, red fall color	late spring to mid summer (May-Jul)
-------------	-------	--------	--------	---------------------------	------------------------------	-------------------------------------

'Vision Violet'	○ ☞ ☀	12-18"	18-24"	carmine-red to violet	dense and compact, fragrant, medium to deep green	late spring to mid summer (May-Jul)
-----------------	-------	--------	--------	-----------------------	---	-------------------------------------

#### x cantabrigiense

'Biokovo'	○ ☞ ☀	6-12"	24-30"	light pink to white	dense, deep green, fragrant	early to late summer (Jun-Aug)
-----------	-------	-------	--------	---------------------	-----------------------------	--------------------------------

*2015 PPA Perennial of the Year*

### GEUM (Avens)

*Planting in moist but well-drained soil will aid in overwintering.*

#### chiloense

'Lady Stratheden'	○ ☞	12-18"	12-18"	sunny yellow	light green	early to mid summer (Jun-Jul)
-------------------	-----	--------	--------	--------------	-------------	-------------------------------

'Mrs. Bradshaw'	○ ☞	12-18"	12-18"	bright orange-red	light green	early to mid summer (Jun-Jul)
-----------------	-----	--------	--------	-------------------	-------------	-------------------------------

'Totally Tangerine' PP22041	○ ☞	24-30"	12-18"	golden-orange shades	light green	late spring to late summer (May-Aug)
-----------------------------	-----	--------	--------	----------------------	-------------	--------------------------------------

#### flora plena

'Blazing Sunset' ('Double Bloody Mary')	○ ☞	18-24"	12-18"	double, bright scarlet-red	fuzzy, light green	late spring to mid summer (May-Jul)
---	-----	--------	--------	----------------------------	--------------------	-------------------------------------

#### Hybrid

NEW	'Pretticoats Peach' PPAF <i>readily reblooms</i>	○ ☞	6-12"	12-18"	semi-double, peach-yellow blend	crinkled, medium green, compact	late spring to late summer (May-Aug)
-----	---	-----	-------	--------	---------------------------------	---------------------------------	--------------------------------------

### GRASS CALAMAGROSTIS (Reed Grass)

#### acutiflora

'Karl Foerster'	○ ☞	36-42"	30-36"	plumes are tan, wheat-like	deep green	mid summer to early fall (Jul-Sep)
-----------------	-----	--------	--------	----------------------------	------------	------------------------------------

*2001 PPA Perennial of the Year*

'Overdam'	○ ☞	30-36"	24-30"	plumes are tan, wheat-like	deep green with thin white margins, narrow leaves	mid summer to early fall (Jul-Sep)
-----------	-----	--------	--------	----------------------------	---	------------------------------------

#### arundinacea

var. brachytricha	○ ☞	30-36"	30-36"	plumes open pinkish maturing to silvery-tan	medium green, turns yellow in fall, medium wide leaves	late summer to early fall (Aug-Sep)
-------------------	-----	--------	--------	---	--	-------------------------------------

### GRASS CAREX (Sedge Grass)

*Carex is an ideal choice for semi-shade to shady places where a compact and season-long attractive plant is needed.*

#### elata (Gold Sedge)

'Bowles Golden'	☞ ☀	24-30"	24-30"	plumes are tan, insignificant	bright gold with green margins, narrow leaves	late spring (May)
-----------------	-----	--------	--------	-------------------------------	---	-------------------

*taller than many Carex varieties*

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
<b>hachijoensis (Variegated Japanese Sedge)</b>						
'Evergold'	☞ ☀	6-12"	18-24"	plumes are tan, insignificant	creamy yellow with green margins, mounding, narrow leaves	late spring (May)
<b>morowii (Variegated Sedge)</b>						
'Ice Dance'	○ ☞ ☀	12-18"	24-30"	plumes are tan, insignificant	bright green with white margins, medium wide leaves	late spring (May)
<i>will spread if given room, makes a nice groundcover</i>						
<b>oshimensis</b>						
'Everillo' PP21002	☞ ☀	6-12"	12-18"	insignificant	gold to gold-green	late spring (May)
<i>sport of 'Evergold'</i>						
<b>siderosticha (Creeping Variegated Broad Leaf Sedge)</b>						
'Banana Boat'	☞ ☀	6-12"	12-18"	plumes are tan, insignificant	variegated banana-yellow and green, mounding, wide leaves	late spring (May)
<i>tolerant of any soil, great for wet areas</i>						
<b>GRASS ERIANTHUS (Hardy Pampas Grass, Ravenna Grass)</b>						
<i>Not the true Pampas Grass, but much hardier and similar in appearance.</i>						
<b>ravennae</b>						
ravennae	○ ☞	8-10'	6-7'	plumes are large, silver turning to tan, wheat-like	medium green to gray, wide leaves	early to late fall (Sep-Oct)
<b>GRASS FESTUCA (Blue Fescue, Sheeps Fescue)</b>						
<i>On Festuca, plumes are usually produced every other season.</i>						
<b>glauca</b>						
'Beyond Blue' PP23307	○ ☞	6-12"	6-12"	plumes are tan, wheat-like	gray-blue, narrow leaves	early to late summer (Jun-Aug)
'Blue Whiskers' PPAF	○ ☞	12-18"	12-18"	plumes are tan, wheat-like	silvery-blue, narrow leaves	early to late summer (Jun-Aug)
<i>similar to 'Elijah Blue' but with larger habit</i>						
'Elijah Blue'	○ ☞	6-12"	6-12"	plumes are tan, wheat-like	powdery blue, narrow leaves	early to late summer (Jun-Aug)
<b>GRASS HAKONECHLOA (Forest Grass, Hakone Grass)</b>						
<i>Hakone or Forest Grass offers bamboo-like foliage and maintenance-free traits.</i>						
<b>macra</b>						
'All Gold'	☞ ☀	12-18"	18-24"	plumes are light tan, insignificant	lemon-yellow, arching appearance, medium wide leaves	mid to late summer (Jul-Aug)
'Aureola'	☞ ☀	12-18"	18-24"	plumes are light tan, insignificant	yellow with green margins, arching appearance, medium wide leaves	mid to late summer (Jul-Aug)
<i>2009 PPA Perennial of the Year</i>						
<b>GRASS HELICTOTRICHON (Blue Oat Grass)</b>						
<b>sempervirens</b>						
sempervirens	○ ☞	18-24"	18-24"	plumes are tan, wheat-like	vase-shaped, gray to green, narrow leaves	mid to late summer (Jul-Aug)
<b>GRASS IMPERATA (Japanese Blood)</b>						
<i>Rarely plumes. Best foliage color will occur in full sun.</i>						
<b>cylindrica</b>						
'Red Baron'	○ ☞	12-18"	30-36"		medium green with red tips, turns bronze-burgundy in fall	
<b>GRASS JUNCUS (Rush)</b>						
<i>Most varieties are not invasive, but allow more room if given moist conditions. Some winter protection is recommended.</i>						
<b>effusus</b>						
'Curly Wurlly' ('Spiralis' or 'Big Twister')	○ ☞	6-12"	6-12"	brown, insignificant	corkscrew-shaped, medium green, compact	late summer to early fall (Aug-Sep)
<b>GRASS MISCANTHUS (Eulalia Grass, Maiden Grass)</b>						
<b>sinensis</b>						
'Autumn Anthem' PPAF	○ ☞	5-6'	5-6'	plumes are cream maturing to tan	rounded habit, deep green, turns yellow in fall, narrow leaves	early fall (Sep)
'Cabaret'	○ ☞	5-6'	5-6'	plumes are silver maturing to tan	medium green with wide center white stripe, wide leaves	late fall (Oct)
<i>late to plume if at all</i>						
'Cosmopolitan'	○ ☞	6-7'	5-7'	plumes are silver maturing to tan	variegated medium green and white, wide leaves	early to late fall (Sep-Oct)
'Gracillimus'	○ ☞	5-6'	4-5'	plumes are silver maturing to tan	deep green, narrow leaves	late fall (Oct)
<i>one of the most common ornamental grasses, late to plume if at all</i>						
'Little Zebra' PP13008	○ ☞	42-48"	42-48"	plumes are pinkish maturing to tan	horizontal markings of yellow against bright green, compact, medium wide leaves	late summer to late fall (Aug-Oct)
'Morning Light'	○ ☞	48-54"	42-48"	plumes are silver with purplish tint	slight variegation of cream and medium green, narrow leaves	early to late fall (Sep-Oct)
'Oktoberfest' PPAF	○ ☞	6-7'	5-6'	plumes are burgundy maturing to tan	deep green, purple and red tints in fall, narrow leaves	early fall (Sep)
<i>an improved form of 'Graziella'</i>						
'Strictus'	○ ☞	5-6'	4-5'	plumes are copper-silver maturing to tan	horizontal markings of yellow against bright green, wide leaves	early to late fall (Sep-Oct)
<i>a little more upright and compact than M. 'Zebrinus'</i>						

		LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
<b>GRASS PANICUM (Switch Grass)</b>							
<i>virgatum</i>							
	'Apache Rose' PPAF <i>proven winner selection</i>	☉ ☞	36-42"	36-42"	airy, small plumes open rose-purple maturing to tan	gray-green tipped in wine-red, narrow leaves, vase-shaped sturdy upright habit	late summer to late fall (Aug-Oct)
	'Cheyenne Sky' PPAF <i>great for containers</i>	☉ ☞	30-36"	30-36"	airy, small plumes open purple maturing to tan	compact, blue-green tipped in wine-red, narrow leaves, vase-shaped habit	late summer to late fall (Aug-Oct)
<b>GRASS PENNISETUM (Fountain Grass)</b>							
<i>Long-favored for its maintenance-free traits and attractive appearance even when not in flower.</i>							
<i>alopecuroides</i>							
	'Burgundy Bunny' PP21917	☉ ☞	30-36"	30-36"	fuzzy, bottle-brush-shaped, tan	medium green with red tints, turns all red in fall, narrow leaves	mid summer to early fall (Jul-Sep)
	'Ginger Love' PPAF	☉ ☞	24-30"	30-36"	fuzzy, bottle-brush-shaped, ginger-red maturing to tan	medium green, narrow leaves	late summer to late fall (Aug-Oct)
	'Hameln' <i>a popular choice for a compact grass</i>	☉ ☞	24-30"	24-30"	fuzzy, bottle-brush-shaped, tan	medium green, compact and mounding, narrow leaves	mid summer to early fall (Jul-Sep)
	'Little Bunny'	☉ ☞	6-12"	6-12"	fuzzy, bottle-brush-shaped, tan	medium green, compact, narrow leaves	late summer to late fall (Aug-Oct)
<b>NEW</b>	'Puppy Love' PPAF	☉ ☞	24-30"	30-36"	fuzzy, bottle-brush-shaped, brown-red maturing to tan	medium green, narrow leaves	late summer to late fall (Aug-Oct)
	'Red Head'	☉ ☞	36-42"	36-42"	fuzzy, bottle-brush-shaped, smoky-purple maturing to tan	medium green, compact and mounding, narrow leaves	late summer to late fall (Aug-Oct)
<i>orientale</i>							
	'Karley Rose' PP12909	☉ ☞	30-36"	30-36"	fuzzy, bottle-brush-shaped, drooping, pink maturing to tan	medium green, compact and mounding, narrow leaves	mid to late summer (Jul-Aug)
<b>GYPSOPHILA (Baby's Breath)</b>							
<i>An excellent choice for filling in those spaces left by spring-blooming plants that have gone dormant or have become unattractive. Always popular for cutting or dried arrangements.</i>							
<i>paniculata</i>							
	'Festival Star' PP14818 <i>compact grower, long-blooming</i>	☉ ☞	12-18"	12-18"	sprays are white	gray-green, compact	early summer to early fall (Jun-Sep)
	'Summer Sparkles' PP19318	☉ ☞	24-30"	24-30"	semi-double, sprays are bright white	gray-green	early summer to early fall (Jun-Sep)
<b>HEDERA (English Ivy)</b>							
<i>A popular choice for a maintenance-free groundcover, but also makes a nice accent plant in containers.</i>							
<i>helix</i>							
	<i>helix</i> <i>will climb if given support</i>	☉ ☞ ☀	6" or less	42-48"		deep green, glossy	
<b>HELIOPSIS (False Sunflower)</b>							
<i>Powdery mildew can be a problem, but usually only after it has bloomed. Trim back to alleviate any problem.</i>							
<i>helianthoides</i>							
<b>NEW</b>	'Burning Hearts'	☉ ☞	24-30"	12-18"	daisy-like, golden-yellow, red-orange centers	compact, deep green to purple, purple stems	mid summer to early fall (Jul-Sep)
	'Sunstruck' PP25524	☉ ☞	12-18"	12-18"	daisy-like, golden-yellow	compact, variegated cream-white with medium green veins	early to late summer (Jun-Aug)
	'Tuscan Gold' PPAF <i>proven winner selection, an improved native cultivar, disease-resistant</i>	☉ ☞	30-36"	30-36"	daisy-like, bright yellow	deep green, compact, mildew resistant	mid to late summer (Jul-Aug)
	'Tuscan Sun' PP18763 <i>proven winner selection, an improved native cultivar, disease-resistant</i>	☉ ☞	30-36"	30-36"	daisy-like, golden yellow	deep green, compact, mildew resistant	mid to late summer (Jul-Aug)
<b>HELLEBORUS (Christmas Rose, Hellebore, Lenten Rose)</b>							
<i>Deer-resistant! Helleborus is one of the earliest perennials to bloom in our area. May go dormant during summer months. H. orientalis was 2005 PPA Plant of the Year.</i>							
<i>Hybrid</i>							
	'Ivory Prince' PP16199 (*Walhelivor)	☞ ☀	12-18"	12-18"	nodding, blue-purple blend	deep green	early to late spring (Apr-May)
<i>Hybrid (Honeymoon Series)</i>							
	'New York Night'	☞ ☀	18-24"	18-24"	single, grey-purple to purple-black	deep green	early to late spring (Apr-May)
	'Paris in Pink'	☞ ☀	18-24"	18-24"	single, nodding, light to medium pink shades	deep green	early to late spring (Apr-May)
	'Rio Carnival'	☞ ☀	18-24"	18-24"	single, nodding, butter-yellow, burgundy-red speckling	deep green	early to late spring (Apr-May)
<b>NEW</b>	'Romantic Getaway'	☞ ☀	18-24"	18-24"	single, nodding, white, deep red-splashed centers	deep green	early to late spring (Apr-May)
	'Rome in Red'	☞ ☀	18-24"	18-24"	single, nodding, rich maroon-red	deep green	early to late spring (Apr-May)
<b>NEW</b>	'Tropical Sunset'	☞ ☀	18-24"	18-24"	single, nodding, cream-yellow, streaks of burgundy	deep green	early to late spring (Apr-May)
<b>NEW</b>	'Vegas Nights'	☞ ☀	18-24"	18-24"	single, nodding, gray-purple blend	deep green	early to late spring (Apr-May)
<i>Hybrid (Wedding Party Series)</i>							
	'Dark and Handsome'	☞ ☀	18-24"	18-24"	semi-double, nodding, near black	deep green	early to late spring (Apr-May)

**HEMEROCALLIS (Daylily)**

Without a doubt the most popular perennial due to its easy maintenance and summertime beauty. Hemerocallis in Greek means beautiful for a day.

*Hybrid*

	<b>'Going Bananas' PP17164</b>	○ ☞	18-24"	18-24"	canary-yellow, repeat bloomer	medium green	mid to late summer (Jul-Aug)
	<i>an improved 'Happy Returns' variety with larger flowers and more consistent blooming</i>						
<b>NEW</b>	<b>'Lavender Blue Baby'</b>	○ ☞	24-30"	18-24"	large, ruffled, lavender-purple, lavender-blue eye, repeat bloomer	medium green	early to late summer (Jun-Aug)
	<b>'Purple de Oro'</b>	○ ☞	18-24"	18-24"	large, reddish-purple	medium green	early to late summer (Jun-Aug)
	<b>'Ruby Stella'</b>	○ ☞	12-18"	12-18"	wine-red, repeat bloomer	medium green, compact	early to late summer (Jun-Aug)
	<b>'Stella de Oro'</b>	○ ☞	12-18"	12-18"	golden-yellow, repeat bloomer	medium green, compact	late spring to early fall (May-Sep)
	<i>the most popular daylily, long-blooming</i>						
	<b>'Strawberry Candy'</b>	○ ☞	24-30"	24-30"	ruffled, pink with raspberry-red eye, green throat, repeat bloomer, tetraploid	medium green	late spring to late summer (May-Aug)

**Premium Series :** These varieties are a cut above the rest, with many superior qualities compared to "normal" daylilies. These qualities include higher bud count, vigorous and healthy performance, richer colors, heavier textures, and highly adaptable.

<b>NEW</b>	<b>'Handwriting on the Wall'</b>	○ ☞	18-24"	18-24"	ruffled, peach, wine-purple eye, purple edges, repeat bloomer, tetraploid	medium green	early to late summer (Jun-Aug)
	<b>'Nosferatu'</b>	○ ☞	24-30"	24-30"	ruffled, dark purple, chartreuse throat, repeat bloomer, tetraploid	medium green	early to late summer (Jun-Aug)
	<i>proven winner selection</i>						
	<b>'Orange Smoothie'</b>	○ ☞	24-30"	18-24"	heavily ruffled, orange-mango, light rose eyezone, light pink midrib, tetraploid, repeat bloomer	medium green	early to late summer (Jun-Aug)
	<b>'Primal Scream'</b>	○ ☞	30-36"	30-36"	large, ruffled, tangerine-orange, tetraploid	medium green	early to late summer (Jun-Aug)
	<i>proven winner selection</i>						
	<b>'Romantic Returns' PP13481</b>	○ ☞	18-24"	18-24"	large, ruffled, deep rose-pink, green throat, repeat bloomer	medium green	early summer to early fall (Jun-Sep)
	<b>'Storm Shelter'</b>	○ ☞	18-24"	18-24"	ruffled, mauve-pink, large deep purple eyezone, green throat, tetraploid, repeat bloomer	medium green	early to late summer (Jun-Aug)
	<b>'Sunday Gloves'</b>	○ ☞	24-30"	24-30"	ruffled, fragrant, near white with pale yellow eye, repeat bloomer	medium green	early to late summer (Jun-Aug)
	<b>'Tiger Swirl'</b>	○ ☞	24-30"	18-24"	large, golden-yellow, raspberry-red eye, tetraploid	medium green	early to late summer (Jun-Aug)
	<i>proven winner selection</i>						

**HERBS :** As always, we carry an expansive variety of herbs, too many to list in this space. Please call or email for availability.

**HEUCHERA (Alumroot, Coral Bells)**

Few plants offer as much outstanding foliage color and contrast possibilities, and butterflies and hummingbirds can't resist them either! Plant in a well-drained area. Height listed includes flower, foliage usually stays about half as tall.

*Hybrid*

<b>NEW</b>	<b>'Dolce Apple Twist' PPAF</b>	○ ☞ ☀	12-18"	12-18"	clusters are creamy-white	ruffled, chartreuse-yellow, reddish centers in spring and fall	late spring to mid summer (May-Jul)
	<i>proven winner selection</i>						
	<b>'Dolce Appletini' PPAF</b>	○ ☞ ☀	12-18"	12-18"	clusters are bright ruby-red	lime-green, silver overlay	late spring to mid summer (May-Jul)
	<i>proven winner selection</i>						
<b>NEW</b>	<b>'Dolce Cherry Truffles' PPAF</b>	○ ☞ ☀	12-18"	12-18"	clusters are light pink	ruffled, bright burgundy-red maturing to burgundy	late spring to mid summer (May-Jul)
	<i>proven winner selection, an improvement over H. 'Cinnamon Curls'</i>						
	<b>'Dolce Silver Gumdrop' PPAF</b>	○ ☞ ☀	12-18"	12-18"	clusters are vibrant pink	silver, pink overlays	late spring to mid summer (May-Jul)
	<i>proven winner selection</i>						
<b>NEW</b>	<b>'Dolce Wildberry' PPAF</b>	○ ☞ ☀	12-18"	12-18"	clusters are light pink to white	glossy, purple, black veining, purple undersides	late spring to mid summer (May-Jul)
	<i>proven winner selection</i>						
	<b>'Forever Purple' PP26358</b>	○ ☞ ☀	12-18"	18-24"	clusters are light pink	glossy, bright purple, deep purple veining, pink highlights	late spring to mid summer (May-Jul)
<b>NEW</b>	<b>'Forever Red' PPAF</b>	○ ☞ ☀	12-18"	18-24"	clusters are white	glossy, bright burgundy-red	late spring to mid summer (May-Jul)
	<i>consistent foliage color, brightest in cooler temps</i>						
<b>NEW</b>	<b>'Lemon Love' PPAF</b>	○ ☞ ☀	18-24"	24-30"	clusters are creamy-white	bright yellow-green, lime-green in shade	late spring to mid summer (May-Jul)
	<i>better sun tolerance than most, still best in at least partial shade</i>						
	<b>'Primo Black Pearl' PPAF</b>	○ ☞ ☀	12-18"	12-18"	clusters are white	jet-black, rose-purple undersides	late spring to mid summer (May-Jul)
	<i>proven winner selection, the new standard in black Heuchera</i>						
	<b>'Primo Pretty Pistachio' PPAF</b>	○ ☞ ☀	12-18"	12-18"	clusters are medium pink	chartreuse maturing to lime-green	late spring to mid summer (May-Jul)
	<i>proven winner selection</i>						
	<b>'Primo Wild Rose' PPAF</b>	○ ☞ ☀	12-18"	12-18"	clusters are rose-pink	bright rose-purple, deep purple-gray veining, pink undersides	late spring to mid summer (May-Jul)
	<i>proven winner selection</i>						
	<b>'Raspberry Ice' PP13340</b>	○ ☞ ☀	18-24"	18-24"	clusters are light pink	silver, purple veining, purple undersides	late spring to mid summer (May-Jul)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
<b>micrantha</b>						
'Palace Purple'	○ ☞ ☹	12-18"	18-24"	clusters are creamy-white	leaves range from olive-green, bronze, and burgundy, purple undersides	late spring to mid summer (May-Jul)
<i>1991 PPA Perennial of the Year</i>						
<b>sanguinea / x brizoides</b>						
'Snow Angel'	○ ☞ ☹	6-12"	6-12"	clusters are bright rose-pink	mint-green and white marbled variegation, compact	late spring to mid summer (May-Jul)
<b>villosa</b>						
'Caramel' PP16560	○ ☞ ☹	6-12"	6-12"	clusters are creamy-white	compact, caramel-tan to gold	late spring to mid summer (May-Jul)
<b>NEW</b> 'Timeless Treasure' PPAF	○ ☞ ☹	6-12"	12-18"	clusters are rose to deep rose	pewter-silver, darker veining	late spring to late summer (May-Aug)
<i>longer blooming than most varieties</i>						
'Twist of Lime' PPAF	○ ☞ ☹	12-18"	12-18"	clusters are creamy-white	ruffled, chartreuse-yellow	late spring to mid summer (May-Jul)
<i>best foliage color if given a little filtered sunlight</i>						
<b>HEUCHERELLA (Foamy Bells)</b>						
<i>Heucherella is a cross between Heuchera and Tiarella. (Flowers like Heuchera, foliage like Tiarella.)</i>						
<b>Hybrid</b>						
'Catching Fire' PPAF	○ ☞ ☹	6-12"	18-24"	clusters are white	leaves are chartreuse-green, bright red veining and center maturing to burgundy-red	late spring to early summer (May-Jun)
<b>NEW</b> 'Hopscotch' PP28750	○ ☞ ☹	12-18"	18-24"	clusters are creamy-white	lobed, red with dark red centers, maturing to bronze-green	late spring to early summer (May-Jun)
'Pink Fizz' PP26947	○ ☞ ☹	6-12"	12-18"	clusters are pink	lobed, silver-green, purple veining	late spring to early summer (May-Jun)
<b>NEW</b> 'Pumpkin Spice' PP29925	○ ☞ ☹	6-12"	18-24"	clusters are creamy-white	lobed, bronze-red with mahogany-red centers	late spring to early summer (May-Jun)
'Red Rover' PPAF	○ ☞ ☹	12-18"	18-24"	clusters are creamy-white	lobed, copper-red with burgundy-red centers, red fall color	late spring to early summer (May-Jun)
<b>HIBISCUS (Rose Mallow)</b>						
<i>Very late to break dormancy, so don't worry if you don't see signs of life until June or even July.</i>						
<b>Hybrid</b>						
'Berry Awesome' PPAF	○ ☞	48-54"	48-54"	large, lavender-pink, burgundy-purple eye	compact, deep olive-green	mid summer to early fall (Jul-Sep)
'Cherry Choco Latte' PPAF	○ ☞	48-54"	48-54"	large, white, deep pink veining, large red eye	compact, deep olive-green	mid summer to early fall (Jul-Sep)
<b>NEW</b> 'Holy Grail' PPAF	○ ☞	48-54"	48-54"	large, deep red	maple-like, deep purple-black	mid summer to early fall (Jul-Sep)
'Mars Madness' PP27838	○ ☞	48-54"	48-54"	large, magenta-red	maple-like, deep olive-green, copper highlights	mid summer to early fall (Jul-Sep)
'Midnight Marvel' PP24079	○ ☞	48-54"	48-54"	large, deep scarlet-red	wine-purple, maple-like	mid summer to early fall (Jul-Sep)
<b>NEW</b> 'Perfect Storm' PPAF	○ ☞	36-42"	42-48"	large, pink with rose veining and magenta eye	compact, white, bright red center eye, petals edged in pink	mid summer to early fall (Jul-Sep)
'Starry Starry Night' PPAF	○ ☞	42-48"	48-54"	large, light pink, deep pink veining and speckling	maple-like, blackish-green	mid summer to early fall (Jul-Sep)
<b>HOSTA (Funkia, Plantain Lily)</b>						
<i>Requiring little care, Hosta can make any planting classy and attractive. If flowers are not desired, simply prune out the flower stalks as they appear. Height listed includes flower, foliage usually stays about half or two-thirds as tall.</i>						
<b>fluctuans</b>						
'Variegated' ('Sage')	○ ☞ ☹	36-42"	36-42"	lavender	large leaves, blue-green with yellow to creamy-white margins, leathery	mid to late summer (Jul-Aug)
<i>2000 Hosta of the Year</i>						
<b>fortunei</b>						
'Francee'	○ ☞ ☹	12-18"	18-24"	lavender	semi-glossy, medium to deep green with thin white margin	mid to late summer (Jul-Aug)
'Gold Standard'	○ ☞ ☹	18-24"	24-30"	pale lavender	light green maturing to gold with deep green irregular margins	mid to late summer (Jul-Aug)
'Patriot'	○ ☞ ☹	24-30"	24-30"	lavender	deep green with wide white margins	mid to late summer (Jul-Aug)
<i>1997 Hosta of the Year</i>						
<b>Hybrid</b>						
'Abiqua Drinking Gourd'	○ ☞ ☹	18-24"	18-24"	white	large, cup-shaped, blue-green	early to mid summer (Jun-Jul)
<i>2014 Hosta of the Year, good slug resistance</i>						
'Autumn Frost' PPAF	○ ☞ ☹	12-18"	12-18"	light lavender	wide yellow margins maturing to white, frosted blue centers	mid to late summer (Jul-Aug)
<i>proven winner selection, sport of 'First Frost'</i>						
'Blue Mouse Ears'	○ ☞ ☹	6-12"	6-12"	lavender	compact, leathery, blue to gray-green with heavy substance	mid to late summer (Jul-Aug)
<i>2008 Hosta of the Year</i>						
'Brother Stephan'	○ ☞ ☹	18-24"	18-24"	creamy-white	heavy-textured, puckered, chartreuse with blue margins maturing to gold with green margins	early to mid summer (Jun-Jul)
<i>2017 Hosta of the Year</i>						
'Coast to Coast' PPAF	○ ☞ ☹	36-42"	36-42"	pale violet	large, chartreuse-yellow maturing to gold, large puckered leaves	mid to late summer (Jul-Aug)
<i>proven winner selection</i>						
'Curly Fries'	○ ☞ ☹	6-12"	12-18"	lavender	narrow leaves, chartreuse to light green, red speckles	mid to late summer (Jul-Aug)
<i>2016 Hosta of the Year</i>						



		<b>LIGHT</b>	<b>HEIGHT</b>	<b>SPREAD</b>	<b>FLOWER</b>	<b>FOLIAGE</b>	<b>BLOOM TIME</b>
	<b>'Dancing Queen'</b>	○ ☞ ☱	18-24"	24-30"	pale lavender	large leaves, chartreuse to yellow	mid to late summer (Jul-Aug)
<b>NEW</b>	<b>'Diamond Lake' PP30303</b> <i>proven winner selection</i>	○ ☞ ☱	12-18"	24-30"	pale lavender	large, ruffled, puckered, blue-gray	mid to late summer (Jul-Aug)
	<b>'Dream Weaver'</b> <i>sport of 'Great Expectations'</i>	○ ☞ ☱	18-24"	36-42"	white	large leaves, blue-green margins and creamy white irregular center, puckered	mid to late summer (Jul-Aug)
	<b>'Earth Angel'</b> <i>2009 Hosta of the Year, sport of 'Blue Angel'</i>	○ ☞ ☱	30-36"	30-36"	pale lavender	large leaves, blue green with wide creamy-yellow margins	mid to late summer (Jul-Aug)
	<b>'Empress Wu' PP20774</b> <i>proven winner selection, one of the largest Hosta available</i>	○ ☞ ☱	42-48"	48-54"	pale violet	large leaves, deep green, heavy-textured	early to mid summer (Jun-Jul)
<b>NEW</b>	<b>'Etched Glass' PPAF</b> <i>sport of 'Stained Glass'</i>	○ ☞ ☱	30-36"	36-42"	white, fragrant	large leaves, brilliant gold with wide streaked deep green margins	mid to late summer (Jul-Aug)
	<b>'Fire and Ice'</b> <i>sport of 'Patriot'</i>	○ ☞ ☱	18-24"	24-30"	lavender-pink	large white centers with wide medium to deep green irregular margins	mid to late summer (Jul-Aug)
	<b>'Fire Island'</b>	○ ☞ ☱	18-24"	18-24"	lavender	bright gold to yellow, red-tinted stems	mid to late summer (Jul-Aug)
<b>NEW</b>	<b>'Gemstone'</b>	○ ☞ ☱	6-12"	6-12"	lavender	compact, twisting, powder-blue, narrow leaves	mid to late summer (Jul-Aug)
	<b>'Great Expectations'</b>	○ ☞ ☱	24-30"	36-42"	white	large leaves, blue-green margin and creamy-yellow to white irregular center, puckered	early to mid summer (Jun-Jul)
	<b>'Guacamole'</b> <i>2002 Hosta of the Year</i>	○ ☞ ☱	30-36"	36-42"	white, fragrant	large leaves, apple-green with deep green margins, centers mature to gold	mid to late summer (Jul-Aug)
	<b>'Hans'</b>	○ ☞ ☱	18-24"	18-24"	pale lavender	large leaves, blue-green with white center streaks, puckered	early to mid summer (Jun-Jul)
	<b>'Humpback Whale'</b>	○ ☞ ☱	36-42"	36-42"	near white	large, blue-green shades, lightly puckered	early to mid summer (Jun-Jul)
	<b>'Hush Puppie'</b>	○ ☞ ☱	6-12"	6-12"	lavender	compact, gray-green edged in creamy-yellow	early to mid summer (Jun-Jul)
	<b>'June'</b> <i>2001 Hosta of the Year, sport of 'Halcyon'</i>	○ ☞ ☱	18-24"	24-30"	pale lavender	blue-green margins with chartreuse centers that turn gold in summer	mid to late summer (Jul-Aug)
	<b>'Komodo Dragon'</b>	○ ☞ ☱	30-36"	30-36"	white	large leaves, deep green, cascading leaves	late summer to early fall (Aug-Sep)
	<b>'Lakeside Down Sized'</b>	○ ☞ ☱	6-12"	6-12"	near white	compact, narrow leaves, pale green, thin white margin, wavy	mid to late summer (Jul-Aug)
	<b>'Liberty' PP12531</b> <i>2012 Hosta of the Year, sport of 'Sage'</i>	○ ☞ ☱	24-30"	30-36"	lavender	gray-green with very wide yellow to white margins	mid to late summer (Jul-Aug)
	<b>'Limey Lisa'</b>	○ ☞ ☱	6-12"	6-12"	lavender	compact, rounded, lime-green	mid to late summer (Jul-Aug)
	<b>'Loyalist'</b> <i>sport of 'Patriot'</i>	○ ☞ ☱	18-24"	18-24"	pale lavender	deep green margin and near white center	mid to late summer (Jul-Aug)
	<b>'Moonstruck'</b>	○ ☞ ☱	12-18"	12-18"	lavender-purple	medium narrow leaves, deep blue-green edges, creamy-yellow centers maturing to white	mid to late summer (Jul-Aug)
	<b>'Night Before Christmas'</b> <i>sport of 'White Christmas'</i>	○ ☞ ☱	24-30"	24-30"	pale lavender	large leaves, deep green with streaking white centers	mid to late summer (Jul-Aug)
	<b>'Pandora's Box'</b>	○ ☞ ☱	6-12"	6-12"	lavender	medium green with white margins and lighter green jetting, compact	early to mid summer (Jun-Jul)
	<b>'Pocketful of Sunshine' PP23709</b>	○ ☞ ☱	6-12"	6-12"	light lavender	compact, cupped, chartreuse to yellow centers, wide deep green margins	early to mid summer (Jun-Jul)
	<b>'Prairie Moon'</b> <i>holds its yellow color well throughout the season</i>	☞ ☱	18-24"	18-24"	pale lavender	wavy, bright yellow	mid to late summer (Jul-Aug)
	<b>'Praying Hands'</b> <i>2011 Hosta of the Year</i>	○ ☞ ☱	12-18"	12-18"	lavender	medium green with thin white margin, unique upright-rolled leaves	mid to late summer (Jul-Aug)
	<b>'Rainforest Sunrise'</b> <i>2013 Hosta of the Year, sport of 'Maui Buttercups'</i>	○ ☞ ☱	18-24"	18-24"	light lavender	light green maturing to gold with deep green margins, puckered	mid to late summer (Jul-Aug)
	<b>'School Mouse' PPAF</b> <i>sport of 'Church Mouse'</i>	○ ☞ ☱	6-12"	6-12"	lavender	compact, wavy, blue-green to green, wide creamy-yellow margins	early to mid summer (Jun-Jul)
	<b>'Stained Glass'</b> <i>2006 Hosta of the Year, sport of 'Guacamole'</i>	○ ☞ ☱	30-36"	36-42"	pale lavender, fragrant	large leaves, brilliant gold with wide deep green margins	mid to late summer (Jul-Aug)
	<b>'Sum and Substance'</b> <i>2004 Hosta of the Year</i>	○ ☞ ☱	36-42"	42-48"	pale lavender	large leaves, leathery, light green in shade, chartreuse to gold in sunny areas	mid to late summer (Jul-Aug)
	<b>'Sun Mouse' PPAF</b>	○ ☞ ☱	6-12"	6-12"	lavender	compact, leathery, yellow to yellow-green	early to mid summer (Jun-Jul)
	<b>'Vim &amp; Vigor'</b> <i>sport of 'Sum &amp; Substance'</i>	○ ☞ ☱	36-42"	36-42"	lavender	large, rounded, puckered, blue-green to green	mid to late summer (Jul-Aug)

		LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
<b>NEW</b>	'Waterslide' PP30303 <i>proven winner selection</i>	○ ☞ ☰	12-18"	24-30"	lavender	ruffled, blue to blue-gray	mid to late summer (Jul-Aug)
	'Wheee!' PP23565 <i>proven winner selection</i>	○ ☞ ☰	12-18"	12-18"	light lavender	ruffled narrow leaves, medium green, cream edges	mid to late summer (Jul-Aug)
<b>sieboldiana</b>							
	'Elegans'	○ ☞ ☰	36-42"	36-42"	white	large puckered leaves, blue-gray to blue-green	late summer to early fall (Aug-Sep)
	'Frances Williams'	○ ☞ ☰	30-36"	46-42"	white	leathery, large, puckered, blue-green with wide chartreuse margins	mid to late summer (Jul-Aug)
<b>tardiana</b>							
	'Halcyon'	○ ☞ ☰	18-24"	18-24"	light blue-violet	frosty blue-green	mid to late summer (Jul-Aug)
<b>HOOTTUYNIA (Chameleon Plant)</b>							
<i>Very adaptable to any soil condition. Houottuynia breaks dormancy late in the spring. It will spread, so allow room.</i>							
<b>cordata</b>							
	'Chameleon'	○ ☞ ☰	6-12"	42-48"	white	variegated green, yellow, pink, and red, spreading	early to mid summer (Jun-Jul)
<i>allow plenty of room as it will spread</i>							
<b>HYDRANGEA (Climbing Hydrangea)</b>							
<i>Climbing Hydrangea can tolerate sun, but does better in semi-shady areas. Be patient, it takes times to mature. Always an attractive plant, even when not in bloom.</i>							
<b>anomala</b>							
	'petiolaris'	○ ☞ ☰	60" or more	42-48"	clusters are white	deep green, climbing	early to mid summer (Jun-Jul)
<b>IBERIS (Candytuft)</b>							
<i>Some trimming after flowering is beneficial to promote healthy center growth and an attractive appearance for the remainder of the season.</i>							
<b>sempervirens</b>							
	'Snowflake'	○ ☞	6-12"	30-36"	pure white	deep green, spreading, drought tolerant	early to late spring (Apr-May)
<b>NEW</b>	'Snowsation' <i>larger flowers than most</i>	○ ☞	6-12"	24-30"	large, pure white	deep green, spreading, drought tolerant	early to late spring (Apr-May)
<b>IRIS</b>							
<i>Trim out flower stems when flowering is complete, and divide the root clumps every few years to help maintain healthy growth.</i>							
<b>ensata (Japanese Iris)</b>							
	'Harlequinesque'	○ ☞	30-36"	12-18"	white splashed with fuchsia-purple, yellow throat	medium to deep green	mid to late summer (Jul-Aug)
	'Imperial Magic'	○ ☞	30-36"	24-30"	white with purple veining	medium green	mid to late summer (Jul-Aug)
	'Lion King'	○ ☞	30-36"	30-36"	large, white with rich purple edges	medium to deep green	mid to late summer (Jul-Aug)
	'Pink Lady'	○ ☞	30-36"	24-30"	light coral-pink with deeper pink veining	medium to deep green	mid to late summer (Jul-Aug)
<b>Hybrid Bearded Iris (German Iris) : More varieties will become available later in the season.</b>							
	'Bernice's Legacy'	○ ☞	30-36"	24-30"	garnet and cinnamon-red blend, rebloomer	gray-green	late spring to early summer (May-Jun)
	'Concertina' <i>intermediate type</i>	○ ☞	24-30"	24-30"	light rose, orange beard, violet horns, repeat bloomer	gray-green	late spring to early summer (May-Jun)
	'Earl of Essex'	○ ☞	30-36"	24-30"	white with orchid-violet veining, repeat bloomer	gray-green	late spring to mid summer (May-Jul)
	'Feed Back'	○ ☞	30-36"	30-36"	ruffled, blue-violet, repeat bloomer	gray-green	late spring to mid summer (May-Jul)
	'Harvest of Memories'	○ ☞	30-36"	24-30"	clear yellow, ruffled, repeat bloomer	gray-green	late spring to early summer (May-Jun)
	'His Royal Highness'	○ ☞	30-36"	24-30"	medium purple, rebloomer	gray-green	late spring to early summer (May-Jun)
	'Immortality' <i>one of the most consistent of repeat bloomers</i>	○ ☞	30-36"	30-36"	fragrant, white, falls are white, repeat bloomer	gray-green	late spring to mid summer (May-Jul)
<b>pallida (Sweet Iris)</b>							
	'Variegata'	○ ☞	18-24"	18-24"	lavender-blue	gray-green with creamy-yellow vertical streaks	late spring to early summer (May-Jun)
<b>sibirica (Siberian Iris)</b>							
	'Caesar's Brother'	○ ☞	36-42"	30-36"	deep purple with yellow and white highlights, black veins	medium green	early to mid summer (Jun-Jul)
<b>NEW</b>	'Concord Crush' <i>sometimes repeats bloom in fall</i>	○ ☞	24-30"	18-24"	large, double, blue, butter-yellow center veining	medium green	early to mid summer (Jun-Jul)
	'How Audacious'	○ ☞	30-36"	24-30"	violet-purple with white veining and yellow throat, thin yellow petal edges	medium green	early to mid summer (Jun-Jul)
<b>NEW</b>	'Swans in Flight'	○ ☞	30-36"	18-24"	large, ivory-white, yellow center veining	medium green	mid to late summer (Jul-Aug)
<b>ISOTOMA (Blue-star Creeper)</b>							
<i>Also known as <i>Laurentia fluvialtilis</i> or <i>Pratia pedunculata</i>. Benefits from some winter protection/mulching.</i>							
<b>fluvialtilis</b>							
	'fluvialtilis'	○ ☞	6" or less	6-12"	dainty, lilac with purple veining	mat-like, spreading, medium green	late spring to late summer (May-Aug)

**KNAUTIA**

Another must-have for butterfly gardens!

*macedonica*

'Thunder and Lightning' PP21437	○ ☞	12-18"	12-18"	ruby-red, globular	variegated, light green, creamy-yellow margins	early to late summer (Jun-Aug)
---------------------------------	-----	--------	--------	--------------------	--	--------------------------------

**KNIPHOFIA (Poker Plant, Torch Lily, Tritoma)**

Very unique flowers and mature plants in bloom can be an incredible sight. Does best in mostly sunny areas.

*Hybrid*

'Flamenco Mix'	○ ☞	30-36"	24-30"	spikes are mixed (one color per plant) orange, orange-red, yellow, or orange and yellow bicolor	medium green	early to late summer (Jun-Aug)
----------------	-----	--------	--------	---	--------------	--------------------------------

<b>NEW</b> 'Lucky Lemons' PPAF	○ ☞	36-42"	30-36"	spikes are pastel yellow	medium green	early to late summer (Jun-Aug)
--------------------------------	-----	--------	--------	--------------------------	--------------	--------------------------------

*Hybrid (Pyromania Series) : from the Proven Winner collection, longer blooming.*

<b>NEW</b> 'Backdraft' PPAF	○ ☞	30-36"	24-30"	spikes are red-orange with peach-yellow bases	medium green	early to late summer (Jun-Aug)
-----------------------------	-----	--------	--------	---	--------------	--------------------------------

<b>NEW</b> 'Flashpoint' PPAF	○ ☞	36-42"	24-30"	spikes are light yellow to creamy-white	medium green	early to late summer (Jun-Aug)
------------------------------	-----	--------	--------	---	--------------	--------------------------------

<b>NEW</b> 'Hot and Cold' PPAF	○ ☞	30-36"	24-30"	spikes are tangerine-orange with creamy-white bases	medium green	early to late summer (Jun-Aug)
--------------------------------	-----	--------	--------	---	--------------	--------------------------------

<b>NEW</b> 'Orange Blaze' PPAF	○ ☞	24-30"	18-24"	spikes are bright orange	medium green, compact	early to late summer (Jun-Aug)
--------------------------------	-----	--------	--------	--------------------------	-----------------------	--------------------------------

<b>NEW</b> 'Rockets Red Glare' PPAF	○ ☞	24-30"	18-24"	spikes are red maturing to peach, yellow base	medium green, compact	early to late summer (Jun-Aug)
-------------------------------------	-----	--------	--------	---	-----------------------	--------------------------------

**LAMIASTRUM (Yellow Archangel)**

'Herman's Pride' stays quite contained, but allow plenty of room for the rest of the genus.

*galeobdolan*

'Herman's Pride'	○ ☞ ☂	6" or less	12-18"	yellow, insignificant	variegated and marbled deep green and silver-white, vigorous, compact	early to late spring (Apr-May)
------------------	-------	------------	--------	-----------------------	---	--------------------------------

**LAMIUM (Dead or Spotted Nettle)**

Lamium will tolerate some sun, but all varieties will do best if they get a break from the sun during some part of the day.

*maculatum*

'Purple Dragon' PP15890	○ ☞ ☂	6-12"	30-36"	cluster are large, fuchsia-purple	silver with deep green margins, spreading	early spring to mid summer (Apr-Jul)
-------------------------	-------	-------	--------	-----------------------------------	---	--------------------------------------

'White Nancy'	○ ☞ ☂	6-12"	30-36"	clusters are pure white	silver leaves with narrow green margins, spreading	late spring to mid summer (May-Jul)
---------------	-------	-------	--------	-------------------------	--	-------------------------------------

**LATHYRUS (Sweet Pea)**

An old-fashioned vine, and still worth their space in any garden. Mildew can be a problem, but pruning infected foliage is a quick fix.

*latifolius*

'Mix'	○ ☞	54-60"	30-36"	mixed (one color per plant) rose, pink, or white	light gray-green, twining and climbing	mid to late summer (Jul-Aug)
-------	-----	--------	--------	--	--	------------------------------

*makes a nice groundcover if not given support to climbing*

**LAVANDULA (Lavender)**

Pruning foliage half-way back every year after blooming will promote more lush growth and a less "woody" appearance.

*angustifolia*

'Elegance Purple'	○ ☞	6-12"	12-18"	deep purple-blue	silver gray-green, fragrant	mid summer to early fall (Jul-Sep)
-------------------	-----	-------	--------	------------------	-----------------------------	------------------------------------

'Essence Purple' PPAF	○ ☞	12-18"	12-18"	blueberry-blue	uniform, gray-green, fragrant	early to late summer (Jun-Aug)
-----------------------	-----	--------	--------	----------------	-------------------------------	--------------------------------

*improved habit compared to most Lavandula*

'Hidcote'	○ ☞	12-18"	12-18"	deep violet-blue	tidy, silver gray-green, fragrant	mid summer to early fall (Jul-Sep)
-----------	-----	--------	--------	------------------	-----------------------------------	------------------------------------

<b>NEW</b> 'Lavance Deep Purple'	○ ☞	12-18"	18-24"	deep purple-blue	mounding, gray-green, fragrant	early summer to early fall (Jun-Sep)
----------------------------------	-----	--------	--------	------------------	--------------------------------	--------------------------------------

*one of the deepest hued lavenders*

'Munstead'	○ ☞	12-18"	18-24"	lavender to purple	silver gray-green, fragrant	early to late summer (Jun-Aug)
------------	-----	--------	--------	--------------------	-----------------------------	--------------------------------

*the traditional English Lavender*

'Silver Mist'	○ ☞	12-18"	18-24"	lavender-purple	silver-white, fragrant	mid summer to early fall (Jul-Sep)
---------------	-----	--------	--------	-----------------	------------------------	------------------------------------

'Sweet Romance' PP23001	○ ☞	12-18"	12-18"	rich violet-purple	mounding, gray-green, fragrant	early summer to early fall (Jun-Sep)
-------------------------	-----	--------	--------	--------------------	--------------------------------	--------------------------------------

*proven winner selection*

*x intermedia*

'Phenomenal' PP24193	○ ☞	24-30"	30-36"	lavender-purple	large, silver-green, fragrant	mid summer to early fall (Jul-Sep)
----------------------	-----	--------	--------	-----------------	-------------------------------	------------------------------------

**LEPTINELLA (Brass Buttons)**

Leptinella prefers a well-drained soil. If planting in clay or heavier soil, add some lighter potting soil or peat moss to the area and work it in. Tolerates foot traffic; also good in rockery, brickwork, or between stepping stones.

*squalida*

'Platt's Black'	○ ☞	6" or less	18-24"	yellow, insignificant	mat-like, blackish-purple tipped in green, spreading	early to mid summer (Jun-Jul)
-----------------	-----	------------	--------	-----------------------	--	-------------------------------

**LEUCANTHEMUM (Shasta Daisy)**

Common name comes from Luther Burbank's extensive work with daisies near Mt. Shasta. Keep in well-drained areas. Prune foliage back after blooming to promote new growth and repeat blooms.

*x superbum*

'Alaska'	○ ☞	24-30"	24-30"	single, white with yellow centers	deep green	early to late summer (Jun-Aug)
----------	-----	--------	--------	-----------------------------------	------------	--------------------------------

		LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
NEW	'Angel' PP14289	○ ☞	18-24"	6-12"	large, single, pure white with yellow centers, great for cutting	deep green, compact	mid summer to early fall (Jul-Sep)
	'Banana Cream' PP23181 <i>proven winner selection</i>	○ ☞	12-18"	12-18"	large, semi-double, lemon-yellow maturing to light yellow with a yellow center	compact, deep green	early to late summer (Jun-Aug)
	'Becky' <i>2003 PPA Perennial of the Year</i>	○ ☞	30-36"	42-48"	large, white with yellow centers	deep green, sturdy	mid summer to early fall (Jul-Sep)
	'Cream Puff' PPAF	○ ☞	12-18"	12-18"	large, single, creamy-white with yellow centers	deep green, compact	mid summer to early fall (Jul-Sep)
	'Daisy May' ('Daisy Duke' PP21914) <i>proven winner selection, 3 times the blooms of most other Shastas</i>	○ ☞	18-24"	18-24"	large, single, pure white with yellow centers, great for cutting	deep green, compact	mid summer to early fall (Jul-Sep)
	'Snowcap'	○ ☞	12-18"	12-18"	white flowers with yellow centers	deep green, compact	early to late summer (Jun-Aug)

### LEWISIA (Bitterroot)

*Lewisia* prefers afternoon shade and good drainage. Perfect for rocky or cottage-type gardens.

#### cotyledon

'Elise Mix'	○ ☞	6-12"	6-12"	mixed orange, pink, red, or white	succulent, medium green	late spring to mid summer (May-Jul)
-------------	-----	-------	-------	-----------------------------------	-------------------------	-------------------------------------

### LIATRIS (Blazing Star, Gayfeather)

#### spicata

'Floristan Violet'	○ ☞	24-30"	18-24"	spikes are violet-purple to lavender	deep green	mid summer to early fall (Jul-Sep)
'Floristan White'	○ ☞	24-30"	18-24"	spikes are white	deep green	mid summer to early fall (Jul-Sep)
'Kobold' <i>seed strain</i>	○ ☞	12-18"	18-24"	spikes are purple to lavender	deep green, compact	mid summer to early fall (Jul-Sep)

### LIGULARIA (Goldenray, Ragwort)

*Ligularia* loves wet and boggy soils. Few plants can match its imposing and attractive foliage.

#### stenocephala

'Bottle Rocket' PPAF <i>sport of 'Little Rocket' and slightly more compact</i>	☞ ☰	24-30"	24-30"	spikes are bright yellow	compact, deep green, chocolate-brown stems, glossy, serrated	mid to late summer (Jul-Aug)
---	-----	--------	--------	--------------------------	--	------------------------------

### LILIUM (Garden Lily)

Cut back half-way after blooming to force new bulb production and to tidy up the plant.

#### Hybrid Asiatic

'Tango Passion Ladylike' PPAF	○ ☞	12-18"	12-18"	peach-pink, yellow center	deep green	early to mid summer (Jun-Jul)
-------------------------------	-----	--------	--------	---------------------------	------------	-------------------------------

#### Hybrid Asiatic (Lily Looks Series)

'Tiny Bee' PP16255	○ ☞	12-18"	6-12"	bright yellow, black spots near center	deep green, compact	early to mid summer (Jun-Jul)
'Tiny Invader' PP17618	○ ☞	12-18"	6-12"	bright orange, spotted center	deep green, compact	early to mid summer (Jun-Jul)
'Tiny Nugget' PPAF	○ ☞	12-18"	6-12"	lemon-yellow speckled with maroon	deep green, compact	early to mid summer (Jun-Jul)
'Tiny Padye' PP20549	○ ☞	12-18"	6-12"	rich royal-purple with petal ends sprayed in white	deep green, compact	early to mid summer (Jun-Jul)
'Tiny Poems' PPAF	○ ☞	12-18"	6-12"	deep black-purple, etched and tipped in rose-pink	deep green, compact	early to mid summer (Jun-Jul)
'Tiny Rocket' PPAF	○ ☞	12-18"	6-12"	dark red, deeper red center midrib	deep green, compact	early to mid summer (Jun-Jul)
'Tiny Sensation' PP17617	○ ☞	12-18"	6-12"	golden-orange with maroon flecks near center	deep green, compact	early to mid summer (Jun-Jul)
'Tiny Shadow' PPAF	○ ☞	12-18"	6-12"	deep maroon, etched and tipped in burnt orange	deep green, compact	early to mid summer (Jun-Jul)

#### Hybrid Oriental

'After Eight' <i>a miniature version of 'Stargazer'</i>	○ ☞	12-18"	12-18"	fragrant, rose-pink center fading to lighter pink edges	deep gray-green, compact	early to mid summer (Jun-Jul)
'Starfighter'	○ ☞	36-42"	18-24"	large, fragrant, wine-pink petals edged in white	deep gray-green	early to mid summer (Jun-Jul)
'Stargazer'	○ ☞	24-30"	18-24"	large, fragrant, rich rose-pink center fading to lighter pink edges	deep gray-green	early to mid summer (Jun-Jul)

#### Hybrid Tiger

'Orange'	○ ☞ ☰	24-30"	12-18"	orange	medium green	early to mid summer (Jun-Jul)
'Yellow'	○ ☞ ☰	24-30"	12-18"	yellow	medium green	early to mid summer (Jun-Jul)

### LINUM (Flax)

Due to its foliage having an airy nature, *Linum* can be cut back to produce growth at the base and a more bushy habit.

#### perenne

'Sapphire' <i>prune foliage back after blooming to promote new growth and repeat blooms</i>	○ ☞	12-18"	12-18"	bright sapphire-blue	light green, airy	early to late summer (Jun-Aug)
--	-----	--------	--------	----------------------	-------------------	--------------------------------

### LIRIOPE (Lilyturf)

*Liriope* are very hardy in our area of Western Michigan, but in zones 5 and lower, they do benefit from some protection.

#### muscaria

'Big Blue'	○ ☞ ☰	12-18"	30-36"	lilac-purple	grass-like, deep green, spreading	mid to late summer (Jul-Aug)
------------	-------	--------	--------	--------------	-----------------------------------	------------------------------

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Variegated'	○ ☞ ☀	12-18"	30-36"	lilac-purple	variegated white and green, spreading	mid to late summer (Jul-Aug)
<i>spicata</i>						
'Silver Dragon'	○ ☞ ☀	6-12"	30-36"	violet, seldom flowers	striped white and green, spreading	mid to late summer (Jul-Aug)
<b>LOBELIA (Cardinal Flower)</b>						
<i>A hummingbird magnet! Lobelia does well in a moist soil. It will break dormancy later than most plants, so be patient in the spring and early summer.</i>						
<i>cardinalis</i>						
cardinalis	○ ☞ ☀	30-36"	24-30"	spikes are red	medium green	mid to late summer (Jul-Aug)
<i>fulgens</i>						
'Queen Victoria'	○ ☞ ☀	36-42"	30-36"	spikes are bright red	attractive bronzed burgundy	late summer to late fall (Aug-Oct)
<i>speciosa</i>						
'Starship Deep Rose'	○ ☞ ☀	18-24"	18-24"	spikes are rose-pink	medium to deep green	mid summer to early fall (Jul-Sep)
'Starship Scarlet'	○ ☞ ☀	18-24"	18-24"	spikes are scarlet-red	medium to deep green	mid summer to early fall (Jul-Sep)
'Vulcan Red'	○ ☞ ☀	24-30"	24-30"	spikes are bright red	bronze-burgundy	late summer to late fall (Aug-Oct)
<i>alternative to 'Queen Victoria'</i>						
<b>LONICERA (Honeysuckle)</b>						
<i>Honeysuckle can be used as a fragrant and ornamental vine when given a place to climb, or let go as a groundcover. Hummingbirds love them, too!</i>						
<i>japonica</i>						
'Mandarin' PP11083	○ ☞ ☀	60" or more	54-60"	bright orange and yellow, fragrant	deep green with copper highlights, climbing	early to late summer (Jun-Aug)
<i>sempervirens</i>						
'Major Wheeler'	○ ☞ ☀	60" or more	54-60"	deep scarlet, trumpet-shaped, fragrant	blue-green, mildew-resistant, climbing	late spring to mid summer (May-Jul)
<i>x brownii</i>						
'Dropmore Scarlet'	○ ☞ ☀	60" or more	54-60"	orange-scarlet, trumpet-shaped, fragrant	gray-green, climbing	late spring to mid summer (May-Jul)
<i>x heckrottii</i>						
heckrottii	○ ☞ ☀	60" or more	54-60"	carmine buds open to cream-yellow, fragrant	gray-green, climbing	late spring to late summer (May-Aug)
<b>LUPINUS (Lupine)</b>						
<i>Don't worry, your Lupine may go dormant after flowering and foliage may deteriorate, but they're not dead! Winter mulching/protection is beneficial.</i>						
<i>Hybrid</i>						
'Gallery Blue'	○ ☞	18-24"	24-30"	spikes are violet-blue and white	medium to light green	late spring to early summer (May-Jun)
'Gallery Mix'	○ ☞	18-24"	24-30"	spikes are mixed (one color per plant) violet-blue, pink, red, white, or yellow	medium to light green	late spring to early summer (May-Jun)
'Gallery Red'	○ ☞	18-24"	24-30"	spikes are rose-red and white	medium to light green	late spring to early summer (May-Jun)
'Mini Gallery Mix'	○ ☞	12-18"	12-18"	spikes are mixed (one color per plant) violet-blue, pink, red, white, or yellow	compact, medium to light green	late spring to early summer (May-Jun)
'Mini Gallery Pink Bicolor'	○ ☞	12-18"	12-18"	spikes are shell-pink and white	compact, medium to light green	late spring to early summer (May-Jun)
<i>Hybrid (West Country Series) : Improved disease resistance, stronger stems, larger flowers, and better winter hardiness.</i>						
<b>NEW</b> 'Blacksmith' PPAF	○ ☞	30-36"	18-24"	spikes are large, bi-color royal purple and white	medium to light green	late spring to early summer (May-Jun)
'Desert Sun' PP23073	○ ☞	30-36"	18-24"	spikes are large, bright clear yellow	medium to light green	late spring to early summer (May-Jun)
'Gladiator' PP23075	○ ☞	30-36"	18-24"	spikes are large, bi-color coral-pink and yellow	medium to light green	late spring to early summer (May-Jun)
'Manhattan Lights' PP18868	○ ☞	30-36"	18-24"	spikes are large, bi-color deep purple and yellow	medium to light green	late spring to early summer (May-Jun)
'Masterpiece' PP19739	○ ☞	30-36"	18-24"	spikes are large, rich purple	medium to light green	late spring to early summer (May-Jun)
'Persian Slipper' PPAF	○ ☞	30-36"	18-24"	spikes are deep violet-blue	medium to light green	late spring to early summer (May-Jun)
'Red Rum' PP18709	○ ☞	30-36"	18-24"	spikes are large, rose-red	medium to light green	late spring to early summer (May-Jun)
<b>NEW</b> 'Tequila Flame' PP23047	○ ☞	30-36"	18-24"	spikes are large, bi-color red and yellow	medium to light green	late spring to early summer (May-Jun)
<b>NEW</b> 'TerraCotta' PP23044	○ ☞	30-36"	18-24"	spikes are large, bi-color orange and pink blend	medium to light green	late spring to early summer (May-Jun)
<b>LYSIMACHIA (Creeping Jenny, Gooseneck Loosestrife, Moneywort)</b>						
<i>nummularia (Creeping Jenny, Moneywort)</i>						
'Aurea' ('Goldie')	☞ ☀	6" or less	42-48"	yellow	chartreuse-green, spreading	early to late summer (Jun-Aug)
<i>great for containers</i>						
<b>MALVA (Mallow)</b>						
<i>Can seed and spread rapidly. Keep under control with periodic "weeding." Foliage may be pruned back after blooming to promote new growth and blooms.</i>						
<i>moschata (Musk Mallow)</i>						
'Pink Perfection'	○ ☞	30-36"	42-48"	pale pink	deep green, somewhat woody	mid summer to early fall (Jul-Sep)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
<b>sylvestris (Cheeses)</b>						
'Mystic Merlin'	○ ☞					mid summer to early fall (Jul-Sep)
'Zebrinus'	○ ☞	30-36"	42-48"	lavender with deep purple veining	deep green	mid summer to early fall (Jul-Sep)
<b>MAZUS</b>						
<b>reptans</b>						
reptans	○ ☞	6" or less	24-30"	purplish-blue	mat-like, medium green, spreading	late spring to early summer (May-Jun)
<b>MONARDA (Bee Balm, Oswego Tea)</b>						
<i>Do not worry when foliage deteriorates during and after blooming... it is normal, just prune back. Butterflies love Monarda's pincushion-like flowers!</i>						
<b>didyma</b>						
'Blue Moon' PPAF	○ ☞	18-24"	18-24"	lavender-blue	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
<i>part of the Sugar Buzz series, not as spreading as most</i>						
'Bubblemeg Blast' PPAF	○ ☞	18-24"	18-24"	hot pink	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
<i>part of the Sugar Buzz series, not as spreading as most</i>						
'Cherry Pops' PPAF	○ ☞	12-18"	12-18"	cherry-red	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
<i>part of the Sugar Buzz series, not as spreading as most</i>						
<b>NEW</b> 'Electric Neon Pink' PPAF	○ ☞	18-24"	18-24"	intense neon-pink	fragrant, deep green	mid to late summer (Jul-Aug)
'Grape Gumball' PPAF	○ ☞	12-18"	12-18"	magenta-pink	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
<i>part of the Sugar Buzz series, not as spreading as most</i>						
'Jacob Cline'	○ ☞	30-36"	36-42"	large, bright red	medium green, mildew-resistant, fragrant	mid to late summer (Jul-Aug)
<b>NEW</b> 'Leading Lady Orchid' PPAF	○ ☞	12-18"	18-24"	orchid-pink, lighter petal tips	mildew-resistant, fragrant, deep green, compact	early to mid summer (Jun-Jul)
<i>proven winner selection</i>						
<b>NEW</b> 'Leading Lady Plum' PPAF	○ ☞	12-18"	18-24"	magenta-purple	mildew-resistant, fragrant, deep green, compact	early to mid summer (Jun-Jul)
<i>proven winner selection</i>						
'Marshall's Delight'	○ ☞	30-36"	36-42"	pink	medium green, mildew-resistant, fragrant	mid to late summer (Jul-Aug)
'Pardon My Cerise' PPAF	○ ☞	12-18"	12-18"	deep cherry-pink	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
<i>proven winner selection</i>						
'Pardon My Pink' PPAF	○ ☞	12-18"	12-18"	medium pink	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
<i>proven winner selection</i>						
'Pardon My Purple' PP22170	○ ☞	12-18"	12-18"	dark purple	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
<i>proven winner selection</i>						
'Rockin' Raspberry' PPAF	○ ☞	12-18"	12-18"	deep raspberry-purple	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
<i>part of the Sugar Buzz series, not as spreading as most</i>						
<b>MYOSOTIS (Woodland Forget-Me-Not)</b>						
<i>Myosotis will seed itself, but does not usually become a problem.</i>						
<b>sylvatica</b>						
'Royal Blue' ('Bluesylva')	○ ☞ ☂	6-12"	24-30"	light baby-blue	medium green, compact	early to late spring (Apr-May)
<b>NEPETA (Catmint)</b>						
<i>A standout performer in any garden, and deer-resistant, too.</i>						
<b>faassenii</b>						
'Cat's Meow' PP24472	○ ☞	12-18"	18-24"	sky-blue to lavender	gray-green, fragrant, compact	late spring to late summer (May-Aug)
<i>proven winner selection</i>						
<b>NEW</b> 'Cat's Pajamas' PPAF	○ ☞	6-12"	12-18"	sky-blue to lavender	gray-green, fragrant, compact	late spring to late summer (May-Aug)
<i>proven winner selection</i>						
'Kitten Around' PPAF	○ ☞	6-12"	12-18"	violet-blue	gray-green, fragrant, compact	late spring to late summer (May-Aug)
<i>one of the most compact varieties</i>						
<b>OENOTHERA (Evening Primrose, Sundrops)</b>						
<i>Many varieties of Oenothera benefit from some shade, as some blooms will not completely open during daytime hours or in full sun.</i>						
<b>berlandieri</b>						
'Siskiyou'	○ ☞	6-12"	36-42"	cup-shaped, light pink	medium to light green with reddish highlights, spreading	mid summer to early fall (Jul-Sep)
<i>allow room to grow</i>						
<b>fruticosa / tetragona (Narrow-leaf Evening Primrose, Sundrops)</b>						
fruticosa / tetragona	○ ☞	18-24"	24-30"	bright yellow	light green with reddish tints, reddish stems	early to mid summer (Jun-Jul)
<i>tolerant of full sun and dryer soil</i>						
<b>macrocarpa / missouriensis (Missouri Primrose)</b>						
macrocarpa / missouriensis	○ ☞	6-12"	30-36"	soft lemon-yellow	light green, sometimes tinged with red	early to late summer (Jun-Aug)
<b>OPHIPOGON (Black Lilyturf, Mondo Grass)</b>						
<i>Ophiopogon benefits from a winter mulch if possible. Outstanding as an accent plant or groundcover.</i>						
<b>planiscapus</b>						
'Nigrescens'	○ ☞ ☂	6-12"	12-18"	bell-shaped, pinkish-white	grass-like, deep purple	mid to late summer (Jul-Aug)

**OXALIS (Wood Sorrel)**

The type of Oxalis listed here is the hardy type for outdoor use in our area.

**crassipes**

'Rosea'	☀️	6-12"	24-30"	bright pink	clover-shaped leaves, light green, spreading	early spring to early summer (Apr-Jun)
---------	----	-------	--------	-------------	--	--

*will keep flowering if kept moist throughout the summer*

**PACHYSANDRA (Japanese Spurge)**

A very nice lush groundcover, but allow some time for it to get established. Keep moist if planted in sunny areas.

**terminalis**

terminalis	☀️	6-12"	24-30"	small, white	dense, medium to deep green, spreading	early to late spring (Apr-May)
------------	----	-------	--------	--------------	--	--------------------------------

**PAEONIA (Garden Peony, Tree Peony)**

Foliage support is welcome for the garden type of Peony as their huge flowers cause stems to bend. Tree type Peonies are slower-growing; have patience.

**Hybrid**

'Krinkled White'	☀️	30-36"	30-36"	single, fringed, white	glossy, deep green	late spring to early summer (May-Jun)
------------------	----	--------	--------	------------------------	--------------------	---------------------------------------

*slightly later to bloom*

**Hybrid (Intersectional) : the best of both herbaceous peonies and woody tree peonies, including large flowers, strong stems, and longer bloom time**

'Bartzella'	☀️	30-36"	30-36"	semi-double to double, pastel yellow, fragrant	tree-peony-like, deep green	late spring to early summer (May-Jun)
'Joana Marlene'	☀️	30-36"	30-36"	semi-double to double, soft yellow, hints of peach	tree-peony-like, deep green	late spring to early summer (May-Jun)

**lactiflora (Garden Peony) : for best results, plant with crown 1½-2" below soil surface**

<b>NEW</b>	'Bunker Hill'	☀️	24-30"	30-36"	double, bright rose-pink	glossy, deeply cut, deep green	late spring to early summer (May-Jun)
<b>NEW</b>	'Charlie's White'	☀️	30-36"	30-36"	large, double, white, fragrant	glossy, deep green	late spring to early summer (May-Jun)
	'Coral Sunset'	☀️	30-36"	30-36"	double, coral to rose, fragrant	glossy, deep green	late spring to early summer (May-Jun)
	<i>clean foliage, good habit</i>						
<b>NEW</b>	'Do Tell'	☀️	30-36"	30-36"	semi-double, soft pink, fringed deep rose center, fragrant	glossy, deep green	late spring to early summer (May-Jun)
	'Double Pink'	☀️	36-42"	36-42"	fluffy, light pink to salmon-pink, fragrant	glossy, deep green	late spring to early summer (May-Jun)
	'Double Red'	☀️	36-42"	36-42"	fluffy, bright red to rose-red, fragrant	glossy, deep green	late spring to early summer (May-Jun)
	'Dr. Alexander Fleming'	☀️	30-36"	30-36"	double, pink to rose-pink, fragrant	glossy, deep green	late spring to early summer (May-Jun)
	'Duchess de Nemours'	☀️	30-36"	30-36"	double, white	glossy, deep green	late spring to early summer (May-Jun)
	'Early Scout'	☀️	24-30"	30-36"	single, dark red with gold center	glossy, deeply cut, deep green	early to late spring (Apr-May)
	'Felix Crousse'	☀️	24-30"	24-30"	double, carmine-red, fragrant	glossy, deep green	late spring to early summer (May-Jun)
<b>NEW</b>	'Felix Supreme'	☀️	24-30"	24-30"	double, ruby-red, fragrant	glossy, deep green	late spring to early summer (May-Jun)
	'Festiva Maxima'	☀️	30-36"	30-36"	double, white with red flashes near center, fragrant	glossy, deep green	late spring to early summer (May-Jun)
	'Kansas'	☀️	30-36"	30-36"	double, fragrant, watermelon-red	glossy, deep green	early to mid summer (Jun-Jul)
	'Karl Rosenfield'	☀️	30-36"	30-36"	double, fragrant, fuchsia-red	glossy, deep green	early to mid summer (Jun-Jul)
	'Mons. Jules Elie'	☀️	30-36"	30-36"	double, fragrant, rose-pink	glossy, deep green	early to mid summer (Jun-Jul)
	'Paula Fay'	☀️	30-36"	30-36"	semi-double, fragrant, hot pink, gold center stamens	glossy, deep green	late spring to early summer (May-Jun)
	'Sarah Bernhardt'	☀️	24-30"	30-36"	double, rose-pink and light pink blend, fragrant	glossy, deep green	early to mid summer (Jun-Jul)

**suffruticosa (Tree Peony) : for best results, plant with graft union 4-6" below soil surface**

<b>NEW</b>	'Chojuraku Lavender'	☀️	48-54"	48-54"	semi-double, lavender, lighter petal edges	medium green, woody	late spring to early summer (May-Jun)
	'Hanakisoi Pink'	☀️	48-54"	48-54"	semi-double, apricot-pink	medium green, woody	late spring to early summer (May-Jun)
	'High Noon'	☀️	48-54"	48-54"	semi-double, bright yellow	medium green, woody	late spring to early summer (May-Jun)
	<i>will sometimes repeat bloom in fall</i>						
	'Hoki Red'	☀️	48-54"	48-54"	semi-double, lipstick-red	medium green, woody	late spring to early summer (May-Jun)
	'Kinshi Yellow'	☀️	48-54"	48-54"	semi-double, lemon-yellow	medium green, woody	late spring to early summer (May-Jun)
	'Shimadaijin Purple'	☀️	48-54"	48-54"	double, royal purple	medium green, woody	late spring to early summer (May-Jun)
	'Shimanishiki Bicolor'	☀️	48-54"	48-54"	semi-double, reddish-purple striped with white	medium green, woody	late spring to early summer (May-Jun)

**tenuifolia (Fern Leaf Peony)**

'Rubra Flore Plena'	☀️	18-24"	18-24"	cup-shaped, deep raspberry-red	fern, medium green	late spring to early summer (May-Jun)
---------------------	----	--------	--------	--------------------------------	--------------------	---------------------------------------

*back by popular demand but in limited supply and rare*

**PAPAVER (Poppy)**

Foliage will disappear and plant will go dormant after blooming. Needs well-drained soil.

**nudicaule (Iceland Poppy)**

	'Champagne Bubbles Orange'	☀️	6-12"	12-18"	papery, bright orange	hairy, light green	early to late summer (Jun-Aug)
	'Champagne Bubbles Yellow'	☀️	6-12"	12-18"	papery, bright yellow	hairy, light green	early to late summer (Jun-Aug)
<b>NEW</b>	'Spring Fever Orange'	☀️	6-12"	12-18"	papery, bright orange	hairy, light green	late spring to late summer (May-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
	○ ☞	6-12"	12-18"	papery, bright red, yellow center	hairy, light green	late spring to late summer (May-Aug)
<b>NEW</b>	○ ☞	6-12"	12-18"	papery, bright yellow	hairy, light green	late spring to late summer (May-Aug)
<b>orientale</b>						
	○ ☞	24-30"	24-30"	crimson-red with a large black center	light green, hairy	late spring to early summer (May-Jun)
	○ ☞	18-24"	18-24"	ruffled, shades of watermelon-pink, large black center	medium green, hairy	late spring to early summer (May-Jun)
	○ ☞	24-30"	24-30"	bright orange, black center	light green, hairy	late spring to early summer (May-Jun)
	○ ☞	24-30"	24-30"	salmon to light pink, black center	light green, hairy	late spring to early summer (May-Jun)
	○ ☞	24-30"	24-30"	white, black center	light green, hairy	late spring to early summer (May-Jun)

### PARTHENOCISSUS (Boston Ivy)

A popular, attractive, and hardy climber or groundcover. Foliage turns crimson-red in fall. Tolerates shade but fall color will be diminished.

#### tricuspidata

<b>tricuspidata</b>	○ ☞ ☝	60" or more	60" or more	white, insignificant	deep green, turning red in fall, climbing	mid summer (Jul)
---------------------	-------	-------------	-------------	----------------------	---	------------------

grape-like fruit that follows the flowers attract songbirds

### PENSTEMON (Beardtongue)

Penstemon comes from the words "pente" (five), and "stemon" (stamen), meaning "five stamens." Prune foliage back after blooming to promote new growth and repeat blooms. Many varieties attract hummingbirds.

#### barbatus

<b>'Elfin Pink'</b>	○ ☞	6-12"	6-12"	spikes are shell-pink	compact, medium green	early to mid summer (Jun-Jul)
---------------------	-----	-------	-------	-----------------------	-----------------------	-------------------------------

#### Hybrid

<b>'Blackbeard' PPAF</b>	○ ☞	30-36"	30-36"	spikes are lilac-purple	eggplant-purple, dark stems	late spring to late summer (May-Aug)
<b>'Midnight Masquerade' PPAF</b>	○ ☞	30-36"	30-36"	spikes are lavender-purple with white highlights	burgundy-purple	late spring to late summer (May-Aug)

habit and flowering is better than most

### PEROVSKIA (Russian Sage)

Water well while Perovskia flowers to extend its blooming season. Allow room for larger varieties.

#### atriplicifolia

<b>NEW</b>	○ ☞	24-30"	30-36"	spikes are lavender-blue	compact, gray-green, finely dissected	mid summer to early fall (Jul-Sep)
	○ ☞	24-30"	30-36"	spikes are bright sky-blue	compact, gray-green, finely dissected	mid summer to early fall (Jul-Sep)

### PHLOX (Phlox)

Tall varieties will get some mildew, which is normal. Pruning foliage back after blooming will promote new growth and blooms. Yes, most Phlox can tolerate shadier areas. Butterflies and hummingbirds love them!

#### Hybrid

<b>'Opening Act Blush' PPAF</b>	○ ☞ ☝	12-18"	12-18"	light lavender-pink, small purple eye	medium green, mildew-resistant	early to late summer (Jun-Aug)
---------------------------------	-------	--------	--------	---------------------------------------	--------------------------------	--------------------------------

#### paniculata (Tall Phlox)

	○ ☞ ☝	6-12"	6-12"	fragrant, pink and white pinwheel pattern	compact, medium green, mildew resistant	mid summer to early fall (Jul-Sep)
	○ ☞ ☝	6-12"	6-12"	fragrant, rich purple, small white center	compact, medium green, mildew resistant	mid summer to early fall (Jul-Sep)
<b>NEW</b>	○ ☞ ☝	6-12"	6-12"	fragrant, bright pink, small white center	compact, medium green, mildew resistant	mid summer to early fall (Jul-Sep)
	○ ☞ ☝	30-36"	30-36"	pale pink with hot-pink eye	deep green	mid summer to early fall (Jul-Sep)
	○ ☞ ☝	18-24"	18-24"	bubblegum-pink, dark pink eye, fragrant	deep green, mildew-resistant	mid summer to early fall (Jul-Sep)
	○ ☞ ☝	24-30"	18-24"	lavender-purple, bright pink eye, fragrant	deep green, mounding habit	mid summer to early fall (Jul-Sep)
	○ ☞ ☝	18-24"	18-24"	coral, rose center eye, fragrant	deep green, mildew-resistant	mid summer to early fall (Jul-Sep)
	○ ☞ ☝	18-24"	18-24"	lavender-pink, deep pink center eye, fragrant	deep green, mildew-resistant	mid summer to early fall (Jul-Sep)
	○ ☞ ☝	36-42"	36-42"	pure white, fragrant	medium to deep green, mildew-resistant	mid summer to early fall (Jul-Sep)
<b>NEW</b>	○ ☞ ☝	30-36"	30-36"	fragrant, light fuchsia-pink	deep green, mildew-resistant	early to late summer (Jun-Aug)
	○ ☞ ☝	6-12"	6-12"	fragrant, coral-red	deep green, compact, mildew resistant	mid summer to early fall (Jul-Sep)
	○ ☞ ☝	6-12"	6-12"	fragrant, pink with red eye	deep green, compact, mildew resistant	mid summer to early fall (Jul-Sep)
	○ ☞ ☝	6-12"	6-12"	fragrant, purple	deep green, compact, mildew resistant	mid summer to early fall (Jul-Sep)
	○ ☞ ☝	6-12"	6-12"	fragrant, bright red	deep green, compact, mildew resistant	mid summer to early fall (Jul-Sep)
	○ ☞ ☝	6-12"	6-12"	fragrant, white with magenta eye	deep green, compact, mildew-resistant	mid summer to early fall (Jul-Sep)



	<b>LIGHT</b>	<b>HEIGHT</b>	<b>SPREAD</b>	<b>FLOWER</b>	<b>FOLIAGE</b>	<b>BLOOM TIME</b>
'Glamour Girl' PPAF	○ ☞ ☱	24-30"	24-30"	fragrant, hot coral-pink	bright green, dark stems, mildew-resistant	mid summer to early fall (Jul-Sep)
'Grape Lollipop' PP21109 <i>part of the First Editions series</i>	○ ☞ ☱	18-24"	18-24"	grape-purple, white center, fragrant	deep green, mildew-resistant	mid summer to early fall (Jul-Sep)
'Laura' <i>one of our favorite Phlox varieties</i>	○ ☞ ☱	24-30"	30-36"	fragrant, fuchsia-purple with a white center	medium to deep green, mildew-resistant	mid summer to early fall (Jul-Sep)
'Nicky'	○ ☞ ☱	30-36"	30-36"	large, magenta-pink, fragrant	medium to deep green, mildew-resistant	mid summer to early fall (Jul-Sep)
'Red Riding Hood'	○ ☞ ☱	18-24"	18-24"	cherry-red, fragrant	medium to deep green	mid summer to early fall (Jul-Sep)
'Smokey' PPAF	○ ☞ ☱	24-30"	18-24"	mauve-pink, violet-pink center	deep green, mildew resistant	mid summer to early fall (Jul-Sep)
<b>stolonifera (Creeping Phlox) : 1990 PPA Perennial of the Year.</b>						
'Home Fires'	○ ☞ ☱	6-12"	12-18"	fragrant, pink	medium green	early spring to early summer (Apr-Jun)
'Sherwood Purple'	○ ☞ ☱	6-12"	12-18"	fragrant, purplish-blue	medium green	early spring to early summer (Apr-Jun)
<b>subulata (Moss Creeping Phlox)</b>						
<b>NEW</b> 'Bedazzled Lavender' PPAF	○ ☞	6" or less	12-18"	star-shaped, lavender, white halo and small purple eye	mat-like, light green, spreading	early to late spring (Apr-May)
<b>NEW</b> 'Bedazzled Orchid' PPAF	○ ☞	6" or less	12-18"	star-shaped, lavender-pink, small purple eye	mat-like, light green, spreading	early to late spring (Apr-May)
<b>NEW</b> 'Bedazzled Pink' PPAF	○ ☞	6" or less	12-18"	star-shaped, medium pink, small purple eye	mat-like, light green, spreading	early to late spring (Apr-May)
'Drummond's Pink'	○ ☞	6" or less	12-18"	fuchsia-pink	mat-like, light green, spreading	early to late spring (Apr-May)
'Emerald Blue'	○ ☞	6" or less	12-18"	light lavender-blue	mat-like, light green, spreading	early to late spring (Apr-May)
'Emerald Pink'	○ ☞	6" or less	12-18"	pink to rose-pink	mat-like, light green, spreading	early to late spring (Apr-May)
'Red Wing'	○ ☞	6" or less	12-18"	rose-red	mat-like, light green, spreading	early to late spring (Apr-May)
<b>NEW</b> 'Rocky Road Pink' PPAF	○ ☞	6" or less	12-18"	star-shaped, bright rose-pink, deep purple center eye	mat-like, light green, spreading	early to late spring (Apr-May)
<b>PHYSALIS (Chinese Lantern)</b>						
<i>Physalis is derived from physa, which means bladder, and refers to the large calyx or fruit.</i>						
<b>alkekengi/francheti</b>						
alkekengi/francheti	○ ☞	24-30"	18-24"	orange	medium to light green	mid to late summer (Jul-Aug)
<b>PHYSOSTEGIA (False Dragonhead, Lion's Heart, Obedient Plant)</b>						
<i>The common name Obedient Plant comes from its flowers' ability to be twisted on the stem and still remain as they are arranged.</i>						
<b>virginiana</b>						
'Miss Manners' PPAF	○ ☞ ☱	12-18"	12-18"	spikes are white	slightly glossy, medium green, tolerates moisture well	early to late summer (Jun-Aug)
'Pink Manners' PPAF	○ ☞ ☱	30-36"	30-36"	spikes are pale lavender	slightly glossy, medium green, tolerates moisture well	early to late summer (Jun-Aug)
<b>PLATYCODON (Balloon Flower)</b>						
<i>Balloon Flower gets its name from its bud and flower shape. Platycodon will sometimes go dormant after flowering, and it breaks dormancy quite late in the spring.</i>						
<b>grandiflorus</b>						
'Astra Pink'	○ ☞	6-12"	6-12"	star-shaped, pink	compact, medium green	early to late summer (Jun-Aug)
'Double Blue'	○ ☞	18-24"	18-24"	bell-shaped, double, violet-blue	medium green	mid to late summer (Jul-Aug)
'Double White'	○ ☞	18-24"	18-24"	bell-shaped, double, white	medium green	mid to late summer (Jul-Aug)
'Sentimental Blue'	○ ☞	6-12"	6-12"	round "balloons" open to star-shaped violet-blue flowers	medium green, compact	mid summer to early fall (Jul-Sep)
<b>POLEMONIUM (Jacob's Ladder)</b>						
<i>Common name comes from its ladder-like formation of leaves. Prune foliage back after blooming to promote new growth and repeat blooms.</i>						
<b>boreale</b>						
'Heavenly Habit'	○ ☞ ☱	18-24"	18-24"	clusters are blue with yellow halo and white eye	medium to light green, lacy	late spring to mid summer (May-Jul)
<b>caeruleum</b>						
'Brise d'Anjou' PP9781	○ ☞ ☱	12-18"	18-24"	clusters are violet-blue	lacy, creamy-white and light green variegation	late spring to early summer (May-Jun)
<b>reptans</b>						
'Stairway to Heaven' PP15187	○ ☞ ☱	12-18"	12-18"	clusters are pale lavender-blue	lacy, variegated green and white leaves tinged with pink	early spring to early summer (Apr-Jun)
<b>PRIMULA (Primrose)</b>						
<i>Try to keep moist and/or plant in a shadier area. Prune foliage back after blooming to promote new growth and repeat blooms.</i>						
<b>Hybrid (Ballerina Series)</b>						
'Amethyst Ice' ('Kerbelpicotee' PPAF)	☞ ☱	6-12"	6-12"	double, large, violet-blue, thin white edges	light green, crinkled	early spring to early summer (Apr-Jun)
<b>x polyantha (English Primrose)</b>						
'Pacific Giant Mix'	☞ ☱	6-12"	6-12"	mixed (one color per plant) lavender, pink, red, violet-blue, white, or yellow, all with yellow centers	foliage is crinkled, compact, light green	early to late spring (Apr-May)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Supernova Mix' <i>slightly earlier to bloom</i>	☞ ☀	6-12"	6-12"	mixed (one color per plant) lavender, pink, red, violet-blue, white, or yellow, all with yellow centers	foliage is crinkled, compact, light green	early to late spring (Apr-May)
<b>PULMONARIA (Bethlehem Sage, Lungwort)</b>						
<i>Pulmonaria is reported to have lung-healing properties, hence the common name Lungwort.</i>						
<i>Hybrid</i>						
	☞ ☀	6-12"	6-12"	light pink buds open to bluish-pink	leathery, silver-gray	early to late spring (Apr-May)
<b>NEW</b>	☞ ☀	6-12"	12-18"	large, rose-pink	leathery, deep green with silver spots	early to late spring (Apr-May)
	☞ ☀	6-12"	6-12"	raspberry-pink maturing to lavender- blue	leathery, deep green with silver spots	early to late spring (Apr-May)
	☞ ☀	6-12"	6-12"	periwinkle-blue	leathery, compact, sturdy stems, deep green speckled with silver	early to late spring (Apr-May)
<i>saccharata</i>						
	☞ ☀	6-12"	6-12"	magenta-pink buds open to bright blue	leathery, deep green with silver spots	early to late spring (Apr-May)
<b>PULSATILLA (Pasque Flower)</b>						
<i>vulgaris</i>						
	○ ☞	12-18"	12-18"	five-petaled, wine-red	soft and fuzzy, medium green	early to late spring (Apr-May)
<b>ROSE (Various Potted Varieties)</b>						
<i>2-3 year old, mature plants.</i>						
<i>Brindabella Series : Superior disease resistance, fully double flowers, and stronger fragrance compared to most shrub roses.</i>						
<b>NEW</b>	○ ☞	42-48"	42-48"	double, fragrant, lavender-pink	semi-glossy, deep green	early summer to early fall (Jun-Sep)
<b>NEW</b>	○ ☞	42-48"	42-48"	double, fragrant, blend of pink, yellow, apricot	semi-glossy, deep green	early summer to early fall (Jun-Sep)
<b>NEW</b>	○ ☞	42-48"	42-48"	double, fragrant, crimson-red	semi-glossy, deep green	early summer to early fall (Jun-Sep)
<b>NEW</b>	○ ☞	42-48"	42-48"	double, fragrant, white, blushed pink centers	semi-glossy, deep green	early summer to early fall (Jun-Sep)
<i>Drift Series : Like the popular Flower Carpets, with extremely long bloom time and low-maintenance.</i>						
	○ ☞	18-24"	30-36"	semi-double, bright coral	deep green, glossy	late spring to late fall (May-Oct)
	○ ☞	18-24"	30-36"	semi-double, bright salmon-pink	deep green, glossy	late spring to late fall (May-Oct)
	○ ☞	18-24"	30-36"	semi-double, red to rose-red	deep green, glossy	late spring to late fall (May-Oct)
<i>Knock Out Series : One of the most popular shrub rose lines, with excellent disease-resistance, bloom time, and flower size.</i>						
	○ ☞	30-36"	30-36"	double, rose-pink, light scent	deep green	early summer to late fall (Jun-Oct)
	○ ☞	30-36"	30-36"	double, cherry-red, light scent	deep green	early summer to late fall (Jun-Oct)
	○ ☞	36-42"	36-42"	bright yellow to cream	deep green	early summer to late fall (Jun-Oct)
<i>Miniature Roses : Perfect for smaller areas or containers, with lots of blooms and a compact habit.</i>						
	○ ☞	18-24"	18-24"	semi-double, assorted colors	glossy, deep green	late spring to early fall (May-Sep)
<i>Non-Patented Climbing Roses : Perfect for a backdrop to gardens, camouflaging fences, or screening unwanted views.</i>						
	○ ☞	60" or more	54-60"	salmon-pink, clove scent	deep green	mid summer to early fall (Jul-Sep)
	○ ☞	60" or more	54-60"	brilliant red, light scent	medium green	mid summer to early fall (Jul-Sep)
	○ ☞	60" or more	54-60"	bright red, strong scent	medium green	mid summer to early fall (Jul-Sep)
	○ ☞	60" or more	54-60"	large, sunny-yellow, sweet honey scent	glossy, deep green	mid summer to early fall (Jul-Sep)
	○ ☞	60" or more	54-60"	red-yellow blend, light scent	glossy, medium green	mid summer to early fall (Jul-Sep)
<i>Non-Patented Floribunda Roses : No other rose type offers as much color, with countless clusters of flowers.</i>						
	○ ☞	30-36"	30-36"	ruffled, deep mauve-lavender, strong lemon scent	glossy, deep green	early summer to early fall (Jun-Sep)
	○ ☞	36-42"	30-36"	cardinal-red, light scent	deep bronze-green	early summer to early fall (Jun-Sep)
	○ ☞	30-36"	30-36"	deep yellow, strong scent	glossy, deep green	early summer to early fall (Jun-Sep)
<i>Non-Patented Hybrid Tea/Grandiflora Roses : Still the most popular rose type with classic bloom form, longer stems, and unmistakable fragrance.</i>						
	○ ☞	48-54"	42-48"	golden-bronze and orange-yellow blend, strong sweet scent	glossy, medium to light green	early to late summer (Jun-Aug)
	○ ☞	54-60"	48-54"	deep coral-pink to light pink	glossy, deep green	early to late summer (Jun-Aug)
	○ ☞	48-54"	42-48"	large, pink-apricot blend, mild scent	glossy, deep green	early to late summer (Jun-Aug)
	○ ☞	48-54"	42-48"	deep red, strong scent	deep green	early to late summer (Jun-Aug)
	○ ☞	54-60"	48-54"	light pink, rose-pink edges, moderate scent	deep green	early to late summer (Jun-Aug)
	○ ☞	48-54"	42-48"	ruffled, bright yellow, moderate scent	glossy, deep green	early to late summer (Jun-Aug)
	○ ☞	54-60"	42-48"	hot-pink with yellow tints, strong spicy scent	glossy, deep green	early to late summer (Jun-Aug)

	<b>LIGHT</b>	<b>HEIGHT</b>	<b>SPREAD</b>	<b>FLOWER</b>	<b>FOLIAGE</b>	<b>BLOOM TIME</b>
'Heirloom'	○ ☞	36-42"	36-42"	cupped, magenta-rose, strong sweet scent	deep green	early to late summer (Jun-Aug)
'Medallion'	○ ☞	60" or more	48-54"	large, apricot-rose	medium green	early to late summer (Jun-Aug)
'Moonlight Magic'	○ ☞	42-48"	42-48"	light lavender, light scent	medium green	early to late summer (Jun-Aug)
'Olympiad'	○ ☞	42-48"	42-48"	red, light fruity scent	medium green	early to late summer (Jun-Aug)
'Oregon Gold'	○ ☞	48-54"	42-48"	deep lemon-yellow, mild fruit scent	medium green	early to late summer (Jun-Aug)
'Peace'	○ ☞	42-48"	42-48"	cream-yellow flushed with pink, light fruity scent	glossy, deep green	early to late summer (Jun-Aug)
'Perfume Delight'	○ ☞	48-54"	42-48"	rose-pink, strong sweet scent	medium green	early to late summer (Jun-Aug)
'Pink Peace'	○ ☞	54-60"	42-48"	pink, strong scent	medium green	early to late summer (Jun-Aug)
<i>still popular after 50+ years</i>						
'Queen Elizabeth'	○ ☞	54-60"	42-48"	light rose-pink blend, moderate scent	glossy, deep green	early to late summer (Jun-Aug)
<i>a true classic</i>						
<b>Oso Easy Series : Like the Flower Carpet series, but with a slightly more spreading habit, great for mass plantings.</b>						
'Double Red'	○ ☞	30-36"	36-42"	double, bright rose-red	semi-spreading, deep green, disease-resistant	early summer to late fall (Jun-Oct)
'Lemon Zest'	○ ☞	30-36"	36-42"	semi-double, yellow	semi-spreading, deep green, disease-resistant	early summer to late fall (Jun-Oct)
'Mango Salsa'	○ ☞	30-36"	36-42"	double, deep salmon-pink	semi-spreading, deep green, disease-resistant	early summer to late fall (Jun-Oct)
'Paprika'	○ ☞	30-36"	36-42"	single, reddish-orange with yellow center eye	semi-spreading, deep green, disease-resistant	early summer to late fall (Jun-Oct)
<b>Patented Climbing Roses : Perfect for a backdrop to gardens, camouflaging fences, or screening unwanted views.</b>						
'Above and Beyond' PP24463	○ ☞	60" or more	54-60"	semi-double, shades of orange, apricot, and white	glossy, deep green	mid summer to early fall (Jul-Sep)
<b>Patented Floribunda Roses : No other rose type offers as much color, with countless clusters of flowers.</b>						
'Intrigue'	○ ☞	30-36"	30-36"	red-purple, strong scent	glossy, medium green	early summer to early fall (Jun-Sep)
<b>Patented Hybrid Tea/Grandiflora Roses : Still the most popular rose type with classic bloom form, longer stems, and unmistakable fragrance.</b>						
<b>NEW</b> 'Garden Party'	○ ☞	54-60"	48-54"	pale yellow to white, soft pink edges, mild fragrance	glossy, deep green	early to late summer (Jun-Aug)
'Love'	○ ☞	60" or more	54-60"	scarlet red	deep green	early to late summer (Jun-Aug)
'Peak Performance'	○ ☞	48-54"	42-48"	bright red, light scent	medium to deep green	early to late summer (Jun-Aug)
<b>Patented Shrub Roses : Easy to care for and versatile, shrub roses are some of the most hardy and maintenance-free roses available.</b>						
'At Last'	○ ☞	30-36"	30-36"	double, fragrant, light orange	deep green	early summer to early fall (Jun-Sep)
<i>fragrant like a tea rose, carefree like a shrub rose</i>						
<b>RUDBECKIA (Black-Eyed Susan, Coneflower, Orange Coneflower)</b>						
<i>Rudbeckia is a classic, and any garden can benefit from its late summer color and presence. R. hirta species prefers some winter protection/mulching.</i>						
<b>fulgida</b>						
<b>NEW</b> 'American Gold Rush' PP28498	○ ☞	18-24"	24-30"	golden-yellow, brown to black center cone	disease resistant, deep green	early summer to early fall (Jun-Sep)
'Goldsturm'	○ ☞	24-30"	30-36"	golden-yellow, brown center cone	deep green	mid summer to early fall (Jul-Sep)
<i>1999 PPA Perennial of the Year</i>						
'Little Goldstar' PP22397	○ ☞	12-18"	12-18"	golden-yellow, brown center cone	compact, deep green	early summer to early fall (Jun-Sep)
<i>ideal for containers with its compact habit</i>						
<b>hirta</b>						
'Cherry Brandy'	○ ☞	12-18"	12-18"	burgundy-red to wine-red with a deep maroon center and blackish center cone	medium to light green, slightly hairy	mid summer to early fall (Jul-Sep)
'Denver Daisy'	○ ☞	18-24"	12-18"	bright golden-yellow with burgundy-brown centers, brown center cone	medium to light green, slightly hairy	mid summer to early fall (Jul-Sep)
'Indian Summer'	○ ☞	30-36"	24-30"	bright yellow, brown center cone	hairy, medium to light green	mid summer to early fall (Jul-Sep)
'Prairie Sun'	○ ☞	30-36"	24-30"	bright golden-yellow drooping petals with a green center	fuzzy, medium to light green	mid summer to early fall (Jul-Sep)
<b>SAGINA (Corsican Pearlwort)</b>						
<i>A nice choice for in-between rockery, brickwork, or pavers. Prefers extra moisture if planted in full sun.</i>						
<b>subulata</b>						
'Aurea'	○ ☞ ☀	6" or less	6-12"	white, dainty	moss-like, chartreuse to yellow	early to mid summer (Jun-Jul)
<b>subulata</b>	○ ☞ ☀	6" or less	6-12"	white, dainty	moss-like, light green	early to mid summer (Jun-Jul)
<b>SALVIA (Sage)</b>						
<i>Cutting back foliage after flowering will take care of unattractive foliage and promote repeat blooming.</i>						
<b>Hybrid</b>						
'Azure Snow' PPAF	○ ☞	18-24"	18-24"	spikes are violet-blue and white bicolor	medium to deep green, compact	early to mid summer (Jun-Jul)
<i>part of the Color Spires series, proven winner selection</i>						
<b>NEW</b> 'Ballerina Pink' PPAF	○ ☞	18-24"	18-24"	spikes are soft pink	medium to deep green	early to mid summer (Jun-Jul)
<i>part of the Fashionista series</i>						

		LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
NEW	'Bumbleblue' PPAF	○ ☞	12-18"	12-18"	spikes are violet-blue	deep green, compact	early to mid summer (Jun-Jul)
NEW	'Bumblesnow' PPAF	○ ☞	12-18"	12-18"	spikes are white	deep green, compact	early to mid summer (Jun-Jul)
NEW	'Indigo Girl' PPAF	○ ☞	18-24"	18-24"	spikes are deep indigo-blue	medium to gray-green, compact	early to mid summer (Jun-Jul)
	<i>part of the Color Spires series, proven winner selection</i>						
	'Midnight Model' PPAF	○ ☞	18-24"	18-24"	spikes are deep violet-blue	medium to deep green	early to mid summer (Jun-Jul)
	<i>part of the Fashionista series</i>						
NEW	'Sweet Petite' PPAF	○ ☞	12-18"	12-18"	spikes are lavender-pink	medium to deep green, compact	early to mid summer (Jun-Jul)
	<i>part of the Fashionista series</i>						
	'Violet Riot' PPAF	○ ☞	18-24"	18-24"	spikes are vivid violet-blue	medium to deep green, dark stems, compact	early to mid summer (Jun-Jul)
	<i>part of the Color Spires series, proven winner selection</i>						

#### nemorosa

	'Caradonna'	○ ☞	24-30"	24-30"	spikes are light purple with purple stems	fragrant, medium green	early to late summer (Jun-Aug)
	<i>a more upright habit than most Salvia</i>						
	'East Friesland'	○ ☞	18-24"	24-30"	spikes are violet-purple	fragrant, medium green, mounding	early to late summer (Jun-Aug)
	'Marcus' PP13322	○ ☞	6-12"	12-18"	spikes are deep violet-purple	compact, medium green	early to late summer (Jun-Aug)
	'May Night'	○ ☞	18-24"	24-30"	spikes are deep violet-blue to purple	fragrant, medium green	late spring to mid summer (May-Jul)
	<i>1997 PPA Perennial of the Year</i>						
NEW	'Profusion Violet' PPAF	○ ☞	12-18"	12-18"	spikes are violet-blue	fragrant, medium green	early to late summer (Jun-Aug)
	<i>very good reblooming performance</i>						

#### SAPONARIA (Bouncing Bet, Soapwort)

*Saponaria comes from the Latin sapo, meaning soap. Many species contain root sap that lathers when mixed with water.*

#### ocymoides (Soapwort)

	ocymoides	○ ☞	6-12"	18-24"	light pink	medium green, spreading	late spring to early summer (May-Jun)
--	-----------	-----	-------	--------	------------	-------------------------	---------------------------------------

#### SAXIFRAGA (Rockfoil, Saxifrage)

*Keep moist if planted in full sun.*

#### x arendsii

	'Touran Pink'	○ ☞ ☂	6" or less	6-12"	light rose-pink	moss-like, compact, light green, burgundy stems	late spring to early summer (May-Jun)
	'Touran Scarlet'	○ ☞ ☂	6" or less	6-12"	magenta-red	moss-like, compact, light green, burgundy stems	late spring to early summer (May-Jun)

#### SCABIOSA (Pincushion Flower)

*Reliability can be improved with winter mulching. Prune foliage back after blooming to promote new growth and repeat blooms. An absolute must-have if you want to attract butterflies!*

#### columbaria

	'Butterfly Blue'	○ ☞	12-18"	6-12"	pincushion-like, lavender-blue	medium green, compact	early summer to early fall (Jun-Sep)
	<i>2000 PPA Perennial of the Year</i>						
	'Pink Mist' PP8957	○ ☞	12-18"	6-12"	pincushion-like, lavender-pink	medium green, compact	early summer to early fall (Jun-Sep)

#### SEDUM (Live-Forever, Stonecrop)

*Stonecrop comes from the manner by which many species seem to flourish on rockery. Sedum is one of the easiest perennials to grow and maintain with excellent drought-resistant qualities.*

#### floriferum

	'Winter Mahogany'	○ ☞	6" or less	24-30"	clusters are yellow	succulent, bright green, mahogany-red fall color, spreading	early to mid summer (Jun-Jul)
--	-------------------	-----	------------	--------	---------------------	---	-------------------------------

#### hispanicum (Baby Tears, Blue Carpet Sedum)

	'Pinkie'	○ ☞	6" or less	18-24"	clusters are pinkish-white	mat-like, succulent, blue-gray with a rose tint, spreading	early to mid summer (Jun-Jul)
	<i>tolerates some foot traffic</i>						

#### Hybrid

	'Autumn Fire'	○ ☞	24-30"	24-30"	heads are rose-red maturing to copper-red	succulent, light green	late summer to late fall (Aug-Oct)
NEW	'Bundle of Joy' PPAF	○ ☞	6-12"	12-18"	heads are white to very light pink	succulent, toothed, blue-green maturing to green, compact	late summer to early fall (Aug-Sep)
	'Carl'	○ ☞	12-18"	12-18"	heads are pinkish-red	succulent, blue-green	late summer to late fall (Aug-Oct)
NEW	'Flaming Carpet'	○ ☞	6" or less	30-36"	mixed varieties producing various yellows and pinks	succulent, spreading, mixed varieties producing various greens, reds, and yellows	mid summer to early fall (Jul-Sep)
	<i>mixed varieties of 'Angelina', 'Blue Spruce', and 'Voodoo'</i>						
	'Frosted Fire'	○ ☞	12-18"	12-18"	heads are rose-red maturing to copper-red	succulent, blue-green with thin cream-yellow margins	late summer to late fall (Aug-Oct)
	<i>variegated sport of the popular 'Autumn Fire'</i>						
	'John Creech'	○ ☞	6" or less	30-36"	clusters are purplish-pink	succulent, spreading, medium green	mid to late summer (Jul-Aug)
	'Lemonjade' PPAF	○ ☞	12-18"	12-18"	heads are citron-yellow	succulent, light green to gray	late summer to late fall (Aug-Oct)
	'Little Miss Sunshine' PPAF	○ ☞	6" or less	12-18"	clusters are yellow	succulent, glossy, deep green, semi-spreading	late summer to late fall (Aug-Oct)
	'Mr. Goodbud' PP17671	○ ☞	12-18"	18-24"	heads are large, purple-pink	succulent, toothed, blue-green, purple-red stems	late summer to late fall (Aug-Oct)
	'Night Embers' PPAF	○ ☞	18-24"	18-24"	heads are mauve-pink	succulent, deep burgundy-purple	late summer to late fall (Aug-Oct)
	'Popstar' PPAF	○ ☞	6-12"	12-18"	heads are salmon-pink	succulent, blue-gray, gray purple stems	late summer to late fall (Aug-Oct)
	<i>proven winner selection</i>						
	'Pure Joy' PPAF	○ ☞	6-12"	12-18"	heads are light pink to lavender	succulent, toothed, blue-green maturing to green, compact	late summer to early fall (Aug-Sep)

		<b>LIGHT</b>	<b>HEIGHT</b>	<b>SPREAD</b>	<b>FLOWER</b>	<b>FOLIAGE</b>	<b>BLOOM TIME</b>
<b>NEW</b>	'Steel the Show' PPAF	○ ☞	6-12"	12-18"	heads are rose-pink	succulent, blue-green, compact	late summer to late fall (Aug-Oct)
	'Superstar' PPAF	○ ☞	6-12"	12-18"	heads are bright rose-pink	succulent, blue-gray, silver overlay	late summer to late fall (Aug-Oct)
	'Vera Jameson'	○ ☞	6-12"	24-30"	heads are light pink to rose	reddish-maroon, spreading	late summer to early fall (Aug-Sep)
<b>Hybrid (Sunsparkler series)</b>							
<b>NEW</b>	'Blue Elf' PPAF	○ ☞	6" or less	6-12"	clusters are dark pink	succulent, steel blue, compact	late summer to late fall (Aug-Oct)
	'Dazzleberry' PP22457	○ ☞	6" or less	12-18"	heads are raspberry-red	succulent, blue-grey, semi-compact	late summer to late fall (Aug-Oct)
<b>NEW</b>	'Dream Dazzler' PPAF	○ ☞	6" or less	12-18"	heads are magenta-pink	succulent, variegated, purple-gray, pink and light pink edges	late summer to late fall (Aug-Oct)
	<i>sport of S. 'Plum Dazzled'</i>						
	'Firecracker' PPAF	○ ☞	6" or less	12-18"	heads are pink	succulent, burgundy-red, semi-compact	late summer to late fall (Aug-Oct)
<b>NEW</b>	'Jade Tuffet' PPAF	○ ☞	12-18"	12-18"	heads are dark pink	succulent, light green, red stems	late summer to late fall (Aug-Oct)
<b>NEW</b>	'Lime Twister' PPAF	○ ☞	6" or less	12-18"	heads are rose-pink	succulent, variegated, light green edged in cream-yellow, semi-compact	late summer to late fall (Aug-Oct)
	'Lime Zinger' PPAF	○ ☞	6" or less	12-18"	heads are pink	succulent, light green edged in cherry-red, compact	late summer to late fall (Aug-Oct)
<b>NEW</b>	'Plum Dazzled' PPAF	○ ☞	6" or less	12-18"	heads are raspberry-pink	succulent, plum-purple, semi-compact	late summer to late fall (Aug-Oct)
<b>NEW</b>	'Wildfire' PPAF	○ ☞	6" or less	12-18"	heads are rose-pink	succulent, variegated, burgundy-red, reddish-pink edges, semi-compact	late summer to late fall (Aug-Oct)
	<i>sport of S. 'Firecracker'</i>						
<b>kamtschaticum (Russian Stonecrop)</b>							
	kamtschaticum	○ ☞	6-12"	30-36"	clusters are lemon-yellow to golden-orange	succulent, spreading, medium green	early to mid summer (Jun-Jul)
	'Variegatum'	○ ☞	6-12"	30-36"	clusters are lemon-yellow to golden-orange	succulent, spreading, medium green edged in creamy-white	early to mid summer (Jun-Jul)
<b>pluricaule</b>							
	'Ezawe'	○ ☞	6" or less	18-24"	clusters are dusty-pink	blue-green with showy reddish-purple highlights, succulent	early to mid summer (Jun-Jul)
<b>reflexum</b>							
	'Blue Spruce'	○ ☞	6" or less	24-30"	clusters are yellow	blue-gray, spreading, succulent	mid to late summer (Jul-Aug)
<b>NEW</b>	'Goldfinch' PPAF	○ ☞	6" or less	24-30"	clusters are yellow	needle-like, bright gold-yellow turning reddish-orange in fall and winter, spreading	late spring to early summer (May-Jun)
	'Solar Spice' PP23392	○ ☞	6" or less	24-30"	clusters are yellow	resembles spruce needles, bright yellow tinged with orange-red, spreading	late spring to early summer (May-Jun)
<b>repestre</b>							
	'Angelina'	○ ☞	6" or less	24-30"	clusters are yellow	needle-like, chartreuse to yellow turning reddish-orange in fall and winter, spreading	early to late summer (Jun-Aug)
<b>sieboldii (October Daphne)</b>							
	sieboldii	○ ☞	6" or less	18-24"	clusters are pink	succulent, powdery-blue edged in burgundy, spreading	late summer to early fall (Aug-Sep)
<b>spectabile</b>							
	'Neon'	○ ☞	18-24"	18-24"	heads are bright rose-pink to magenta	succulent, light green	late summer to early fall (Aug-Sep)
	<i>slightly brighter color and consistency than S. 'Brilliant'</i>						
<b>spurium (Two-Row Sedum)</b>							
	'Fool's Gold'	○ ☞	6" or less	24-30"	clusters are pale pink	succulent, variegated white and green with pink highlights, spreading	early to late summer (Jun-Aug)
	<i>improved form of S. 'Tricolor'</i>						
	'Fulda Glut'	○ ☞	6" or less	30-36"	clusters are hot-pink	succulent, spreading, bronze to burgundy-red	early to late summer (Jun-Aug)
	<i>best foliage color comes with full sunlight and mature plants</i>						
	'Tricolor'	○ ☞	6" or less	30-36"	clusters are pale pink	succulent, variegated white and green with pink highlights, spreading	early to late summer (Jun-Aug)
<b>takesimense</b>							
	'Atlantis' PPAF	○ ☞	6" or less	12-18"	clusters are yellow	succulent, variegated, creamy-white to yellow margins, deep green centers, glossy, semi-	mid to late summer (Jul-Aug)
	<i>sport of S. tak. 'Gold Carpet'</i>						
	'Gold Carpet'	○ ☞	6" or less	12-18"	clusters are yellow	succulent, deep green, glossy, semi-evergreen	mid to late summer (Jul-Aug)
	<i>durable and easy to grow</i>						
<b>SEMPERVIVUM (Hens and Chicks, Houseleek, Live-Forever)</b>							
<i>An excellent plant for the poorest of soils. Superstitions abound for its ability to repel lightning and fire.</i>							
<b>tectorum</b>							
	'Chick Charms' PPAF	○ ☞	6" or less	12-18"	clusters are varying shades of pink	succulent, varying foliage colors, spreading	early to late summer (Jun-Aug)
	<i>lots of collectible varieties to choose from</i>						

**SHRUB ACER (Maple)**

Listed as part of our foliar and flowering line of small shrubs, but obviously an ornamental tree.

*palmatum /dissectum (Japanese Maple)*

<b>NEW</b>	'Red Dragon'	○ ☞ ☰	60" or more	60" or more		lace-leaf type, burgundy-red, slow-growing, semi-upright, cascading branches, grows 6-8'	
	'Tamukeyama'	○ ☞ ☰	60" or more	60" or more		lace-leaf type, burgundy-red, slow-growing, semi-upright, cascading branches, grows 8-10'	

**SHRUB AZALEA (Azalea) : prefers acidic soil if possible.**

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

*Rhododendron x*

	'Bloom-a-Thon Pink' PP21477	○ ☞ ☰	30-36"	30-36"	double, pink	glossy, medium green	late spring (May)
--	-----------------------------	-------	--------	--------	--------------	----------------------	-------------------

*repeats bloom later in summer*

**SHRUB BERBERIS (Barberry)**

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

*thunbergii*

	'Aurea'	☞ ☰	30-36"	24-30"		slow-growing, yellow-gold	
	<i>can tolerate shade but more sun will yield better color</i>						
	'Crimson Pygmy'	○ ☞ ☰	24-30"	24-30"		compact habit, reddish-purple	
	<i>can tolerate shade but more sun will yield better color</i>						
	'Sunjoy Gold Pillar' PP18082	☞ ☰	36-42"	30-36"		reddish maturing to gold-yellow	
	<i>proven winner selection, sun-tolerant</i>						

**SHRUB BUDDLEIA (Butterfly Bush) : Many varieties available, see regular Buddleia section.**

**SHRUB BUXUS (Boxwood)**

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

*Hybrid*

	'Green Velvet'	○ ☞ ☰	24-30"	24-30"		deep green, semi-glossy, compact	
	'Winter Gem'	○ ☞ ☰	24-30"	24-30"		medium green, glossy, compact, round growth habit	

**SHRUB CHAENOMELES (Quince)**

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

*Hybrid*

	'Double Take Peach'	○ ☞	48-54"	48-54"	large, double, peach-pink	thornless, deep green, glossy	early to late spring (Apr-May)
	'Double Take Scarlet Storm'	○ ☞	48-54"	48-54"	large, double, deep red	thornless, deep green, glossy	early to late spring (Apr-May)

**SHRUB CHAMAECYPARIS (False Cypress)**

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

*pisifera*

	'King's Gold'	○ ☞	54-60"	48-54"		feathery, soft-textured, yellow to gold	
--	---------------	-----	--------	--------	--	---	--

*best foliage color in sunny areas*

**SHRUB CLETHRA (Summersweet)**

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

*alnifolia*

	'Hummingbird'	○ ☞	36-42"	36-42"	spikes are white, fragrant	medium green, woody	mid to late summer (Jul-Aug)
	'Ruby Spice'	○ ☞	36-42"	42-48"	spikes are reddish-pink, non-fading, fragrant	medium green, woody	mid to late summer (Jul-Aug)

**SHRUB DAPHNE**

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

*x burkwoodii*

<b>NEW</b>	'Carol Mackie'	☞	30-36"	36-42"	fragrant, pale pink	variegated, medium to light green, thin yellow margin	late spring to early summer (May-Jun)
------------	----------------	---	--------	--------	---------------------	---	---------------------------------------

**SHRUB EUONYMUS (Burning Bush, Wintercreeper)**

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

*alatus (Burning Bush)*

	'Compacta'	○ ☞	54-60"	48-54"		deep green, turns red to burgundy-red in fall	
	'Fire Ball'	○ ☞	54-60"	48-54"		deep green, turns bright red to burgundy-red in fall	

*fortunei (Wintercreeper) : mostly for groundcover purposes, but will climb if given support.*

	'Blondy'	○ ☞	18-24"	24-30"		green margin, large yellow center, evergreen	
	'Gaiety'	○ ☞	30-36"	36-48"		deep green, white margins, evergreen	

**SHRUB FORSYTHIA (Forsythia)**

Listed as part of our foliar and flowering line of small shrubs, but obviously an ornamental tree.

*x intermedia*

'Show Off Sugar Baby' PP23838 <i>very compact</i>	○ ☞	30-36"	30-36"	bright yellow	woody, compact, medium green	early to late spring (Apr-May)
---	-----	--------	--------	---------------	------------------------------	--------------------------------

**SHRUB HIBISCUS (Rose of Sharon)**

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

*syriacus* : A slight pruning in late spring will usually keep plants shorter and more compact if desired.

'Bali' PPAF	○ ☞	60" or more	60" or more	semi-double, white, purple red eye	woody, medium green, semi-glossy	mid summer to early fall (Jul-Sep)
'Chiffon Blue' PP20574	○ ☞	60" or more	60" or more	double, rich blue to violet, lacy center row of petals	woody, medium green, semi-glossy	mid summer to early fall (Jul-Sep)
'Chiffon White' PP12612	○ ☞	60" or more	60" or more	double, white, lacy center row of petals	woody, medium green, semi-glossy	mid summer to early fall (Jul-Sep)

**SHRUB HYDRANGEA (Hydrangea)**

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

*arborescens (Smooth Hydrangea)* : Can be pruned each fall.

'Annabelle' <i>still a popular choice for a reliable hydrangea</i>	☞	48-54"	42-48"	large, round, white	woody, medium to light green, semi-glossy	late spring to mid summer (May-Jul)
'Incrediball Blush' PPAF	☞	48-54"	42-48"	very large, round, light pink	woody, medium to light green, semi-glossy	late spring to mid summer (May-Jul)
'Incrediball' PP20571 <i>a larger-flowered Annabelle-type hydrangea</i>	☞	48-54"	42-48"	very large, round, white	woody, medium to light green, semi-glossy	late spring to mid summer (May-Jul)
'Invincibelle Mini Mauvette' PPAF	☞	30-36"	36-42"	large, round, deep pink to mauve	woody, compact, medium to light green, semi-glossy	late spring to mid summer (May-Jul)
'Invincibelle Spirit' PP20920 <i>pink-flowered Annabelle-type hydrangea, percentage of proceeds to benefit breast cancer</i>	☞	42-48"	42-48"	large, round, deep pink maturing to lighter pink	woody, medium to light green, semi-glossy	late spring to mid summer (May-Jul)

*macrophylla (Bigleaf Hydrangea)* : Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue. Pruning usually not needed, prune only for shaping.

'Endless Summer' ('Bailmer' PP15298)	☞	42-48"	42-48"	pink (alkaline) or blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
'Endless Summer Bloomstruck' PPAF	☞	42-48"	42-48"	pink (alkaline) or violet-blue (acidic)	woody, reddish stems, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
<b>NEW</b> 'Endless Summer Summer Crush' ('Bailmacfive' PP30359) <i>more compact than the other Endless Summer varieties</i>	☞	30-36"	30-36"	raspberry-red (alkaline) or bright purple (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
'Endless Summer Twist & Shout' PPAF	☞	42-48"	42-48"	lacecap-shaped, pink (alkaline) or blue (acidic)	woody, deep green, burgundy tints in fall, pruning only needed for shaping	early to late summer (Jun-Aug)
'LA Dreamin' PP26249	☞	36-42"	36-42"	mophead-shaped, pink (alkaline) or blue (acidic), many times both colors at once	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)

*macrophylla (Bigleaf Hydrangea, Cityline Series)* : Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue. Pruning usually not needed, prune only for shaping.

'Paris' PP10906	☞	30-36"	30-36"	mophead-shaped, rose-red (alkaline) or lavender (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
'Venice' PP10928	☞	30-36"	30-36"	mophead-shaped, deep pink (alkaline) or blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
'Vienna' PP10930	☞	30-36"	30-36"	mophead-shaped, fuchsia-pink (alkaline) or violet-blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)

*macrophylla (Bigleaf Hydrangea, Let's Dance Series)* : Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue. Pruning usually not needed, prune only for shaping.

'Big Easy' PP22329 <i>repeat bloomer</i>	☞	30-36"	30-36"	large, mophead-shaped, deep rose-pink (alkaline) or lavender-blue (acidic), chartreuse tints	woody, deep green, strong stems, pruning only needed for shaping	early to late summer (Jun-Aug)
'Blue Jangles' PPAF	☞	30-36"	30-36"	large, mophead-shaped, deep pink (alkaline) or rich blue (acidic), rebloomer	woody, compact, deep green, strong stems, pruning only needed for shaping	early to late summer (Jun-Aug)

*macrophylla (Bigleaf Hydrangea, Tuff Stuff Series)* : Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue. Pruning usually not needed, prune only for shaping.

'Tuff Stuff' PP24820	☞	24-30"	30-36"	lacecap-shaped, light pink (alkaline) or blue (acidic), rebloomer	compact, woody, deep green, strong stems, pruning only needed for shaping	early summer to early fall (Jun-Sep)
'Tuff Stuff Red' PPAF	☞	24-30"	30-36"	lacecap-shaped, rose-red to pink (alkaline) or blue (acidic), rebloomer	compact, woody, deep green, strong stems, pruning only needed for shaping	early summer to early fall (Jun-Sep)

*paniculata (Hardy Hydrangea)* : Prune in fall if necessary. Tolerates shade but does best in half-day sun or more.

'Bobo' PPAF <i>proven winner selection</i>	○ ☞ ☝	30-36"	30-36"	conical-shaped, large, flower heads are white maturing to blush-pink	compact, woody, deep green	mid summer to early fall (Jul-Sep)
'Fire Light'	○ ☞ ☝	54-60"	48-54"	conical-shaped, white maturing to pink to vivid red	woody, medium green, red stems and highlights	mid summer to early fall (Jul-Sep)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Limelight' ('Zwijenburg' PP12874)	○ ☞ ☀	60" or more	54-60"	conical-shaped, white to lime-green maturing with pinkish tones	woody, medium green	mid summer to early fall (Jul-Sep)
'Limelight' ('Zwijenburg' PP12874) (Tree Form) <i>keep pruned for continued tree shape</i>	○ ☞ ☀	54-60"	54-60"	conical-shaped, white to lime-green maturing with pinkish tones	woody, medium green	mid summer to early fall (Jul-Sep)
'Little Lime' ('Jane' PPAF) <i>proven winner selection</i>	○ ☞ ☀	42-48"	42-48"	conical-shaped, white to lime-green maturing with pinkish tones	compact, woody, medium green	mid summer to early fall (Jul-Sep)
'Little Quick Fire' PPAF	○ ☞ ☀	42-48"	42-48"	semi-conical, large, flower heads are white maturing to light red	woody, compact, medium green, reddish stems	early to late summer (Jun-Aug)
'Pinky Winky' PP16166	○ ☞ ☀	54-60"	54-60"	conical-shaped, large, flower heads are white maturing to pink	woody, deep green	mid summer to early fall (Jul-Sep)
'Pinky Winky' PP16166 (Tree Form) <i>keep pruned for continued tree shape</i>	○ ☞ ☀	54-60"	54-60"	conical-shaped, large, flower heads are white maturing to pink	woody, deep green	mid summer to early fall (Jul-Sep)
'Vanilla Strawberry' PP20670	○ ☞ ☀	54-60"	54-60"	conical-shaped, large, flower heads are white tipped in pink, mature to strawberry-red	woody, deep green	mid summer to early fall (Jul-Sep)
'Vanilla Strawberry' PP20670 (Tree Form) <i>keep pruned for continued tree shape</i>	○ ☞ ☀	54-60"	54-60"	conical-shaped, large, flower heads are white tipped in pink, mature to strawberry-red	woody, deep green	mid summer to early fall (Jul-Sep)
'Zinfin Doll' PP26956 <i>proven winner selection</i>	○ ☞ ☀	54-60"	54-60"	conical-shaped, large, flower heads are white maturing bright pink	woody, deep green	early summer to early fall (Jun-Sep)
<b>quercifolia (Oakleaf Hydrangea) : Prune each fall.</b>						
<b>NEW</b> 'Ruby Slippers'	○ ☞ ☀	54-60"	54-60"	conical-shaped, large, flower heads are white maturing to deep pink	woody, non-flopping, medium green, mahogany-red fall color	mid to late summer (Jul-Aug)

### SHRUB ILEX (Holly)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

#### crenata

'Sky Pencil'	○ ☞ ☀	54-60"	24-30"		conical, narrow, deep green, evergreen	
--------------	-------	--------	--------	--	--	--

#### glabra (Inkberry)

'Gem Box' PP27554 <i>proven winner selection, the perfect alternative to Boxwood</i>	○ ☞ ☀	24-30"	24-30"		round shape, deep green	
--	-------	--------	--------	--	-------------------------	--

#### meserveae (Blue Holly)

'Blue Prince'	○ ☞ ☀	48-54"	48-54"	insignificant flower	glossy, deep green	early to late fall (Sep-Oct)
'Blue Prince & Princess' <i>combination planter of both male and female varieties, no need for separate plants/pollinators</i>	○ ☞ ☀	48-54"	48-54"	insignificant flower, red berries in fall	glossy, deep green	early to late fall (Sep-Oct)
'Blue Princess' <i>requires a male pollinator ('Blue Prince') for berry production</i>	○ ☞ ☀	48-54"	48-54"	insignificant flower, red berries in fall	glossy, deep green	early to late fall (Sep-Oct)

### SHRUB LIGUSTRUM (Privet)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

#### x vicaryi

"Golden Ticket" <i>non-invasive variety</i>	○ ☞ ☀	54-60"	54-60"		bright yellow maturing to chartreuse	
---	-------	--------	--------	--	--------------------------------------	--

### SHRUB PHYSOCARPUS (Ninebark)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

#### opulifolius

'Coppertina' PP16371	○ ☞ ☀	60" or more	54-60"	clusters are light pink	copper-orange maturing to rich burgundy, woody	early to mid summer (Jun-Jul)
'Summer Wine' PP14821	○ ☞ ☀	60" or more	48-54"	clusters are creamy-white	wine-purple, woody	early to mid summer (Jun-Jul)

### SHRUB PICEA (Spruce)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

#### abies

'Nidiformis' <i>better known as Bird's Nest Spruce</i>	○ ☞ ☀	30-36"	36-42"		deep blue-green	
--	-------	--------	--------	--	-----------------	--

#### glauca (Dwarf Alberta Spruce)

'Conica' <i>will grow to 10' but very slow-growing, great as an accent plant</i>	○ ☞ ☀	60" or more	54-60"		slow-growing, medium green	
--	-------	-------------	--------	--	----------------------------	--

### SHRUB PIERIS (Japanese Andromeda)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

#### japonica

<b>NEW</b> 'Flaming Silver' <i>prefers acidic soil if possible</i>	○ ☞ ☀	42-48"	42-48"	clusters are white	compact, variegated, medium to light green with thin white margin, reddish new growth	late spring to early summer (May-Jun)
'Mountain Fire' <i>prefers acidic soil if possible</i>	○ ☞ ☀	60" or more	54-60"	clusters are white	reddish new growth maturing to bright green, glossy	late spring to early summer (May-Jun)



**SHRUB POTENTILLA (Potentilla)**

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

*fruticosa*

'Happy Face Pink Paradise' PP22732	○ ☞	30-36"	30-36"	medium pink	medium green	early summer to early fall (Jun-Sep)
'Happy Face Yellow' PP22176	○ ☞	30-36"	30-36"	bright yellow	medium green	early summer to early fall (Jun-Sep)

**SHRUB PRUNUS (Peach)**

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

*persica (Ornamental Peach)*

'Bonfire'	○ ☞	60" or more	60" or more	double, pink-red	dwarf, dark red, grows to 6'	early spring (Apr)
-----------	-----	-------------	-------------	------------------	------------------------------	--------------------

**SHRUB RHAMNUS (Buckthorn)**

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

*frangula*

'Fine Line' PP14791	○ ☞ ☂	60" or more	30-36"		fern-like, columnar habit, medium green	
---------------------	-------	-------------	--------	--	---	--

*a nice alternative for a tall accent plant in the garden or container*

**SHRUB RHODODENDRON (Rhododendron) : benefits from some winter protection to keep from cold and drying wind**

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

*Hybrid*

<b>NEW</b> 'Landmark'	☞ ☂	42-48"	42-48"	clusters are deep fuchsia-pink	glossy, deep green, bronze fall color	late spring to early summer (May-Jun)
'Nova Zembla'	☞ ☂	54-60"	48-54"	clusters are raspberry-red	glossy, deep green	late spring to early summer (May-Jun)
'PJM Compacta'	☞ ☂	36-42"	36-42"	clusters are lavender-pink	glossy, deep green, mahogany fall color	late spring to early summer (May-Jun)
'PJM Olga'	☞ ☂	42-48"	36-42"	clusters are peach-pink	glossy, deep green, reddish fall color	late spring to early summer (May-Jun)
'Ramapo'	☞ ☂	36-42"	42-48"	clusters are light violet	compact, glossy, deep green	late spring to early summer (May-Jun)

**SHRUB SAMBUCUS (Elderberry)**

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

*nigra*

'Black Lace' PP15575	○ ☞	60" or more	54-60"	clusters are pink	woody, lacy, purple-black	early to mid summer (Jun-Jul)
----------------------	-----	-------------	--------	-------------------	---------------------------	-------------------------------

**SHRUB SPIREA (Spirea)**

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

*japonica*

'Double Big Bang' PP21588	○ ☞ ☂	24-30"	24-30"	large clusters, pink	deep yellow, golden-orange spring and fall color, compact	early to mid summer (Jun-Jul)
'Double Candy Corn' PPAF	○ ☞ ☂	18-24"	18-24"	large clusters, purple-pink	reddish maturing to pineapple-yellow with orange tints, compact	early to mid summer (Jun-Jul)
'Double Play Gold' PP21615	○ ☞ ☂	18-24"	18-24"	clusters are hot pink	golden-yellow to lime-green, compact	early to mid summer (Jun-Jul)

**SHRUB SYRINGA (Lilac)**

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

*hyacinthiflora*

<b>NEW</b> 'Scentara Double Blue' PP29801	○ ☞	60" or more	54-60"	fragrant, purple maturing to blue	disease resistant, deep green	early spring to early summer (Apr-Jun)
---	-----	-------------	--------	-----------------------------------	-------------------------------	--

*Hybrid*

'Bloomerang Dark Purple' PPAF	○ ☞	54-60"	48-54"	rounded, bright purple, fragrant	medium to deep green	late spring to early fall (May-Sep)
-------------------------------	-----	--------	--------	----------------------------------	----------------------	-------------------------------------

*repeat bloomer with spring color repeating in summer and fall*

'Bloomerang Pink Perfume' PP24252	○ ☞	54-60"	48-54"	rounded, rose-pink, fragrant	medium to deep green	late spring to early fall (May-Sep)
-----------------------------------	-----	--------	--------	------------------------------	----------------------	-------------------------------------

*repeat bloomer with spring color repeating in summer and fall*

*patula (Manchurian Lilac)*

'Miss Kim'	○ ☞	54-60"	48-54"	pink to lavender-purple, fragrant	medium to deep green	early spring to early summer (Apr-Jun)
------------	-----	--------	--------	-----------------------------------	----------------------	--

*vulgaris (French Hybrids) : if pruning is needed, try to prune immediately when finished blooming.*

'Yankee Doodle'	○ ☞	60" or more	60" or more	deep purple, fragrant	medium green	early to late spring (Apr-May)
-----------------	-----	-------------	-------------	-----------------------	--------------	--------------------------------

**SHRUB THUJA (Arborvitae)**

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

*occidentalis*

'Emerald Green' ('Smaragd') <i>one of the nicest arborvitae varieties available, perfect for hedges and privacy screens</i>	○ ☞ ☂	60" or more	48-54"		bright green, columnar habit, grows 10-15'	
'North Pole' PPAF <i>branching and habit is slightly more dense than most Arborvitae and not as tall</i>	○ ☞ ☂	60" or more	48-54"		deep green, columnar habit	

*plicatum*

'4ever Goldy' PP19267	○ ☞ ☂	60" or more	48-54"		bright golden-yellow maturing to yellow-green, columnar habit, slow growing but grows 8-12'	
-----------------------	-------	-------------	--------	--	---	--

**SHRUB VIBURNUM**

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

*burkwoodii* (Burkwood Viburnum)

<b>NEW</b>	<b>burkwoodii</b> <i>a larger alternative to V. carlesii</i>	○ ☞	60" or more	48-54"	fragrant, red buds open to pinkish-white	woody, deep green	early to late spring (Apr-May)
------------	---	-----	-------------	--------	--	-------------------	--------------------------------

*opulus* (Common Snowball)

	<b>'Roseum'</b> <i>can prune back hard to keep compact</i>	○ ☞	60" or more	60" or more	clusters of white	medium green	late spring to early summer (May-Jun)
--	---	-----	-------------	-------------	-------------------	--------------	---------------------------------------

**SHRUB WEIGELA (Weigela) : a popular choice to attract hummingbirds.**

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

*florida*

	<b>'Midnight Wine' PP12217</b> <i>a dwarf variety of W. 'Wine &amp; Roses'</i>	○ ☞ ☀	24-30"	30-36"	rose-pink	burgundy-purple, compact	late spring to mid summer (May-Jul)
	<b>'My Monet' PP16824</b>	○ ☞ ☀	12-18"	18-24"	lavender-pink	variegated white and green with pink tinges, compact	late spring to mid summer (May-Jul)
	<b>'My Monet Sunset' PPAF</b>	○ ☞ ☀	12-18"	18-24"	light pink	variegated yellow and green, tinged with red, pink, and orange, compact	late spring to mid summer (May-Jul)
	<b>'Sonic Bloom Red' PP24572</b> <i>repeat blooming, proven winner selection</i>	○ ☞ ☀	42-48"	48-54"	hot pink to red	medium green	late spring to late summer (May-Aug)
	<b>'Spilled Wine' PPAF</b>	○ ☞ ☀	24-30"	30-36"	hot pink	deep purple to black, compact	late spring to mid summer (May-Jul)
	<b>'Wine &amp; Roses' PP10772</b>	○ ☞ ☀	36-42"	42-48"	pink	deep purple to burgundy	late spring to mid summer (May-Jul)

**SILENE (Campion, Catchfly)**

*Hybrid*

	<b>'Rolly's Favorite' PP17392</b>	○ ☞	18-24"	18-24"	magenta-pink	medium green, mounding	early spring to early summer (Apr-Jun)
--	-----------------------------------	-----	--------	--------	--------------	------------------------	--

**SISYRINCHIUM (Blue-eyed Grass)**

*Sisyrinchium* is often overlooked and under-used; try it as an edging plant or small-scale groundcover. Long-blooming and looks nice even when not in bloom.

*Hybrid*

	<b>'Lucerne'</b> <i>formerly listed as S. bermudianum</i>	○ ☞	6-12"	6-12"	bright blue with gold centers	grass-like, medium to deep green	late spring to mid summer (May-Jul)
--	--	-----	-------	-------	-------------------------------	----------------------------------	-------------------------------------

**STACHYS (Lamb's Ears, Woolly Betony)**

Best results will be appreciated if planted in well-drained soil.

*monnieri* (Common Betony)

	<b>'Hummelo'</b>	○ ☞	18-24"	18-24"	spikes are lavender-rose	medium green	early to late summer (Jun-Aug)
--	------------------	-----	--------	--------	--------------------------	--------------	--------------------------------

**STOKESIA (Stokes' Aster)**

*laevis*

	<b>'Honeysong Purple'</b>	○ ☞ ☀	12-18"	12-18"	starburst-shaped, deep purple	deep green, leathery	mid to late summer (Jul-Aug)
	<b>'Peachie's Pick'</b> <i>named after Peachie Saxton, discoverer of this variety</i>	○ ☞ ☀	12-18"	12-18"	starburst-shaped, lavender-blue	deep green, leathery	mid summer to early fall (Jul-Sep)

**TANACETUM (Painted Daisy)**

*Tanacetum* make excellent cut flowers. Prune foliage back after blooming to promote new growth and repeat blooms.

*coccineum*

	<b>'Robinson Dark Crimson'</b>	○ ☞	18-24"	18-24"	deep rose-red	ferry, deep green	early to mid summer (Jun-Jul)
	<b>'Robinson Hybrids'</b>	○ ☞	18-24"	18-24"	mixed (one color per plant) pink, rose-red, or white (dominant color is rose-red)	ferry, deep green	early to mid summer (Jun-Jul)

**THYMUS (Thyme)**

Many varieties of Thyme are good choices for in-between pavers or brickwork.

*lanuginosus* (Woolly Thyme)

	<b>lanuginosus</b>	○ ☞	6" or less	30-36"	purplish-pink	medium green covered with silvery-gray hair, spreading, fragrant	late spring to early summer (May-Jun)
--	--------------------	-----	------------	--------	---------------	--	---------------------------------------

*praecox* (Mother-of-Thyme)

	<b>'Coccineus'</b>	○ ☞	6" or less	30-36"	magenta-red to pink	fragrant, deep green, turns bronze in fall, spreading	late spring to mid summer (May-Jul)
	<b>'Highland Cream'</b>	○ ☞	6" or less	30-36"	pale pink	fragrant, slightly variegated green and cream, spreading	early to mid summer (Jun-Jul)

*serpyllum*

	<b>'Elfin'</b> <i>not as spreading as most Thymus</i>	○ ☞	6" or less	18-24"	pink	medium green, spreading, fragrant, semi-compact	late spring to early summer (May-Jun)
	<b>'Pink Chintz'</b>	○ ☞	6" or less	18-24"	salmon-pink	fuzzy, gray-green, spreading, fragrant, compact	late spring to early summer (May-Jun)

*x citriodorus* (Lemon Thyme)

<b>NEW</b>	<b>'Archer's Gold'</b>	○ ☞	6" or less	24-30"	lavender	bright gold, fragrant, spreading	mid to late summer (Jul-Aug)
	<b>'Variegatus'</b> <i>great for culinary or ornamental purposes, strong lemon scent</i>	○ ☞	6" or less	24-30"	lavender	deep green and yellow variegation, fragrant, spreading	mid to late summer (Jul-Aug)

**TIARELLA (False Miterwort, Foam Flower)**

Tiarella is from the Greek word tiara, a small crown, which refers to its flowers.

<i>Hybrid</i>							
'Sugar & Spice' PP16738	☉ ☀	6-12"	6-12"	spikes are light pink, fragrant	medium green, burgundy-red centers, deeply dissected, compact	late spring to mid summer (May-Jul)	

**TRADESCANTIA (Spiderwort, Widow's Tears)**

Flowers will close during the daytime hours if planted in full sunlight.

<i>x andersoniana / virginiana</i>							
'Zwanenberg Blue'	☉ ☀ ☀	18-24"	24-30"	violet-purple	medium green, vigorous	early summer to early fall (Jun-Sep)	

**TRICYRTIS (Orchid Flower, Toad Lily)**

Tricyrtis is best used if it can be seen up close, as the flowers are unique but not showy from a distance.

<i>formosana</i>							
'Autumn Glow'	☉ ☀ ☀	24-30"	18-24"	orchid-like, small, white, purple spots	soft, variegated deep and light green, arching stems	mid summer to early fall (Jul-Sep)	

**TRIFOLIUM (Clover)**

<i>repens</i>							
'Atropurpureum'	☉ ☀ ☀	6" or less	36-42"	white	burgundy-purple with green margins, spreading	early to mid summer (Jun-Jul)	
<i>can become invasive, use with care</i>							

**TROLLIUS (Globeflower)**

Moisture is absolutely necessary for Trollius, especially if in sunny areas.

<i>chinensis</i>							
'Golden Queen'	☉ ☀ ☀	24-30"	18-24"	cup-shaped, golden-orange	deep green, glossy	late spring to mid summer (May-Jul)	
<i>moisture-loving</i>							

**VERBENA (Vervain)**

We like the naturalizing effect this type of Verbena gives. But it will reseed readily, so a quick weeding out of seedlings in the spring should keep it contained to your desired area.

<i>bonariensis</i>							
'bonariensis'	☉ ☀	42-48"	60" or more	purple to lavender	semi-woody, strong stems, medium green	early to late summer (Jun-Aug)	
<i>a must-have for any butterfly garden</i>							

**VERONICA (Speedwell)**

Blackening and deteriorating foliage is normal throughout the season, but pruning regularly will alleviate these problems.

<i>Hybrid</i>							
'Blue Skywalker' PPAF	☉ ☀	24-30"	18-24"	spikes are lavender-blue	taller habit, deep green	early to late summer (Jun-Aug)	
'Mona Lisa Smile' PPAF	☉ ☀	18-24"	18-24"	spikes are rose-purple	medium green	late spring to mid summer (May-Jul)	
'Pink Potion' PPAF	☉ ☀	18-24"	18-24"	spikes are medium pink	deep green	early to late summer (Jun-Aug)	
<i>proven winner selection</i>							
'Very Van Gogh' PPAF	☉ ☀	18-24"	18-24"	spikes are orchid-purple	bright green	early to late summer (Jun-Aug)	
'White Wands' PPAF	☉ ☀	12-18"	18-24"	spikes are pure white	deep green, glossy	early to late summer (Jun-Aug)	
<i>one of the best white varieties available</i>							

<b>NEW</b>	'Wizard of Ahhs' PPAF	☉ ☀	12-18"	18-24"	spikes are violet-blue	deep green	early to late summer (Jun-Aug)
<i>part of the Magic Show series, proven winner selection</i>							

<i>incana</i>							
'Giles van Hees'	☉ ☀	6-12"	18-24"	spikes are bright pink	medium to deep green	early to late summer (Jun-Aug)	

<i>longifolia</i>							
'Vernique Blue'	☉ ☀	12-18"	12-18"	violet-blue	medium green	early to late summer (Jun-Aug)	
<i>flowers longer than most varieties</i>							

<b>NEW</b>	'Vernique Rose'	☉ ☀	12-18"	12-18"	rose-pink	medium green	early to late summer (Jun-Aug)
<i>flowers longer than most varieties</i>							

'Waterperry Blue'	☉ ☀	6" or less	18-24"	spikes are sky-blue to lavender with some deeper veining	spreading, medium green, turns bronze in fall	early to mid summer (Jun-Jul)
-------------------	-----	------------	--------	--	---	-------------------------------

<i>repens (Creeping Speedwell)</i>							
'Sunshine'	☉ ☀	6" or less	24-30"	spikes are blue	mat-like, chartreuse-gold	early to mid summer (Jun-Jul)	

<i>spicata</i>							
'Red Fox'	☉ ☀	12-18"	18-24"	spikes are hot rose-pink	medium to light green	early to mid summer (Jun-Jul)	
'Royal Candles' PP18432	☉ ☀	12-18"	18-24"	spikes are violet-blue	deep green, crinkled	early to late summer (Jun-Aug)	
<i>an improved variety over V. 'Sunny Border Blue'</i>							

**VINCA (Myrtle, Periwinkle)**

A venerable and popular groundcover. Keep moist if planted in sunny locations; allow a year or two to get established. Once established, it is maintenance-free.

<i>minor</i>							
'Bowles'	☉ ☀ ☀	6" or less	24-30"	large, violet-blue	glossy, deep green, spreading	early spring to early summer (Apr-Jun)	
'Ralph Shugert'	☉ ☀ ☀	6" or less	24-30"	lilac-blue	glossy, deep green with white margins, spreading	early spring to early summer (Apr-Jun)	

**VIOLA (Hardy Violet)**

Dead-heading and trimming of most varieties will keep plants blooming. Viola prefer cooler temps, so plant in partial shade for best summer color. Also keep moist if in full sun.

*cornuta*

'Columbine'	○ ☞ ☀	6-12"	12-18"	fragrant, white flowers streaked with lilac and lavender	medium to deep green, reseeds readily	early spring to mid summer (Apr-Jul)
'Etain'	○ ☞ ☀	6-12"	12-18"	fragrant, pale creamy-yellow with purple margins	medium to deep green, reseeds readily	early spring to early summer (Apr-Jun)
'Rebecca'	○ ☞ ☀	6-12"	12-18"	fragrant, pale creamy-yellow and white with purple flecks	medium to deep green, reseeds readily	early spring to early summer (Apr-Jun)

**WALDSTEINIA (Barren Strawberry)**

*ternata*

<i>ternata</i>	○ ☞ ☀	6" or less	30-36"	yellow	deep green, reddish tint in fall, spreading	late spring to early summer (May-Jun)
----------------	-------	------------	--------	--------	---	---------------------------------------

*an extremely easy-to-grow groundcover for areas where nothing else will grow*

**WATER/POND PLANTS : An assortment of water-loving plants for your pond or wet area. Call or email for specific availability.**

**WISTERIA**

Be patient! Wisteria, unless bought at a very mature age, takes at least 4-5 years to significantly flower. Try not to fertilize for best flowering results.

*frutescens (American Wisteria)*

'Amethyst Falls'	○	60" or more	60" or more	lavender-blue, fragrant	medium green, climbing	early to late summer (Jun-Aug)
------------------	---	-------------	-------------	-------------------------	------------------------	--------------------------------

*does not take as long to flower as other Wisteria; sometimes blooms the first or second year*

**YUCCA (Adam's Needle, Needle Palm)**

Yucca, once established, will probably flower every other season.

*filamentosa*

'Color Guard'	○ ☞	30-36"	30-36"	creamy-white	gray-green with golden-yellow to creamy white stripes, some pink highlights	mid to late summer (Jul-Aug)
---------------	-----	--------	--------	--------------	---	------------------------------